

Package ‘lepidochroma’

May 19, 2025

Title Colour Palettes Inspired by Butterflies

Version 0.1.0

Description A collection of colour palettes inspired by some of our dearest butterfly species. This package provides continuous and categorical palettes, including some colour blind friendly options.

License GPL (>= 3)

Encoding UTF-8

RoxygenNote 7.3.2

Suggests knitr, rmarkdown

VignetteBuilder knitr

NeedsCompilation no

Author Sara Gamboa [aut, cre] (ORCID: <<https://orcid.org/0000-0002-0829-3747>>),
Adrián Castro Insua [aut] (ORCID:
<<https://orcid.org/0000-0003-4184-8641>>),
Sofía Galván [aut] (ORCID: <<https://orcid.org/0000-0002-3092-4314>>),
Graciela Sotelo [aut] (ORCID: <<https://orcid.org/0000-0002-0577-6655>>),
Marta Matamala-Pagès [aut] (ORCID:
<<https://orcid.org/0009-0002-3435-9356>>),
Adriana Oliver [aut] (ORCID: <<https://orcid.org/0000-0002-2583-8294>>),
Iván Rey-Rodríguez [aut] (ORCID:
<<https://orcid.org/0000-0002-7253-5552>>),
Eduardo Méndez-Quintas [aut] (ORCID:
<<https://orcid.org/0000-0001-8272-873X>>),
Sara Varela [aut] (ORCID: <<https://orcid.org/0000-0002-5756-5737>>)

Maintainer Sara Gamboa <sara.gamboa@uvigo.gal>

Repository CRAN

Date/Publication 2025-05-19 13:30:02 UTC

Contents

lepidochroma	2
lepidochroma_display	2
lepidochroma_palettes	3

lepidochroma	<i>Colour palettes inspired by butterflies</i>
--------------	--

Description

Returns a colour palette from the lepidochroma collection.

Usage

```
lepidochroma(name, n = NULL)
```

Arguments

name	Palette name (see the name column in the data frame returned by lepidochroma_palettes() for a list of available options). This argument is case insensitive.
n	Number of colours to return. It is an optional argument: if it is not specified, all available colours for the specified palette will be returned. For continuous palettes (see the output of lepidochroma_palettes()) this parameter can take any number ≥ 2 . For discrete palettes, its maximum value is limited to their number of colours.

Value

A character vector with colours as hexadecimal strings.

Examples

```
# Discrete palette
lepidochroma("attacus", 4)
# Continuous palette
lepidochroma("morpho", 30)
```

lepidochroma_display	<i>Palette preview</i>
----------------------	------------------------

Description

Displays a preview of a palette or a set of palettes with the specified number of colours in a plot.

Usage

```
lepidochroma_display(  
  name = NULL,  
  n = NULL,  
  type = c("all", "discrete", "continuous"),  
  colourblind_only = FALSE  
)
```

Arguments

name	Palette name (see the name column in the data frame returned by <code>lepidochroma_palettes()</code> for a list of available options). This argument is case insensitive. If it is not specified, all palettes matching the properties indicated in the <code>type</code> and <code>colourblind_only</code> arguments will be displayed.
n	Number of colours to display. It is an optional argument, if it is not specified, the plot will display all the available colours.
type	The type of palettes to be displayed ("all", "discrete", or "continuous"). This argument is ignored if <code>name</code> is specified. It defaults to "all".
colourblind_only	A logical value. If TRUE, display only colour blind friendly palettes. This argument is ignored if <code>name</code> is specified. It defaults to FALSE.

Value

No return value, called for side effects.

Examples

```
# Discrete palette  
lepidochroma_display("parthenos", 3)  
# Continuous palette  
lepidochroma_display("battus", 30)
```

`lepidochroma_palettes` *Get information on available palettes*

Description

Returns a data frame with the names and information on the palettes that are available in the package.

Usage

```
lepidochroma_palettes()
```

Value

A data frame with 3 variables:

- name: palette name
- n_colours: number of colours in the palette
- type: continuous or discrete
- colourblind_friendly: a logical value indicating if the palette is colour blind friendly

Examples

```
lepidochroma_palettes()
```

Index

lepidochroma, [2](#)
lepidochroma_display, [2](#)
lepidochroma_palettes, [3](#)