

# Package ‘pharmr’

May 22, 2025

**Encoding** UTF-8

**Version** 1.7.2

**Date** 2025-05-21

**Title** Interface to the 'Pharmpy' 'Pharmacometrics' Library

**Maintainer** Rikard Nordgren <rikard.nordgren@uu.se>

**Depends** R (>= 3.6.0), altair (>= 4.0.0)

**SystemRequirements** Python (>= 3.11.0)

**Imports** reticulate (>= 1.38), cli, utils

**Suggests** testthat, magrittr, here, knitr

**NeedsCompilation** no

**Description** Interface to the 'Pharmpy' 'pharmacometrics' library. The 'Reticulate' package is used to interface Python from R.

**URL** <https://github.com/pharmpy/pharmr>

**BugReports** <https://github.com/pharmpy/pharmr/issues>

**License** LGPL (>= 3)

**RoxygenNote** 7.3.2

**Author** Rikard Nordgren [aut, cre, cph],  
Stella Belin [aut, cph],  
Mats O. Karlsson [sad],  
Andrew C. Hooker [sad],  
Xiaomei Chen [sad],  
Sebastian Ueckert [sad] (ORCID:  
<<https://orcid.org/0000-0002-3712-0255>>),  
Simon Buatois [rev],  
João A. Abrantes [rev],  
Emilie Schindler [rev],  
F. Hoffmann-La Roche Ltd. [fnd],  
Bayer AG [fnd]

**Repository** CRAN

**Date/Publication** 2025-05-22 14:00:04 UTC

## Contents

|                                                     |    |
|-----------------------------------------------------|----|
| add_admid . . . . .                                 | 7  |
| add_allometry . . . . .                             | 8  |
| add_bioavailability . . . . .                       | 9  |
| add_cmt . . . . .                                   | 10 |
| add_covariate_effect . . . . .                      | 11 |
| add_derivative . . . . .                            | 13 |
| add_effect_compartment . . . . .                    | 14 |
| add_estimation_step . . . . .                       | 15 |
| add_iiv . . . . .                                   | 17 |
| add_indirect_effect . . . . .                       | 19 |
| add_individual_parameter . . . . .                  | 20 |
| add_iov . . . . .                                   | 21 |
| add_lag_time . . . . .                              | 22 |
| add_metabolite . . . . .                            | 23 |
| add_parameter_uncertainty_step . . . . .            | 23 |
| add_pd_iiv . . . . .                                | 24 |
| add_peripheral_compartment . . . . .                | 25 |
| add_pk_iiv . . . . .                                | 26 |
| add_population_parameter . . . . .                  | 27 |
| add_predictions . . . . .                           | 28 |
| add_residuals . . . . .                             | 29 |
| add_time_after_dose . . . . .                       | 30 |
| append_estimation_step_options . . . . .            | 31 |
| bin_observations . . . . .                          | 32 |
| broadcast_log . . . . .                             | 33 |
| bump_model_number . . . . .                         | 33 |
| calculate_aic . . . . .                             | 34 |
| calculate_bic . . . . .                             | 34 |
| calculate_corr_from_cov . . . . .                   | 35 |
| calculate_corr_from_prec . . . . .                  | 36 |
| calculate_cov_from_corrse . . . . .                 | 37 |
| calculate_cov_from_prec . . . . .                   | 38 |
| calculate_epsilon_gradient_expression . . . . .     | 39 |
| calculate_eta_gradient_expression . . . . .         | 40 |
| calculate_eta_shrinkage . . . . .                   | 41 |
| calculate_individual_parameter_statistics . . . . . | 42 |
| calculate_individual_shrinkage . . . . .            | 43 |
| calculate_parameters_from_ucp . . . . .             | 44 |
| calculate_pk_parameters_statistics . . . . .        | 45 |
| calculate_prec_from_corrse . . . . .                | 46 |
| calculate_prec_from_cov . . . . .                   | 47 |
| calculate_se_from_cov . . . . .                     | 48 |
| calculate_se_from_prec . . . . .                    | 49 |
| calculate_ucp_scale . . . . .                       | 50 |
| check_dataset . . . . .                             | 50 |
| check_high_correlations . . . . .                   | 51 |

|                                                  |    |
|--------------------------------------------------|----|
| check_parameters_near_bounds . . . . .           | 52 |
| check_pharmpy . . . . .                          | 53 |
| check_setup . . . . .                            | 53 |
| cleanup_model . . . . .                          | 53 |
| convert_model . . . . .                          | 54 |
| create_basic_pk_model . . . . .                  | 55 |
| create_config_template . . . . .                 | 56 |
| create_joint_distribution . . . . .              | 56 |
| create_report . . . . .                          | 57 |
| create_rng . . . . .                             | 57 |
| create_symbol . . . . .                          | 58 |
| deidentify_data . . . . .                        | 59 |
| display_odes . . . . .                           | 59 |
| drop_columns . . . . .                           | 60 |
| drop_dropped_columns . . . . .                   | 61 |
| evaluate_epsilon_gradient . . . . .              | 61 |
| evaluate_eta_gradient . . . . .                  | 62 |
| evaluate_expression . . . . .                    | 63 |
| evaluate_individual_prediction . . . . .         | 64 |
| evaluate_population_prediction . . . . .         | 65 |
| evaluate_weighted_residuals . . . . .            | 66 |
| expand_additional_doses . . . . .                | 67 |
| filter_dataset . . . . .                         | 67 |
| find_clearance_parameters . . . . .              | 68 |
| find_volume_parameters . . . . .                 | 69 |
| fit . . . . .                                    | 69 |
| fix_or_unfix_parameters . . . . .                | 70 |
| fix_parameters . . . . .                         | 71 |
| fix_parameters_to . . . . .                      | 72 |
| get_admid . . . . .                              | 73 |
| get_baselines . . . . .                          | 73 |
| get_bioavailability . . . . .                    | 74 |
| get_central_volume_and_clearance . . . . .       | 75 |
| get_cmt . . . . .                                | 75 |
| get_concentration_parameters_from_data . . . . . | 76 |
| get_config_path . . . . .                        | 76 |
| get_covariate_baselines . . . . .                | 77 |
| get_covariate_effects . . . . .                  | 78 |
| get_doseid . . . . .                             | 78 |
| get_doses . . . . .                              | 79 |
| get_dv_symbol . . . . .                          | 80 |
| get_evid . . . . .                               | 80 |
| get_ids . . . . .                                | 81 |
| get_individual_parameters . . . . .              | 81 |
| get_individual_prediction_expression . . . . .   | 82 |
| get_initial_conditions . . . . .                 | 83 |
| get_lag_times . . . . .                          | 84 |
| get_mdv . . . . .                                | 84 |

|                                                     |     |
|-----------------------------------------------------|-----|
| get_model_code . . . . .                            | 85  |
| get_model_covariates . . . . .                      | 85  |
| get_mu_connected_to_parameter . . . . .             | 86  |
| get_nested_model . . . . .                          | 87  |
| get_number_of_individuals . . . . .                 | 88  |
| get_number_of_observations . . . . .                | 89  |
| get_number_of_observations_per_individual . . . . . | 90  |
| get_number_of_peripheral_compartments . . . . .     | 91  |
| get_number_of_transit_compartments . . . . .        | 91  |
| get_observations . . . . .                          | 92  |
| get_observation_expression . . . . .                | 93  |
| get_omegas . . . . .                                | 93  |
| get_parameter_rv . . . . .                          | 94  |
| get_pd_parameters . . . . .                         | 95  |
| get_pk_parameters . . . . .                         | 96  |
| get_population_prediction_expression . . . . .      | 97  |
| get_rv_parameters . . . . .                         | 97  |
| get_sigmas . . . . .                                | 98  |
| get_thetas . . . . .                                | 99  |
| get_unit_of . . . . .                               | 100 |
| get_zero_order_inputs . . . . .                     | 100 |
| greekify_model . . . . .                            | 101 |
| has_additive_error_model . . . . .                  | 102 |
| has_combined_error_model . . . . .                  | 103 |
| has_covariate_effect . . . . .                      | 104 |
| has_first_order_absorption . . . . .                | 104 |
| has_first_order_elimination . . . . .               | 105 |
| has_instantaneous_absorption . . . . .              | 106 |
| has_linear_odes . . . . .                           | 106 |
| has_linear_odes_with_real_eigenvalues . . . . .     | 107 |
| has_michaelis_menten_elimination . . . . .          | 108 |
| has_mixed_mm_fo_elimination . . . . .               | 108 |
| has_mu_reference . . . . .                          | 109 |
| has_odes . . . . .                                  | 110 |
| has_presystemic_metabolite . . . . .                | 110 |
| has_proportional_error_model . . . . .              | 111 |
| has_random_effect . . . . .                         | 112 |
| has_seq_zo_fo_absorption . . . . .                  | 113 |
| has_weibull_absorption . . . . .                    | 113 |
| has_weighted_error_model . . . . .                  | 114 |
| has_zero_order_absorption . . . . .                 | 114 |
| has_zero_order_elimination . . . . .                | 115 |
| install_pharmpy . . . . .                           | 116 |
| install_pharmpy_devel . . . . .                     | 116 |
| is_linearized . . . . .                             | 117 |
| is_real . . . . .                                   | 117 |
| is_simulation_model . . . . .                       | 118 |
| is_strictness_fulfilled . . . . .                   | 119 |

|                                              |     |
|----------------------------------------------|-----|
| list_models . . . . .                        | 119 |
| list_time_varying_covariates . . . . .       | 120 |
| load_dataset . . . . .                       | 121 |
| load_example_model . . . . .                 | 121 |
| load_example_modelfit_results . . . . .      | 122 |
| make_declarative . . . . .                   | 123 |
| mu_reference_model . . . . .                 | 123 |
| omit_data . . . . .                          | 124 |
| open_context . . . . .                       | 125 |
| plot_abs_cwres_vs_ipred . . . . .            | 125 |
| plot_cwres_vs_idv . . . . .                  | 126 |
| plot_dv_vs_ipred . . . . .                   | 127 |
| plot_dv_vs_pred . . . . .                    | 128 |
| plot_eta_distributions . . . . .             | 128 |
| plot_individual_predictions . . . . .        | 129 |
| plot_iofv_vs_iofv . . . . .                  | 130 |
| plot_transformed_eta_distributions . . . . . | 131 |
| plot_vpc . . . . .                           | 131 |
| predict_influential_individuals . . . . .    | 132 |
| predict_influential_outliers . . . . .       | 133 |
| predict_outliers . . . . .                   | 134 |
| print_fit_summary . . . . .                  | 135 |
| print_log . . . . .                          | 135 |
| print_model_code . . . . .                   | 136 |
| print_model_symbols . . . . .                | 136 |
| print_pharmpy_version . . . . .              | 137 |
| read_dataset_from_datainfo . . . . .         | 137 |
| read_model . . . . .                         | 138 |
| read_modelfit_results . . . . .              | 138 |
| read_model_from_string . . . . .             | 139 |
| read_results . . . . .                       | 140 |
| remove_bioavailability . . . . .             | 140 |
| remove_covariate_effect . . . . .            | 141 |
| remove_derivative . . . . .                  | 142 |
| remove_error_model . . . . .                 | 142 |
| remove_estimation_step . . . . .             | 143 |
| remove_iiv . . . . .                         | 144 |
| remove_iov . . . . .                         | 145 |
| remove_lag_time . . . . .                    | 146 |
| remove_loq_data . . . . .                    | 146 |
| remove_parameter_uncertainty_step . . . . .  | 148 |
| remove_peripheral_compartment . . . . .      | 149 |
| remove_predictions . . . . .                 | 150 |
| remove_residuals . . . . .                   | 151 |
| remove_unused_parameters_and_rvs . . . . .   | 152 |
| rename_symbols . . . . .                     | 152 |
| replace_fixed_thetas . . . . .               | 153 |
| replace_non_random_rvs . . . . .             | 153 |

|                                                    |     |
|----------------------------------------------------|-----|
| resample_data . . . . .                            | 154 |
| reset_index . . . . .                              | 155 |
| reset_indices_results . . . . .                    | 155 |
| retrieve_model . . . . .                           | 155 |
| retrieve_modelfit_results . . . . .                | 156 |
| retrieve_models . . . . .                          | 157 |
| run_allometry . . . . .                            | 157 |
| run_amd . . . . .                                  | 159 |
| run_bootstrap . . . . .                            | 161 |
| run_covsearch . . . . .                            | 162 |
| run_estmethod . . . . .                            | 163 |
| run_iivsearch . . . . .                            | 165 |
| run_iovsearch . . . . .                            | 166 |
| run_linearize . . . . .                            | 167 |
| run_modelfit . . . . .                             | 168 |
| run_modelsearch . . . . .                          | 169 |
| run_retries . . . . .                              | 170 |
| run_ruvsearch . . . . .                            | 171 |
| run_simulation . . . . .                           | 172 |
| run_structsearch . . . . .                         | 173 |
| run_tool . . . . .                                 | 174 |
| sample_individual_estimates . . . . .              | 175 |
| sample_parameters_from_covariance_matrix . . . . . | 176 |
| sample_parameters_uniformly . . . . .              | 177 |
| set_additive_error_model . . . . .                 | 178 |
| set_baseline_effect . . . . .                      | 180 |
| set_combined_error_model . . . . .                 | 180 |
| set_covariates . . . . .                           | 181 |
| set_dataset . . . . .                              | 182 |
| set_description . . . . .                          | 183 |
| set_direct_effect . . . . .                        | 183 |
| set_dtbs_error_model . . . . .                     | 184 |
| set_dvid . . . . .                                 | 185 |
| set_estimation_step . . . . .                      | 186 |
| set_evaluation_step . . . . .                      | 187 |
| set_first_order_absorption . . . . .               | 188 |
| set_first_order_elimination . . . . .              | 189 |
| set_iiv_on_ruv . . . . .                           | 189 |
| set_initial_condition . . . . .                    | 190 |
| set_initial_estimates . . . . .                    | 191 |
| set_instantaneous_absorption . . . . .             | 192 |
| set_lloq_data . . . . .                            | 193 |
| set_lower_bounds . . . . .                         | 194 |
| set_michaelis_menten_elimination . . . . .         | 195 |
| set_mixed_mm_fo_elimination . . . . .              | 196 |
| set_name . . . . .                                 | 197 |
| set_ode_solver . . . . .                           | 197 |
| set_peripheral_compartments . . . . .              | 198 |

|                                               |     |
|-----------------------------------------------|-----|
| set_power_on_ruv . . . . .                    | 199 |
| set_proportional_error_model . . . . .        | 200 |
| set_reference_values . . . . .                | 201 |
| set_seq_zo_fo_absorption . . . . .            | 202 |
| set_simulation . . . . .                      | 203 |
| set_time_varying_error_model . . . . .        | 204 |
| set_tmdd . . . . .                            | 204 |
| set_transit_compartments . . . . .            | 205 |
| set_upper_bounds . . . . .                    | 206 |
| set_weibull_absorption . . . . .              | 207 |
| set_weighted_error_model . . . . .            | 208 |
| set_zero_order_absorption . . . . .           | 208 |
| set_zero_order_elimination . . . . .          | 209 |
| set_zero_order_input . . . . .                | 210 |
| simplify_expression . . . . .                 | 211 |
| solve_ode_system . . . . .                    | 211 |
| split_joint_distribution . . . . .            | 212 |
| summarize_modelfit_results . . . . .          | 213 |
| transform_blq . . . . .                       | 213 |
| transform_etas_boxcox . . . . .               | 215 |
| transform_etas_john_draper . . . . .          | 216 |
| transform_etas_tdist . . . . .                | 217 |
| translate_nmtran_time . . . . .               | 218 |
| unconstrain_parameters . . . . .              | 218 |
| undrop_columns . . . . .                      | 219 |
| unfix_parameters . . . . .                    | 220 |
| unfix_parameters_to . . . . .                 | 221 |
| unload_dataset . . . . .                      | 222 |
| update_initial_individual_estimates . . . . . | 222 |
| use_thetas_for_error_stdev . . . . .          | 223 |
| write_csv . . . . .                           | 224 |
| write_model . . . . .                         | 224 |
| write_results . . . . .                       | 225 |

|              |            |
|--------------|------------|
| <b>Index</b> | <b>226</b> |
|--------------|------------|

---

|           |                  |
|-----------|------------------|
| add_admid | <i>add_admid</i> |
|-----------|------------------|

---

## Description

Add an admid column to the model dataset and datainfo. Dependent on the presence of a CMT column in order to add admid correctly.

When generated, admids of events in between doses is set to the last used admid.

## Usage

```
add_admid(model)
```

**Arguments**

model (Model) Pharmpy model

**Value**

(model : Model) Pharmpy model

**See Also**

get\_admid : Get or create an admid column

get\_cmt : Get or create a cmt column

---

|               |                      |
|---------------|----------------------|
| add_allometry | <i>add_allometry</i> |
|---------------|----------------------|

---

**Description**

Add allometric scaling of parameters

Add an allometric function to each listed parameter. The function will be  $P=P*(X/Z)^T$  where P is the parameter, X the allometric\_variable, Z the reference\_value and T is a theta. Default is to automatically use clearance and volume parameters.

If there already exists a covariate effect (or allometric scaling) on a parameter with the specified allometric variable, nothing will be added.

If no allometric variable is specified, it will be extracted from the dataset based on the descriptor "body weight".

**Usage**

```
add_allometry(
  model,
  allometric_variable = NULL,
  reference_value = 70,
  parameters = NULL,
  initials = NULL,
  lower_bounds = NULL,
  upper_bounds = NULL,
  fixed = TRUE
)
```

**Arguments**

model (Model) Pharmpy model

allometric\_variable  
(str or Expr (optional)) Value to use for allometry (X above)

reference\_value  
(numeric or str or Expr) Reference value (Z above)



|              |                                                                                                                         |
|--------------|-------------------------------------------------------------------------------------------------------------------------|
| parameters   | (array(numeric or str or Expr) (optional)) Parameters to use or NULL (default) for all available CL, Q and V parameters |
| initials     | (array(numeric) (optional)) Initial estimates for the exponents. Default is to use 0.75 for CL and Qs and 1 for Vs      |
| lower_bounds | (array(numeric) (optional)) Lower bounds for the exponents. Default is 0 for all parameters                             |
| upper_bounds | (array(numeric) (optional)) Upper bounds for the exponents. Default is 2 for all parameters                             |
| fixed        | (logical) Whether the exponents should be fixed                                                                         |

**Value**

(Model) PharmPy model object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- remove_covariate_effect(model, 'CL', 'WGT')
model <- remove_covariate_effect(model, 'V', 'WGT')
model <- add_allometry(model, allometric_variable='WGT')
model$statements$before_odes

## End(Not run)
```

---

add\_bioavailability      *add\_bioavailability*

---

**Description**

Add bioavailability statement for the first dose compartment of the model. Can be added as a new parameter or otherwise it will be set to 1. If added as a parameter, a logit transformation can also be applied.

**Usage**

```
add_bioavailability(model, add_parameter = TRUE, logit_transform = FALSE)
```

**Arguments**

|                 |                                                                 |
|-----------------|-----------------------------------------------------------------|
| model           | (Model) PharmPy model                                           |
| add_parameter   | (logical) Add new parameter representing bioavailability or not |
| logit_transform | (logical) Logit transform the added bioavailability parameter.  |

**Value**

(Model) Pharmpy model object

**See Also**

remove\_bioavailability

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- add_bioavailability(model)

## End(Not run)
```

---

add\_cmt

---

*add\_cmt*


---

**Description**

Add a CMT column to the model dataset and datainfo if not existed

In case of multiple doses, this method is dependent on the presence of an admid column to correctly number each dose.

NOTE : Existing CMT is based on datainfo type being set to 'compartment' and a column named 'CMT' can be replaced

**Usage**

```
add_cmt(model)
```

**Arguments**

model (Model) Pharmpy model

**Value**

(model : Model) Pharmpy model

**See Also**

get\_admid : Get or create an admid column

get\_cmt : Get or create a cmt column

---

 add\_covariate\_effect    *add\_covariate\_effect*


---

## Description

Adds covariate effect to :class:pharmpy.model.

The following effects have templates:

- Linear function for continuous covariates (*lin*)
- Function:

(equation could not be rendered, see API doc on website)

- Init: 0.001
- Upper:
- If median of covariate equals minimum: 100,000
- Otherwise: (equation could not be rendered, see API doc on website)
- Lower:
- If median of covariate equals maximum: -100,000
- Otherwise: (equation could not be rendered, see API doc on website)
- Linear function for categorical covariates (*cat*)
- Function:
- If covariate is the most common category:

(equation could not be rendered, see API doc on website)

- For each additional category:

(equation could not be rendered, see API doc on website)

- Init: 0.001
- Upper: 5
- Lower: -1
- (alternative) Linear function for categorical covariates (*cat2*)
- Function:
- If covariate is the most common category:

(equation could not be rendered, see API doc on website)

- For each additional category:

(equation could not be rendered, see API doc on website)

- Init: 0.001
- Upper: 6

- Lower: 0
- Piecewise linear function/"hockey-stick", continuous covariates only (*piece\_lin*)
- Function:
- If  $cov \leq median$ :

(equation could not be rendered, see API doc on website)

- If  $cov > median$ :

(equation could not be rendered, see API doc on website)

- Init: 0.001
- Upper:
- For first state: (equation could not be rendered, see API doc on website)
- Otherwise: 100,000
- Lower:
- For first state: -100,000
- Otherwise: (equation could not be rendered, see API doc on website)
- Exponential function, continuous covariates only (*exp*)
- Function:

(equation could not be rendered, see API doc on website)

- Init:
- If  $lower > 0.001$  or  $upper < 0.001$ : (equation could not be rendered, see API doc on website)
- If estimated init is 0: (equation could not be rendered, see API doc on website)
- Otherwise: 0.001
- Upper:
- If  $min - median = 0$  or  $max - median = 0$ : 100
- Otherwise:

(equation could not be rendered, see API doc on website)

- Lower:
- If  $min - median = 0$  or  $max - median = 0$ : 0.01
- Otherwise:

(equation could not be rendered, see API doc on website)

- Power function, continuous covariates only (*pow*)
- Function:

(equation could not be rendered, see API doc on website)

- Init: 0.001
- Upper: 100,000
- Lower: -100

**Usage**

```
add_covariate_effect(
  model,
  parameter,
  covariate,
  effect,
  operation = "*",
  allow_nested = FALSE
)
```

**Arguments**

|              |                                                                                                                      |
|--------------|----------------------------------------------------------------------------------------------------------------------|
| model        | (Model) Pharmpy model to add covariate effect to.                                                                    |
| parameter    | (str) Name of parameter to add covariate effect to.                                                                  |
| covariate    | (str) Name of covariate.                                                                                             |
| effect       | (str) Type of covariate effect. May be abbreviated covariate effect (see above) or custom.                           |
| operation    | (str) Whether the covariate effect should be added or multiplied (default).                                          |
| allow_nested | (logical) Whether to allow adding a covariate effect when one already exists for the input parameter-covariate pair. |

**Value**

(Model) Pharmpy model object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- add_covariate_effect(model, "CL", "APGR", "exp")
model$statements$before_odes$full_expression("CL")

## End(Not run)
```

---

add\_derivative

---

add\_derivative

---

**Description**

Add a derivative to be calculated when running the model. Currently, only derivatives with respect to the prediction is supported. Default is to add all possible ETA and EPS derivatives. First order derivatives are specified either by single string or single-element tuple. For instance with\_respect\_to = "ETA\_1" or with\_respect\_to = ("ETA\_1",)

Second order derivatives are specified by giving the two independent variables in a tuple of tuples. For instance with\_respect\_to ((ETA\_1, EPS\_1),)

Multiple derivatives can be specified within a tuple. For instance ((ETA\_1, EPS\_1), "ETA\_1")  
Currently, only ETAs and EPSILONs are supported

### Usage

```
add_derivative(model, with_respect_to = NULL)
```

### Arguments

`model` (Model) PharmPy modeas.  
`with_respect_to` (array(array(str) or str) or str (optional)) Parameter name(s) to use as independent variables. Default is NULL.

### Value

(PharmPy model.)

---

add\_effect\_compartment

*add\_effect\_compartment*

---

### Description

Add an effect compartment.

Implemented PD models are:

- Linear:

(equation could not be rendered, see API doc on website)

- Emax:

(equation could not be rendered, see API doc on website)

- Step effect:

(equation could not be rendered, see API doc on website)

- Sigmoidal:

(equation could not be rendered, see API doc on website)

- Log-linear:

(equation could not be rendered, see API doc on website)

(equation could not be rendered, see API doc on website)

### Usage

```
add_effect_compartment(model, expr)
```

**Arguments**

model (Model) Pharmpy model  
expr (str) Name of the PD effect function.

**Value**

(Model) Pharmpy model object

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
model <- add_effect_compartment(model, "linear")  
model$statements$ode_system$find_compartment("EFFECT")  
  
## End(Not run)
```

---

|                     |                            |
|---------------------|----------------------------|
| add_estimation_step | <i>add_estimation_step</i> |
|---------------------|----------------------------|

---

**Description**

Add estimation step

Adds estimation step for a model in a given index. Methods currently supported are: FO, FOCE, ITS, LAPLACE, IMPMAP, IMP, SAEM

**Usage**

```
add_estimation_step(  
  model,  
  method,  
  idx = NULL,  
  interaction = FALSE,  
  parameter_uncertainty_method = NULL,  
  evaluation = FALSE,  
  maximum_evaluations = NULL,  
  laplace = FALSE,  
  isample = NULL,  
  niter = NULL,  
  auto = NULL,  
  keep_every_nth_iter = NULL,  
  residuals = c(),  
  predictions = c(),  
  solver = NULL,  
  solver_rtol = NULL,  
  solver_atol = NULL,
```

```

    tool_options = {
  },
  derivatives = c(),
  individual_eta_samples = FALSE
)

```

## Arguments

|                                           |                                                                                                         |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------|
| <code>model</code>                        | (Model) Pharmpy model                                                                                   |
| <code>method</code>                       | (str) estimation method to change to                                                                    |
| <code>idx</code>                          | (numeric (optional)) index of estimation step (starting from 0), default is NULL (adds step at the end) |
| <code>interaction</code>                  | (logical) See :class:`~pharmpy.model.EstimationStep` for more information on options                    |
| <code>parameter_uncertainty_method</code> | (str (optional)) See above                                                                              |
| <code>evaluation</code>                   | (logical) See above                                                                                     |
| <code>maximum_evaluations</code>          | (numeric (optional)) See above                                                                          |
| <code>laplace</code>                      | (logical) See above                                                                                     |
| <code>isample</code>                      | (numeric (optional)) See above                                                                          |
| <code>niter</code>                        | (numeric (optional)) See above                                                                          |
| <code>auto</code>                         | (logical (optional)) See above                                                                          |
| <code>keep_every_nth_iter</code>          | (numeric (optional)) See above                                                                          |
| <code>residuals</code>                    | (array(str)) See above                                                                                  |
| <code>predictions</code>                  | (array(str)) See above                                                                                  |
| <code>solver</code>                       | (str (optional)) See above                                                                              |
| <code>solver_rtol</code>                  | (numeric (optional)) See above                                                                          |
| <code>solver_atol</code>                  | (numeric (optional)) See above                                                                          |
| <code>tool_options</code>                 | (list(str=any)) See above                                                                               |
| <code>derivatives</code>                  | (array(array(Expr))) See above                                                                          |
| <code>individual_eta_samples</code>       | (logical) See above                                                                                     |

## Value

(Model) Pharmpy model object



**See Also**

```

set_estimation_step
remove_estimation_step
append_estimation_step_options
add_parameter_uncertainty_step
remove_parameter_uncertainty_step
set_evaluation_step

```

**Examples**

```

## Not run:
model <- load_example_model("pheno")
opts <- list('NITER'=1000, 'ISAMPLE'=100)
model <- add_estimation_step(model, 'IMP', tool_options=opts)
ests <- model$execution_steps
length(ests)
ests[2]

## End(Not run)

```

---

add\_iiv

---

add\_iiv

---

**Description**

Adds IIVs to :class:pharmpy.model.

Effects that currently have templates are:

- Additive (*add*)
- Proportional (*prop*)
- Exponential (*exp*)
- Logit (*log*)
- Rescaled logit (*re\_log*)

For all except exponential the operation input is not needed. Otherwise user specified input is supported. Initial estimates for new etas are 0.09.

Assuming a statement (equation could not be rendered, see API doc on website)

- Additive: (equation could not be rendered, see API doc on website)
- Proportional: (equation could not be rendered, see API doc on website)
- Exponential: (equation could not be rendered, see API doc on website)
- Logit: (equation could not be rendered, see API doc on website)
- Rescaled logit: (equation could not be rendered, see API doc on website) with (equation could not be rendered, see API doc on website)

**Usage**

```
add_iiv(  
  model,  
  list_of_parameters,  
  expression,  
  operation = "*",  
  initial_estimate = 0.09,  
  eta_names = NULL  
)
```

**Arguments**

|                    |                                                                                      |
|--------------------|--------------------------------------------------------------------------------------|
| model              | (Model) Pharnpy model to add new IIVs to.                                            |
| list_of_parameters | (array(str) or str) Name/names of parameter to add new IIVs to.                      |
| expression         | (array(str) or str) Effect/effects on eta. Either abbreviated (see above) or custom. |
| operation          | (str) Whether the new IIV should be added or multiplied (default).                   |
| initial_estimate   | (numeric) Value of initial estimate of parameter. Default is 0.09                    |
| eta_names          | (array(str) (optional)) Custom name/names of new eta                                 |

**Value**

(Model) Pharnpy model object

**See Also**

```
add_pk_iiv  
add_iov  
remove_iiv  
remove_iov
```

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
model <- remove_iiv(model, "CL")  
model <- add_iiv(model, "CL", "add")  
model$statements$find_assignment("CL")  
  
## End(Not run)
```

---

|                     |                            |
|---------------------|----------------------------|
| add_indirect_effect | <i>add_indirect_effect</i> |
|---------------------|----------------------------|

---

## Description

Add indirect (turnover) effect

The concentration (equation could not be rendered, see API doc on website)

- Production:

(equation could not be rendered, see API doc on website)

- Degradation:

(equation could not be rendered, see API doc on website)

(equation could not be rendered, see API doc on website) Baseline (equation could not be rendered, see API doc on website)

Models:

- Linear:

(equation could not be rendered, see API doc on website)

- Emax:

(equation could not be rendered, see API doc on website)

- Sigmoidal:

(equation could not be rendered, see API doc on website)

## Usage

```
add_indirect_effect(model, expr, prod = TRUE)
```

## Arguments

|       |                                                          |
|-------|----------------------------------------------------------|
| model | (Model) PharmPy model                                    |
| expr  | (str) Production (TRUE) (default) or degradation (FALSE) |
| prod  | (logical) Name of PD effect function.                    |

## Value

(Model) PharmPy model object

## Examples

```
## Not run:
model <- load_example_model("pheno")
model <- add_indirect_effect(model, expr='linear', prod=TRUE)

## End(Not run)
```

---

add\_individual\_parameter

*add\_individual\_parameter*

---

## Description

Add an individual or pk parameter to a model

## Usage

```
add_individual_parameter(model, name, init = 0.1, lower = 0)
```

## Arguments

|       |                                                        |
|-------|--------------------------------------------------------|
| model | (Model) PharmPy model                                  |
| name  | (str) Name of individual/pk parameter                  |
| init  | (numeric) Initial estimate of the population parameter |
| lower | (numeric) Lower bound for the population parameter     |

## Value

(Model) PharmPy model object

## Examples

```
## Not run:
model <- load_example_model("pheno")
model <- add_individual_parameter(model, "KA")
model$statements$find_assignment("KA")

## End(Not run)
```

---

add\_iov

---

add\_iov

---

## Description

Adds IOVs to :class:pharmpy.model.

Initial estimate of new IOVs are 10% of the IIV eta it is based on.

## Usage

```
add_iov(
    model,
    occ,
    list_of_parameters = NULL,
    eta_names = NULL,
    distribution = "disjoint"
)
```

## Arguments

|                    |                                                                                                                                                                                                                                                                                               |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| model              | (Model) Pharmpy model to add new IOVs to.                                                                                                                                                                                                                                                     |
| occ                | (str) Name of occasion column.                                                                                                                                                                                                                                                                |
| list_of_parameters | (array(str) or str (optional)) List of names of parameters and random variables. Accepts random variable names, parameter names, or a mix of both.                                                                                                                                            |
| eta_names          | (array(str) or str (optional)) Custom names of new etas. Must be equal to the number of input etas times the number of categories for occasion.                                                                                                                                               |
| distribution       | (str) The distribution that should be used for the new etas. Options are 'disjoint' for disjoint normal distributions, 'joint' for joint normal distribution, 'explicit' for an explicit mix of joint and disjoint distributions, and 'same-as-iiv' for copying the distribution of IIV etas. |

## Value

(Model) Pharmpy model object

## See Also

add\_iiv  
 add\_pk\_iiv  
 remove\_iiv  
 remove\_iov

### Examples

```
## Not run:
model <- load_example_model("pheno")
model <- add_iov(model, "TIME", "CL")
model$statements$find_assignment("CL")

## End(Not run)
```

---

add\_lag\_time

*add\_lag\_time*

---

### Description

Add lag time to the dose compartment of model.

Initial estimate for lag time is set the previous lag time if available, otherwise it is set to the time of first observation/2.

### Usage

```
add_lag_time(model)
```

### Arguments

model (Model) Pharmpy model

### Value

(Model) Pharmpy model object

### See Also

set\_transit\_compartments  
remove\_lag\_time

### Examples

```
## Not run:
model <- load_example_model("pheno")
model <- add_lag_time(model)

## End(Not run)
```

---

|                |                       |
|----------------|-----------------------|
| add_metabolite | <i>add_metabolite</i> |
|----------------|-----------------------|

---

### Description

Adds a metabolite compartment to a model

The flow from the central compartment to the metabolite compartment will be unidirectional.

Presystemic indicate that the metabolite compartment will be directly connected to the DEPOT. If a depot compartment is not present, one will be created.

### Usage

```
add_metabolite(model, drug_dvid = 1, presystemic = FALSE)
```

### Arguments

|             |                                                                                 |
|-------------|---------------------------------------------------------------------------------|
| model       | (Model) Pharnpy model                                                           |
| drug_dvid   | (numeric) DVID for drug (assuming all other DVIDs being for metabolites)        |
| presystemic | (logical) Decide wether or not to add metabolite as a presystemetic fixed drug. |

### Value

(Model) Pharnpy model object

### Examples

```
## Not run:
model <- load_example_model("pheno")
model <- add_metabolite(model)

## End(Not run)
```

---

|                                |                                       |
|--------------------------------|---------------------------------------|
| add_parameter_uncertainty_step | <i>add_parameter_uncertainty_step</i> |
|--------------------------------|---------------------------------------|

---

### Description

Adds parameter uncertainty step to the final estimation step

### Usage

```
add_parameter_uncertainty_step(model, parameter_uncertainty_method)
```

**Arguments**

model (Model) Pharmpy model  
 parameter\_uncertainty\_method  
 (str) Parameter uncertainty method to use

**Value**

(Model) Pharmpy model object

**See Also**

add\_estimation\_step  
 set\_estimation\_step  
 remove\_estimation\_step  
 append\_estimation\_step\_options  
 remove\_parameter\_uncertainty\_step  
 set\_evaluation\_step

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- set_estimation_step(model, 'FOCE', parameter_uncertainty_method=NULL)
model <- add_parameter_uncertainty_step(model, 'SANDWICH')
ests <- model$execution_steps
ests[1]

## End(Not run)
```

---

add\_pd\_iiv

---

add\_pd\_iiv

---

**Description**

Adds IIVs to all PD parameters in :class:pharmpy.model.

**Usage**

```
add_pd_iiv(model, initial_estimate = 0.09)
```

**Arguments**

model (Model) Pharmpy model to add new IIVs to.  
 initial\_estimate  
 (numeric) Value of initial estimate of parameter. Default is 0.09



**Value**

(Model) Pharnpy model object

**See Also**

add\_iiv  
add\_iov  
remove\_iiv  
remove\_iov

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- set_direct_effect(model, 'emax')
model$statements$find_assignment("EC_50")
model <- add_pd_iiv(model)
model$statements$find_assignment("EC_50")

## End(Not run)
```

---

```
add_peripheral_compartment
      add_peripheral_compartment
```

---

**Description**

Add a peripheral distribution compartment to model

The rate of flow from the central to the peripheral compartment will be parameterized as  $Q_{Pn} / VC$  where VC is the volume of the central compartment. The rate of flow from the peripheral to the central compartment will be parameterized as  $Q_{Pn} / VP_n$  where  $VP_n$  is the volume of the added peripheral compartment.

If name is set, the peripheral compartment will be added to the compartment with the specified name instead.

Initial estimates:

```
== ===== n =====
1 (equation could not be rendered, see API doc on website) 2 (equation could not be rendered, see
API doc on website) == =====
```

**Usage**

```
add_peripheral_compartment(model, name = NULL)
```

**Arguments**

model (Model) Pharmpy model  
 name (str (optional)) Name of compartment to add peripheral to.

**Value**

(Model) Pharmpy model object

**See Also**

set\_peripheral\_compartment  
 remove\_peripheral\_compartment

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- add_peripheral_compartment(model)
model$statements$ode_system

## End(Not run)
```

---

add\_pk\_iiv

---

*add\_pk\_iiv*


---

**Description**

Adds IIVs to all PK parameters in :class:pharmpy.model.  
 Will add exponential IIVs to all parameters that are included in the ODE.

**Usage**

```
add_pk_iiv(model, initial_estimate = 0.09)
```

**Arguments**

model (Model) Pharmpy model to add new IIVs to.  
 initial\_estimate (numeric) Value of initial estimate of parameter. Default is 0.09

**Value**

(Model) Pharmpy model object

**See Also**

add\_iiv  
add\_iov  
remove\_iiv  
remove\_iov

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
model <- set_first_order_absorption(model)  
model$statements$find_assignment("MAT")  
model <- add_pk_iiv(model)  
model$statements$find_assignment("MAT")  
  
## End(Not run)
```

---

add\_population\_parameter  
*add\_population\_parameter*

---

**Description**

Add a new population parameter to the model

**Usage**

```
add_population_parameter(  
  model,  
  name,  
  init,  
  lower = NULL,  
  upper = NULL,  
  fix = FALSE  
)
```

**Arguments**

|       |                                                       |
|-------|-------------------------------------------------------|
| model | (Model) PharmPy model                                 |
| name  | (str) Name of the new parameter                       |
| init  | (numeric) Initial estimate of the new parameter       |
| lower | (numeric (optional)) Lower bound of the new parameter |
| upper | (numeric (optional)) Upper bound of the new parameter |
| fix   | (logical) Should the new parameter be fixed?          |

**Value**

(Model) Pharmpy model object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- add_population_parameter(model, 'POP_KA', 2)
model$parameters

## End(Not run)
```

---

|                 |                        |
|-----------------|------------------------|
| add_predictions | <i>add_predictions</i> |
|-----------------|------------------------|

---

**Description**

Add predictions and/or residuals  
 Add predictions to estimation step.

**Usage**

```
add_predictions(model, pred)
```

**Arguments**

|       |                                                            |
|-------|------------------------------------------------------------|
| model | (Model) Pharmpy model                                      |
| pred  | (array(str)) List of predictions (e.g. c('IPRED', 'PRED')) |

**Value**

(Model) Pharmpy model object

**See Also**

```
remove_predictions
remove_residuals
set_estimation_step
add_estimation_step
remove_estimation_step
append_estimation_step_options
add_parameter_uncertainty_step
remove_parameter_uncertainty_step
```

## Examples

```
## Not run:
model <- load_example_model("pheno")
model$execution_steps[-1].predictions
model <- add_predictions(model, c('IPRED'))
model$execution_steps[-1].predictions

## End(Not run)
```

---

add\_residuals

*add\_residuals*

---

## Description

Add predictions and/or residuals

Add residuals to estimation step.

Added residual variable(s) need to be one of the following : c('RES', 'IRES', 'WRES', 'IWRES', 'CWRES')

## Usage

```
add_residuals(model, res)
```

## Arguments

|       |                                                  |
|-------|--------------------------------------------------|
| model | (Model) PharmPy model                            |
| res   | (array(str)) List of residuals (e.g. c('CWRES')) |

## Value

(Model) PharmPy model object

## See Also

remove\_predictions  
remove\_residuals  
set\_estimation\_step  
add\_estimation\_step  
remove\_estimation\_step  
append\_estimation\_step\_options  
add\_parameter\_uncertainty\_step  
remove\_parameter\_uncertainty\_step

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model$execution_steps[-1].residuals
model <- add_residuals(model, c('WRES'))
model$execution_steps[-1].residuals

## End(Not run)
```

---

|                     |                            |
|---------------------|----------------------------|
| add_time_after_dose | <i>add_time_after_dose</i> |
|---------------------|----------------------------|

---

**Description**

Calculate and add a TAD column to the dataset

**Usage**

```
add_time_after_dose(model)
```

**Arguments**

|       |                       |
|-------|-----------------------|
| model | (Model) Pharmpy model |
|-------|-----------------------|

**Value**

(Model) Pharmpy model object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- add_time_after_dose(model)

## End(Not run)
```

---

```
append_estimation_step_options  
    append_estimation_step_options
```

---

## Description

Append estimation step options

Appends options to an existing estimation step.

## Usage

```
append_estimation_step_options(model, tool_options, idx)
```

## Arguments

|              |                                                      |
|--------------|------------------------------------------------------|
| model        | (Model) Pharmpy model                                |
| tool_options | (list(str=any)) any additional tool specific options |
| idx          | (numeric) index of estimation step (starting from 0) |

## Value

(Model) Pharmpy model object

## See Also

```
add_estimation_step  
set_estimation_step  
remove_estimation_step  
add_parameter_uncertainty_step  
remove_parameter_uncertainty_step  
set_evaluation_step
```

## Examples

```
## Not run:  
model <- load_example_model("pheno")  
opts <- list('NITER'=1000, 'ISAMPLE'=100)  
model <- append_estimation_step_options(model, tool_options=opts, idx=0)  
est <- model$execution_steps[1]  
length(est$tool_options)  
  
## End(Not run)
```

---

|                  |                         |
|------------------|-------------------------|
| bin_observations | <i>bin_observations</i> |
|------------------|-------------------------|

---

**Description**

Bin all observations on the independent variable

Available binning methods:

|              | Method                                          | Description |
|--------------|-------------------------------------------------|-------------|
| equal_width  | Bins with equal width based on the idv          |             |
| equal_number | Bins containing an equal number of observations |             |

**Usage**

```
bin_observations(model, method, nbins)
```

**Arguments**

|        |                                         |
|--------|-----------------------------------------|
| model  | (Model) Pharmpy model                   |
| method | (str) Name of the binning method to use |
| nbins  | (numeric) The number of bins wanted     |

**Value**

(data.frame) A series of bin ids indexed on the original record index of the dataset vector A vector of bin edges

**Examples**

```
## Not run:
model <- load_example_model("pheno")
bins, boundaries <- bin_observations(model, method="equal_width", nbins=10)
bins
boundaries

## End(Not run)
```



---

|               |                      |
|---------------|----------------------|
| broadcast_log | <i>broadcast_log</i> |
|---------------|----------------------|

---

**Description**

Broadcast the log of a context

Default is to use the same broadcaster, but optionally another broadcaster could be used.

**Usage**

```
broadcast_log(context, broadcaster = NULL)
```

**Arguments**

|             |                                                                                                   |
|-------------|---------------------------------------------------------------------------------------------------|
| context     | (Context) Broadcast the log of this context                                                       |
| broadcaster | (str (optional)) Name of the broadcaster to use. Default is to use the same as was original used. |

---

|                   |                          |
|-------------------|--------------------------|
| bump_model_number | <i>bump_model_number</i> |
|-------------------|--------------------------|

---

**Description**

If the model name ends in a number increase it

If path is set increase the number until no file exists with the same name in path. If model name does not end in a number do nothing.

**Usage**

```
bump_model_number(model, path = NULL)
```

**Arguments**

|       |                                                    |
|-------|----------------------------------------------------|
| model | (Model) Pharmpy model object                       |
| path  | (str (optional)) Default is to not look for files. |

**Value**

(Model) Pharmpy model object

Examples

```
## Not run:
model <- load_example_model("pheno")
model <- model$replace(name="run2")
model <- bump_model_number(model)
model$name

## End(Not run)
```

---

|               |                      |
|---------------|----------------------|
| calculate_aic | <i>calculate_aic</i> |
|---------------|----------------------|

---

Description

Calculate AIC  
 $AIC = -2LL + 2 \times n_{estimated\_parameters}$

Usage

```
calculate_aic(model, likelihood)
```

Arguments

model                    (Model) Pharmpy model object  
likelihood                (numeric) -2LL

Value

(numeric) AIC of model fit

---

|               |                      |
|---------------|----------------------|
| calculate_bic | <i>calculate_bic</i> |
|---------------|----------------------|

---

Description

Calculate BIC  
Different variations of the BIC can be calculated:

- | mixed (default) |  $BIC = -2LL + n_{random\_parameters} \times \log(n_{individuals}) + n_{fixed\_parameters} \times \log(n_{observations})$
- | fixed |  $BIC = -2LL + n_{estimated\_parameters} \times \log(n_{observations})$
- | random |  $BIC = -2LL + n_{estimated\_parameters} \times \log(n_{individuals})$
- | iiv |  $BIC = -2LL + n_{estimated\_iiv\_omega\_parameters} \times \log(n_{individuals})$

**Usage**

```
calculate_bic(model, likelihood, type = "mixed")
```

**Arguments**

|            |                                                               |
|------------|---------------------------------------------------------------|
| model      | (Model) Pharmpy model object                                  |
| likelihood | (numeric) -2LL to use                                         |
| type       | (str) Type of BIC to calculate. Default is the mixed effects. |

**Value**

(numeric) BIC of model fit

**Examples**

```
## Not run:
model <- load_example_model("pheno")
results <- load_example_modelfit_results("pheno")
ofv <- results$ofv
calculate_bic(model, ofv)
calculate_bic(model, ofv, type='fixed')
calculate_bic(model, ofv, type='random')
calculate_bic(model, ofv, type='iiv')

## End(Not run)
```

---

```
calculate_corr_from_cov
```

```
calculate_corr_from_cov
```

---

**Description**

Calculate correlation matrix from a covariance matrix

**Usage**

```
calculate_corr_from_cov(cov)
```

**Arguments**

|     |                                |
|-----|--------------------------------|
| cov | (data.frame) Covariance matrix |
|-----|--------------------------------|

**Value**

(data.frame) Correlation matrix

**See Also**

calculate\_se\_from\_cov : Standard errors from covariance matrix  
calculate\_se\_from\_prec : Standard errors from precision matrix  
calculate\_cov\_from\_prec : Covariance matrix from precision matrix  
calculate\_cov\_from\_corrse : Covariance matrix from correlation matrix and standard errors  
calculate\_prec\_from\_cov : Precision matrix from covariance matrix  
calculate\_prec\_from\_corrse : Precision matrix from correlation matrix and standard errors  
calculate\_corr\_from\_prec : Correlation matrix from precision matrix

**Examples**

```
## Not run:  
results <- load_example_modelfit_results("pheno")  
cov <- results$covariance_matrix  
cov  
calculate_corr_from_cov(cov)  
  
## End(Not run)
```

---

```
calculate_corr_from_prec  
calculate_corr_from_prec
```

---

**Description**

Calculate correlation matrix from a precision matrix

**Usage**

```
calculate_corr_from_prec(precision_matrix)
```

**Arguments**

precision\_matrix  
(data.frame) Precision matrix

**Value**

(data.frame) Correlation matrix

**See Also**

calculate\_se\_from\_cov : Standard errors from covariance matrix  
 calculate\_se\_from\_prec : Standard errors from precision matrix  
 calculate\_corr\_from\_cov : Correlation matrix from covariance matrix  
 calculate\_cov\_from\_prec : Covariance matrix from precision matrix  
 calculate\_cov\_from\_corrse : Covariance matrix from correlation matrix and standard errors  
 calculate\_prec\_from\_cov : Precision matrix from covariance matrix  
 calculate\_prec\_from\_corrse : Precision matrix from correlation matrix and standard errors

**Examples**

```
## Not run:
results <- load_example_modelfit_results("pheno")
prec <- results$precision_matrix
prec
calculate_corr_from_prec(prec)

## End(Not run)
```

---

```
calculate_cov_from_corrse
      calculate_cov_from_corrse
```

---

**Description**

Calculate covariance matrix from a correlation matrix and standard errors

**Usage**

```
calculate_cov_from_corrse(corr, se)
```

**Arguments**

|      |                                 |
|------|---------------------------------|
| corr | (data.frame) Correlation matrix |
| se   | (array) Standard errors         |

**Value**

(data.frame) Covariance matrix

**See Also**

calculate\_se\_from\_cov : Standard errors from covariance matrix  
calculate\_se\_from\_prec : Standard errors from precision matrix  
calculate\_corr\_from\_cov : Correlation matrix from covariance matrix  
calculate\_cov\_from\_prec : Covariance matrix from precision matrix  
calculate\_prec\_from\_cov : Precision matrix from covariance matrix  
calculate\_prec\_from\_corrse : Precision matrix from correlation matrix and standard errors  
calculate\_corr\_from\_prec : Correlation matrix from precision matrix

**Examples**

```
## Not run:  
results <- load_example_modelfit_results("pheno")  
corr <- results$correlation_matrix  
se <- results$standard_errors  
corr  
calculate_cov_from_corrse(corr, se)  
  
## End(Not run)
```

---

```
calculate_cov_from_prec  
calculate_cov_from_prec
```

---

**Description**

Calculate covariance matrix from a precision matrix

**Usage**

```
calculate_cov_from_prec(precision_matrix)
```

**Arguments**

precision\_matrix  
(data.frame) Precision matrix

**Value**

(data.frame) Covariance matrix

**See Also**

calculate\_se\_from\_cov : Standard errors from covariance matrix  
calculate\_se\_from\_prec : Standard errors from precision matrix  
calculate\_corr\_from\_cov : Correlation matrix from covariance matrix  
calculate\_cov\_from\_corrse : Covariance matrix from correlation matrix and standard errors  
calculate\_prec\_from\_cov : Precision matrix from covariance matrix  
calculate\_prec\_from\_corrse : Precision matrix from correlation matrix and standard errors  
calculate\_corr\_from\_prec : Correlation matrix from precision matrix

**Examples**

```
## Not run:  
results <- load_example_modelfit_results("pheno")  
prec <- results$precision_matrix  
prec  
calculate_cov_from_prec(prec)  
  
## End(Not run)
```

---

```
calculate_epsilon_gradient_expression  
calculate_epsilon_gradient_expression
```

---

**Description**

Calculate the symbolic expression for the epsilon gradient  
This function currently only support models without ODE systems

**Usage**

```
calculate_epsilon_gradient_expression(model)
```

**Arguments**

model (Model) Pharnpy model object

**Value**

(Expression) Symbolic expression

**See Also**

calculate\_eta\_gradient\_expression : Eta gradient

### Examples

```
## Not run:  
model <- load_example_model("pheno_linear")  
calculate_epsilon_gradient_expression(model)  
  
## End(Not run)
```

---

```
calculate_eta_gradient_expression  
calculate_eta_gradient_expression
```

---

### Description

Calculate the symbolic expression for the eta gradient

This function currently only support models without ODE systems

### Usage

```
calculate_eta_gradient_expression(model)
```

### Arguments

model (Model) PharmPy model object

### Value

(Expression) Symbolic expression

### See Also

calculate\_epsilon\_gradient\_expression : Epsilon gradient

### Examples

```
## Not run:  
model <- load_example_model("pheno_linear")  
calculate_eta_gradient_expression(model)  
  
## End(Not run)
```



---

```
calculate_eta_shrinkage  
    calculate_eta_shrinkage
```

---

## Description

Calculate eta shrinkage for each eta

## Usage

```
calculate_eta_shrinkage(  
  model,  
  parameter_estimates,  
  individual_estimates,  
  sd = FALSE  
)
```

## Arguments

|                      |                                                                                                               |
|----------------------|---------------------------------------------------------------------------------------------------------------|
| model                | (Model) PharmPy model                                                                                         |
| parameter_estimates  | (array) Parameter estimates                                                                                   |
| individual_estimates | (data.frame) Table of individual (eta) estimates                                                              |
| sd                   | (logical) Calculate shrinkage on the standard deviation scale (default is to calculate on the variance scale) |

## Value

(Series) Shrinkage for each eta

## See Also

calculate\_individual\_shrinkage

## Examples

```
## Not run:  
model <- load_example_model("pheno")  
results <- load_example_model_fit_results("pheno")  
pe <- results$parameter_estimates  
ie <- results$individual_estimates  
calculate_eta_shrinkage(model, pe, ie)  
calculate_eta_shrinkage(model, pe, ie, sd=TRUE)  
  
## End(Not run)
```

---

```
calculate_individual_parameter_statistics
    calculate_individual_parameter_statistics
```

---

## Description

Calculate statistics for individual parameters

Calculate the mean (expected value of the distribution), variance (variance of the distribution) and standard error for individual parameters described by arbitrary expressions. Any dataset column or variable used in the model can be used in the expression. The exception being that variables that depends on the solution of the ODE system cannot be used. If covariates are used in the expression the statistics of the parameter is calculated at the median value of each covariate as well as at the 5:th and 95:th percentiles. If no parameter uncertainty is available for the model the standard error will not be calculated.

## Usage

```
calculate_individual_parameter_statistics(
    model,
    expr_or_exprs,
    parameter_estimates,
    covariance_matrix = NULL,
    seed = 1234
)
```

## Arguments

|                                  |                                                                                                                                                                                                                                                                                       |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>model</code>               | (Model) A previously estimated model                                                                                                                                                                                                                                                  |
| <code>expr_or_exprs</code>       | (array(BooleanExpr) or array(Expr) or array(str) or BooleanExpr or Expr or str) expression or iterable of str or expressions Expressions or equations for parameters of interest. If equations are used the names of the left hand sides will be used as the names of the parameters. |
| <code>parameter_estimates</code> | (list(str=numeric)) Parameter estimates                                                                                                                                                                                                                                               |
| <code>covariance_matrix</code>   | (data.frame (optional)) Parameter uncertainty covariance matrix                                                                                                                                                                                                                       |
| <code>seed</code>                | (numeric) Random number generator or integer seed                                                                                                                                                                                                                                     |

## Value

(data.frame) A DataFrame of statistics indexed on parameter and covariate value.

**Examples**

```
## Not run:
model <- load_example_model("pheno")
results <- load_example_modelfit_results("pheno")
rng <- create_rng(23)
pe <- results$parameter_estimates
cov <- results$covariance_matrix
calculate_individual_parameter_statistics(model, "K=CL/V", pe, cov, seed=rng)

## End(Not run)
```

---

```
calculate_individual_shrinkage
      calculate_individual_shrinkage
```

---

**Description**

Calculate the individual eta-shrinkage

Definition:  $\text{ieta\_shr} = (\text{var}(\text{eta}) / \text{omega})$

**Usage**

```
calculate_individual_shrinkage(
  model,
  parameter_estimates,
  individual_estimates_covariance
)
```

**Arguments**

```
model          (Model) Pharmpy model
parameter_estimates
                (array) Parameter estimates of model
individual_estimates_covariance
                (data.frame) Uncertainty covariance matrices of individual estimates
```

**Value**

(DataFrame) Shrinkage for each eta and individual

**See Also**

calculate\_eta\_shrinkage

**Examples**

```
## Not run:
model <- load_example_model("pheno")
results <- load_example_model_fit_results("pheno")
pe <- results$parameter_estimates
covs <- results$individual_estimates_covariance
calculate_individual_shrinkage(model, pe, covs)

## End(Not run)
```

---

```
calculate_parameters_from_ucp
      calculate_parameters_from_ucp
```

---

**Description**

Scale parameter values from ucp to normal scale

**Usage**

```
calculate_parameters_from_ucp(model, scale, ucps)
```

**Arguments**

|       |                                                         |
|-------|---------------------------------------------------------|
| model | (Model) PharmPy model                                   |
| scale | (UCPScale) A parameter scale                            |
| ucps  | (array or list(str=numeric)) Series of parameter values |

**Value**

(data.frame) Parameters on the normal scale

**See Also**

calculate\_ucp\_scale : Calculate the scale for conversion from ucps

**Examples**

```
## Not run:
model <- load_example_model("pheno")
scale <- calculate_ucp_scale(model)
values <- list('POP_CL'=0.1, 'POP_VC'=0.1, 'COVAPGR'=0.1, 'IIV_CL'=0.1, 'IIV_VC'=0.1, 'SIGMA'=0.1)
calculate_parameters_from_ucp(model, scale, values)

## End(Not run)
```

---

```
calculate_pk_parameters_statistics  
    calculate_pk_parameters_statistics
```

---

## Description

Calculate statistics for common pharmacokinetic parameters

Calculate the mean (expected value of the distribution), variance (variance of the distribution) and standard error for some individual pre-defined pharmacokinetic parameters.

## Usage

```
calculate_pk_parameters_statistics(  
  model,  
  parameter_estimates,  
  covariance_matrix = NULL,  
  seed = 1234  
)
```

## Arguments

|                     |                                                                 |
|---------------------|-----------------------------------------------------------------|
| model               | (Model) A previously estimated model                            |
| parameter_estimates | (array) Parameter estimates                                     |
| covariance_matrix   | (data.frame (optional)) Parameter uncertainty covariance matrix |
| seed                | (numeric) Random number generator or seed                       |

## Value

(data.frame) A DataFrame of statistics indexed on parameter and covariate value.

## See Also

calculate\_individual\_parameter\_statistics : Calculation of statistics for arbitrary parameters

## Examples

```
## Not run:  
model <- load_example_model("pheno")  
results <- load_example_modelfit_results("pheno")  
rng <- create_rng(23)  
pe <- results$parameter_estimates  
cov <- results$covariance_matrix  
calculate_pk_parameters_statistics(model, pe, cov, seed=rng)  
  
## End(Not run)
```

---

```
calculate_prec_from_corrse  
    calculate_prec_from_corrse
```

---

### Description

Calculate precision matrix from a correlation matrix and standard errors

### Usage

```
calculate_prec_from_corrse(corr, se)
```

### Arguments

|      |                                 |
|------|---------------------------------|
| corr | (data.frame) Correlation matrix |
| se   | (array) Standard errors         |

### Value

(data.frame) Precision matrix

### See Also

calculate\_se\_from\_cov : Standard errors from covariance matrix  
calculate\_se\_from\_prec : Standard errors from precision matrix  
calculate\_corr\_from\_cov : Correlation matrix from covariance matrix  
calculate\_cov\_from\_prec : Covariance matrix from precision matrix  
calculate\_cov\_from\_corrse : Covariance matrix from correlation matrix and standard errors  
calculate\_prec\_from\_cov : Precision matrix from covariance matrix  
calculate\_corr\_from\_prec : Correlation matrix from precision matrix

### Examples

```
## Not run:  
results <- load_example_modelfit_results("pheno")  
corr <- results$correlation_matrix  
se <- results$standard_errors  
corr  
calculate_prec_from_corrse(corr, se)  
  
## End(Not run)
```

---

```
calculate_prec_from_cov  
    calculate_prec_from_cov
```

---

**Description**

Calculate precision matrix from a covariance matrix

**Usage**

```
calculate_prec_from_cov(cov)
```

**Arguments**

cov                    (data.frame) Covariance matrix

**Value**

(data.frame) Precision matrix

**See Also**

calculate\_se\_from\_cov : Standard errors from covariance matrix  
calculate\_se\_from\_prec : Standard errors from precision matrix  
calculate\_corr\_from\_cov : Correlation matrix from covariance matrix  
calculate\_cov\_from\_prec : Covariance matrix from precision matrix  
calculate\_cov\_from\_corrse : Covariance matrix from correlation matrix and standard errors  
calculate\_prec\_from\_corrse : Precision matrix from correlation matrix and standard errors  
calculate\_corr\_from\_prec : Correlation matrix from precision matrix

**Examples**

```
## Not run:  
results <- load_example_modelfit_results("pheno")  
cov <- results$covariance_matrix  
cov  
calculate_prec_from_cov(cov)  
  
## End(Not run)
```

---

`calculate_se_from_cov` *calculate\_se\_from\_cov*

---

**Description**

Calculate standard errors from a covariance matrix

**Usage**

```
calculate_se_from_cov(cov)
```

**Arguments**

`cov` (data.frame) Input covariance matrix

**Value**

(data.frame) Standard errors

**See Also**

`calculate_se_from_prec` : Standard errors from precision matrix  
`calculate_corr_from_cov` : Correlation matrix from covariance matrix  
`calculate_cov_from_prec` : Covariance matrix from precision matrix  
`calculate_cov_from_corrse` : Covariance matrix from correlation matrix and standard errors  
`calculate_prec_from_cov` : Precision matrix from covariance matrix  
`calculate_prec_from_corrse` : Precision matrix from correlation matrix and standard errors  
`calculate_corr_from_prec` : Correlation matrix from precision matrix

**Examples**

```
## Not run:  
results <- load_example_modelfit_results("pheno")  
cov <- results$covariance_matrix  
cov  
calculate_se_from_cov(cov)  
  
## End(Not run)
```



---

`calculate_se_from_prec`*calculate\_se\_from\_prec*

---

**Description**

Calculate standard errors from a precision matrix

**Usage**

```
calculate_se_from_prec(precision_matrix)
```

**Arguments**

`precision_matrix`  
(data.frame) Input precision matrix

**Value**

(data.frame) Standard errors

**See Also**

`calculate_se_from_cov` : Standard errors from covariance matrix  
`calculate_corr_from_cov` : Correlation matrix from covariance matrix  
`calculate_cov_from_prec` : Covariance matrix from precision matrix  
`calculate_cov_from_corrse` : Covariance matrix from correlation matrix and standard errors  
`calculate_prec_from_cov` : Precision matrix from covariance matrix  
`calculate_prec_from_corrse` : Precision matrix from correlation matrix and standard errors  
`calculate_corr_from_prec` : Correlation matrix from precision matrix

**Examples**

```
## Not run:  
results <- load_example_modelfit_results("pheno")  
prec <- results$precision_matrix  
prec  
calculate_se_from_prec(prec)  
  
## End(Not run)
```

---

|                     |                            |
|---------------------|----------------------------|
| calculate_ucp_scale | <i>calculate_ucp_scale</i> |
|---------------------|----------------------------|

---

**Description**

Calculate a scale for unconstrained parameters for a model

The UCPScale object can be used to calculate unconstrained parameters back into the normal parameter space.

**Usage**

```
calculate_ucp_scale(model)
```

**Arguments**

model (Model) Model for which to calculate an ucp scale

**Value**

(UCPScale) A scale object

**See Also**

calculate\_parameters\_from\_ucp : Calculate parameters from ucp:s

**Examples**

```
## Not run:
model <- load_example_model("pheno")
scale <- calculate_ucp_scale(model)

## End(Not run)
```

---

|               |                      |
|---------------|----------------------|
| check_dataset | <i>check_dataset</i> |
|---------------|----------------------|

---

**Description**

Check dataset for consistency across a set of rules

**Usage**

```
check_dataset(model, dataframe = FALSE, verbose = FALSE)
```

**Arguments**

|           |                                                                            |
|-----------|----------------------------------------------------------------------------|
| model     | (Model) PharmPy model object                                               |
| dataframe | (logical) TRUE to return a DataFrame instead of printing to the console    |
| verbose   | (logical) Print out all rules checked if TRUE else print only failed rules |

**Value**

(data.frame) Only returns a DataFrame is dataframe=TRUE

---

check\_high\_correlations  
*check\_high\_correlations*

---

**Description**

Check for highly correlated parameter estimates

**Usage**

```
check_high_correlations(model, cor, limit = 0.9)
```

**Arguments**

|       |                                              |
|-------|----------------------------------------------|
| model | (Model) PharmPy model object                 |
| cor   | (data.frame) Estimated correlation matrix    |
| limit | (numeric) Lower limit for a high correlation |

**Value**

(data.frame) Correlation values indexed on pairs of parameters for (absolute) correlations above limit

**Examples**

```
## Not run:
model <- load_example_model("pheno")
results <- load_example_model_fit_results("pheno")
cor <- results$correlation_matrix
check_high_correlations(model, cor, limit=0.3)

## End(Not run)
```

---

|                              |                                     |
|------------------------------|-------------------------------------|
| check_parameters_near_bounds | <i>check_parameters_near_bounds</i> |
|------------------------------|-------------------------------------|

---

## Description

Check if any estimated parameter value is close to its bounds

## Usage

```
check_parameters_near_bounds(  
  model,  
  values,  
  zero_limit = 0.001,  
  significant_digits = 2  
)
```

## Arguments

|                    |                                                                               |
|--------------------|-------------------------------------------------------------------------------|
| model              | (Model) PharmPy model object                                                  |
| values             | (array) Series of values with index a subset of parameter names.              |
| zero_limit         | (numeric) maximum distance to 0 bounds                                        |
| significant_digits | (numeric) maximum distance to non-zero bounds in number of significant digits |

## Value

(data.frame) Logical Series with same index as values

## Examples

```
## Not run:  
model <- load_example_model("pheno")  
results <- load_example_modelfit_results("pheno")  
check_parameters_near_bounds(model, results$parameter_estimates)  
  
## End(Not run)
```

---

|               |                                         |
|---------------|-----------------------------------------|
| check_pharmpy | <i>Checks version of Pharmpy/pharmr</i> |
|---------------|-----------------------------------------|

---

**Description**

Checks whether Pharmpy and pharmr has the same version

**Usage**

```
check_pharmpy(pharmpy_version)
```

**Arguments**

pharmpy\_version  
(str) version number as string

---

|             |                                       |
|-------------|---------------------------------------|
| check_setup | <i>Checks setup of Pharmpy/pharmr</i> |
|-------------|---------------------------------------|

---

**Description**

Checks if everything is setup correctly. The following things are checked:

- If Python is installed and has correct version
- If Pharmpy is available
- If Pharmpy and pharmr version matches

**Usage**

```
check_setup()
```

---

|               |                      |
|---------------|----------------------|
| cleanup_model | <i>cleanup_model</i> |
|---------------|----------------------|

---

**Description**

Perform various cleanups of a model

This is what is currently done

- Make model statements declarative, i.e. only one assignment per symbol
- Inline all assignments of one symbol, e.g.  $X = Y$
- Remove all random variables with no variability (i.e. with omegas fixed to zero)
- Put fixed thetas directly in the model statements

**Usage**

```
cleanup_model(model)
```

**Arguments**

`model` (Model) Pharmpy model object

**Value**

(Model) Updated model

**Note**

When creating NONMEM code from the cleaned model Pharmpy might need to add certain assignments to make it in line with what NONMEM requires.

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model$statements
model <- cleanup_model(model)
model$statements

## End(Not run)
```

---

`convert_model`

*convert\_model*

---

**Description**

Convert model to other format

Note that the operation is not done inplace.

**Usage**

```
convert_model(model, to_format)
```

**Arguments**

`model` (Model) Model to convert

`to_format` (str) Name of format to convert into. Currently supported 'generic', 'nlmixr', 'nonmem', and 'rxode'

**Value**

(Model) New model object with new underlying model format

## Examples

```
## Not run:
model <- load_example_model("pheno")
converted_model <- convert_model(model, "nlmixr")

## End(Not run)
```

---

create\_basic\_pk\_model    *create\_basic\_pk\_model*

---

## Description

Creates a basic pk model of given type. The model will be a one compartment model, with first order elimination and in the case of oral administration first order absorption with no absorption delay. The elimination rate will be (equation could not be rendered, see API doc on website)

## Usage

```
create_basic_pk_model(
  administration = "iv",
  dataset_path = NULL,
  cl_init = 0.01,
  vc_init = 1,
  mat_init = 0.1
)
```

## Arguments

|                |                                                                                  |
|----------------|----------------------------------------------------------------------------------|
| administration | (str) Type of PK model to create. Supported are 'iv', 'oral' and 'ivoral'        |
| dataset_path   | (str (optional)) Optional path to a dataset                                      |
| cl_init        | (numeric) Initial estimate of the clearance parameter                            |
| vc_init        | (numeric) Initial estimate of the central volume parameter                       |
| mat_init       | (numeric) Initial estimate of the mean absorption time parameter (if applicable) |

## Value

(Model) PharmPy model object

## Examples

```
## Not run:
model <- create_basic_pk_model('oral')

## End(Not run)
```

---

```
create_config_template
    create_config_template
```

---

### Description

Create a basic config file template

If a configuration file already exists it will not be overwritten

### Usage

```
create_config_template()
```

### Examples

```
## Not run:
create_config_template()

## End(Not run)
```

---

```
create_joint_distribution
    create_joint_distribution
```

---

### Description

Combines some or all etas into a joint distribution.

The etas must be IIVs and cannot be fixed. Initial estimates for covariance between the etas is dependent on whether the model has results from a previous run. In that case, the correlation will be calculated from individual estimates, otherwise correlation will be set to 10%.

### Usage

```
create_joint_distribution(model, rvs = NULL, individual_estimates = NULL)
```

### Arguments

|                      |                                                                                                                                                                 |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| model                | (Model) Pharnpy model                                                                                                                                           |
| rvs                  | (array(str) (optional)) Sequence of etas or names of etas to combine. If NULL, all etas that are IIVs and non-fixed will be used (full block). NULL is default. |
| individual_estimates | (data.frame (optional)) Optional individual estimates to use for calculation of initial estimates                                                               |



**Value**

(Model) Pharmpy model object

**See Also**

split\_joint\_distribution : split etas into separate distributions

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model$random_variables$etas
model <- create_joint_distribution(model, c('ETA_CL', 'ETA_VC'))
model$random_variables$etas

## End(Not run)
```

---

|               |                      |
|---------------|----------------------|
| create_report | <i>create_report</i> |
|---------------|----------------------|

---

**Description**

Create standard report for results  
The report will be an html created at specified path.

**Usage**

```
create_report(results, path)
```

**Arguments**

|         |                                              |
|---------|----------------------------------------------|
| results | (Results) Results for which to create report |
| path    | (str) Path to report file                    |

---

|            |                   |
|------------|-------------------|
| create_rng | <i>create_rng</i> |
|------------|-------------------|

---

**Description**

Create a new random number generator  
Pharmpy functions that use random sampling take a random number generator or seed as input.  
This function can be used to create a default new random number generator.

**Usage**

```
create_rng(seed = 1234)
```

**Arguments**

seed (numeric) Seed for the random number generator or NULL (default) for a randomized seed. If seed is generator it will be passed through.

**Value**

(Generator) Initialized numpy random number generator object

**Examples**

```
## Not run:
rng <- create_rng(23)
rng$standard_normal()

## End(Not run)
```

---

|               |                      |
|---------------|----------------------|
| create_symbol | <i>create_symbol</i> |
|---------------|----------------------|

---

**Description**

Create a new unique variable symbol given a model

**Usage**

```
create_symbol(model, stem, force_numbering = FALSE)
```

**Arguments**

model (Model) PharmPy model object  
 stem (str) First part of the new variable name  
 force\_numbering (logical) Forces addition of number to name even if variable does not exist, e.g. COVEFF → COVEFF1

**Value**

(Symbol) Created symbol with unique name

**Examples**

```
## Not run:
model <- load_example_model("pheno")
create_symbol(model, "TEMP")
create_symbol(model, "TEMP", force_numbering=TRUE)
create_symbol(model, "CL")

## End(Not run)
```

---

|                 |                        |
|-----------------|------------------------|
| deidentify_data | <i>deidentify_data</i> |
|-----------------|------------------------|

---

### Description

Deidentify a dataset

Two operations are performed on the dataset:

1. All ID numbers are randomized from the range 1 to n
2. All columns containing dates will have the year changed

The year change is done by letting the earliest year in the dataset be used as a reference and by maintaining leap years. The reference year will either be 1901, 1902, 1903 or 1904 depending on its distance to the closest preceeding leap year.

### Usage

```
deidentify_data(df, id_column = "ID", date_columns = NULL)
```

### Arguments

|              |                                                   |
|--------------|---------------------------------------------------|
| df           | (data.frame) A dataset                            |
| id_column    | (str) Name of the id column                       |
| date_columns | (array(str) (optional)) Names of all date columns |

### Value

(data.frame) Deidentified dataset

---

|              |                     |
|--------------|---------------------|
| display_odes | <i>display_odes</i> |
|--------------|---------------------|

---

### Description

Displays the ordinary differential equation system

### Usage

```
display_odes(model)
```

### Arguments

|       |                       |
|-------|-----------------------|
| model | (Model) Pharnpy model |
|-------|-----------------------|

**Value**

(ODEDisplayer) A displayable object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
display_odes(model)

## End(Not run)
```

---

drop\_columns

*drop\_columns*

---

**Description**

Drop columns from the dataset or mark as dropped

**Usage**

```
drop_columns(model, column_names, mark = FALSE)
```

**Arguments**

|              |                                                                                              |
|--------------|----------------------------------------------------------------------------------------------|
| model        | (Model) Pharmpy model object                                                                 |
| column_names | (array(str) or str) List of column names or one column name to drop or mark as dropped       |
| mark         | (logical) Default is to remove column from dataset. Set this to TRUE to only mark as dropped |

**Value**

(Model) Pharmpy model object

**See Also**

drop\_dropped\_columns : Drop all columns marked as drop  
 undrop\_columns : Undrop columns of model

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- drop_columns(model, c('WGT', 'APGR'))
vector(model$dataset$columns)

## End(Not run)
```

---

|                      |                             |
|----------------------|-----------------------------|
| drop_dropped_columns | <i>drop_dropped_columns</i> |
|----------------------|-----------------------------|

---

**Description**

Drop columns marked as dropped from the dataset

NM-TRAN date columns will not be dropped by this function even if marked as dropped. Columns not specified in the datainfo (\$INPUT for NONMEM) will also be dropped from the dataset.

**Usage**

```
drop_dropped_columns(model)
```

**Arguments**

model (Model) Pharmpy model object

**Value**

(Model) Pharmpy model object

**See Also**

drop\_columns : Drop specific columns or mark them as drop

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- drop_dropped_columns(model)
vector(model$dataset$columns)

## End(Not run)
```

---

|                           |                                  |
|---------------------------|----------------------------------|
| evaluate_epsilon_gradient | <i>evaluate_epsilon_gradient</i> |
|---------------------------|----------------------------------|

---

**Description**

Evaluate the numeric epsilon gradient

The gradient is evaluated at the current model parameter values or optionally at the given parameter values. The gradient is done for each data record in the model dataset or optionally using the dataset argument. The gradient is done at the current eta values or optionally at the given eta values.

This function currently only support models without ODE systems

**Usage**

```
evaluate_epsilon_gradient(
  model,
  etas = NULL,
  parameters = NULL,
  dataset = NULL
)
```

**Arguments**

|            |                                                                       |
|------------|-----------------------------------------------------------------------|
| model      | (Model) PharmPy model                                                 |
| etas       | (data.frame (optional)) Optional list of eta values                   |
| parameters | (list(str=numeric) (optional)) Optional list of parameters and values |
| dataset    | (data.frame (optional)) Optional dataset                              |

**Value**

(data.frame) Gradient

**See Also**

evaluate\_eta\_gradient : Evaluate the eta gradient

**Examples**

```
## Not run:
model <- load_example_model("pheno_linear")
results <- load_example_model_fit_results("pheno_linear")
etas <- results$individual_estimates
evaluate_epsilon_gradient(model, etas=etas)

## End(Not run)
```

---

evaluate\_eta\_gradient    *evaluate\_eta\_gradient*

---

**Description**

Evaluate the numeric eta gradient

The gradient is evaluated at the current model parameter values or optionally at the given parameter values. The gradient is done for each data record in the model dataset or optionally using the dataset argument. The gradient is done at the current eta values or optionally at the given eta values.

This function currently only support models without ODE systems

**Usage**

```
evaluate_eta_gradient(model, etas = NULL, parameters = NULL, dataset = NULL)
```

**Arguments**

|            |                                                                       |
|------------|-----------------------------------------------------------------------|
| model      | (Model) Pharmpy model                                                 |
| etas       | (data.frame (optional)) Optional list of eta values                   |
| parameters | (list(str=numeric) (optional)) Optional list of parameters and values |
| dataset    | (data.frame (optional)) Optional dataset                              |

**Value**

(data.frame) Gradient

**See Also**

evaluate\_epsilon\_gradient : Evaluate the epsilon gradient

**Examples**

```
## Not run:
model <- load_example_model("pheno_linear")
results <- load_example_modelfit_results("pheno_linear")
etas <- results$individual_estimates
evaluate_eta_gradient(model, etas=etas)

## End(Not run)
```

---

|                     |                            |
|---------------------|----------------------------|
| evaluate_expression | <i>evaluate_expression</i> |
|---------------------|----------------------------|

---

**Description**

Evaluate expression using model

Calculate the value of expression for each data record. The expression can contain dataset columns, variables in model and population parameters. If the model has parameter estimates these will be used. Initial estimates will be used for non-estimated parameters.

**Usage**

```
evaluate_expression(model, expression, parameter_estimates = NULL)
```

**Arguments**

|                     |                                                                                        |
|---------------------|----------------------------------------------------------------------------------------|
| model               | (Model) Pharmpy model                                                                  |
| expression          | (str or numeric or Expr) Expression to evaluate                                        |
| parameter_estimates | (list(str=numeric) (optional)) Parameter estimates to use instead of initial estimates |

**Value**

(data.frame) A series of one evaluated value for each data record

**Examples**

```
## Not run:
model <- load_example_model("pheno")
results <- load_example_modelfit_results("pheno")
pe <- results$parameter_estimates
evaluate_expression(model, "TVCL*1000", parameter_estimates=pe)

## End(Not run)
```

---

```
evaluate_individual_prediction
      evaluate_individual_prediction
```

---

**Description**

Evaluate the numeric individual prediction

The prediction is evaluated at the current model parameter values or optionally at the given parameter values. The evaluation is done for each data record in the model dataset or optionally using the dataset argument. The evaluation is done at the current eta values or optionally at the given eta values.

This function currently only support models without ODE systems

**Usage**

```
evaluate_individual_prediction(
  model,
  etas = NULL,
  parameters = NULL,
  dataset = NULL
)
```

**Arguments**

|            |                                                                       |
|------------|-----------------------------------------------------------------------|
| model      | (Model) PharmPy model                                                 |
| etas       | (data.frame (optional)) Optional list of eta values                   |
| parameters | (list(str=numeric) (optional)) Optional list of parameters and values |
| dataset    | (data.frame (optional)) Optional dataset                              |

**Value**

(data.frame) Individual predictions



**See Also**

evaluate\_population\_prediction : Evaluate the population prediction

**Examples**

```
## Not run:
model <- load_example_model("pheno_linear")
results <- load_example_modelfit_results("pheno_linear")
etas <- results$individual_estimates
evaluate_individual_prediction(model, etas=etas)

## End(Not run)
```

---

```
evaluate_population_prediction
      evaluate_population_prediction
```

---

**Description**

Evaluate the numeric population prediction

The prediction is evaluated at the current model parameter values or optionally at the given parameter values. The evaluation is done for each data record in the model dataset or optionally using the dataset argument.

This function currently only support models without ODE systems

**Usage**

```
evaluate_population_prediction(model, parameters = NULL, dataset = NULL)
```

**Arguments**

|            |                                                                       |
|------------|-----------------------------------------------------------------------|
| model      | (Model) PharmPy model                                                 |
| parameters | (list(str=numeric) (optional)) Optional list of parameters and values |
| dataset    | (data.frame (optional)) Optional dataset                              |

**Value**

(data.frame) Population predictions

**See Also**

evaluate\_individual\_prediction : Evaluate the individual prediction

**Examples**

```
## Not run:
model <- load_example_model("pheno_linear")
results <- load_example_modelfit_results("pheno_linear")
pe <- results$parameter_estimates
evaluate_population_prediction(model, parameters=list(pe))

## End(Not run)
```

---

```
evaluate_weighted_residuals
      evaluate_weighted_residuals
```

---

**Description**

Evaluate the weighted residuals

The residuals is evaluated at the current model parameter values or optionally at the given parameter values. The residuals is done for each data record in the model dataset or optionally using the dataset argument.

This function currently only support models without ODE systems

**Usage**

```
evaluate_weighted_residuals(model, parameters = NULL, dataset = NULL)
```

**Arguments**

|            |                                                                       |
|------------|-----------------------------------------------------------------------|
| model      | (Model) PharmPy model                                                 |
| parameters | (list(str=numeric) (optional)) Optional list of parameters and values |
| dataset    | (data.frame (optional)) Optional dataset                              |

**Value**

(data.frame) WRES

**Examples**

```
## Not run:
model <- load_example_model("pheno_linear")
results <- load_example_modelfit_results("pheno_linear")
parameters <- results$parameter_estimates
evaluate_weighted_residuals(model, parameters=list(parameters))

## End(Not run)
```

---

|                         |                                |
|-------------------------|--------------------------------|
| expand_additional_doses | <i>expand_additional_doses</i> |
|-------------------------|--------------------------------|

---

**Description**

Expand additional doses into separate dose records

**Usage**

```
expand_additional_doses(model, flag = FALSE)
```

**Arguments**

|       |                                                                                                                                                                                         |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| model | (Model) Pharmpy model object                                                                                                                                                            |
| flag  | (logical) TRUE to add a boolean EXPANDED column to mark added records. In this case all columns in the original dataset will be kept. Care needs to be taken to handle the new dataset. |

**Value**

(Model) Pharmpy model object

---

|                |                       |
|----------------|-----------------------|
| filter_dataset | <i>filter_dataset</i> |
|----------------|-----------------------|

---

**Description**

Filter dataset according to expr and return a model with the filtered dataset.

Example: "DVID == 1" will filter the dataset so that only the rows with DVID = 1 remain.

**Usage**

```
filter_dataset(model, expr)
```

**Arguments**

|       |                                    |
|-------|------------------------------------|
| model | (Model) Pharmpy model object       |
| expr  | (str) expression for dataset query |

**Value**

(Model) Pharmpy model object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model$dataset
model <- filter_dataset(model, 'WGT < 1.4')
model$dataset

## End(Not run)
```

---

```
find_clearance_parameters
      find_clearance_parameters
```

---

**Description**

Find clearance parameters in model

**Usage**

```
find_clearance_parameters(model)
```

**Arguments**

model                    (Model) PharmPy model

**Value**

(vector) A vector of clearance parameters

**Examples**

```
## Not run:
model <- load_example_model("pheno")
find_clearance_parameters(model)

## End(Not run)
```

---

|                        |                               |
|------------------------|-------------------------------|
| find_volume_parameters |                               |
|                        | <i>find_volume_parameters</i> |

---

**Description**

Find volume parameters in model

**Usage**

```
find_volume_parameters(model)
```

**Arguments**

|       |                       |
|-------|-----------------------|
| model | (Model) PharmPy model |
|-------|-----------------------|

**Value**

(vector) A vector of volume parameters

**Examples**

```
## Not run:
model <- load_example_model("pheno")
find_volume_parameters(model)

## End(Not run)
```

---

|     |            |
|-----|------------|
| fit | <i>fit</i> |
|-----|------------|

---

**Description**

Fit models.

**Usage**

```
fit(model_or_models, esttool = NULL, name = NULL, context = NULL, ncores = 1)
```

**Arguments**

|                 |                                                              |
|-----------------|--------------------------------------------------------------|
| model_or_models | (Model or array(Model)) List of models or one single model   |
| esttool         | (str (optional)) Estimation tool to use. NULL to use default |
| name            | (str (optional)) Name of run                                 |
| context         | (Context (optional)) Run in this context                     |
| ncores          | (numeric) Number of cores to use for estimation              |

**Value**

(ModelfitResults | vector of ModelfitResults) ModelfitResults for the model or models

**See Also**

run\_tool

**Examples**

```
## Not run:
model <- load_example_model("pheno")
results <- fit(model)

## End(Not run)
```

---

fix\_or\_unfix\_parameters

*fix\_or\_unfix\_parameters*

---

**Description**

Fix or unfix parameters

Set fixedness of parameters to specified values

**Usage**

```
fix_or_unfix_parameters(model, parameters, strict = TRUE)
```

**Arguments**

|            |                                                                                       |
|------------|---------------------------------------------------------------------------------------|
| model      | (Model) PharmPy model                                                                 |
| parameters | (list(str=logical)) Set fix/unfix for these parameters                                |
| strict     | (logical) Whether all parameters in input need to exist in the model. Default is TRUE |

**Value**

(Model) PharmPy model object

**See Also**

fix\_parameters : Fix parameters

unfix\_paramaters : Unfixing parameters

fix\_paramaters\_to : Fixing parameters and setting a new initial estimate in the same function

unfix\_paramaters\_to : Unfixing parameters and setting a new initial estimate in the same function

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model$parameters['POP_CL']
model <- fix_or_unfix_parameters(model, list('POP_CL'=TRUE))
model$parameters['POP_CL']

## End(Not run)
```

---

|                |                       |
|----------------|-----------------------|
| fix_parameters | <i>fix_parameters</i> |
|----------------|-----------------------|

---

**Description**

Fix parameters

Fix all listed parameters

**Usage**

```
fix_parameters(model, parameter_names, strict = TRUE)
```

**Arguments**

|                 |                                                                                       |
|-----------------|---------------------------------------------------------------------------------------|
| model           | (Model) PharmPy model                                                                 |
| parameter_names | (array(str) or str) one parameter name or a vector of parameter names                 |
| strict          | (logical) Whether all parameters in input need to exist in the model. Default is TRUE |

**Value**

(Model) PharmPy model object

**See Also**

fix\_or\_unfix\_parameters : Fix or unfix parameters (given boolean)  
 fix\_parameters\_to : Fixing and setting parameter initial estimates in the same function  
 unfix\_paramaters : Unfixing parameters  
 unfix\_paramaters\_to : Unfixing parameters and setting a new initial estimate in the same function

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model$parameters['POP_CL']
model <- fix_parameters(model, 'POP_CL')
model$parameters['POP_CL']

## End(Not run)
```

---

|                   |                          |
|-------------------|--------------------------|
| fix_parameters_to | <i>fix_parameters_to</i> |
|-------------------|--------------------------|

---

**Description**

Fix parameters to

Fix all listed parameters to specified value/values

**Usage**

```
fix_parameters_to(model, inits, strict = TRUE)
```

**Arguments**

|        |                                                                                       |
|--------|---------------------------------------------------------------------------------------|
| model  | (Model) Pharnpy model                                                                 |
| inits  | (list(str=numeric)) Inits for all parameters to fix and set init                      |
| strict | (logical) Whether all parameters in input need to exist in the model. Default is TRUE |

**Value**

(Model) Pharnpy model object

**See Also**

fix\_parameters : Fix parameters

fix\_or\_unfix\_parameters : Fix or unfix parameters (given boolean)

unfix\_paramaters : Unfixing parameters

unfix\_paramaters\_to : Unfixing parameters and setting a new initial estimate in the same function



**Examples**

```
## Not run:
model <- load_example_model("pheno")
model$parameters['POP_CL']
model <- fix_parameters_to(model, list('POP_CL'=0.5))
model$parameters['POP_CL']

## End(Not run)
```

---

`get_admid`*get\_admid*

---

**Description**

Get the admid from model dataset

If an administration column is present this will be extracted otherwise an admid column will be created based on the admids of the present doses. This is dependent on the presence of a CMT column to be generated correctly.

When generated, admids of events in between doses is set to the last used admid.

**Usage**

```
get_admid(model)
```

**Arguments**

model (Model) PharmPy model

**Value**

(data.frame) ADMID

---

`get_baselines`*get\_baselines*

---

**Description**

Baselines for each subject.

Baseline is taken to be the first row even if that has a missing value.

**Usage**

```
get_baselines(model)
```

**Arguments**

model (Model) PharmPy model

**Value**

(data.frame) Dataset with the baselines

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
get_baselines(model)  
  
## End(Not run)
```

---

get\_bioavailability    *get\_bioavailability*

---

**Description**

Get bioavailability of doses for all compartments

**Usage**

```
get_bioavailability(model)
```

**Arguments**

model (Model) PharmPy model

**Value**

(list) Dictionary from compartment name to bioavailability expression

---

|                                  |                                         |
|----------------------------------|-----------------------------------------|
| get_central_volume_and_clearance |                                         |
|                                  | <i>get_central_volume_and_clearance</i> |

---

**Description**

Get the volume and clearance parameters

**Usage**

```
get_central_volume_and_clearance(model)
```

**Arguments**

|       |                       |
|-------|-----------------------|
| model | (Model) PharmPy model |
|-------|-----------------------|

**Value**

(sympy.Symbol) Volume symbol sympy.Symbol Clearance symbol

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
get_central_volume_and_clearance(model)  
  
## End(Not run)
```

---

|         |                |
|---------|----------------|
| get_cmt | <i>get_cmt</i> |
|---------|----------------|

---

**Description**

Get the cmt (compartment) column from the model dataset

If a cmt column is present this will be extracted otherwise a cmt column will be created. If created, multiple dose compartments are dependent on the presence of an admid type column, otherwise, dose/non-dose will be considered.

**Usage**

```
get_cmt(model)
```

**Arguments**

|       |                       |
|-------|-----------------------|
| model | (Model) PharmPy model |
|-------|-----------------------|

**Value**

(data.frame) CMT

---

get\_concentration\_parameters\_from\_data  
*get\_concentration\_parameters\_from\_data*

---

**Description**

Create a dataframe with concentration parameters  
Note that all values are directly calculated from the dataset

**Usage**

```
get_concentration_parameters_from_data(model)
```

**Arguments**

model (Model) Pharmspy model object

**Value**

(data.frame) Concentration parameters

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
get_concentration_parameters_from_data(model)  
  
## End(Not run)
```

---

get\_config\_path      *get\_config\_path*

---

**Description**

Returns path to the user config path

**Usage**

```
get_config_path()
```

**Value**

(str or NULL) Path to user config or NULL if file does not exist

**Examples**

```
## Not run:  
get_config_path()  
  
## End(Not run)
```

---

```
get_covariate_baselines  
get_covariate_baselines
```

---

**Description**

Return a dataframe with baselines of all covariates for each id.  
Baseline is taken to be the first row even if that has a missing value.

**Usage**

```
get_covariate_baselines(model)
```

**Arguments**

model (Model) PharmPy model

**Value**

(data.frame) covariate baselines

**See Also**

get\_baselines : baselines for all data columns

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
model <- set_covariates(model, c("WGT", "APGR"))  
get_covariate_baselines(model)  
  
## End(Not run)
```

---

|                       |                              |
|-----------------------|------------------------------|
| get_covariate_effects | <i>get_covariate_effects</i> |
|-----------------------|------------------------------|

---

**Description**

Return a list of all used covariates within a model

The list will have parameter name as key with a connected value as a vector of tuple(s) with (covariate, effect type, operator)

**Usage**

```
get_covariate_effects(model)
```

**Arguments**

|       |                                           |
|-------|-------------------------------------------|
| model | (Model) Model to extract covariates from. |
|-------|-------------------------------------------|

**Value**

(Dictionary : Dictionary of parameters and connected covariate(s))

---

|            |                   |
|------------|-------------------|
| get_doseid | <i>get_doseid</i> |
|------------|-------------------|

---

**Description**

Get a DOSEID series from the dataset with an id of each dose period starting from 1

If a a dose and observation exist at the same time point the observation will be counted towards the previous dose.

**Usage**

```
get_doseid(model)
```

**Arguments**

|       |                       |
|-------|-----------------------|
| model | (Model) PharmPy model |
|-------|-----------------------|

**Value**

(data.frame) DOSEIDs

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
get_doseid(model)  
  
## End(Not run)
```

---

get\_doses

*get\_doses*

---

**Description**

Get a series of all doses

Indexed with ID and TIME

**Usage**

```
get_doses(model)
```

**Arguments**

model (Model) PharmPy model

**Value**

(data.frame) doses

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
get_doses(model)  
  
## End(Not run)
```

---

|               |                      |
|---------------|----------------------|
| get_dv_symbol | <i>get_dv_symbol</i> |
|---------------|----------------------|

---

**Description**

Get the symbol for a certain dvid or dv and check that it is valid

**Usage**

```
get_dv_symbol(model, dv = NULL)
```

**Arguments**

|       |                                                                                                                     |
|-------|---------------------------------------------------------------------------------------------------------------------|
| model | (Model) Pharmpy model                                                                                               |
| dv    | (Expr or str or numeric (optional)) Either a dv symbol, str or dvid. If NULL (default) return the only or first dv. |

**Value**

(Expr) DV symbol

**Examples**

```
## Not run:
model <- load_example_model("pheno")
get_dv_symbol(model, "Y")
get_dv_symbol(model, 1)

## End(Not run)
```

---

|          |                 |
|----------|-----------------|
| get_evid | <i>get_evid</i> |
|----------|-----------------|

---

**Description**

Get the evid from model dataset

If an event column is present this will be extracted otherwise an evid column will be created.

**Usage**

```
get_evid(model)
```

**Arguments**

|       |                       |
|-------|-----------------------|
| model | (Model) Pharmpy model |
|-------|-----------------------|



**Value**

(data.frame) EVID

---

get\_ids

---

*get\_ids***Description**

Retrieve a vector of all subject ids of the dataset

**Usage**

get\_ids(model)

**Arguments**

model (Model) PharmPy model

**Value**

(vector) All subject ids

**Examples**

```
## Not run:
model <- load_example_model("pheno")
get_ids(model)

## End(Not run)
```

---

get\_individual\_parameters

---

*get\_individual\_parameters*

---

**Description**

Retrieves all individual parameters in a :class:pharmPy.model.

By default all individual parameters will be found even ones having no random effect. The level arguments makes it possible to find only those having any random effect or only those having a certain random effect. Using the dv option will give all individual parameters affecting a certain dv. Note that the DV for PD in a PKPD model often also is affected by the PK parameters.

**Usage**

get\_individual\_parameters(model, level = "all", dv = NULL)

**Arguments**

|       |                                                                                                |
|-------|------------------------------------------------------------------------------------------------|
| model | (Model) Pharmpy model to retrieve the individuals parameters from                              |
| level | (str) The variability level to look for: 'iiv', 'ioi', 'random' or 'all' (default)             |
| dv    | (str or Expr or numeric (optional)) Name or DVID of dependent variable. NULL for all (default) |

**Value**

(vectorc(str)) A vector of the parameter names as strings

**See Also**

get\_pd\_parameters  
 get\_pk\_parameters  
 get\_rv\_parameters  
 has\_random\_effect

**Examples**

```
## Not run:
model <- load_example_model("pheno")
get_individual_parameters(model)
get_individual_parameters(model, 'iiv')
get_individual_parameters(model, 'ioi')

## End(Not run)
```

---

```
get_individual_prediction_expression
      get_individual_prediction_expression
```

---

**Description**

Get the full symbolic expression for the modelled individual prediction  
 This function currently only support models without ODE systems

**Usage**

```
get_individual_prediction_expression(model)
```

**Arguments**

|       |                              |
|-------|------------------------------|
| model | (Model) Pharmpy model object |
|-------|------------------------------|

**Value**

(Expression) Symbolic expression

**See Also**

get\_population\_prediction\_expression : Get full symbolic expression for the population prediction

**Examples**

```
## Not run:
model <- load_example_model("pheno_linear")
get_individual_prediction_expression(model)

## End(Not run)
```

---

get\_initial\_conditions  
*get\_initial\_conditions*

---

**Description**

Get initial conditions for the ode system  
Default initial conditions at t=0 for amounts is 0

**Usage**

```
get_initial_conditions(model, dosing = FALSE)
```

**Arguments**

|        |                                                           |
|--------|-----------------------------------------------------------|
| model  | (Model) PharmPy model                                     |
| dosing | (logical) Set to TRUE to add dosing as initial conditions |

**Value**

(list) Initial conditions

**Examples**

```
## Not run:
model <- load_example_model("pheno")
get_initial_conditions(model)
get_initial_conditions(model, dosing=TRUE)

## End(Not run)
```

---

|               |                      |
|---------------|----------------------|
| get_lag_times | <i>get_lag_times</i> |
|---------------|----------------------|

---

**Description**

Get lag times for all compartments

**Usage**

```
get_lag_times(model)
```

**Arguments**

model (Model) Pharmpy model

**Value**

(list) Dictionary from compartment name to lag time expression

---

|         |                |
|---------|----------------|
| get_mdv | <i>get_mdv</i> |
|---------|----------------|

---

**Description**

Get MDVs from dataset

**Usage**

```
get_mdv(model)
```

**Arguments**

model (Model) Pharmpy model

**Value**

(data.frame) MDVs

---

|                |                       |
|----------------|-----------------------|
| get_model_code | <i>get_model_code</i> |
|----------------|-----------------------|

---

**Description**

Get the model code of the underlying model language as a string

**Usage**

```
get_model_code(model)
```

**Arguments**

|       |                       |
|-------|-----------------------|
| model | (Model) PharmPy model |
|-------|-----------------------|

**Value**

(str) Model code

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
code <- get_model_code(model)  
  
## End(Not run)
```

---

|                      |                             |
|----------------------|-----------------------------|
| get_model_covariates | <i>get_model_covariates</i> |
|----------------------|-----------------------------|

---

**Description**

List of covariates used in model

A covariate in the model is here defined to be a data item affecting the model prediction excluding dosing items that are not used in model code.

**Usage**

```
get_model_covariates(model, strings = FALSE)
```

**Arguments**

|         |                                                                                |
|---------|--------------------------------------------------------------------------------|
| model   | (Model) PharmPy model                                                          |
| strings | (logical) Return strings instead of symbols? FALSE (default) will give symbols |

**Value**

(vector) Covariate symbols or names

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
get_model_covariates(model)  
get_model_covariates(model, strings=TRUE)  
  
## End(Not run)
```

---

```
get_mu_connected_to_parameter  
      get_mu_connected_to_parameter
```

---

**Description**

Return Mu name connected to parameter

If the given parameter is not dependent on any Mu, NULL is returned

**Usage**

```
get_mu_connected_to_parameter(model, parameter)
```

**Arguments**

|           |                                                         |
|-----------|---------------------------------------------------------|
| model     | (Model) Pharmpy model object.                           |
| parameter | (str) Name of parameter which to find Mu parameter for. |

**Value**

(str) Name of Mu parameter or NULL

---

|                  |                         |
|------------------|-------------------------|
| get_nested_model | <i>get_nested_model</i> |
|------------------|-------------------------|

---

## Description

Return nested model from a pair of models

Function to get a nested model from a pair of models, NULL if neither model is nested. A model is not considered nested if:

1. They are the same model
2. They have the same number of parameters
3. The parameters of the reduced model is not a subset of the extended model
4. The dosing or DV is changed

Assumptions made:

1. Parametrization is the same
2. Parameter names are the same

## Usage

```
get_nested_model(model_1, model_2)
```

## Arguments

|         |                              |
|---------|------------------------------|
| model_1 | (Model) PharmPy model object |
| model_2 | (Model) PharmPy model object |

## Value

(Model | NULL) PharmPy model object or NULL

## Examples

```
## Not run:
model_1 <- load_example_model("pheno")
model_2 <- add_peripheral_compartment(model_1)
model_2 <- set_name(model_2, 'pheno_2')
nested <- get_nested_model(model_1, model_2)
nested$name

## End(Not run)
```

---

```
get_number_of_individuals  
    get_number_of_individuals
```

---

**Description**

Retrieve the number of individuals in the model dataset

**Usage**

```
get_number_of_individuals(model)
```

**Arguments**

model                    (Model) PharmPy model

**Value**

(integer) Number of individuals in the model dataset

**Note**

For NONMEM models this is the number of individuals of the active dataset, i.e. after filtering of IGNORE and ACCEPT and removal of individuals with no observations.

**See Also**

`get_number_of_observations` : Get the number of observations in a dataset

`get_number_of_observations_per_individual` : Get the number of observations per individual in a dataset

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
get_number_of_individuals(model)  
  
## End(Not run)
```



---

```
get_number_of_observations  
    get_number_of_observations
```

---

**Description**

Retrieve the total number of observations in the model dataset

**Usage**

```
get_number_of_observations(model)
```

**Arguments**

model                    (Model) PharmPy model

**Value**

(integer) Number of observations in the model dataset

**Note**

For NONMEM models this is the number of observations of the active dataset, i.e. after filtering of IGNORE and ACCEPT and removal of individuals with no observations.

**See Also**

get\_number\_of\_individuals : Get the number of individuals in a dataset

get\_number\_of\_observations\_per\_individual : Get the number of observations per individual in a dataset

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
get_number_of_observations(model)  
  
## End(Not run)
```

---

```
get_number_of_observations_per_individual  
    get_number_of_observations_per_individual
```

---

**Description**

Number of observations for each individual

**Usage**

```
get_number_of_observations_per_individual(model)
```

**Arguments**

model                    (Model) PharmPy model

**Value**

(data.frame) Number of observations in the model dataset

**Note**

For NONMEM models this is the individuals and number of observations of the active dataset, i.e. after filtering of IGNORE and ACCEPT and removal of individuals with no observations.

**See Also**

`get_number_of_individuals` : Get the number of individuals in a dataset

`get_number_of_observations_per_individual` : Get the number of observations per individual in a dataset

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
get_number_of_observations_per_individual(model)  
  
## End(Not run)
```

---

*get\_number\_of\_peripheral\_compartments*  
*get\_number\_of\_peripheral\_compartments*

---

**Description**

Return the number of peripherals compartments connected to the central compartment

**Usage**

`get_number_of_peripheral_compartments(model)`

**Arguments**

`model` (Model) PharmPy model

**Value**

(integer) Number of peripherals compartments

---

*get\_number\_of\_transit\_compartments*  
*get\_number\_of\_transit\_compartments*

---

**Description**

Return the number of transit compartments in the model

**Usage**

`get_number_of_transit_compartments(model)`

**Arguments**

`model` (Model) PharmPy model

**Value**

(integer) Number of transit compartments

---

|                  |                         |
|------------------|-------------------------|
| get_observations | <i>get_observations</i> |
|------------------|-------------------------|

---

## Description

Get observations from dataset

## Usage

```
get_observations(model, keep_index = FALSE, dv = NULL)
```

## Arguments

|            |                                                                                                                     |
|------------|---------------------------------------------------------------------------------------------------------------------|
| model      | (Model) PharmPy model                                                                                               |
| keep_index | (logical) Set to TRUE if the original index should be kept. Otherwise a new index using ID and idv will be created. |
| dv         | (Expr or str or numeric (optional)) Name or DVID of dependent variable. NULL for the default (first or only)        |

## Value

(data.frame) Observations indexed over ID and TIME

## See Also

`get_number_of_observations` : get the number of observations  
`get_number_of_observations_per_individual` : get the number of observations per individual

## Examples

```
## Not run:  
model <- load_example_model("pheno")  
get_observations(model)  
  
## End(Not run)
```

---

|                            |                                   |
|----------------------------|-----------------------------------|
| get_observation_expression |                                   |
|                            | <i>get_observation_expression</i> |

---

**Description**

Get the full symbolic expression for the observation according to the model  
This function currently only support models without ODE systems

**Usage**

```
get_observation_expression(model)
```

**Arguments**

|       |                              |
|-------|------------------------------|
| model | (Model) PharmPy model object |
|-------|------------------------------|

**Value**

(Expression) Symbolic expression

**Examples**

```
## Not run:  
model <- load_example_model("pheno_linear")  
expr <- get_observation_expression(model)  
print(expr$unicode())  
  
## End(Not run)
```

---

|            |                   |
|------------|-------------------|
| get_omegas | <i>get_omegas</i> |
|------------|-------------------|

---

**Description**

Get all omegas (variability parameters) of a model

**Usage**

```
get_omegas(model)
```

**Arguments**

|       |                              |
|-------|------------------------------|
| model | (Model) PharmPy model object |
|-------|------------------------------|

**Value**

(Parameters) A copy of all omega parameters

**See Also**

get\_thetas : Get theta parameters

get\_sigmas : Get sigma parameters

**Examples**

```
## Not run:
model <- load_example_model("pheno")
get_omegas(model)

## End(Not run)
```

---

|                  |                         |
|------------------|-------------------------|
| get_parameter_rv | <i>get_parameter_rv</i> |
|------------------|-------------------------|

---

**Description**

Retrieves name of random variable in :class:pharmpy.model.Model given a parameter.

**Usage**

```
get_parameter_rv(model, parameter, var_type = "iiv")
```

**Arguments**

|           |                                                          |
|-----------|----------------------------------------------------------|
| model     | (Model) Pharmpy model to retrieve parameters from        |
| parameter | (str) Name of parameter to retrieve random variable from |
| var_type  | (str) Variability type: iiv (default) or iov             |

**Value**

(vectorc(str)) A vector of random variable names for the given parameter

**See Also**

get\_rv\_parameters

has\_random\_effect

get\_pk\_parameters

get\_individual\_parameters

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
get_parameter_rv(model, 'CL')  
  
## End(Not run)
```

---

|                   |                          |
|-------------------|--------------------------|
| get_pd_parameters | <i>get_pd_parameters</i> |
|-------------------|--------------------------|

---

**Description**

Retrieves PD parameters in :class:pharmpy.model.Model.

**Usage**

```
get_pd_parameters(model)
```

**Arguments**

model (Model) Pharmpy model to retrieve the PD parameters from

**Value**

(vector<str>) A vector of the PD parameter names of the given model

**See Also**

get\_pk\_parameters

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
model <- set_direct_effect(model, "linear")  
get_pd_parameters(model)  
  
## End(Not run)
```

---

|                   |                          |
|-------------------|--------------------------|
| get_pk_parameters | <i>get_pk_parameters</i> |
|-------------------|--------------------------|

---

## Description

Retrieves PK parameters in :class:pharmpy.model.Model.

## Usage

```
get_pk_parameters(model, kind = "all")
```

## Arguments

|       |                                                                                                           |
|-------|-----------------------------------------------------------------------------------------------------------|
| model | (Model) Pharmpy model to retrieve the PK parameters from                                                  |
| kind  | (str) The type of parameter to retrieve: 'absorption', 'distribution', 'elimination', or 'all' (default). |

## Value

(vectorc(str)) A vector of the PK parameter names of the given model

## See Also

```
get_individual_parameters  
get_rv_parameters
```

## Examples

```
## Not run:  
model <- load_example_model("pheno")  
get_pk_parameters(model)  
get_pk_parameters(model, 'absorption')  
get_pk_parameters(model, 'distribution')  
get_pk_parameters(model, 'elimination')  
  
## End(Not run)
```



---

```
get_population_prediction_expression  
    get_population_prediction_expression
```

---

**Description**

Get the full symbolic expression for the modelled population prediction  
This function currently only support models without ODE systems

**Usage**

```
get_population_prediction_expression(model)
```

**Arguments**

model (Model) PharmPy model object

**Value**

(Expression) Symbolic expression

**See Also**

get\_individual\_prediction\_expression : Get full symbolic expression for the individual prediction

**Examples**

```
## Not run:  
model <- load_example_model("pheno_linear")  
get_population_prediction_expression(model)  
  
## End(Not run)
```

---

```
get_rv_parameters    get_rv_parameters
```

---

**Description**

Retrieves parameters in :class:pharmPy.model.Model given a random variable.

**Usage**

```
get_rv_parameters(model, rv)
```

**Arguments**

`model` (Model) Pharmpy model to retrieve parameters from  
`rv` (str) Name of random variable to retrieve

**Value**

(vectorc(str)) A vector of parameter names for the given random variable

**See Also**

`has_random_effect`  
`get_pk_parameters`  
`get_individual_parameters`

**Examples**

```
## Not run:
model <- load_example_model("pheno")
get_rv_parameters(model, 'ETA_CL')

## End(Not run)
```

---

`get_sigmas`

*get\_sigmas*

---

**Description**

Get all sigmas (residual error variability parameters) of a model

**Usage**

```
get_sigmas(model)
```

**Arguments**

`model` (Model) Pharmpy model object

**Value**

(Parameters) A copy of all sigma parameters

**See Also**

`get_thetas` : Get theta parameters  
`get_omegas` : Get omega parameters

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
get_sigmas(model)  
  
## End(Not run)
```

---

|            |            |
|------------|------------|
| get_thetas | get_thetas |
|------------|------------|

---

**Description**

Get all thetas (structural parameters) of a model

**Usage**

```
get_thetas(model)
```

**Arguments**

model (Model) PharmPy model object

**Value**

(Parameters) A copy of all theta parameters

**See Also**

get\_omegas : Get omega parameters

get\_sigmas : Get sigma parameters

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
get_thetas(model)  
  
## End(Not run)
```

---

|             |                    |
|-------------|--------------------|
| get_unit_of | <i>get_unit_of</i> |
|-------------|--------------------|

---

**Description**

Derive the physical unit of a variable in the model

Unit information for the dataset needs to be available. The variable can be defined in the code, a dataset column, a parameter or a random variable.

**Usage**

```
get_unit_of(model, variable)
```

**Arguments**

|          |                                           |
|----------|-------------------------------------------|
| model    | (Model) PharmPy model object              |
| variable | (str) Find physical unit of this variable |

**Value**

(Unit) A unit expression

**Examples**

```
## Not run:
model <- load_example_model("pheno")
get_unit_of(model, "Y")
get_unit_of(model, "VC")
get_unit_of(model, "WGT")

## End(Not run)
```

---

|                       |                              |
|-----------------------|------------------------------|
| get_zero_order_inputs | <i>get_zero_order_inputs</i> |
|-----------------------|------------------------------|

---

**Description**

Get zero order inputs for all compartments

**Usage**

```
get_zero_order_inputs(model)
```

**Arguments**

|       |                       |
|-------|-----------------------|
| model | (Model) PharmPy model |
|-------|-----------------------|

**Value**

(Matrix) Vector of inputs

**Examples**

```
## Not run:
model <- load_example_model("pheno")
get_zero_order_inputs(model)

## End(Not run)
```

---

|                |                       |
|----------------|-----------------------|
| greekify_model | <i>greekify_model</i> |
|----------------|-----------------------|

---

**Description**

Convert to using greek letters for all population parameters

**Usage**

```
greekify_model(model, named_subscripts = FALSE)
```

**Arguments**

|                  |                                                                                            |
|------------------|--------------------------------------------------------------------------------------------|
| model            | (Model) PharmPy model                                                                      |
| named_subscripts | (logical) Use previous parameter names as subscripts. Default is to use integer subscripts |

**Value**

(Model) PharmPy model object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model$statements
model <- greekify_model(cleanup_model(model))
model$statements

## End(Not run)
```

---

|                          |                                 |
|--------------------------|---------------------------------|
| has_additive_error_model |                                 |
|                          | <i>has_additive_error_model</i> |

---

### Description

Check if a model has an additive error model

Multiple dependent variables are supported. By default the only (in case of one) or the first (in case of many) dependent variable is going to be checked.

### Usage

```
has_additive_error_model(model, dv = NULL)
```

### Arguments

|       |                                                                                                              |
|-------|--------------------------------------------------------------------------------------------------------------|
| model | (Model) The model to check                                                                                   |
| dv    | (Expr or str or numeric (optional)) Name or DVID of dependent variable. NULL for the default (first or only) |

### Value

(logical) TRUE if the model has an additive error model and FALSE otherwise

### See Also

has\_proportional\_error\_model : Check if a model has a proportional error model

has\_combined\_error\_model : Check if a model has a combined error model

has\_weighted\_error\_model : Check if a model has a weighted error model

### Examples

```
## Not run:  
model <- load_example_model("pheno")  
has_additive_error_model(model)  
  
## End(Not run)
```

---

|                          |                                 |
|--------------------------|---------------------------------|
| has_combined_error_model |                                 |
|                          | <i>has_combined_error_model</i> |

---

## Description

Check if a model has a combined additive and proportional error model

Multiple dependent variables are supported. By default the only (in case of one) or the first (in case of many) dependent variable is going to be checked.

## Usage

```
has_combined_error_model(model, dv = NULL)
```

## Arguments

|       |                                                                                                              |
|-------|--------------------------------------------------------------------------------------------------------------|
| model | (Model) The model to check                                                                                   |
| dv    | (Expr or str or numeric (optional)) Name or DVID of dependent variable. NULL for the default (first or only) |

## Value

(logical) TRUE if the model has a combined error model and FALSE otherwise

## See Also

has\_additive\_error\_model : Check if a model has an additive error model

has\_proportional\_error\_model : Check if a model has a proportional error model

has\_weighted\_error\_model : Check if a model has a weighted error model

## Examples

```
## Not run:  
model <- load_example_model("pheno")  
has_combined_error_model(model)  
  
## End(Not run)
```

---

has\_covariate\_effect    *has\_covariate\_effect*

---

### Description

Tests if an instance of :class:pharmpy.model has a given covariate effect.

### Usage

```
has_covariate_effect(model, parameter, covariate)
```

### Arguments

|           |                                                      |
|-----------|------------------------------------------------------|
| model     | (Model) Pharmpy model to check for covariate effect. |
| parameter | (str) Name of parameter.                             |
| covariate | (str) Name of covariate.                             |

### Value

(logical) Whether input model has a covariate effect of the input covariate on the input parameter.

### Examples

```
## Not run:
model <- load_example_model("pheno")
has_covariate_effect(model, "CL", "APGR")

## End(Not run)
```

---

has\_first\_order\_absorption  
*has\_first\_order\_absorption*

---

### Description

Check if ode system describes a first order absorption

Currently defined as the central compartment having a unidirectional input flow from another compartment (such as depot or transit)

### Usage

```
has_first_order_absorption(model)
```



**Arguments**

model (Model) PharmPy model

**Value**

(Bool : TRUE if model has first order absorption)

---

has\_first\_order\_elimination  
*has\_first\_order\_elimination*

---

**Description**

Check if the model describes first order elimination

This function relies on heuristics and will not be able to detect all possible ways of coding the first order elimination.

**Usage**

```
has_first_order_elimination(model)
```

**Arguments**

model (Model) PharmPy model

**Value**

(logical) TRUE if model has describes first order elimination

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
has_first_order_elimination(model)  
  
## End(Not run)
```

---

|                              |                                     |
|------------------------------|-------------------------------------|
| has_instantaneous_absorption | <i>has_instantaneous_absorption</i> |
|------------------------------|-------------------------------------|

---

**Description**

Check if ode system describes a instantaneous absorption  
Defined as being a instantaneous dose directly into the central compartment

**Usage**

has\_instantaneous\_absorption(model)

**Arguments**

model                    (Model) Pharmpy model

**Value**

(Bool : TRUE if model has instantaneous absorption)

---

|                 |                        |
|-----------------|------------------------|
| has_linear_odes | <i>has_linear_odes</i> |
|-----------------|------------------------|

---

**Description**

Check if model has a linear ODE system

**Usage**

has\_linear\_odes(model)

**Arguments**

model                    (Model) Pharmpy model

**Value**

(logical) TRUE if model has an ODE system that is linear

**See Also**

has\_odes  
has\_linear\_odes\_with\_real\_eigenvalues

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
has_linear_odes(model)  
  
## End(Not run)
```

---

```
has_linear_odes_with_real_eigenvalues  
      has_linear_odes_with_real_eigenvalues
```

---

**Description**

Check if model has a linear ode system with real eigenvalues

**Usage**

```
has_linear_odes_with_real_eigenvalues(model)
```

**Arguments**

model                    (Model) PharmPy model

**Value**

(logical) TRUE if model has an ODE system that is linear

**See Also**

has\_odes  
has\_linear\_odes

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
has_linear_odes_with_real_eigenvalues(model)  
  
## End(Not run)
```

---

`has_michaelis_menten_elimination`*has\_michaelis\_menten\_elimination*

---

**Description**

Check if the model describes Michaelis-Menten elimination

This function relies on heuristics and will not be able to detect all possible ways of coding the Michaelis-Menten elimination.

**Usage**

```
has_michaelis_menten_elimination(model)
```

**Arguments**

`model` (Model) PharmPy model

**Value**

(logical) TRUE if model has describes Michaelis-Menten elimination

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
has_michaelis_menten_elimination(model)  
model <- set_michaelis_menten_elimination(model)  
has_michaelis_menten_elimination(model)  
  
## End(Not run)
```

---

`has_mixed_mm_fo_elimination`*has\_mixed\_mm\_fo\_elimination*

---

**Description**

Check if the model describes mixed Michaelis-Menten and first order elimination

This function relies on heuristics and will not be able to detect all possible ways of coding the mixed Michaelis-Menten and first order elimination.

**Usage**

```
has_mixed_mm_fo_elimination(model)
```

**Arguments**

model (Model) Pharmpy model

**Value**

(logical) TRUE if model has describes Michaelis-Menten elimination

**Examples**

```
## Not run:
model <- load_example_model("pheno")
has_mixed_mm_fo_elimination(model)
model <- set_mixed_mm_fo_elimination(model)
has_mixed_mm_fo_elimination(model)

## End(Not run)
```

---

|                  |                         |
|------------------|-------------------------|
| has_mu_reference | <i>has_mu_reference</i> |
|------------------|-------------------------|

---

**Description**

Check if model is Mu-reference or not.

Will return TRUE if each parameter with an ETA is dependent on a Mu parameter.

**Usage**

```
has_mu_reference(model)
```

**Arguments**

model (Model) Pharmpy model object

**Value**

(logical) Whether the model is mu referenced

---

|          |                 |
|----------|-----------------|
| has_odes | <i>has_odes</i> |
|----------|-----------------|

---

**Description**

Check if model has an ODE system

**Usage**

has\_odes(model)

**Arguments**

model                    (Model) Pharmpy model

**Value**

(logical) TRUE if model has an ODE system

**See Also**

has\_linear\_odes  
has\_linear\_odes\_with\_real\_eigenvalues

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
has_odes(model)  
  
## End(Not run)
```

---

|                            |                                   |
|----------------------------|-----------------------------------|
| has_presystemic_metabolite | <i>has_presystemic_metabolite</i> |
|----------------------------|-----------------------------------|

---

**Description**

Checks whether a model has a presystemic metabolite  
If pre-systemic drug there will be a flow from DEPOT to METABOLITE as well as being a flow from the CENTRAL to METABOLITE

**Usage**

has\_presystemic\_metabolite(model)

**Arguments**

model (Model) Pharmpy model

**Value**

(logical) Whether a model has presystemic metabolite

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- add_metabolite(model, presystemic=TRUE)
has_presystemic_metabolite(model)

## End(Not run)
```

---

has\_proportional\_error\_model  
*has\_proportional\_error\_model*

---

**Description**

Check if a model has a proportional error model

Multiple dependent variables are supported. By default the only (in case of one) or the first (in case of many) dependent variable is going to be checked.

**Usage**

```
has_proportional_error_model(model, dv = NULL)
```

**Arguments**

model (Model) The model to check

dv (Expr or str or numeric (optional)) Name or DVID of dependent variable. NULL for the default (first or only)

**Value**

(logical) TRUE if the model has a proportional error model and FALSE otherwise

**See Also**

has\_additive\_error\_model : Check if a model has an additive error model

has\_combined\_error\_model : Check if a model has a combined error model

has\_weighted\_error\_model : Check if a model has a weighted error model

**Examples**

```
## Not run:
model <- load_example_model("pheno")
has_proportional_error_model(model)

## End(Not run)
```

---

|                   |                          |
|-------------------|--------------------------|
| has_random_effect | <i>has_random_effect</i> |
|-------------------|--------------------------|

---

**Description**

Decides whether the given parameter of a :class:pharmpy.model has a random effect.

**Usage**

```
has_random_effect(model, parameter, level = "all")
```

**Arguments**

|           |                                                                           |
|-----------|---------------------------------------------------------------------------|
| model     | (Model) Input Pharmpy model                                               |
| parameter | (str) Input parameter                                                     |
| level     | (str) The variability level to look for: 'iiv', 'iov', or 'all' (default) |

**Value**

(logical) Whether the given parameter has a random effect

**See Also**

`get_individual_parameters`  
`get_rv_parameters`

**Examples**

```
## Not run:
model <- load_example_model("pheno")
has_random_effect(model, 'S1')
has_random_effect(model, 'CL', 'iiv')
has_random_effect(model, 'CL', 'iov')

## End(Not run)
```



---

has\_seq\_zo\_fo\_absorption  
*has\_seq\_zo\_fo\_absorption*

---

**Description**

Check if ode system describes a sequential zero-order, first-order absorption  
Defined as the model having both zero- and first-order absorption.

**Usage**

```
has_seq_zo_fo_absorption(model)
```

**Arguments**

model                    (Model) DPharmPy model

**See Also**

has\_zero\_order\_absorption  
has\_first\_order\_absorption

---

has\_weibull\_absorption  
*has\_weibull\_absorption*

---

**Description**

Check if ode system describes a weibull type absorption  
warning:: This function is still under development.

**Usage**

```
has_weibull_absorption(model)
```

**Arguments**

model                    (Model) PharmPy model

**Value**

(Bool : TRUE if model has weibull type absorption)

---

has\_weighted\_error\_model  
*has\_weighted\_error\_model*

---

**Description**

Check if a model has a weighted error model

**Usage**

```
has_weighted_error_model(model)
```

**Arguments**

model                    (Model) The model to check

**Value**

(logical) TRUE if the model has a weighted error model and FALSE otherwise

**See Also**

has\_additive\_error\_model : Check if a model has an additive error model

has\_combined\_error\_model : Check if a model has a combined error model

has\_proportional\_error\_model : Check if a model has a proportional error model

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
has_weighted_error_model(model)  
  
## End(Not run)
```

---

has\_zero\_order\_absorption  
*has\_zero\_order\_absorption*

---

**Description**

Check if ode system describes a zero order absorption  
currently defined as having Infusion dose with rate not in dataset

**Usage**

```
has_zero_order_absorption(model)
```

**Arguments**

model (Model) Pharmpy model

**Value**

(logical) Whether the model has zero order absorption or not

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
has_zero_order_absorption(model)  
  
## End(Not run)
```

---

```
has_zero_order_elimination  
has_zero_order_elimination
```

---

**Description**

Check if the model describes zero-order elimination

This function relies on heuristics and will not be able to detect all possible ways of coding the zero-order elimination.

**Usage**

```
has_zero_order_elimination(model)
```

**Arguments**

model (Model) Pharmpy model

**Value**

(logical) TRUE if model has describes zero order elimination

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
has_zero_order_elimination(model)  
model <- set_zero_order_elimination(model)  
has_zero_order_elimination(model)  
  
## End(Not run)
```

---

|                 |                        |
|-----------------|------------------------|
| install_pharmpy | <i>Install Pharmpy</i> |
|-----------------|------------------------|

---

### Description

Install the pharmpy-core python package into virtual environment. Uses the same Pharmpy version as pharmr.

### Usage

```
install_pharmpy(envname = "r-reticulate", method = "auto")
```

### Arguments

|         |                                                                                                              |
|---------|--------------------------------------------------------------------------------------------------------------|
| envname | (str) name of environment. Default is r-reticulate                                                           |
| method  | (str) type of environment type (virtualenv, conda). Default is auto (virtualenv is not available on Windows) |

---

|                       |                                                 |
|-----------------------|-------------------------------------------------|
| install_pharmpy_devel | <i>Install Pharmpy (with specified version)</i> |
|-----------------------|-------------------------------------------------|

---

### Description

Install the pharmpy-core python package into virtual environment.

### Usage

```
install_pharmpy_devel(
  envname = "r-reticulate",
  method = "auto",
  version = "devel"
)
```

### Arguments

|         |                                                                                                              |
|---------|--------------------------------------------------------------------------------------------------------------|
| envname | (str) name of environment. Default is r-reticulate                                                           |
| method  | (str) type of environment type (virtualenv, conda). Default is auto (virtualenv is not available on Windows) |
| version | (str) which pharmpy version to use (use 'same' for most cases)                                               |

---

|               |                      |
|---------------|----------------------|
| is_linearized | <i>is_linearized</i> |
|---------------|----------------------|

---

**Description**

Determine if a model is linearized

**Usage**

```
is_linearized(model)
```

**Arguments**

model                    (Model) Pharmpy model

**Value**

(logical) TRUE if model has been linearized and FALSE otherwise

**Examples**

```
## Not run:
model1 <- load_example_model("pheno")
is_linearized(model1)
model2 <- load_example_model("pheno_linear")
is_linearized(model2)

## End(Not run)
```

---

|         |                |
|---------|----------------|
| is_real | <i>is_real</i> |
|---------|----------------|

---

**Description**

Determine if an expression is real valued given constraints of a model

**Usage**

```
is_real(model, expr)
```

**Arguments**

model                    (Model) Pharmpy model  
expr                    (numeric or str or Expr) Expression to test

**Value**

(logical or NULL) TRUE if expression is real, FALSE if not and NULL if unknown

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
is_real(model, "CL")  
  
## End(Not run)
```

---

|                                  |                            |
|----------------------------------|----------------------------|
| <code>is_simulation_model</code> | <i>is_simulation_model</i> |
|----------------------------------|----------------------------|

---

**Description**

Check if a model is a pure simulation model

**Usage**

```
is_simulation_model(model)
```

**Arguments**

model                    (Model) PharmPy model

**Value**

(logical) TRUE if it is a simulation model

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
is_simulation_model(model)  
  
## End(Not run)
```

---

```
is_strictness_fulfilled
      is_strictness_fulfilled
```

---

**Description**

Takes a ModelfitResults object and a statement as input and returns TRUE/FALSE if the evaluation of the statement is TRUE/FALSE.

**Usage**

```
is_strictness_fulfilled(model, results, strictness)
```

**Arguments**

|            |                                                  |
|------------|--------------------------------------------------|
| model      | (Model) Model for parameter specific strictness. |
| results    | (ModelfitResults) ModelfitResults object         |
| strictness | (str) A strictness expression                    |

**Value**

(logical) A logical indicating whether the strictness criteria are fulfilled or not.

**Examples**

```
## Not run:
res <- load_example_modelfit_results('pheno')
model <- load_example_model('pheno')
is_strictness_fulfilled(model, res, "minimization_successful or rounding_errors")

## End(Not run)
```

---

```
list_models      list_models
```

---

**Description**

List names of all models in a context

Will by default vector only models in the top level, but can vector all recursively using the recursive option. This will add the context path to each model name as a qualifier.

**Usage**

```
list_models(context, recursive = FALSE)
```

**Arguments**

context            (Context) The context  
recursive        (logical) Only top level or all levels recursively down.

**Value**

(vector<str>) A vector of the model names

---

```
list_time_varying_covariates  
                              list_time_varying_covariates
```

---

**Description**

Return a vector of names of all time varying covariates

**Usage**

```
list_time_varying_covariates(model)
```

**Arguments**

model            (Model) PharmPy model

**Value**

(vector) Names of all time varying covariates

**See Also**

`get_covariate_baselines` : get baselines for all covariates

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
list_time_varying_covariates(model)  
  
## End(Not run)
```



---

|              |                     |
|--------------|---------------------|
| load_dataset | <i>load_dataset</i> |
|--------------|---------------------|

---

**Description**

Load the dataset given datainfo

**Usage**

```
load_dataset(model)
```

**Arguments**

model (Model) Pharmpy model

**Value**

(Model) Pharmpy model with dataset removed

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
model <- unload_dataset(model)  
model$dataset is NULL  
model <- load_dataset(model)  
model$dataset  
  
## End(Not run)
```

---

|                    |                           |
|--------------------|---------------------------|
| load_example_model | <i>load_example_model</i> |
|--------------------|---------------------------|

---

**Description**

Load an example model

Load an example model from models built into Pharmpy

**Usage**

```
load_example_model(name)
```

**Arguments**

name (str) Name of the model. Currently available models are "pheno" and "pheno\_linear"

**Value**

(Model) Loaded model object

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
model$statements  
  
## End(Not run)
```

---

```
load_example_modelfit_results  
      load_example_modelfit_results
```

---

**Description**

Load the modelfit results of an example model

Load the modelfit results of an example model built into Pharmpy

**Usage**

```
load_example_modelfit_results(name)
```

**Arguments**

name (str) Name of the model. Currently available models are "pheno" and "pheno\_linear"

**Value**

(ModelfitResults) Loaded modelfit results object

**Examples**

```
## Not run:  
results <- load_example_modelfit_results("pheno")  
results$parameter_estimates  
  
## End(Not run)
```

---

|                  |                         |
|------------------|-------------------------|
| make_declarative | <i>make_declarative</i> |
|------------------|-------------------------|

---

**Description**

Make the model statments declarative  
Each symbol will only be declared once.

**Usage**

```
make_declarative(model)
```

**Arguments**

|       |                       |
|-------|-----------------------|
| model | (Model) Pharmpy model |
|-------|-----------------------|

**Value**

(Model) Pharmpy model object

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
model$statements$before_odes  
model <- make_declarative(model)  
model$statements$before_odes  
  
## End(Not run)
```

---

|                    |                           |
|--------------------|---------------------------|
| mu_reference_model | <i>mu_reference_model</i> |
|--------------------|---------------------------|

---

**Description**

Convert model to use mu-referencing

Mu-referencing an eta is to separately define its actual mu (mean) parameter. For example: (equation could not be rendered, see API doc on website) normal distribution would give (equation could not be rendered, see API doc on website) (equation could not be rendered, see API doc on website)

**Usage**

```
mu_reference_model(model)
```

**Arguments**

model (Model) Pharmpy model object

**Value**

(Model) Pharmpy model object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- mu_reference_model(model)
model$statements$before_odes

## End(Not run)
```

---

|                  |                  |
|------------------|------------------|
| <i>omit_data</i> | <i>omit_data</i> |
|------------------|------------------|

---

**Description**

Iterate over omissions of a certain group in a dataset. One group is omitted at a time.

**Usage**

```
omit_data(dataset_or_model, group, name_pattern = "omitted_{}")
```

**Arguments**

dataset\_or\_model (data.frame or Model) Dataset or model for which to omit records

group (str) Name of the column to use for grouping

name\_pattern (str) Name to use for generated datasets. A number starting from 1 will be put in the placeholder.

**Value**

(iterator) Iterator yielding tuples of models/dataframes and the omitted group

---

|              |                     |
|--------------|---------------------|
| open_context | <i>open_context</i> |
|--------------|---------------------|

---

## Description

Open a context from a tool run

## Usage

```
open_context(name, ref = NULL)
```

## Arguments

|      |                                             |
|------|---------------------------------------------|
| name | (str) Name of the context                   |
| ref  | (str (optional)) Parent path of the context |

## Examples

```
## Not run:  
ctx <- open_context("myrun")  
  
## End(Not run)
```

---

|                         |                                |
|-------------------------|--------------------------------|
| plot_abs_cwres_vs_ipred | <i>plot_abs_cwres_vs_ipred</i> |
|-------------------------|--------------------------------|

---

## Description

Plot \|CWRES\| vs IPRED

## Usage

```
plot_abs_cwres_vs_ipred(  
  model,  
  predictions,  
  residuals,  
  stratify_on = NULL,  
  bins = 8  
)
```

**Arguments**

|             |                                                       |
|-------------|-------------------------------------------------------|
| model       | (Model) Pharmpy model                                 |
| predictions | (data.frame) DataFrame containing the predictions     |
| residuals   | (data.frame) DataFrame containing the residuals       |
| stratify_on | (str (optional)) Name of parameter for stratification |
| bins        | (numeric) Number of bins for stratification           |

**Value**

(alt.Chart) Plot

**Examples**

```
## Not run:
model <- load_example_model("pheno")
res <- load_example_modelfit_results("pheno")
plot_abs_cwres_vs_ipred(model, res$predictions, res$residuals)
model <- load_example_model("pheno")
res <- load_example_modelfit_results("pheno")
plot_abs_cwres_vs_ipred(model, res$predictions, res$residuals, 'WGT', bins=4)

## End(Not run)
```

---

|                   |                          |
|-------------------|--------------------------|
| plot_cwres_vs_idv | <i>plot_cwres_vs_idv</i> |
|-------------------|--------------------------|

---

**Description**

Plot CWRES vs idv

**Usage**

```
plot_cwres_vs_idv(model, residuals, stratify_on = NULL, bins = 8)
```

**Arguments**

|             |                                                       |
|-------------|-------------------------------------------------------|
| model       | (Model) Pharmpy model                                 |
| residuals   | (data.frame) DataFrame containing CWRES               |
| stratify_on | (str (optional)) Name of parameter for stratification |
| bins        | (numeric) Number of bins for stratification           |

**Value**

(alt.Chart) Plot

**Examples**

```
## Not run:
model <- load_example_model("pheno")
res <- load_example_modelfit_results("pheno")
plot_cwres_vs_idv(model, res$residuals)
model <- load_example_model("pheno")
res <- load_example_modelfit_results("pheno")
plot_cwres_vs_idv(model, res$residuals, 'WGT', bins=4)

## End(Not run)
```

---

|                  |                         |
|------------------|-------------------------|
| plot_dv_vs_ipred | <i>plot_dv_vs_ipred</i> |
|------------------|-------------------------|

---

**Description**

Plot DV vs IPRED

**Usage**

```
plot_dv_vs_ipred(model, predictions, stratify_on = NULL, bins = 8)
```

**Arguments**

|             |                                                       |
|-------------|-------------------------------------------------------|
| model       | (Model) PharmPy model                                 |
| predictions | (data.frame) DataFrame containing the predictions     |
| stratify_on | (str (optional)) Name of parameter for stratification |
| bins        | (numeric) Number of bins for stratification           |

**Value**

(alt.Chart) Plot

**Examples**

```
## Not run:
model <- load_example_model("pheno")
res <- load_example_modelfit_results("pheno")
plot_dv_vs_ipred(model, res$predictions)
model <- load_example_model("pheno")
res <- load_example_modelfit_results("pheno")
plot_dv_vs_ipred(model, res$predictions, 'WGT', bins=4)

## End(Not run)
```

---

|                              |                        |
|------------------------------|------------------------|
| <code>plot_dv_vs_pred</code> | <i>plot_dv_vs_pred</i> |
|------------------------------|------------------------|

---

**Description**

Plot DV vs PRED

**Usage**

```
plot_dv_vs_pred(model, predictions, stratify_on = NULL, bins = 8)
```

**Arguments**

- `model` (Model) Pharmpy model
- `predictions` (data.frame) DataFrame containing the predictions
- `stratify_on` (str (optional)) Name of parameter for stratification
- `bins` (numeric) Number of bins for stratification

**Value**

(alt.Chart) Plot

**Examples**

```
## Not run:
model <- load_example_model("pheno")
res <- load_example_modelfit_results("pheno")
plot_dv_vs_pred(model, res$predictions)
model <- load_example_model("pheno")
res <- load_example_modelfit_results("pheno")
plot_dv_vs_pred(model, res$predictions, 'WGT', bins=4)

## End(Not run)
```

---

|                                     |                               |
|-------------------------------------|-------------------------------|
| <code>plot_eta_distributions</code> | <i>plot_eta_distributions</i> |
|-------------------------------------|-------------------------------|

---

**Description**

Plot eta distributions for all etas

**Usage**

```
plot_eta_distributions(model, individual_estimates)
```



**Arguments**

model (Model) Previously run PharmPy model.  
individual\_estimates (data.frame) Individual estimates for etas

**Value**

(alt.Chart) Plot

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
res <- load_example_modelfit_results("pheno")  
plot_eta_distributions(model, res$individual_estimates)  
  
## End(Not run)
```

---

plot\_individual\_predictions  
*plot\_individual\_predictions*

---

**Description**

Plot DV and predictions grouped on individuals

**Usage**

```
plot_individual_predictions(model, predictions, individuals = NULL)
```

**Arguments**

model (Model) Previously run PharmPy model.  
predictions (data.frame) One column for each type of prediction  
individuals (array(numeric) (optional)) A vector of individuals to include. NULL for all individuals

**Value**

(alt.Chart) Plot

**Examples**

```
## Not run:
model <- load_example_model("pheno")
res <- load_example_modelfit_results("pheno")
plot_individual_predictions(model, res$predictions, individuals=c(1, 2, 3, 4, 5))

## End(Not run)
```

---

|                                |                          |
|--------------------------------|--------------------------|
| <code>plot_iofv_vs_iofv</code> | <i>plot_iofv_vs_iofv</i> |
|--------------------------------|--------------------------|

---

**Description**

Plot individual OFV of two models against each other

**Usage**

```
plot_iofv_vs_iofv(iofv1, iofv2, name1, name2)
```

**Arguments**

|                    |                                            |
|--------------------|--------------------------------------------|
| <code>iofv1</code> | (array) Estimated iOFV of the first model  |
| <code>iofv2</code> | (array) Estimated iOFV of the second model |
| <code>name1</code> | (str) Name of first model                  |
| <code>name2</code> | (str) Name of second model                 |

**Value**

(alt.Chart) Scatterplot

**Examples**

```
## Not run:
res1 <- load_example_modelfit_results("pheno")
res2 <- load_example_modelfit_results("pheno_linear")
plot_iofv_vs_iofv(res1$individual_ofv, res2$individual_ofv, "nonlin", "linear")

## End(Not run)
```

---

```
plot_transformed_eta_distributions
      plot_transformed_eta_distributions
```

---

**Description**

Plot transformed eta distributions for all transformed etas

**Usage**

```
plot_transformed_eta_distributions(
  model,
  parameter_estimates,
  individual_estimates
)
```

**Arguments**

```
model          (Model) Previously run PharmPy model.
parameter_estimates
                (array or list(str=numeric)) Parameter estimates of model fit
individual_estimates
                (data.frame) Individual estimates for etas
```

**Value**

(alt.Chart) Plot

---

```
plot_vpc          plot_vpc
```

---

**Description**

Creates a VPC plot for a model

**Usage**

```
plot_vpc(
  model,
  simulations,
  binning = "equal_number",
  nbins = 8,
  qi = 0.95,
  ci = 0.95,
  stratify_on = NULL
)
```

**Arguments**

|             |                                                                                                                                                                                                                                                                                           |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| model       | (Model) Pharmpy model                                                                                                                                                                                                                                                                     |
| simulations | (data.frame or str) DataFrame containing the simulation data or path to dataset. The dataset has to have one (index) column named "SIM" containing the simulation number, one (index) column named "index" containing the data indices and one dv column. See below for more information. |
| binning     | (str) Binning method. Can be "equal_number" or "equal_width". The default is "equal_number".                                                                                                                                                                                              |
| nbins       | (numeric) Number of bins. Default is 8.                                                                                                                                                                                                                                                   |
| qi          | (numeric) Upper quantile. Default is 0.95.                                                                                                                                                                                                                                                |
| ci          | (numeric) Confidence interval. Default is 0.95.                                                                                                                                                                                                                                           |
| stratify_on | (str (optional)) Parameter to use for stratification. Optional.                                                                                                                                                                                                                           |

**Value**

(alt.Chart) Plot The simulation data should have the following format: +---+---+---+ | SIM  
| index | DV | +=====+=====+=====+ | 1 | 0 | 0.000 | +---+---+---+ | 1 | 1 | 34.080 |  
+---+---+---+ | 1 | 2 | 28.858 | +---+---+---+ | 1 | 3 | 0.000 | +---+---+---+ | 1 |  
| 4 | 12.157 | +---+---+---+ | 2 | 0 | 23.834 | +---+---+---+ | 2 | 1 | 0.000 | +---+---+  
+---+---+---+ | ... | ... | ... | +---+---+---+ | 20 | 2 | 0.000 | +---+---+---+ | 20 | 3 | 31.342 |  
+---+---+---+ | 20 | 4 | 29.983 | +---+---+---+

**Examples**

```
## Not run:
model <- load_example_model("pheno")
sim_model <- set_simulation(model, n=100)
sim_data <- run_simulation(sim_model)
plot_vpc(model, sim_data)

## End(Not run)
```

---

```
predict_influential_individuals
      predict_influential_individuals
```

---

**Description**

Predict influential individuals for a model using a machine learning model.

Please refer to [www.page-meeting.org/?abstract=10029](http://www.page-meeting.org/?abstract=10029) for more information on training and estimated precision and accuracy.

**Usage**

```
predict_influential_individuals(model, results, cutoff = 3.84)
```

**Arguments**

|         |                                                                            |
|---------|----------------------------------------------------------------------------|
| model   | (Model) Pharmpy model                                                      |
| results | (ModelfitResults) Results for model                                        |
| cutoff  | (numeric) Cutoff threshold for a dofv signalling an influential individual |

**Value**

(data.frame) Dataframe over the individuals with a dofv column containing the raw predicted delta-OFV and an influential column with a boolean to tell whether the individual is influential or not.

**See Also**

predict\_influential\_outliers  
predict\_outliers

---

predict\_influential\_outliers  
*predict\_influential\_outliers*

---

**Description**

Predict influential outliers for a model using a machine learning model.

Please refer to [www.page-meeting.org/?abstract=10029](http://www.page-meeting.org/?abstract=10029) for more information on training and estimated precision and accuracy.

**Usage**

```
predict_influential_outliers(
  model,
  results,
  outlier_cutoff = 3,
  influential_cutoff = 3.84
)
```

**Arguments**

|                    |                                                                           |
|--------------------|---------------------------------------------------------------------------|
| model              | (Model) Pharmpy model                                                     |
| results            | (ModelfitResults) Results for model                                       |
| outlier_cutoff     | (numeric) Cutoff threshold for a residual signaling an outlier            |
| influential_cutoff | (numeric) Cutoff threshold for a dofv signaling an influential individual |

**Value**

(data.frame) Dataframe over the individuals with a outliers and dofv columns containing the raw predictions and influential, outlier and influential\_outlier boolean columns.

**See Also**

predict\_influential\_individuals  
 predict\_outliers

---

|                  |                         |
|------------------|-------------------------|
| predict_outliers | <i>predict_outliers</i> |
|------------------|-------------------------|

---

**Description**

Predict outliers for a model using a machine learning model.

See the :ref:simeval <Individual OFV summary> documentation for a definition of the residual

Please refer to [www.page-meeting.org/?abstract=10029](http://www.page-meeting.org/?abstract=10029) for more information on training and estimated precision and accuracy.

**Usage**

```
predict_outliers(model, results, cutoff = 3)
```

**Arguments**

|         |                                                                |
|---------|----------------------------------------------------------------|
| model   | (Model) PharmPy model                                          |
| results | (ModelfitResults) ModelfitResults for the model                |
| cutoff  | (numeric) Cutoff threshold for a residual signaling an outlier |

**Value**

(data.frame) Dataframe over the individuals with a residual column containing the raw predicted residuals and a outlier column with a boolean to tell whether the individual is an outlier or not.

**See Also**

predict\_influential\_individuals  
 predict\_influential\_outliers

**Examples**

```
## Not run:
model <- load_example_model("pheno")
results <- load_example_modelfit_results("pheno")
predict_outliers(model, results)

## End(Not run)
```

---

|                   |                          |
|-------------------|--------------------------|
| print_fit_summary | <i>print_fit_summary</i> |
|-------------------|--------------------------|

---

**Description**

Print a summary of the model fit

**Usage**

```
print_fit_summary(model, modelfit_results)
```

**Arguments**

|                  |                                                  |
|------------------|--------------------------------------------------|
| model            | (Model) PharmPy model object                     |
| modelfit_results | (ModelfitResults) PharmPy ModelfitResults object |

---

|           |                  |
|-----------|------------------|
| print_log | <i>print_log</i> |
|-----------|------------------|

---

**Description**

Print the log of a context

**Usage**

```
print_log(context)
```

**Arguments**

|         |                                         |
|---------|-----------------------------------------|
| context | (Context) Print the log of this context |
|---------|-----------------------------------------|

---

|                  |                         |
|------------------|-------------------------|
| print_model_code | <i>print_model_code</i> |
|------------------|-------------------------|

---

**Description**

Print the model code of the underlying model language to the console

**Usage**

```
print_model_code(model)
```

**Arguments**

|       |                       |
|-------|-----------------------|
| model | (Model) PharmPy model |
|-------|-----------------------|

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
print_model_code(model)  
  
## End(Not run)
```

---

|                     |                            |
|---------------------|----------------------------|
| print_model_symbols | <i>print_model_symbols</i> |
|---------------------|----------------------------|

---

**Description**

Print all symbols defined in a model

Symbols will be in one of the categories thetas, etas, omegas, epsilons, sigmas, variables and data columns

**Usage**

```
print_model_symbols(model)
```

**Arguments**

|       |                              |
|-------|------------------------------|
| model | (Model) PharmPy model object |
|-------|------------------------------|

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
print_model_symbols(model)  
  
## End(Not run)
```



---

print\_pharmpy\_version *Print pharmpy version*

---

### Description

Print the pharmpy version pharmp uses.

### Usage

```
print_pharmpy_version()
```

---

read\_dataset\_from\_datainfo  
*read\_dataset\_from\_datainfo*

---

### Description

Read a dataset given a datainfo object or path to a datainfo file

### Usage

```
read_dataset_from_datainfo(datainfo, datatype = NULL)
```

### Arguments

datainfo (DataInfo or str) A datainfo object or a path to a datainfo object  
datatype (str (optional)) A string to specify dataset type

### Value

(data.frame) The dataset

---

|            |                   |
|------------|-------------------|
| read_model | <i>read_model</i> |
|------------|-------------------|

---

**Description**

Read model from file

**Usage**

```
read_model(path, missing_data_token = NULL)
```

**Arguments**

path (str) Path to model

missing\_data\_token (str (optional)) Use this token for missing data. This option will override the token from the config. (This option was added in PharmPy version 1.2.0)

**Value**

(Model) Read model object

**See Also**

read\_model\_from\_database : Read model from database

read\_model\_from\_string : Read model from string

**Examples**

```
## Not run:
model <- read_model("/home/run1$mod")

## End(Not run)
```

---

|                       |                              |
|-----------------------|------------------------------|
| read_modelfit_results | <i>read_modelfit_results</i> |
|-----------------------|------------------------------|

---

**Description**

Read results from external tool for a model

**Usage**

```
read_modelfit_results(path, esttool = NULL)
```

**Arguments**

path (str) Path to model file  
 esttool (str) Set if other than the default estimation tool is to be used

**Value**

(ModelfitResults) Results object

---

read\_model\_from\_string

*read\_model\_from\_string*

---

**Description**

Read model from the model code in a string

**Usage**

read\_model\_from\_string(code)

**Arguments**

code (str) Model code to read

**Value**

(Model) PharmPy model object

**See Also**

read\_model : Read model from file  
 read\_model\_from\_database : Read model from database

**Examples**

```
## Not run:
s <- "$PROBLEM
$INPUT ID DV TIME
$DATA file$csv
$PRED
Y=THETA(1)+ETA(1)+ERR(1)
$THETA 1
$OMEGA 0.1
$SIGMA 1
$ESTIMATION METHOD=1"
read_model_from_string(s)

## End(Not run)
```

---

|              |                     |
|--------------|---------------------|
| read_results | <i>read_results</i> |
|--------------|---------------------|

---

**Description**

Read results object from file

**Usage**

```
read_results(path)
```

**Arguments**

path (str) Path to results file

**Value**

(Results) Results object for tool

**See Also**

create\_results

**Examples**

```
## Not run:  
res <- read_results("results$json")  
  
## End(Not run)
```

---

|                        |                               |
|------------------------|-------------------------------|
| remove_bioavailability | <i>remove_bioavailability</i> |
|------------------------|-------------------------------|

---

**Description**

Remove bioavailability from the first dose compartment of model.

**Usage**

```
remove_bioavailability(model)
```

**Arguments**

model (Model) Pharmpy model

**Value**

(Model) Pharmpy model object

**See Also**

set\_bioavailability

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- remove_bioavailability(model)

## End(Not run)
```

---

remove\_covariate\_effect  
*remove\_covariate\_effect*

---

**Description**

Remove a covariate effect from an instance of :class:pharmpy.model.

**Usage**

```
remove_covariate_effect(model, parameter, covariate)
```

**Arguments**

|           |                                                                  |
|-----------|------------------------------------------------------------------|
| model     | (Model) Pharmpy model from which to remove the covariate effect. |
| parameter | (str) Name of parameter.                                         |
| covariate | (str) Name of covariate.                                         |

**Value**

(Model) Pharmpy model object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
has_covariate_effect(model, "CL", "WGT")
model <- remove_covariate_effect(model, "CL", "WGT")
has_covariate_effect(model, "CL", "WGT")

## End(Not run)
```

---

|                   |                          |
|-------------------|--------------------------|
| remove_derivative | <i>remove_derivative</i> |
|-------------------|--------------------------|

---

### Description

Remove a derivative currently being calculate when running model. Currently, only derivatives with respect to the prediction is supported. Default is to remove all that are present, First order derivates are specied either by single string or single-element tuple. For instance with\_respect\_to = "ETA\_1" or with\_respect\_to = ("ETA\_1",)

Second order derivatives are specified by giving the two independent variables in a tuple of tuples. For instance with\_respect\_to ((ETA\_1, EPS\_1),)

Multiple derivatives can be specified within a tuple. For instance ((ETA\_1, EPS\_1), "ETA\_1")

Currently, only ETAs and EPSILONS are supported

### Usage

```
remove_derivative(model, with_respect_to = NULL)
```

### Arguments

|                 |                                                                                                                  |
|-----------------|------------------------------------------------------------------------------------------------------------------|
| model           | (Model) PharmPy modeas.                                                                                          |
| with_respect_to | (array(array(str) or str) or str (optional)) Parameter name(s) to use as independent variables. Default is NULL. |

### Value

(PharmPy model.)

---

|                    |                           |
|--------------------|---------------------------|
| remove_error_model | <i>remove_error_model</i> |
|--------------------|---------------------------|

---

### Description

Remove error model.

### Usage

```
remove_error_model(model)
```

### Arguments

|       |                                           |
|-------|-------------------------------------------|
| model | (Model) Remove error model for this model |
|-------|-------------------------------------------|

**Value**

(Model) Pharmpy model object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model$statements$find_assignment("Y")
model <- remove_error_model(model)
model$statements$find_assignment("Y")

## End(Not run)
```

---

|                        |                               |
|------------------------|-------------------------------|
| remove_estimation_step |                               |
|                        | <i>remove_estimation_step</i> |

---

**Description**

Remove estimation step

**Usage**

```
remove_estimation_step(model, idx)
```

**Arguments**

|       |                                                                |
|-------|----------------------------------------------------------------|
| model | (Model) Pharmpy model                                          |
| idx   | (numeric) index of estimation step to remove (starting from 0) |

**Value**

(Model) Pharmpy model object

**See Also**

add\_estimation\_step  
set\_estimation\_step  
append\_estimation\_step\_options  
add\_parameter\_uncertainty\_step  
remove\_parameter\_uncertainty\_step  
set\_evaluation\_step

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- remove_estimation_step(model, 0)
ests <- model$execution_steps
length(ests)

## End(Not run)
```

---

remove\_iiv

*remove\_iiv*


---

**Description**

Removes all IIV etas given a vector with eta names and/or parameter names.

**Usage**

```
remove_iiv(model, to_remove = NULL)
```

**Arguments**

|           |                                                                                                                                                                           |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| model     | (Model) Pharmpy model to create block effect on.                                                                                                                          |
| to_remove | (array(str) or str (optional)) Name/names of etas and/or name/names of individual parameters to remove. If NULL, all etas that are IIVs will be removed. NULL is default. |

**Value**

(Model) Pharmpy model object

**See Also**

```
remove_iov
add_iiv
add_iov
add_pk_iiv
```

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- remove_iiv(model)
model$statements$find_assignment("CL")
model <- load_example_model("pheno")
model <- remove_iiv(model, "VC")
model$statements$find_assignment("VC")

## End(Not run)
```



---

|            |                   |
|------------|-------------------|
| remove_iov | <i>remove_iov</i> |
|------------|-------------------|

---

## Description

Removes all IOV etas given a vector with eta names.

## Usage

```
remove_iov(model, to_remove = NULL)
```

## Arguments

|           |                                                                                                                                                           |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| model     | (Model) Pharmpy model to remove IOV from.                                                                                                                 |
| to_remove | (array(str) or str (optional)) Name/names of IOV etas to remove, e.g. 'ETA_IOV_1_1'.<br>If NULL, all etas that are IOVs will be removed. NULL is default. |

## Value

(Model) Pharmpy model object

## See Also

add\_iiv  
add\_iov  
remove\_iiv  
add\_pk\_iiv

## Examples

```
## Not run:  
model <- load_example_model("pheno")  
model <- remove_iov(model)  
  
## End(Not run)
```

---

|                 |                        |
|-----------------|------------------------|
| remove_lag_time | <i>remove_lag_time</i> |
|-----------------|------------------------|

---

**Description**

Remove lag time from the dose compartment of model.

**Usage**

```
remove_lag_time(model)
```

**Arguments**

|       |                       |
|-------|-----------------------|
| model | (Model) Pharmpy model |
|-------|-----------------------|

**Value**

(Model) Pharmpy model object

**See Also**

set\_transit\_compartments  
add\_lag\_time

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
model <- remove_lag_time(model)  
  
## End(Not run)
```

---

|                 |                        |
|-----------------|------------------------|
| remove_loq_data | <i>remove_loq_data</i> |
|-----------------|------------------------|

---

**Description**

Remove loq data records from the dataset  
Does nothing if none of the limits are specified.

**Usage**

```
remove_loq_data(  
  model,  
  lloq = NULL,  
  uloq = NULL,  
  blq = NULL,  
  alq = NULL,  
  keep = 0  
)
```

**Arguments**

|       |                                                                                     |
|-------|-------------------------------------------------------------------------------------|
| model | (Model) Pharmpy model object                                                        |
| lloq  | (numeric or str (optional)) Value or column name for lower limit of quantification. |
| uloq  | (numeric or str (optional)) Value or column name for upper limit of quantification. |
| blq   | (str (optional)) Column name for below limit of quantification indicator.           |
| alq   | (str (optional)) Column name for above limit of quantification indicator.           |
| keep  | (numeric) Number of loq records to keep for each run of consecutive loq records.    |

**Value**

(Model) Pharmpy model object

**See Also**

set\_lloq\_data  
transform\_blq

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
model <- remove_loq_data(model, lloq=10, uloq=40)  
length(model$dataset)  
  
## End(Not run)
```

---

```
remove_parameter_uncertainty_step  
    remove_parameter_uncertainty_step
```

---

## Description

Removes parameter uncertainty step from the final estimation step

## Usage

```
remove_parameter_uncertainty_step(model)
```

## Arguments

model                    (Model) PharmPy model

## Value

(Model) PharmPy model object

## See Also

```
add_estimation_step  
set_estimation_step  
remove_estimation_step  
append_estimation_step_options  
add_parameter_uncertainty_step  
set_evaluation_step
```

## Examples

```
## Not run:  
model <- load_example_model("pheno")  
model <- remove_parameter_uncertainty_step(model)  
ests <- model$execution_steps  
ests[1]  
  
## End(Not run)
```

---

```
remove_peripheral_compartment
      remove_peripheral_compartment
```

---

## Description

Remove a peripheral distribution compartment from model

If name is set, a peripheral compartment will be removed from the compartment with the specified name.

Initial estimates:

```
== ===== n =====
2 (equation could not be rendered, see API doc on website) 3 (equation could not be rendered, see
API doc on website) == =====
```

## Usage

```
remove_peripheral_compartment(model, name = NULL)
```

## Arguments

|       |                                                                             |
|-------|-----------------------------------------------------------------------------|
| model | (Model) PharmPy model                                                       |
| name  | (str (optional)) Name of compartment to remove peripheral compartment from. |

## Value

(Model) PharmPy model object

## See Also

```
set_peripheral_compartment
add_peripheral_compartment
```

## Examples

```
## Not run:
model <- load_example_model("pheno")
model <- set_peripheral_compartments(model, 2)
model <- remove_peripheral_compartment(model)
model$statements$ode_system

## End(Not run)
```

---

|                    |                           |
|--------------------|---------------------------|
| remove_predictions | <i>remove_predictions</i> |
|--------------------|---------------------------|

---

**Description**

Remove predictions and/or residuals

Remove predictions from estimation step.

**Usage**

```
remove_predictions(model, to_remove = NULL)
```

**Arguments**

|           |                                               |
|-----------|-----------------------------------------------|
| model     | (Model) Pharmpy model                         |
| to_remove | (array(str) (optional)) Predictions to remove |

**Value**

(Model) Pharmpy model object

**See Also**

add\_predictions  
add\_residuals  
set\_estimation\_step  
add\_estimation\_step  
remove\_estimation\_step  
append\_estimation\_step\_options  
add\_parameter\_uncertainty\_step  
remove\_parameter\_uncertainty\_step

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
model <- remove_predictions(model)  
model$execution_steps[-1].predictions  
  
## End(Not run)
```

---

|                  |                         |
|------------------|-------------------------|
| remove_residuals | <i>remove_residuals</i> |
|------------------|-------------------------|

---

**Description**

Remove residuals

Remove residuals from estimation step.

**Usage**

```
remove_residuals(model, to_remove = NULL)
```

**Arguments**

model (Model) Pharmpy model

to\_remove (array(str) (optional)) Residuals to remove

**Value**

(Model) Pharmpy model object

**See Also**

add\_predictions

add\_residuals

set\_estimation\_step

add\_estimation\_step

remove\_estimation\_step

append\_estimation\_step\_options

add\_parameter\_uncertainty\_step

remove\_parameter\_uncertainty\_step

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- remove_residuals(model)
model$execution_steps[-1].residuals

## End(Not run)
```

---

|                                         |
|-----------------------------------------|
| remove_unused_parameters_and_rvs        |
| <i>remove_unused_parameters_and_rvs</i> |

---

**Description**

Remove any parameters and rvs that are not used in the model statements

**Usage**

remove\_unused\_parameters\_and\_rvs(model)

**Arguments**

model (Model) Pharmpy model object

**Value**

(Model) Pharmpy model object

---

|                |                       |
|----------------|-----------------------|
| rename_symbols | <i>rename_symbols</i> |
|----------------|-----------------------|

---

**Description**

Rename symbols in the model  
Make sure that no name clash occur.

**Usage**

rename\_symbols(model, new\_names)

**Arguments**

model (Model) Pharmpy model object  
new\_names (list(str or Expr=str or Expr)) From old name or symbol to new name or symbol

**Value**

(Model) Pharmpy model object



---

|                      |                             |
|----------------------|-----------------------------|
| replace_fixed_thetas | <i>replace_fixed_thetas</i> |
|----------------------|-----------------------------|

---

**Description**

Replace all fixed thetas with constants in the model statements

**Usage**

```
replace_fixed_thetas(model)
```

**Arguments**

|       |                       |
|-------|-----------------------|
| model | (Model) PharmPy model |
|-------|-----------------------|

**Value**

(Model) A new model

---

|                        |                               |
|------------------------|-------------------------------|
| replace_non_random_rvs | <i>replace_non_random_rvs</i> |
|------------------------|-------------------------------|

---

**Description**

Replace all random variables that are not actually random

Some random variables are constant. For example a normal distribution with the variance parameter fixed to 0 will always yield a single value when sampled. This function will find all such random variables and replace them with their constant value in the model.

**Usage**

```
replace_non_random_rvs(model)
```

**Arguments**

|       |                       |
|-------|-----------------------|
| model | (Model) PharmPy model |
|-------|-----------------------|

**Value**

(Model) A new model

---

|               |                      |
|---------------|----------------------|
| resample_data | <i>resample_data</i> |
|---------------|----------------------|

---

### Description

Iterate over resamples of a dataset.

The dataset will be grouped on the group column then groups will be selected randomly with or without replacement to form a new dataset. The groups will be renumbered from 1 and upwards to keep them separated in the new dataset.

### Usage

```
resample_data(
  dataset_or_model,
  group,
  resamples = 1,
  stratify = NULL,
  sample_size = NULL,
  replace = FALSE,
  name_pattern = "resample_{}",
  name = NULL
)
```

### Arguments

|                  |                                                                                                                                                                                                                                                                                   |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| dataset_or_model | (data.frame or Model) Dataset or Model to use                                                                                                                                                                                                                                     |
| group            | (str) Name of column to group by                                                                                                                                                                                                                                                  |
| resamples        | (numeric) Number of resamples (iterations) to make                                                                                                                                                                                                                                |
| stratify         | (str (optional)) Name of column to use for stratification. The values in the stratification column must be equal within a group so that the group can be uniquely determined. A ValueError exception will be raised otherwise.                                                    |
| sample_size      | (numeric (optional)) The number of groups that should be sampled. The default is the number of groups. If using stratification the default is to sample using the proportion of the strata in the dataset. A list of specific sample sizes for each stratum can also be supplied. |
| replace          | (logical) A boolean controlling whether sampling should be done with or without replacement                                                                                                                                                                                       |
| name_pattern     | (str) Name to use for generated datasets. A number starting from 1 will be put in the placeholder.                                                                                                                                                                                |
| name             | (str (optional)) Option to name pattern in case of only one resample                                                                                                                                                                                                              |

### Value

(iterator) An iterator yielding tuples of a resampled DataFrame and a vector of resampled groups in order

---

|             |                    |
|-------------|--------------------|
| reset_index | <i>Reset index</i> |
|-------------|--------------------|

---

**Description**

Reset index of dataframe.

Reset index from a multi indexed data.frame so that index is added as columns

**Usage**

```
reset_index(df)
```

**Arguments**

|    |                                                     |
|----|-----------------------------------------------------|
| df | A data.frame converted from python using reticulate |
|----|-----------------------------------------------------|

---

|                       |                             |
|-----------------------|-----------------------------|
| reset_indices_results | <i>Reset result indices</i> |
|-----------------------|-----------------------------|

---

**Description**

Resets indices in dataframes within Results-objects when needed

**Usage**

```
reset_indices_results(res)
```

**Arguments**

|     |                          |
|-----|--------------------------|
| res | A PharmPy results object |
|-----|--------------------------|

---

|                |                       |
|----------------|-----------------------|
| retrieve_model | <i>retrieve_model</i> |
|----------------|-----------------------|

---

**Description**

Retrieve a model from a context

Any models created and run by the tool can be retrieved.

**Usage**

```
retrieve_model(context, name)
```

**Arguments**

context            (Context) A previously opened context  
name              (str) Name of the model or a qualified name with a subcontext path, e.g.

**Value**

(Model) The model object

**Examples**

```
## Not run:  
context <- open_context(ref='path/to/', name='modelsearch1')  
model <- retrieve_model(context, 'run1')  
  
## End(Not run)
```

---

retrieve\_modelfit\_results  
*retrieve\_modelfit\_results*

---

**Description**

Retrieve the modelfit results of a model

**Usage**

```
retrieve_modelfit_results(context, name)
```

**Arguments**

context            (Context) A previously opened context  
name              (str) Name of the model or a qualified name with a subcontext path, e.g.

**Value**

(ModelfitResults) The results object

**Examples**

```
## Not run:  
context <- open_context("iivsearch1")  
results <- retrieve_modelfit_results(context, 'input')  
  
## End(Not run)
```

---

|                 |                        |
|-----------------|------------------------|
| retrieve_models | <i>retrieve_models</i> |
|-----------------|------------------------|

---

**Description**

Retrieve models after a tool run  
Any models created and run by the tool can be retrieved.

**Usage**

```
retrieve_models(source, names = NULL)
```

**Arguments**

|        |                                                                                            |
|--------|--------------------------------------------------------------------------------------------|
| source | (str or Context) Source where to find models. Can be a path (as str or Path), or a Context |
| names  | (array(str) (optional)) List of names of the models to retrieve or NULL for all            |

**Value**

(vector) List of retrieved model objects

**Examples**

```
## Not run:  
tooldir_path <- 'path/to/tool/directory'  
models <- retrieve_models(tooldir_path, names=c('run1'))  
  
## End(Not run)
```

---

|               |                      |
|---------------|----------------------|
| run_allometry | <i>run_allometry</i> |
|---------------|----------------------|

---

**Description**

Run allometry tool. For more details, see :ref:allometry.

**Usage**

```
run_allometry(
  model,
  results,
  allometric_variable = "WT",
  reference_value = 70,
  parameters = NULL,
  initials = NULL,
  lower_bounds = NULL,
  upper_bounds = NULL,
  fixed = TRUE,
  ...
)
```

**Arguments**

|                                  |                                                                                                                      |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <code>model</code>               | (Model) PharmPy model                                                                                                |
| <code>results</code>             | (ModelFitResults) Results for model                                                                                  |
| <code>allometric_variable</code> | (str or Expr) Name of the variable to use for allometric scaling (default is WT)                                     |
| <code>reference_value</code>     | (str or numeric or Expr) Reference value for the allometric variable (default is 70)                                 |
| <code>parameters</code>          | (array(str or Expr) (optional)) Parameters to apply scaling to (default is all CL, Q and V parameters)               |
| <code>initials</code>            | (array(numeric) (optional)) Initial estimates for the exponents. (default is to use 0.75 for CL and Qs and 1 for Vs) |
| <code>lower_bounds</code>        | (array(numeric) (optional)) Lower bounds for the exponents. (default is 0 for all parameters)                        |
| <code>upper_bounds</code>        | (array(numeric) (optional)) Upper bounds for the exponents. (default is 2 for all parameters)                        |
| <code>fixed</code>               | (logical) Should the exponents be fixed or not. (default TRUE)                                                       |
| <code>...</code>                 | Arguments to pass to tool                                                                                            |

**Value**

(AllometryResults) Allometry tool result object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
results <- load_example_model_fit_results("pheno")
run_allometry(model=model, results=results, allometric_variable='WGT')

## End(Not run)
```

run\_amd

*run\_amd***Description**

Run Automatic Model Development (AMD) tool

**Usage**

```
run_amd(
  input,
  results = NULL,
  modeltype = "basic_pk",
  administration = "oral",
  strategy = "default",
  cl_init = NULL,
  vc_init = NULL,
  mat_init = NULL,
  b_init = NULL,
  emax_init = NULL,
  ec50_init = NULL,
  met_init = NULL,
  search_space = NULL,
  lloq_method = NULL,
  lloq_limit = NULL,
  allometric_variable = NULL,
  occasion = NULL,
  strictness = "minimization_successful or (rounding_errors and sigdigs>=0.1)",
  dv_types = NULL,
  mechanistic_covariates = NULL,
  retries_strategy = "all_final",
  parameter_uncertainty_method = NULL,
  ignore_datainfo_fallback = FALSE,
  .E = NULL,
  ...
)
```

**Arguments**

|                |                                                                                                              |
|----------------|--------------------------------------------------------------------------------------------------------------|
| input          | (Model or str) Starting model or dataset                                                                     |
| results        | (ModelfitResults (optional)) Results of input if input is a model                                            |
| modeltype      | (str) Type of model to build. Valid strings are 'basic_pk', 'pkpd', 'drug_metabolite' and 'tmdd'             |
| administration | (str) Route of administration. Either 'iv', 'oral' or 'ivoral'                                               |
| strategy       | (str) Run algorithm for AMD procedure. Valid options are 'default', 'reevaluation', 'SIR', 'SRI', and 'RSI'. |

|                              |                                                                                                                                                                                                                                                              |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| cl_init                      | (numeric (optional)) Initial estimate for the population clearance                                                                                                                                                                                           |
| vc_init                      | (numeric (optional)) Initial estimate for the central compartment population volume                                                                                                                                                                          |
| mat_init                     | (numeric (optional)) Initial estimate for the mean absorption time (not for iv models)                                                                                                                                                                       |
| b_init                       | (numeric (optional)) Initial estimate for the baseline (PKPD model)                                                                                                                                                                                          |
| emax_init                    | (numeric (optional)) Initial estimate for E_max (PKPD model)                                                                                                                                                                                                 |
| ec50_init                    | (numeric (optional)) Initial estimate for EC_50 (PKPD model)                                                                                                                                                                                                 |
| met_init                     | (numeric (optional)) Initial estimate for mean equilibration time (PKPD model)                                                                                                                                                                               |
| search_space                 | (str (optional)) MFL for search space for structural and covariate model                                                                                                                                                                                     |
| lloq_method                  | (str (optional)) Method for how to remove LOQ data. See transform_blq for vector of available methods                                                                                                                                                        |
| lloq_limit                   | (numeric (optional)) Lower limit of quantification. If NULL LLOQ column from dataset will be used                                                                                                                                                            |
| allometric_variable          | (str or Expr (optional)) Variable to use for allometry. This option is deprecated. Please use ALLOMETRY in the mfl instead.                                                                                                                                  |
| occasion                     | (str (optional)) Name of occasion column                                                                                                                                                                                                                     |
| strictness                   | (str) Strictness criteria                                                                                                                                                                                                                                    |
| dv_types                     | (list(str=numeric) (optional)) Dictionary of DV types for TMDD models with multiple DVs.                                                                                                                                                                     |
| mechanistic_covariates       | (array(str or list(str)) (optional)) List of covariates or tuple of covariate and parameter combination to run in a separate prioritized covsearch run. For instance c("WT", ("CRCL", "CL")). The effects are extracted from the search space for covsearch. |
| retries_strategy             | (str) Whether or not to run retries tool. Valid options are 'skip', 'all_final' or 'final'. Default is 'final'.                                                                                                                                              |
| parameter_uncertainty_method | (str (optional)) Parameter uncertainty method.                                                                                                                                                                                                               |
| ignore_datainfo_fallback     | (logical) Ignore using datainfo to get information not given by the user. Default is FALSE                                                                                                                                                                   |
| .E                           | (list(str=numeric or str) (optional)) EXPERIMENTAL FEATURE. Dictionary of different E-values used in mBIC                                                                                                                                                    |
| ...                          | Arguments to pass to tool                                                                                                                                                                                                                                    |

**Value**

(AMDResults) Results for the run

**See Also**

run\_iiv  
run\_tool



**Examples**

```
## Not run:
model <- load_example_model("pheno")
results <- load_example_modelfit_results("pheno")
res <- run_amd(model, results=results)

## End(Not run)
```

---

*run\_bootstrap**run\_bootstrap*

---

**Description**

Run bootstrap tool

**Usage**

```
run_bootstrap(model, results = NULL, resamples = 1, dofv = FALSE, ...)
```

**Arguments**

|           |                                                                      |
|-----------|----------------------------------------------------------------------|
| model     | (Model) Pharmpy model                                                |
| results   | (ModelfitResults (optional)) Results for model                       |
| resamples | (numeric) Number of bootstrap resamples                              |
| dofv      | (logical) Will evaluate bootstrap models with original dataset if se |
| ...       | Arguments to pass to tool                                            |

**Value**

(BootstrapResults) Bootstrap tool result object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
results <- load_example_modelfit_results("pheno")
run_bootstrap(model, res, resamples=500)

## End(Not run)
```

run\_covsearch

*run\_covsearch***Description**

Run COVsearch tool. For more details, see :ref:covsearch.

**Usage**

```
run_covsearch(
  model,
  results,
  search_space,
  p_forward = 0.01,
  p_backward = 0.001,
  max_steps = -1,
  algorithm = "scm-forward-then-backward",
  max_eval = FALSE,
  adaptive_scope_reduction = FALSE,
  strictness = "minimization_successful or (rounding_errors and sigdigs>=0.1)",
  naming_index_offset = 0,
  nsamples = 10,
  .samba_max_covariates = 3,
  .samba_selection_criterion = "bic",
  .samba_linreg_method = "ols",
  .samba_stepwise_lcs = NULL,
  ...
)
```

**Arguments**

|                          |                                                                                                                                                                                                                                                          |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| model                    | (Model) Pharmpy model                                                                                                                                                                                                                                    |
| results                  | (ModelfitResults) Results of model                                                                                                                                                                                                                       |
| search_space             | (str or ModelFeatures) MFL of covariate effects to try                                                                                                                                                                                                   |
| p_forward                | (numeric) The p-value to use in the likelihood ratio test for forward steps                                                                                                                                                                              |
| p_backward               | (numeric) The p-value to use in the likelihood ratio test for backward steps                                                                                                                                                                             |
| max_steps                | (numeric) The maximum number of search steps to make                                                                                                                                                                                                     |
| algorithm                | (str) The search algorithm to use. Currently, 'scm-forward' and 'scm-forward-then-backward' are supported.                                                                                                                                               |
| max_eval                 | (logical) Limit the number of function evaluations to 3.1 times that of the base model. Default is FALSE.                                                                                                                                                |
| adaptive_scope_reduction | (logical) Stash all non-significant parameter-covariate effects to be tested after all significant effects have been tested. Once all these have been tested, try adding the stashed effects once more with a regular forward approach. Default is FALSE |

**strictness** (str) Strictness criteria  
**naming\_index\_offset** (numeric (optional)) index offset for naming of runs. Default is 0.  
**nsamples** (numeric) Number of samples from individual parameter conditional distribution for linear covariate model selection. Default is 10, i.e. generating 10 samples per subject  
**.samba\_max\_covariates** (numeric (optional)) Maximum number of covariate inclusion allowed in linear covariate screening for each parameter.  
**.samba\_selection\_criterion** (str) Method used to fit linear covariate models. Currently, Ordinary Least Squares (ols), Weighted Least Squares (wls), and Linear Mixed-Effects (lme) are supported.  
**.samba\_linreg\_method** (str) Method used for linear and nonlinear model selection in SAMBA methods. Currently, BIC and LRT are supported.  
**.samba\_stepwise\_lcs** (logical (optional)) Use stepwise linear covariate screening or not. By default, SAMBA methods use stepwise LCS whereas SCM-LCS uses non-stepwise LCS  
**...** Arguments to pass to tool

## Value

(COVSearchResults) COVsearch tool result object

## Examples

```
## Not run:
model <- load_example_model("pheno")
results <- load_example_modelfit_results("pheno")
search_space <- 'COVARIATE(c(CL, V), c(AGE, WT), EXP)'
res <- run_covsearch(model=model, results=results, search_space=search_space)

## End(Not run)
```

---

run\_estmethod

run\_estmethod

---

## Description

Run estmethod tool.

**Usage**

```
run_estmethod(
  algorithm,
  methods = NULL,
  solvers = NULL,
  parameter_uncertainty_methods = NULL,
  compare_ofv = TRUE,
  results = NULL,
  model = NULL,
  ...
)
```

**Arguments**

|                                            |                                                                                                                                                                                     |
|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>algorithm</code>                     | (str) The algorithm to use (can be 'exhaustive', 'exhaustive_with_update' or 'exhaustive_only_eval')                                                                                |
| <code>methods</code>                       | (array(str) or str (optional)) List of estimation methods to test. Can be specified as 'all', a vector of estimation methods, or NULL (to not test any estimation method)           |
| <code>solvers</code>                       | (array(str) or str (optional)) List of solvers to test. Can be specified as 'all', a vector of solvers, or NULL (to not test any solver)                                            |
| <code>parameter_uncertainty_methods</code> | (array(str) or str (optional)) List of parameter uncertainty methods to test. Can be specified as 'all', a vector of uncertainty methods, or NULL (to not evaluate any uncertainty) |
| <code>compare_ofv</code>                   | (logical) Whether to compare the OFV between candidates. Comparison is made by evaluating using IMP                                                                                 |
| <code>results</code>                       | (ModelfitResults (optional)) Results for model                                                                                                                                      |
| <code>model</code>                         | (Model (optional)) PharmPy mode                                                                                                                                                     |
| <code>...</code>                           | Arguments to pass to tool                                                                                                                                                           |

**Value**

(EstMethodResults) Estmethod tool result object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
results <- load_example_modelfit_results("pheno")
methods <- c('IMP', 'SAEM')
parameter_uncertainty_methods <- NULL
run_estmethod(
  'reduced', methods=methods, solvers='all',
  parameter_uncertainty_methods=parameter_uncertainty_methods, results=results, model=model
)
```

```
## End(Not run)
```

---

|               |                      |
|---------------|----------------------|
| run_iivsearch | <i>run_iivsearch</i> |
|---------------|----------------------|

---

## Description

Run IIVsearch tool. For more details, see :ref:iivsearch.

## Usage

```
run_iivsearch(
  model,
  results,
  algorithm = "top_down_exhaustive",
  iiv_strategy = "no_add",
  rank_type = "bic",
  linearize = FALSE,
  cutoff = NULL,
  keep = c("CL"),
  strictness = "minimization_successful or (rounding_errors and sigdigs>=0.1)",
  correlation_algorithm = NULL,
  E_p = NULL,
  E_q = NULL,
  ...
)
```

## Arguments

|                       |                                                                                                                                                                   |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| model                 | (Model) Pharmpy model                                                                                                                                             |
| results               | (ModelfitResults) Results for model                                                                                                                               |
| algorithm             | (str) Which algorithm to run when determining number of IIVs.                                                                                                     |
| iiv_strategy          | (str) If/how IIV should be added to start model. Default is 'no_add'.                                                                                             |
| rank_type             | (str) Which ranking type should be used. Default is BIC.                                                                                                          |
| linearize             | (logical) Whether or not use linearization when running the tool.                                                                                                 |
| cutoff                | (numeric (optional)) Cutoff for which value of the ranking function that is considered significant. Default is NULL (all models will be ranked)                   |
| keep                  | (array(str) (optional)) List of IIVs to keep. Default is "CL"                                                                                                     |
| strictness            | (str) Strictness criteria                                                                                                                                         |
| correlation_algorithm | (str (optional)) Which algorithm to run for the determining block structure of added IIVs. If NULL, the algorithm is determined based on the 'algorithm' argument |

|     |                                                                                                                                                                                                 |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| E_p | (numeric or str (optional)) Expected number of predictors for diagonal elements (used for mBIC). Must be set when using mBIC and when the argument 'algorithm' is not 'skip'                    |
| E_q | (numeric or str (optional)) Expected number of predictors for off-diagonal elements (used for mBIC). Must be set when using mBIC and when the argument correlation_algorithm is not skip or Non |
| ... | Arguments to pass to tool                                                                                                                                                                       |

**Value**

(IIVSearchResults) IIVsearch tool result object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
results <- load_example_modelfit_results("pheno")
run_iiovsearch(model=model, results=results, algorithm='td_brute_force')

## End(Not run)
```

---

|                |                       |
|----------------|-----------------------|
| run_iiovsearch | <i>run_iiovsearch</i> |
|----------------|-----------------------|

---

**Description**

Run IOVsearch tool. For more details, see :ref:iiovsearch.

**Usage**

```
run_iiovsearch(
  model,
  results,
  column = "OCC",
  list_of_parameters = NULL,
  rank_type = "bic",
  cutoff = NULL,
  distribution = "same-as-iiv",
  strictness = "minimization_successful or (rounding_errors and sigdigs>=0.1)",
  E = NULL,
  ...
)
```

Arguments

|                    |                                                                                                                                             |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| model              | (Model) Pharmpy model                                                                                                                       |
| results            | (ModelfitResults) Results for model                                                                                                         |
| column             | (str) Name of column in dataset to use as occasion column (default is 'OCC')                                                                |
| list_of_parameters | (array(str or array(str)) (optional)) List of parameters to test IOV on, if none all parameters with IIV will be tested (default)           |
| rank_type          | (str) Which ranking type should be used. Default is BIC.                                                                                    |
| cutoff             | (numeric (optional)) Cutoff for which value of the ranking type that is considered significant. Default is NULL (all models will be ranked) |
| distribution       | (str) Which distribution added IOVs should have (default is same-as-iiv)                                                                    |
| strictness         | (str (optional)) Strictness criteria                                                                                                        |
| E                  | (numeric or str (optional)) Expected number of predictors (used for mBIC). Must be set when using mBI                                       |
| ...                | Arguments to pass to tool                                                                                                                   |

Value

(IOVSearchResults) IOVSearch tool result object

Examples

```
## Not run:
model <- load_example_model("pheno")
results <- load_example_modelfit_results("pheno")
run_iovsearch(model=model, results=results, column='OCC')

## End(Not run)
```

---

|               |                      |
|---------------|----------------------|
| run_linearize | <i>run_linearize</i> |
|---------------|----------------------|

---

Description

Linearize a model

Usage

```
run_linearize(
  model = NULL,
  results = NULL,
  model_name = "linbase",
  description = "",
  ...
)
```

**Arguments**

model (Model (optional)) Pharmpy model.  
results (ModelfitResults (optional)) Results of estimation of model  
model\_name (str) New name of linearized model. The default is "linbase".  
description (str) Description of linearized model. The default is ""  
... Arguments to pass to tool

**Value**

(LinearizeResults) Linearize tool results object.

---

|              |                     |
|--------------|---------------------|
| run_modelfit | <i>run_modelfit</i> |
|--------------|---------------------|

---

**Description**

Run modelfit tool.  
note:: For most use cases the :func:pharmpy.tools.fit function is a more user friendly option for fitting a model.

**Usage**

```
run_modelfit(model_or_models = NULL, n = NULL, ...)
```

**Arguments**

model\_or\_models (Model or array(Model) (optional)) A vector of models are one single model object  
n (numeric (optional)) Number of models to fit. This is only used if the tool is going to be combined with other tools  
... Arguments to pass to tool

**Value**

(ModelfitResults) Modelfit tool result object

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
run_modelfit(model)  
  
## End(Not run)
```



---

|                 |                        |
|-----------------|------------------------|
| run_modelsearch | <i>run_modelsearch</i> |
|-----------------|------------------------|

---

## Description

Run Modelsearch tool. For more details, see :ref:modelsearch.

## Usage

```
run_modelsearch(
    model,
    results,
    search_space,
    algorithm = "reduced_stepwise",
    iiv_strategy = "absorption_delay",
    rank_type = "bic",
    cutoff = NULL,
    strictness = "minimization_successful or (rounding_errors and sigdigs >= 0.1)",
    E = NULL,
    ...
)
```

## Arguments

|              |                                                                                                                                                 |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| model        | (Model) Pharmpy model                                                                                                                           |
| results      | (ModelfitResults) Results for model                                                                                                             |
| search_space | (str or ModelFeatures) Search space to test. Either as a string or a ModelFeatures object.                                                      |
| algorithm    | (str) Algorithm to use.                                                                                                                         |
| iiv_strategy | (str) If/how IIV should be added to candidate models. Default is 'absorption_delay'.                                                            |
| rank_type    | (str) Which ranking type should be used. Default is BIC.                                                                                        |
| cutoff       | (numeric (optional)) Cutoff for which value of the ranking function that is considered significant. Default is NULL (all models will be ranked) |
| strictness   | (str) Strictness criteria                                                                                                                       |
| E            | (numeric or str (optional)) Expected number of predictors (used for mBIC). Must be set when using mBI                                           |
| ...          | Arguments to pass to tool                                                                                                                       |

## Value

(ModelSearchResults) Modelsearch tool result object

## Examples

```
## Not run:
model <- load_example_model("pheno")
res <- load_example_modelfit_results("pheno")
search_space <- 'ABSORPTION(Z0);PERIPHERALS(1)'
run_modelsearch(model=model, results=res, search_space=search_space, algorithm='exhaustive')

## End(Not run)
```

---

run\_retries

run\_retries

---

## Description

Run retries tool.

## Usage

```
run_retries(
  model = NULL,
  results = NULL,
  number_of_candidates = 5,
  fraction = 0.1,
  use_initial_estimates = FALSE,
  strictness = "minimization_successful or (rounding_errors and sigdigs >= 0.1)",
  scale = "UCP",
  prefix_name = "",
  ...
)
```

## Arguments

|                       |                                                                                                                     |
|-----------------------|---------------------------------------------------------------------------------------------------------------------|
| model                 | (Model (optional)) Model object to run retries on. The default is NULL.                                             |
| results               | (ModelfitResults (optional)) Connected ModelfitResults object. The default is NULL.                                 |
| number_of_candidates  | (numeric) Number of retry candidates to run. The default is 5.                                                      |
| fraction              | (numeric) Determines allowed increase/decrease from initial parameter estimate. Default is 0.1 (10%)                |
| use_initial_estimates | (logical) Use initial parameter estimates instead of final estimates of input model when creating candidate models. |
| strictness            | (str) Strictness criteria. The default is "minimization_successful or (rounding_errors and sigdigs >= 0.1)".        |

|             |                                                                                                 |
|-------------|-------------------------------------------------------------------------------------------------|
| scale       | (str (optional)) Which scale to update the initial values on. Either normal scale or UCP scale. |
| prefix_name | (str (optional)) Prefix the candidate model names with given string                             |
| ...         | Arguments to pass to tool                                                                       |

Value

(RetriesResults) Retries tool results object.

---

|               |                      |
|---------------|----------------------|
| run_ruvsearch | <i>run_ruvsearch</i> |
|---------------|----------------------|

---

Description

Run the ruvsearch tool. For more details, see :ref:ruvsearch.

Usage

```
run_ruvsearch(  
  model,  
  results,  
  groups = 4,  
  p_value = 0.001,  
  skip = NULL,  
  max_iter = 3,  
  dv = NULL,  
  strictness = "minimization_successful or (rounding_errors and sigdigs>=0.1)",  
  ...  
)
```

Arguments

|            |                                                                                                          |
|------------|----------------------------------------------------------------------------------------------------------|
| model      | (Model) Pharmpy model                                                                                    |
| results    | (ModelfitResults) Results of model                                                                       |
| groups     | (numeric) The number of bins to use for the time varying models                                          |
| p_value    | (numeric) The p-value to use for the likelihood ratio test                                               |
| skip       | (array(str) (optional)) A vector of models to not attempt.                                               |
| max_iter   | (numeric) Number of iterations to run (1, 2, or 3). For models with BLQ only one iteration is supported. |
| dv         | (numeric (optional)) Which DV to assess the error model for.                                             |
| strictness | (str) Strictness criteri                                                                                 |
| ...        | Arguments to pass to tool                                                                                |

**Value**

(RUVSearchResults) Ruvsearch tool result object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
results <- load_example_modelfit_results("pheno")
run_ruvsearch(model=model, results=results)

## End(Not run)
```

---

run\_simulation

*run\_simulation*

---

**Description**

Run the simulation tool.

**Usage**

```
run_simulation(model = NULL, ...)
```

**Arguments**

|       |                                 |
|-------|---------------------------------|
| model | (Model (optional)) Pharmpy mode |
| ...   | Arguments to pass to tool       |

**Value**

(SimulationResult) SimulationResults object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- set_simulation(model, n=10)
run_simulations(model)

## End(Not run)
```

---

|                  |                         |
|------------------|-------------------------|
| run_structsearch | <i>run_structsearch</i> |
|------------------|-------------------------|

---

## Description

Run the structsearch tool. For more details, see :ref:structsearch.

## Usage

```
run_structsearch(
    model,
    results,
    type,
    search_space = NULL,
    b_init = NULL,
    emax_init = NULL,
    ec50_init = NULL,
    met_init = NULL,
    extra_model = NULL,
    strictness = "minimization_successful or (rounding_errors and sigdigs >= 0.1)",
    extra_model_results = NULL,
    dv_types = NULL,
    ...
)
```

## Arguments

|                     |                                                                                        |
|---------------------|----------------------------------------------------------------------------------------|
| model               | (Model) Pharmpy start model                                                            |
| results             | (ModelfitResults) Results for the start model                                          |
| type                | (str) Type of model. Currently only 'drug_metabolite' and 'pkpd'                       |
| search_space        | (str or ModelFeatures (optional)) Search space to test                                 |
| b_init              | (numeric (optional)) Initial estimate for the baseline for pkpd models.                |
| emax_init           | (numeric (optional)) Initial estimate for E_MAX (for pkpd models only).                |
| ec50_init           | (numeric (optional)) Initial estimate for EC_50 (for pkpd models only).                |
| met_init            | (numeric (optional)) Initial estimate for MET (for pkpd models only).                  |
| extra_model         | (Model (optional)) Optional extra Pharmpy model to use in TMDD structsearch            |
| strictness          | (str (optional)) Results for the extra model                                           |
| extra_model_results | (ModelfitResults (optional)) Strictness criteria                                       |
| dv_types            | (list(str=numeric) (optional)) Dictionary of DV types for TMDD models with multiple DV |
| ...                 | Arguments to pass to tool                                                              |

**Value**

(StructSearchResult) structsearch tool result object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
results <- load_example_modelfit_results("pheno")
run_structsearch(model=model, results=results, model_type='pkpd')

## End(Not run)
```

---

|                 |                 |
|-----------------|-----------------|
| <i>run_tool</i> | <i>run_tool</i> |
|-----------------|-----------------|

---

**Description**

Run tool workflow

note:: This is a general function that can run any tool. There is also one function for each specific tool. Please refer to the documentation of these for more specific information.

**Usage**

```
run_tool(tool_name, ...)
```

**Arguments**

|                        |                           |
|------------------------|---------------------------|
| <code>tool_name</code> | (str) Name of tool to run |
| <code>...</code>       | Arguments to pass to tool |

**Value**

(Results) Results object for tool

**Examples**

```
## Not run:
model <- load_example_model("pheno")
res <- run_tool("ruvsearch", model)

## End(Not run)
```

---

```
sample_individual_estimates
      sample_individual_estimates
```

---

## Description

Sample individual estimates given their covariance.

## Usage

```
sample_individual_estimates(
  model,
  individual_estimates,
  individual_estimates_covariance,
  parameters = NULL,
  samples_per_id = 100,
  seed = 1234
)
```

## Arguments

|                                 |                                                                                                                    |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------|
| model                           | (Model) PharmPy model                                                                                              |
| individual_estimates            | (data.frame) Individual estimates to use                                                                           |
| individual_estimates_covariance | (data.frame) Uncertainty covariance of the individual estimates                                                    |
| parameters                      | (array(str) (optional)) A vector of a subset of individual parameters to sample. Default is NULL, which means all. |
| samples_per_id                  | (numeric) Number of samples per individual                                                                         |
| seed                            | (numeric) Random number generator or seed                                                                          |

## Value

(data.frame) Pool of samples in a DataFrame

## See Also

sample\_parameters\_from\_covariance\_matrix : Sample parameter vectors using the uncertainty covariance matrix

sample\_parameters\_uniformly : Sample parameter vectors using uniform distribution

**Examples**

```
## Not run:
model <- load_example_model("pheno")
results <- load_example_modelfit_results("pheno")
rng <- create_rng(23)
ie <- results$individual_estimates
iec <- results$individual_estimates_covariance
sample_individual_estimates(model, ie, iec, samples_per_id=2, seed=rng)

## End(Not run)
```

---

```
sample_parameters_from_covariance_matrix
      sample_parameters_from_covariance_matrix
```

---

**Description**

Sample parameter vectors using the covariance matrix

If parameters is not provided all estimated parameters will be used

**Usage**

```
sample_parameters_from_covariance_matrix(
  model,
  parameter_estimates,
  covariance_matrix,
  force_posdef_samples = NULL,
  force_posdef_covmatrix = FALSE,
  n = 1,
  seed = 1234
)
```

**Arguments**

|                        |                                                                                                                                                              |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| model                  | (Model) Input model                                                                                                                                          |
| parameter_estimates    | (array) Parameter estimates to use as means in sampling                                                                                                      |
| covariance_matrix      | (data.frame) Parameter uncertainty covariance matrix                                                                                                         |
| force_posdef_samples   | (numeric (optional)) Set to how many iterations to do before forcing all samples to be positive definite. NULL is default and means never and 0 means always |
| force_posdef_covmatrix | (logical) Set to TRUE to force the input covariance matrix to be positive definite                                                                           |
| n                      | (numeric) Number of samples                                                                                                                                  |
| seed                   | (numeric) Random number generator                                                                                                                            |



**Value**

(data.frame) A dataframe with one sample per row

**See Also**

sample\_parameters\_uniformly : Sample parameter vectors using uniform distribution

sample\_individual\_estimates : Sample individual estimates given their covariance

**Examples**

```
## Not run:
model <- load_example_model("pheno")
results <- load_example_model_fit_results("pheno")
rng <- create_rng(23)
cov <- results$covariance_matrix
pe <- results$parameter_estimates
sample_parameters_from_covariance_matrix(model, pe, cov, n=3, seed=rng)

## End(Not run)
```

---

sample\_parameters\_uniformly  
*sample\_parameters\_uniformly*

---

**Description**

Sample parameter vectors using uniform sampling

Each parameter value will be randomly sampled from a uniform distribution with the bounds being estimate  $\pm$  estimate \* fraction.

**Usage**

```
sample_parameters_uniformly(  
  model,  
  parameter_estimates,  
  fraction = 0.1,  
  force_posdef_samples = NULL,  
  n = 1,  
  seed = 1234,  
  scale = "normal"  
)
```

**Arguments**

**model** (Model) Pharmpy model  
**parameter\_estimates** (array) Parameter estimates for parameters to use  
**fraction** (numeric) Fraction of estimate value to use for distribution bounds  
**force\_posdef\_samples** (numeric (optional)) Number of samples to reject before forcing variability parameters to give positive definite covariance matrices.  
**n** (numeric) Number of samples  
**seed** (numeric) Random number generator or seed  
**scale** (str) Scale to perform sampling on. Valid options are 'normal' and 'UCP'

**Value**

(data.frame) samples

**See Also**

**sample\_parameters\_from\_covariance\_matrix** : Sample parameter vectors using the uncertainty covariance matrix  
**sample\_individual\_estimates** : Sample individual estimates given their covariance

**Examples**

```
## Not run:
model <- load_example_model("pheno")
results <- load_example_model_fit_results("pheno")
rng <- create_rng(23)
pe <- results$parameter_estimates
sample_parameters_uniformly(model, pe, n=3, seed=rng)

## End(Not run)
```

---

```
set_additive_error_model
```

```
  set_additive_error_model
```

---

**Description**

Set an additive error model. Initial estimate for new sigma is (equation could not be rendered, see API doc on website)

The error function being applied depends on the data transformation. The table displays some examples.

```

+-----+-----+ | Data transformation | Additive error |
+=====+=====+ | (equation could not be rendered, see API doc on website) |
+-----+ | (equation could not be rendered, see API doc on website) |
+-----+

```

## Usage

```
set_additive_error_model(model, dv = NULL, data_trans = NULL, series_terms = 2)
```

## Arguments

|              |                                                                                                                                                                                           |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| model        | (Model) Set error model for this model                                                                                                                                                    |
| dv           | (Expr or str or numeric (optional)) Name or DVID of dependent variable. NULL for the default (first or only)                                                                              |
| data_trans   | (numeric or str or Expr (optional)) A data transformation expression or NULL (default) to use the transformation specified by the model. Series expansion will be used for approximation. |
| series_terms | (numeric) Number of terms to use for the series expansion approximation for data transformation.                                                                                          |

## Value

(Model) Pharmpy model object

## See Also

set\_proportional\_error\_model : Proportional error model

set\_combined\_error\_model : Combined error model

## Examples

```

## Not run:
model <- load_example_model("pheno")
model$statements$find_assignment("Y")
model <- set_additive_error_model(model)
model$statements$find_assignment("Y")
model <- load_example_model("pheno")
model$statements$find_assignment("Y")
model <- set_additive_error_model(model, data_trans="log(Y)")
model$statements$find_assignment("Y")

## End(Not run)

```

---

```
set_baseline_effect      set_baseline_effect
```

---

### Description

Create baseline effect model.

Currently implemented baseline effects are:

Constant baseline effect (const):

(equation could not be rendered, see API doc on website)

### Usage

```
set_baseline_effect(model, expr = "const")
```

### Arguments

|       |                                         |
|-------|-----------------------------------------|
| model | (Model) PharmPy model                   |
| expr  | (str) Name of baseline effect function. |

### Value

(Model) PharmPy model object

### Examples

```
## Not run:
model <- load_example_model("pheno")
model <- set_baseline_effect(model, expr='const')
model$statements$find_assignment("E")

## End(Not run)
```

---

```
set_combined_error_model
```

*set\_combined\_error\_model*

---

### Description

Set a combined error model. Initial estimates for new sigmas are (equation could not be rendered, see API doc on website) proportional and 0.09 for additive.

The error function being applied depends on the data transformation.

+-----+-----+ | Data transformation | Com-  
 bined error | +=====+=====+-----+  
 | (equation could not be rendered, see API doc on website) +-----+  
 -----+ | (equation could not be rendered, see API doc on website) +-----  
 -----+-----+

**Usage**

```
set_combined_error_model(model, dv = NULL, data_trans = NULL)
```

**Arguments**

|            |                                                                                                                                          |
|------------|------------------------------------------------------------------------------------------------------------------------------------------|
| model      | (Model) Set error model for this model                                                                                                   |
| dv         | (Expr or str or numeric (optional)) Name or DVID of dependent variable. NULL for the default (first or only)                             |
| data_trans | (numeric or str or Expr (optional)) A data transformation expression or NULL (default) to use the transformation specified by the model. |

**Value**

(Model) Pharmpy model object

**See Also**

set\_additive\_error\_model : Additive error model  
 set\_proportional\_error\_model: Proportional error model

**Examples**

```
## Not run:
model <- remove_error_model(load_example_model("pheno"))
model <- set_combined_error_model(model)
model$statements$find_assignment("Y")
model <- remove_error_model(load_example_model("pheno"))
model <- set_combined_error_model(model, data_trans="log(Y)")
model$statements$find_assignment("Y")

## End(Not run)
```

---

 set\_covariates

---

 set\_covariates

---

**Description**

Set columns in the dataset to be covariates in the datainfo

**Usage**

```
set_covariates(model, covariates)
```

**Arguments**

|            |                                   |
|------------|-----------------------------------|
| model      | (Model) Pharmpy model             |
| covariates | (array(str)) List of column names |

**Value**

(Model) Pharmpy model object

---

|                          |                    |
|--------------------------|--------------------|
| <code>set_dataset</code> | <i>set_dataset</i> |
|--------------------------|--------------------|

---

**Description**

Load the dataset given datainfo

**Usage**

```
set_dataset(model, path_or_df, datatype = NULL)
```

**Arguments**

|                         |                                               |
|-------------------------|-----------------------------------------------|
| <code>model</code>      | (Model) Pharmpy model                         |
| <code>path_or_df</code> | (str or data.frame) Dataset path or dataframe |
| <code>datatype</code>   | (str (optional)) Type of dataset (optional)   |

**Value**

(Model) Pharmpy model with new dataset and updated datainfo

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- unload_dataset(model)
dataset_path <- model$datainfo$path
model$dataset is NULL
model <- set_dataset(model, dataset_path, datatype='nonmem')
model$dataset

## End(Not run)
```

---

|                 |                        |
|-----------------|------------------------|
| set_description | <i>set_description</i> |
|-----------------|------------------------|

---

**Description**

Set description of model object

**Usage**

```
set_description(model, new_description)
```

**Arguments**

|                 |                                |
|-----------------|--------------------------------|
| model           | (Model) Pharmpy model          |
| new_description | (str) New description of model |

**Value**

(Model) Pharmpy model object

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
model$description  
model <- set_description(model, "PHENOBARB run 2")  
model$description  
  
## End(Not run)
```

---

|                   |                          |
|-------------------|--------------------------|
| set_direct_effect | <i>set_direct_effect</i> |
|-------------------|--------------------------|

---

**Description**

Add an effect to a model.

Effects are by default using concentration, but any user specified variable in the model can be used. Implemented PD models are:

- Linear:

(equation could not be rendered, see API doc on website)

- Emax:

(equation could not be rendered, see API doc on website)

- Step effect:

(equation could not be rendered, see API doc on website)

- Sigmoidal:

(equation could not be rendered, see API doc on website)

- Log-linear:

(equation could not be rendered, see API doc on website)

(equation could not be rendered, see API doc on website)

### Usage

```
set_direct_effect(model, expr, variable = NULL)
```

### Arguments

|          |                                                                               |
|----------|-------------------------------------------------------------------------------|
| model    | (Model) Pharmpy model                                                         |
| expr     | (str) Name of PD effect function.                                             |
| variable | (str (optional)) Name of variable to use (if NULL concentration will be used) |

### Value

(Model) Pharmpy model object

### Examples

```
## Not run:
model <- load_example_model("pheno")
model <- set_direct_effect(model, "linear")
model$statements$find_assignment("E")

## End(Not run)
```

---

```
set_dtbs_error_model    set_dtbs_error_model
```

---

### Description

Dynamic transform both sides

### Usage

```
set_dtbs_error_model(model, fix_to_log = FALSE)
```



**Arguments**

|            |                                                                                        |
|------------|----------------------------------------------------------------------------------------|
| model      | (Model) Pharmpy model                                                                  |
| fix_to_log | (logical) Set to TRUE to fix lambda and zeta to 0, i.e. emulating log-transformed data |

**Value**

(Model) Pharmpy model object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- set_dtbs_error_model(model)

## End(Not run)
```

---

set\_dvid

*set\_dvid*

---

**Description**

Set a column to act as DVID. Replace DVID if one is already set.

**Usage**

```
set_dvid(model, name)
```

**Arguments**

|       |                           |
|-------|---------------------------|
| model | (Model) Pharmpy model     |
| name  | (str) Name of DVID column |

**Value**

(Model) Pharmpy model object

---

|                     |                            |
|---------------------|----------------------------|
| set_estimation_step | <i>set_estimation_step</i> |
|---------------------|----------------------------|

---

## Description

Set estimation step

Sets estimation step for a model. Methods currently supported are: FO, FOCE, ITS, LAPLACE, IMPMAP, IMP, SAEM, BAYES

## Usage

```
set_estimation_step(model, method, idx = 0, ...)
```

## Arguments

|        |                                                                          |
|--------|--------------------------------------------------------------------------|
| model  | (Model) Pharmpy model                                                    |
| method | (str) estimation method to change to                                     |
| idx    | (numeric) index of estimation step, default is 0 (first estimation step) |
| ...    | Arguments to pass to EstimationStep (such as interaction, evaluation)    |

## Value

(Model) Pharmpy model object

## See Also

```
add_estimation_step
remove_estimation_step
append_estimation_step_options
add_parameter_uncertainty_step
remove_parameter_uncertainty_step
set_evaluation_step
```

## Examples

```
## Not run:
model <- load_example_model("pheno")
opts <- list('NITER'=1000, 'ISAMPLE'=100)
model <- set_estimation_step(model, 'IMP', evaluation=TRUE, tool_options=opts)
model$execution_steps[1]

## End(Not run)
```

---

|                     |                            |
|---------------------|----------------------------|
| set_evaluation_step | <i>set_evaluation_step</i> |
|---------------------|----------------------------|

---

## Description

Set evaluation step

Change the final or the estimation step with a specific index to do evaluation.

## Usage

```
set_evaluation_step(model, idx = -1)
```

## Arguments

|       |                                                                          |
|-------|--------------------------------------------------------------------------|
| model | (Model) Pharmpy model                                                    |
| idx   | (numeric) Index of estimation step, default is -1 (last estimation step) |

## Value

(Model) Pharmpy model object

## See Also

set\_estimation\_step  
add\_estimation\_step  
remove\_estimation\_step  
append\_estimation\_step\_options  
add\_parameter\_uncertainty\_step  
remove\_parameter\_uncertainty\_step

## Examples

```
## Not run:  
model <- load_example_model("pheno")  
model <- set_evaluation_step(model)  
model$execution_steps[1]  
  
## End(Not run)
```

---

|                                   |
|-----------------------------------|
| set_first_order_absorption        |
| <i>set_first_order_absorption</i> |

---

## Description

Set or change to first order absorption rate.

Initial estimate for absorption rate is set to the previous rate if available, otherwise it is set to the time of first observation/2.

If multiple doses is set to the affected compartment, currently only iv+oral doses (one of each) is supported

## Usage

```
set_first_order_absorption(model)
```

## Arguments

model (Model) Model to set or change to use first order absorption rate

## Value

(Model) PharmPy model object

## See Also

set\_instantaneous\_absorption

set\_zero\_order\_absorption

## Examples

```
## Not run:
model <- load_example_model("pheno")
model <- set_first_order_absorption(model)
model$statements$ode_system

## End(Not run)
```

---

```
set_first_order_elimination
      set_first_order_elimination
```

---

**Description**

Sets elimination to first order

**Usage**

```
set_first_order_elimination(model)
```

**Arguments**

model                    (Model) Pharmpy model

**Value**

(Model) Pharmpy model object

**See Also**

set\_zero\_order\_elimination  
set\_michaelis\_menten\_elimination

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- set_first_order_elimination(model)
model$statements$ode_system

## End(Not run)
```

---

```
set_iiv_on_ruv                    set_iiv_on_ruv
```

---

**Description**

Multiplies epsilons with exponential (new) etas.  
Initial variance for new etas is 0.09.

**Usage**

```
set_iiv_on_ruv(
  model,
  dv = NULL,
  list_of_eps = NULL,
  same_eta = TRUE,
  eta_names = NULL
)
```

**Arguments**

|                          |                                                                                                                                                                  |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>model</code>       | (Model) Pharmpy model to apply IIV on epsilons.                                                                                                                  |
| <code>dv</code>          | (str or Expr or numeric (optional)) Name/names of epsilons to multiply with exponential etas. If NULL, all epsilons will be chosen. NULL is default.             |
| <code>list_of_eps</code> | (array(str) or str (optional)) Boolean of whether all RUVs from input should use the same new ETA or if one ETA should be created for each RUV. TRUE is default. |
| <code>same_eta</code>    | (logical) Custom names of new etas. Must be equal to the number epsilons or 1 if same eta.                                                                       |
| <code>eta_names</code>   | (array(str) or str (optional)) Name or DVID of dependent variable. NULL for the default (first or only)                                                          |

**Value**

(Model) Pharmpy model object

**See Also**

`set_power_on_ruv`

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- set_iiv_on_ruv(model)
model$statements$find_assignment("Y")

## End(Not run)
```

---

set\_initial\_condition *set\_initial\_condition*

---

**Description**

Set an initial condition for the ode system

If the initial condition is already set it will be updated. If the initial condition is set to zero at time zero it will be removed (since the default is 0).

**Usage**

```
set_initial_condition(model, compartment, expression, time = 0)
```

**Arguments**

|             |                                                                  |
|-------------|------------------------------------------------------------------|
| model       | (Model) Pharmpy model                                            |
| compartment | (str) Name of the compartment                                    |
| expression  | (numeric or str or Expr) The expression of the initial condition |
| time        | (numeric or str or Expr) Time point. Default 0                   |

**Value**

(model) Pharmpy model object

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
model <- set_initial_condition(model, "CENTRAL", 10)  
get_initial_conditions(model)  
  
## End(Not run)
```

---

set\_initial\_estimates *set\_initial\_estimates*

---

**Description**

Update initial parameter estimate for a model

Updates initial estimates of population parameters for a model. If the new initial estimates are out of bounds or NaN this function will raise.

**Usage**

```
set_initial_estimates(  
  model,  
  inits,  
  move_est_close_to_bounds = FALSE,  
  strict = TRUE  
)
```

**Arguments**

|                          |                                                                                                                                                                     |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| model                    | (Model) PharmPy model to update initial estimates                                                                                                                   |
| inits                    | (list(str=numeric)) Initial parameter estimates to update                                                                                                           |
| move_est_close_to_bounds | (logical) Move estimates that are close to bounds. If correlation >0.99 the correlation will be set to 0.9, if variance is <0.001 the variance will be set to 0.01. |
| strict                   | (logical) Whether all parameters in input need to exist in the model. Default is TRUE                                                                               |

**Value**

(Model) PharmPy model object

**See Also**

fix\_parameters\_to : Fixing and setting parameter initial estimates in the same function

unfix\_paramaters\_to : Unfixing parameters and setting a new initial estimate in the same

**Examples**

```
## Not run:
model <- load_example_model("pheno")
results <- load_example_modelfit_results("pheno")
model$parameters$inits
model <- set_initial_estimates(model, results$parameter_estimates)
model$parameters$inits
model <- load_example_model("pheno")
model <- set_initial_estimates(model, list('POP_CL'=2.0))
model$parameters['POP_CL']

## End(Not run)
```

---

```
set_instantaneous_absorption
      set_instantaneous_absorption
```

---

**Description**

Set or change to instantaneous absorption rate.

Currently lagtime together with instantaneous absorption is not supported.

**Usage**

```
set_instantaneous_absorption(model)
```



**Arguments**

model (Model) Model to set or change absorption rate

**Value**

(Model) PharmPy model object

**See Also**

set\_zero\_order\_absorption

set\_first\_order\_absorption

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- set_instantaneous_absorption(model)
model$statements$ode_system

## End(Not run)
```

---

|               |                      |
|---------------|----------------------|
| set_lloq_data | <i>set_lloq_data</i> |
|---------------|----------------------|

---

**Description**

Set a dv value for lloq data records

**Usage**

```
set_lloq_data(model, value, lloq = NULL, blq = NULL)
```

**Arguments**

model (Model) PharmPy model object

value (str or numeric or Expr) The new dv value

lloq (numeric or str (optional)) Value or column name for lower limit of quantification.

blq (str (optional)) Column name for below limit of quantification indicator.

**Value**

(Model) PharmPy model object

**See Also**

remove\_loq\_data

transform\_blq

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- set_lloq_data(model, 0, lloq=10)

## End(Not run)
```

---

|                  |                         |
|------------------|-------------------------|
| set_lower_bounds | <i>set_lower_bounds</i> |
|------------------|-------------------------|

---

**Description**

Set parameter lower bounds

**Usage**

```
set_lower_bounds(model, bounds, strict = TRUE)
```

**Arguments**

|        |                                                                                       |
|--------|---------------------------------------------------------------------------------------|
| model  | (Model) Pharmpy model                                                                 |
| bounds | (list(str=numeric)) A list of parameter bounds for parameters to change               |
| strict | (logical) Whether all parameters in input need to exist in the model. Default is TRUE |

**Value**

(Model) Pharmpy model object

**See Also**

set\_upper\_bounds : Set parameter upper bounds  
 unconstrain\_parameters : Remove all constraints of parameters

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- set_lower_bounds(model, {'POP_CL': -10})
model$parameters['POP_CL']

## End(Not run)
```

---

```
set_michaelis_menten_elimination  
  set_michaelis_menten_elimination
```

---

## Description

Sets elimination to Michaelis-Menten.

Note that the parametrization is not the usual, but is instead using a CLMM parameter.

Initial estimate for CLMM is set to CL and KM is set to (equation could not be rendered, see API doc on website)

## Usage

```
set_michaelis_menten_elimination(model)
```

## Arguments

model (Model) PharmPy model

## Value

(Model) PharmPy model object

## See Also

set\_first\_order\_elimination

set\_zero\_order\_elimination

## Examples

```
## Not run:  
model <- load_example_model("pheno")  
model <- set_michaelis_menten_elimination(model)  
model$statements$ode_system  
  
## End(Not run)
```

---

```
set_mixed_mm_fo_elimination  
    set_mixed_mm_fo_elimination
```

---

## Description

Sets elimination to mixed Michaelis-Menten and first order.

Initial estimate for CLMM is set to CL/2 and KM is set to (equation could not be rendered, see API doc on website)

## Usage

```
set_mixed_mm_fo_elimination(model)
```

## Arguments

model                    (Model) Pharmpy model

## Value

(Model) Pharmpy model object

## See Also

set\_first\_order\_elimination

set\_zero\_order\_elimination

set\_michaelis\_menten\_elimination

## Examples

```
## Not run:  
model <- load_example_model("pheno")  
model <- set_mixed_mm_fo_elimination(model)  
model$statements$ode_system  
  
## End(Not run)
```

---

|          |                 |
|----------|-----------------|
| set_name | <i>set_name</i> |
|----------|-----------------|

---

**Description**

Set name of model object

**Usage**

set\_name(model, new\_name)

**Arguments**

model                    (Model) Pharmpy model  
new\_name                (str) New name of model

**Value**

(Model) Pharmpy model object

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
model$name  
model <- set_name(model, "run2")  
model$name  
  
## End(Not run)
```

---

|                |                       |
|----------------|-----------------------|
| set_ode_solver | <i>set_ode_solver</i> |
|----------------|-----------------------|

---

**Description**

Sets ODE solver to use for model

Recognized solvers and their corresponding NONMEM advans:

|        |         |         |                       |        |        |         |       |   |
|--------|---------|---------|-----------------------|--------|--------|---------|-------|---|
| +      | +       | +       | Solver   NONMEM ADVAN | +      | =====  | +       | ===== | + |
| CVODES | ADVAN14 | +       | +                     | DGEAR  | ADVAN8 | +       | +     |   |
| +      | +       | +       | DVERK                 | ADVAN6 | +      | +       | +     |   |
| +      | IDA     | ADVAN15 | +                     | +      | LSODA  | ADVAN13 | +     | + |
| +      | +       | +       | LSODI                 | ADVAN9 | +      | +       | +     |   |
| +      |         |         |                       |        |        |         |       |   |

**Usage**

```
set_ode_solver(model, solver)
```

**Arguments**

|        |                                               |
|--------|-----------------------------------------------|
| model  | (Model) Pharmpy model                         |
| solver | (str) Solver to use or NULL for no preference |

**Value**

(Model) Pharmpy model object

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
model <- set_ode_solver(model, 'LSODA')  
  
## End(Not run)
```

---

```
set_peripheral_compartments  
    set_peripheral_compartments
```

---

**Description**

Sets the number of peripheral compartments for central compartment to a specified number.

If name is set, the peripheral compartment will be added to the compartment with the specified name instead.

**Usage**

```
set_peripheral_compartments(model, n, name = NULL)
```

**Arguments**

|       |                                                            |
|-------|------------------------------------------------------------|
| model | (Model) Pharmpy model                                      |
| n     | (numeric) Number of transit compartments                   |
| name  | (str (optional)) Name of compartment to add peripheral to. |

**Value**

(Model) Pharmpy model object

**See Also**

add\_peripheral\_compartment  
 remove\_peripheral\_compartment

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- set_peripheral_compartments(model, 2)
model$statements$ode_system

## End(Not run)
```

---

|                  |                         |
|------------------|-------------------------|
| set_power_on_ruv | <i>set_power_on_ruv</i> |
|------------------|-------------------------|

---

**Description**

Applies a power effect to provided epsilons. If a dependent variable is provided, then only said epsilons affecting said variable will be changed.

Initial estimates for new thetas are 1 if the error model is proportional, otherwise they are 0.1.

NOTE : If no DVs or epsilons are specified, all epsilons with the same name will be connected to the same theta. Running the function per DV will give each epsilon a specific theta.

**Usage**

```
set_power_on_ruv(
  model,
  list_of_eps = NULL,
  dv = NULL,
  lower_limit = 0.01,
  ipred = NULL,
  zero_protection = FALSE
)
```

**Arguments**

|             |                                                                                                                                                                    |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| model       | (Model) PharmPy model to create block effect on.                                                                                                                   |
| list_of_eps | (str or array (optional)) Name/names of epsilons to apply power effect. If NULL, all epsilons will be used. NULL is default.                                       |
| dv          | (str or Expr or numeric (optional)) Name or DVID of dependent variable. NULL will change the epsilon on all occurrences regardless of affected dependent variable. |
| lower_limit | (numeric (optional)) Lower limit of power (theta). NULL for no limit.                                                                                              |

**ipred** (str or Expr (optional)) Symbol to use as IPRED. Default is to autodetect expression for IPRED.

**zero\_protection** (logical) Set to TRUE to add code protecting from IPRED=0

### Value

(Model) PharmPy model object

### See Also

set\_iiv\_on\_ruv

### Examples

```
## Not run:
model <- load_example_model("pheno")
model <- set_power_on_ruv(model)
model$statements$find_assignment("Y")

## End(Not run)
```

---

```
set_proportional_error_model
      set_proportional_error_model
```

---

### Description

Set a proportional error model. Initial estimate for new sigma is 0.09.

The error function being applied depends on the data transformation.

```
+-----+-----+ | Data transformation | Proportional error
| +=====+=====+ | (equation could not be rendered, see API doc on website) +-----+
+-----+ | (equation could not be rendered, see API doc on website) +-----+
+-----+-----+
```

### Usage

```
set_proportional_error_model(
  model,
  dv = NULL,
  data_trans = NULL,
  zero_protection = TRUE
)
```



**Arguments**

|                 |                                                                                                                                          |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------|
| model           | (Model) Set error model for this model                                                                                                   |
| dv              | (Expr or str or numeric (optional)) Name or DVID of dependent variable. NULL for the default (first or only)                             |
| data_trans      | (numeric or str or Expr (optional)) A data transformation expression or NULL (default) to use the transformation specified by the model. |
| zero_protection | (logical) Set to TRUE to add code protecting from IPRED=0                                                                                |

**Value**

(Model) Pharmpy model object

**See Also**

set\_additive\_error\_model : Additive error model

set\_combined\_error\_model : Combined error model

**Examples**

```
## Not run:
model <- remove_error_model(load_example_model("pheno"))
model <- set_proportional_error_model(model)
model$statements$after_odes
model <- remove_error_model(load_example_model("pheno"))
model <- set_proportional_error_model(
  model,
  data_trans="log(Y)"
model$statements$after_odes

## End(Not run)
```

---

set\_reference\_values    *set\_reference\_values*

---

**Description**

Set reference values for selected columns

All values for each selected column will be replaced. For dose columns only the values for dosing events will be replaced.

**Usage**

```
set_reference_values(model, refs)
```

**Arguments**

|       |                                                                |
|-------|----------------------------------------------------------------|
| model | (Model) Pharmpy model object                                   |
| refs  | (list(str=numeric)) Pairs of column names and reference values |

**Value**

(Model) Pharmpy model object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- set_reference_values(model, list('WGT'=0.5, 'AMT'=4.0))
model$dataset

## End(Not run)
```

---

```
set_seq_zo_fo_absorption
```

*set\_seq\_zo\_fo\_absorption*

---

**Description**

Set or change to sequential zero order first order absorption rate.

Initial estimate for absorption rate is set the previous rate if available, otherwise it is set to the time of first observation/2.

Currently lagtime together with sequential zero order first order absorption is not supported.

**Usage**

```
set_seq_zo_fo_absorption(model)
```

**Arguments**

|       |                                                |
|-------|------------------------------------------------|
| model | (Model) Model to set or change absorption rate |
|-------|------------------------------------------------|

**Value**

(Model) Pharmpy model object

**See Also**

```
set_instantaneous_absorption
set_zero_order_absorption
set_first_order_absorption
```

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- set_seq_zo_fo_absorption(model)
model$statements$ode_system

## End(Not run)
```

---

|                |                       |
|----------------|-----------------------|
| set_simulation | <i>set_simulation</i> |
|----------------|-----------------------|

---

**Description**

Change model into simulation model

**Usage**

```
set_simulation(model, n = 1, seed = 1234)
```

**Arguments**

|       |                                          |
|-------|------------------------------------------|
| model | (Model) PharmPy model                    |
| n     | (numeric) Number of replicates           |
| seed  | (numeric) Random seed for the simulation |

**Value**

(Model) PharmPy model object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- set_simulation(model, n=10, seed=1234)
steps <- model$execution_steps
steps[1]

## End(Not run)
```

---

|                              |                                     |
|------------------------------|-------------------------------------|
| set_time_varying_error_model |                                     |
|                              | <i>set_time_varying_error_model</i> |

---

**Description**

Set a time varying error model per time cutoff

**Usage**

```
set_time_varying_error_model(model, cutoff, idv = "TIME", dv = NULL)
```

**Arguments**

|        |                                                                                                              |
|--------|--------------------------------------------------------------------------------------------------------------|
| model  | (Model) Pharmpy model                                                                                        |
| cutoff | (numeric) A cutoff value for idv column                                                                      |
| idv    | (str) Time or time after dose, default is Time                                                               |
| dv     | (Expr or str or numeric (optional)) Name or DVID of dependent variable. NULL for the default (first or only) |

**Value**

(Model) Pharmpy model object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- set_time_varying_error_model(model, cutoff=1.0)
model$statements$find_assignment("Y")

## End(Not run)
```

---

|          |                 |
|----------|-----------------|
| set_tmdd | <i>set_tmdd</i> |
|----------|-----------------|

---

**Description**

Sets target mediated drug disposition

Implemented target mediated drug disposition (TMDD) models are:

- Full model
- Irreversible binding approximation (IB)
- Constant total receptor approximation (CR)

- Irreversible binding and constant total receptor approximation (CR+IB)
- Quasi steady-state approximation (QSS)
- Wagner
- Michaelis-Menten approximation (MMAPP)

### Usage

```
set_tmdd(model, type, dv_types = NULL)
```

### Arguments

|          |                                                                                                                                                                                                                                                                                                                                                            |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| model    | (Model) Pharmpy model                                                                                                                                                                                                                                                                                                                                      |
| type     | (str) Type of TMDD model                                                                                                                                                                                                                                                                                                                                   |
| dv_types | (list(str=numeric) (optional)) Dictionary of DV types for TMDD models with multiple DVs (e.g. dv_types = list('drug' = 1, 'target'= 2)). Default is NULL which means that all observations are treated as drug observations. For dv = 1 the only allowed keys are 'drug' and 'drug_tot'. If no DV for drug is specified then (free) drug will have dv = 1. |

### Value

(Model) Pharmpy model object

### Examples

```
## Not run:
model <- load_example_model("pheno")
model <- set_tmdd(model, "full")

## End(Not run)
```

---

```
set_transit_compartments
      set_transit_compartments
```

---

### Description

Set the number of transit compartments of model.

Initial estimate for absorption rate is set the previous rate if available, otherwise it is set to the time of first observation/2.

### Usage

```
set_transit_compartments(model, n, keep_depot = TRUE)
```

**Arguments**

model (Model) Pharmpy model  
 n (numeric) Number of transit compartments  
 keep\_depot (logical) FALSE to convert depot compartment into a transit compartment

**Value**

(Model) Pharmpy model object

**See Also**

add\_lag\_time

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- set_transit_compartments(model, 3)
model$statements$ode_system

## End(Not run)
```

---

|                  |                         |
|------------------|-------------------------|
| set_upper_bounds | <i>set_upper_bounds</i> |
|------------------|-------------------------|

---

**Description**

Set parameter upper bounds

**Usage**

```
set_upper_bounds(model, bounds, strict = TRUE)
```

**Arguments**

model (Model) Pharmpy model  
 bounds (list(str=numeric)) A list of parameter bounds for parameters to change  
 strict (logical) Whether all parameters in input need to exist in the model. Default is TRUE

**Value**

(Model) Pharmpy model object

**See Also**

set\_lower\_bounds : Set parameter lower bounds  
 unconstrain\_parameters : Remove all constraints of parameters

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- set_upper_bounds(model, list('POP_CL'=10))
model$parameters['POP_CL']

## End(Not run)
```

---

```
set_weibull_absorption
```

```
set_weibull_absorption
```

---

**Description**

Set or change to Weibull type absorption

Initial estimate for absorption rate is set to??

If multiple doses is set to the affected compartment, currently only iv+oral doses (one of each) is supported

Weibull absorption cannot be used together with lag time and transit compartments.

Assumes that absorption of one does is done when next dose is given.

warning:: This function is still under development.

**Usage**

```
set_weibull_absorption(model)
```

**Arguments**

model (Model) Model to set or change to use Weibull absorption rate

**Value**

(Model) PharmPy model object

**See Also**

set\_zero\_order\_absorption

set\_first\_order\_absorption

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- set_weibull_absorption(model)
model$statements$ode_system

## End(Not run)
```

---

```
set_weighted_error_model  
    set_weighted_error_model
```

---

**Description**

Encode error model with one epsilon and W as weight

**Usage**

```
set_weighted_error_model(model)
```

**Arguments**

model                    (Model) Pharmpy model

**Value**

(Model) Pharmpy model object

**See Also**

use\_thetas\_for\_error\_stdev : Use thetas to estimate error

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
model <- set_weighted_error_model(model)  
  
## End(Not run)
```

---

```
set_zero_order_absorption  
    set_zero_order_absorption
```

---

**Description**

Set or change to zero order absorption rate.

Initial estimate for absorption rate is set the previous rate if available, otherwise it is set to the time of first observation/2.

**Usage**

```
set_zero_order_absorption(model)
```



**Arguments**

model (Model) Model to set or change to first order absorption rate

**Value**

(Model) PharmPy model object

**See Also**

set\_instantaneous\_absorption

set\_first\_order\_absorption

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- set_zero_order_absorption(model)
model$statements$ode_system

## End(Not run)
```

---

set\_zero\_order\_elimination

*set\_zero\_order\_elimination*

---

**Description**

Sets elimination to zero order.

Initial estimate for KM is set to 1% of smallest observation.

**Usage**

```
set_zero_order_elimination(model)
```

**Arguments**

model (Model) PharmPy model

**Value**

(Model) PharmPy model object

**See Also**

set\_first\_order\_elimination

set\_michaelis\_menten\_elimination

### Examples

```
## Not run:
model <- load_example_model("pheno")
model <- set_zero_order_elimination(model)
model$statements$ode_system

## End(Not run)
```

---

|                      |                             |
|----------------------|-----------------------------|
| set_zero_order_input | <i>set_zero_order_input</i> |
|----------------------|-----------------------------|

---

### Description

Set a zero order input for the ode system

If the zero order input is already set it will be updated.

### Usage

```
set_zero_order_input(model, compartment, expression)
```

### Arguments

|             |                                                                 |
|-------------|-----------------------------------------------------------------|
| model       | (Model) PharmPy model                                           |
| compartment | (str) Name of the compartment                                   |
| expression  | (numeric or str or Expr) The expression of the zero order input |

### Value

(model) PharmPy model object

### Examples

```
## Not run:
model <- load_example_model("pheno")
model <- set_zero_order_input(model, "CENTRAL", 10)
get_zero_order_inputs(model)

## End(Not run)
```

---

|                     |                            |
|---------------------|----------------------------|
| simplify_expression | <i>simplify_expression</i> |
|---------------------|----------------------------|

---

**Description**

Simplify expression given constraints in model

**Usage**

```
simplify_expression(model, expr)
```

**Arguments**

|       |                                                 |
|-------|-------------------------------------------------|
| model | (Model) Pharmpy model object                    |
| expr  | (str or numeric or Expr) Expression to simplify |

**Value**

(Expression) Simplified expression

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
simplify_expression(model, "Abs(POP_CL)")  
  
## End(Not run)
```

---

|                  |                         |
|------------------|-------------------------|
| solve_ode_system | <i>solve_ode_system</i> |
|------------------|-------------------------|

---

**Description**

Replace ODE system with analytical solution if possible

Warnings This function can currently only handle the most simple of ODE systems.

**Usage**

```
solve_ode_system(model)
```

**Arguments**

|       |                              |
|-------|------------------------------|
| model | (Model) Pharmpy model object |
|-------|------------------------------|

**Value**

(Model) Pharmpy model object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model$statements$ode_system
model <- solve_ode_system(model)

## End(Not run)
```

---

split\_joint\_distribution

*split\_joint\_distribution*


---

**Description**

Splits etas following a joint distribution into separate distributions.

**Usage**

```
split_joint_distribution(model, rvs = NULL)
```

**Arguments**

|       |                                                                                                                                                   |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| model | (Model) Pharmpy model                                                                                                                             |
| rvs   | (array(str) or str (optional)) Name/names of etas to separate. If NULL, all etas that are IIVs and non-fixed will become single. NULL is default. |

**Value**

(Model) Pharmpy model object

**See Also**

create\_joint\_distribution : combine etas into a join distribution

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- create_joint_distribution(model, c('ETA_CL', 'ETA_VC'))
model$random_variables$etas
model <- split_joint_distribution(model, c('ETA_CL', 'ETA_VC'))
model$random_variables$etas

## End(Not run)
```

---

```
summarize_modelfit_results
      summarize_modelfit_results
```

---

### Description

Summarize results of model runs

Summarize different results after fitting a model, includes runtime, ofv, and parameter estimates (with errors). If `include_all_execution_steps` is `FALSE`, only the last estimation step will be included (note that in that case, the `minimization_successful` value will be referring to the last estimation step, if last step is evaluation it will go backwards until it finds an estimation step that wasn't an evaluation).

### Usage

```
summarize_modelfit_results(context, include_all_execution_steps = FALSE)
```

### Arguments

`context` (Context) Context in which models were run  
`include_all_execution_steps` (logical) Whether to include all estimation steps, default is `FALSE`

### Value

(data.frame) A `DataFrame` of modelfit results with model name and estimation step as index.

---

```
transform_blq      transform_blq
```

---

### Description

Transform for BLQ data

Transform a given model, methods available are m1, m3, m4, m5, m6 and m7 (1). The blq information can come from the dataset, the lloq option or a combination. Both LLOQ and BLQ columns are supported. The table below explains which columns are used for the various cases:

|                   | lloq option        |
|-------------------|--------------------|
| LLOQ column       | BLQ column         |
| Used as indicator | Used as level      |
| Note              |                    |
| Available         | NA                 |
| NA                | NA                 |
| DV < lloq         | lloq               |
| NA                | Available          |
| NA                | NA                 |
| DV < LLOQ         | LLOQ               |
| NA                | NA                 |
| Available         | BLQ                |
| nothing           | Only for M1 and M7 |
| NA                | NA                 |
| NA                | NA                 |
| NA                | NA                 |
| No BLQ handling   |                    |
| NA                | Available          |
| Available         | BLQ                |
| LLOQ              |                    |

BLQ observations are defined as shown in the table above. If both a BLQ and an LLOQ column exist in the dataset and no lloq is specified then all dv values in rows with BLQ = 1 are counted as BLQ observations. If instead an lloq value is specified then all rows with dv values below the lloq value are counted as BLQ observations. If no lloq is specified and no BLQ column exists in the dataset then all rows with dv values below the value specified in the DV column are counted as BLQ observations.

Current limitations of the m3 and m4 method:

- Does not support covariance between epsilons
- Supports additive, proportional, combined, and power error model

(1) Beal SL. Ways to fit a PK model with some data below the quantification limit. *J Pharmacokinet Pharmacodyn*. 2001 Oct;28(5):481-504. doi: 10.1023/a:1012299115260. Erratum in: *J Pharmacokinet Pharmacodyn* 2002 Jun;29(3):309. PMID: 11768292.

## Usage

```
transform_blg(model, method = "m4", llog = NULL)
```

## Arguments

|        |                                                                                                     |
|--------|-----------------------------------------------------------------------------------------------------|
| model  | (Model) Pharmpy model                                                                               |
| method | (str) Which BLQ method to use                                                                       |
| lloq   | (numeric (optional)) LLOQ limit to use, if NULL Pharmpy will use the BLQ/LLOQ column in the dataset |

**Value**

(Model) Pharmpy model object

**See Also**

remove\_lloq\_data

set\_lloq\_data

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- transform_blq(model, method='m4', lloq=0.1)
model$statements$find_assignment("Y")

## End(Not run)
```

---

transform\_etas\_boxcox    *transform\_etas\_boxcox*

---

**Description**

Applies a boxcox transformation to selected etas

Initial estimate for lambda is 0.1 with bounds (-3, 3).

**Usage**

```
transform_etas_boxcox(model, list_of_etas = NULL)
```

**Arguments**

model                    (Model) Pharmpy model to apply boxcox transformation to.

list\_of\_etas            (array(str) or str (optional)) Name/names of etas to transform. If NULL, all etas will be transformed (default).

**Value**

(Model) Pharmpy model object

**See Also**

transform\_etas\_tdist

transform\_etas\_john\_draper

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- transform_etas_boxcox(model, c("ETA_CL"))
model$statements$before_odes$full_expression("CL")

## End(Not run)
```

---

transform\_etas\_john\_draper

*transform\_etas\_john\_draper*


---

**Description**

Applies a John Draper transformation (1) to spelected etas

Initial estimate for lambda is 0.1 with bounds (-3, 3).

(1) John, J., Draper, N. (1980). An Alternative Family of Transformations. Journal of the Royal Statistical Society. Series C (Applied Statistics), 29(2), 190-197. doi:10.2307/2986305

**Usage**

```
transform_etas_john_draper(model, list_of_etas = NULL)
```

**Arguments**

|              |                                                                                                                  |
|--------------|------------------------------------------------------------------------------------------------------------------|
| model        | (Model) PharmPy model to apply John Draper transformation to.                                                    |
| list_of_etas | (array(str) or str (optional)) Name/names of etas to transform. If NULL, all etas will be transformed (default). |

**Value**

(Model) PharmPy model object

**See Also**

transform\_etas\_boxcox

transform\_etas\_tdist

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- transform_etas_john_draper(model, c("ETA_CL"))
model$statements$before_odes$full_expression("CL")

## End(Not run)
```



---

|                      |                             |
|----------------------|-----------------------------|
| transform_etas_tdist | <i>transform_etas_tdist</i> |
|----------------------|-----------------------------|

---

## Description

Applies a t-distribution transformation to selected etas

Initial estimate for degrees of freedom is 80 with bounds (3, 100).

## Usage

```
transform_etas_tdist(model, list_of_etas = NULL)
```

## Arguments

|              |                                                                                                                  |
|--------------|------------------------------------------------------------------------------------------------------------------|
| model        | (Model) Pharmpy model to apply t distribution transformation to.                                                 |
| list_of_etas | (array(str) or str (optional)) Name/names of etas to transform. If NULL, all etas will be transformed (default). |

## Value

(Model) Pharmpy model object

## See Also

transform\_etas\_boxcox

transform\_etas\_john\_draper

## Examples

```
## Not run:
model <- load_example_model("pheno")
model <- transform_etas_tdist(model, c("ETA_CL"))
model$statements$before_odes$full_expression("CL")

## End(Not run)
```

---

```
translate_nmtran_time  translate_nmtran_time
```

---

### Description

Translate NM-TRAN TIME and DATE column into one TIME column

If dataset of model have special NM-TRAN TIME and DATE columns these will be translated into one single time column with time in hours.

**Warnings** Use this function with caution. For example reset events are currently not taken into account.

### Usage

```
translate_nmtran_time(model)
```

### Arguments

model (Model) PharmPy model object

### Value

(Model) PharmPy model object

---

```
unconstrain_parameters
      unconstrain_parameters
```

---

### Description

Remove all constraints from parameters

### Usage

```
unconstrain_parameters(model, parameter_names, strict = TRUE)
```

### Arguments

model (Model) PharmPy model

parameter\_names

(array(str)) Remove all constraints for the listed parameters

strict (logical) Whether all parameters in input need to exist in the model. Default is TRUE

### Value

(Model) PharmPy model object

**See Also**

set\_lower\_bounds : Set parameter lower bounds  
 set\_upper\_bounds : Set parameter upper bounds  
 unfix\_parameters : Unfix parameters

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model$parameters['POP_CL']
model <- unconstrain_parameters(model, c('POP_CL'))
model$parameters['POP_CL']

## End(Not run)
```

undrop\_columns

*undrop\_columns***Description**

Undrop columns of model

**Usage**

```
undrop_columns(model, column_names)
```

**Arguments**

model (Model) Pharmpy model object  
 column\_names (array(str) or str) List of column names or one column name to undrop

**Value**

(Model) Pharmpy model object

**See Also**

drop\_dropped\_columns : Drop all columns marked as drop  
 drop\_columns : Drop or mark columns as dropped

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- drop_columns(model, c('WGT', 'APGR'), mark=TRUE)
model <- undrop_columns(model, 'WGT')

## End(Not run)
```

---

|                               |                         |
|-------------------------------|-------------------------|
| <code>unfix_parameters</code> | <i>unfix_parameters</i> |
|-------------------------------|-------------------------|

---

**Description**

Unfix parameters  
Unfix all listed parameters

**Usage**

`unfix_parameters(model, parameter_names, strict = TRUE)`

**Arguments**

|                              |                                                                                       |
|------------------------------|---------------------------------------------------------------------------------------|
| <code>model</code>           | (Model) Pharmpy model                                                                 |
| <code>parameter_names</code> | (array(str) or str) one parameter name or a vector of parameter names                 |
| <code>strict</code>          | (logical) Whether all parameters in input need to exist in the model. Default is TRUE |

**Value**

(Model) Pharmpy model object

**See Also**

`unfix_paramaters_to` : Unfixing parameters and setting a new initial estimate in the same function  
`fix_parameters` : Fix parameters  
`fix_or_unfix_parameters` : Fix or unfix parameters (given boolean)  
`fix_parameters_to` : Fixing and setting parameter initial estimates in the same function  
`unconstrain_parameters` : Remove all constraints of parameters

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- fix_parameters(model, c('POP_CL', 'POP_VC'))
model$parameters$fix
model <- unfix_parameters(model, 'POP_CL')
model$parameters$fix

## End(Not run)
```

---

|                     |                            |
|---------------------|----------------------------|
| unfix_parameters_to | <i>unfix_parameters_to</i> |
|---------------------|----------------------------|

---

**Description**

Unfix parameters to  
 Unfix all listed parameters to specified value/values

**Usage**

```
unfix_parameters_to(model, inits, strict = TRUE)
```

**Arguments**

|        |                                                                                       |
|--------|---------------------------------------------------------------------------------------|
| model  | (Model) Pharmpy model                                                                 |
| inits  | (list(str=numeric)) Inits for all parameters to unfix and change init                 |
| strict | (logical) Whether all parameters in input need to exist in the model. Default is TRUE |

**Value**

(Model) Pharmpy model object

**See Also**

fix\_parameters : Fix parameters  
 fix\_or\_unfix\_parameters : Fix or unfix parameters (given boolean)  
 unfix\_paramaters : Unfixing parameters  
 fix\_paramaters\_to : Fixing parameters and setting a new initial estimate in the same function

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- fix_parameters(model, c('POP_CL', 'POP_VC'))
model$parameters$fix
model <- unfix_parameters_to(model, list('POP_CL'=0.5))
model$parameters$fix
model$parameters['POP_CL']

## End(Not run)
```

---

|                |                       |
|----------------|-----------------------|
| unload_dataset | <i>unload_dataset</i> |
|----------------|-----------------------|

---

**Description**

Unload the dataset from a model

**Usage**

```
unload_dataset(model)
```

**Arguments**

|       |                       |
|-------|-----------------------|
| model | (Model) PharmPy model |
|-------|-----------------------|

**Value**

(Model) PharmPy model with dataset removed

**Examples**

```
## Not run:  
model <- load_example_model("pheno")  
model <- unload_dataset(model)  
model$dataset is NULL  
  
## End(Not run)
```

---

|                                     |                                            |
|-------------------------------------|--------------------------------------------|
| update_initial_individual_estimates | <i>update_initial_individual_estimates</i> |
|-------------------------------------|--------------------------------------------|

---

**Description**

Update initial individual estimates for a model

Updates initial individual estimates for a model.

**Usage**

```
update_initial_individual_estimates(model, individual_estimates, force = TRUE)
```

**Arguments**

`model` (Model) Pharmpy model to update initial estimates

`individual_estimates` (array) Individual estimates to use

`force` (logical) Set to FALSE to only update if the model had initial individual estimates before

**Value**

(Model) Pharmpy model object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
results <- load_example_modelfit_results("pheno")
ie <- results$individual_estimates
model <- update_initial_individual_estimates(model, ie)

## End(Not run)
```

---

```
use_thetas_for_error_stdev
      use_thetas_for_error_stdev
```

---

**Description**

Use thetas to estimate standard deviation of error

**Usage**

```
use_thetas_for_error_stdev(model)
```

**Arguments**

`model` (Model) Pharmpy model

**Value**

(Model) Pharmpy model object

**See Also**

`set_weighted_error_model` : Encode error model with one epsilon and weight

---

|                        |                  |
|------------------------|------------------|
| <code>write_csv</code> | <i>write_csv</i> |
|------------------------|------------------|

---

**Description**

Write dataset to a csv file and updates the datainfo path

**Usage**

```
write_csv(model, path = NULL, force = FALSE)
```

**Arguments**

- `model` (Model) Model whose dataset to write to file
- `path` (str (optional)) Destination path. Default is to use original path with .csv suffix.
- `force` (logical) Overwrite file with same path. Default is FALSE.

**Value**

(Model) Updated model object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
model <- write_csv(model, path="newdataset$csv")

## End(Not run)
```

---

|                          |                    |
|--------------------------|--------------------|
| <code>write_model</code> | <i>write_model</i> |
|--------------------------|--------------------|

---

**Description**

Write model code to file

**Usage**

```
write_model(model, path = "", force = TRUE)
```

**Arguments**

- `model` (Model) PharmPy model
- `path` (str) Destination path
- `force` (logical) Force overwrite, default is TRUE



**Value**

(Model) Pharmpy model object

**Examples**

```
## Not run:
model <- load_example_model("pheno")
write_model(model)

## End(Not run)
```

---

|               |                      |
|---------------|----------------------|
| write_results | <i>write_results</i> |
|---------------|----------------------|

---

**Description**

Write results object to json (or csv) file  
Note that the csv-file cannot be read into a results object again.

**Usage**

```
write_results(results, path, compression = FALSE, csv = FALSE)
```

**Arguments**

- |             |                                                                 |
|-------------|-----------------------------------------------------------------|
| results     | (Results) Pharmpy results object                                |
| path        | (str) Path to results file                                      |
| compression | (logical) TRUE to compress the file. Not applicable to csv file |
| csv         | (logical) Save as csv file                                      |

# Index

add\_admid, [7](#)  
add\_allometry, [8](#)  
add\_bioavailability, [9](#)  
add\_cmt, [10](#)  
add\_covariate\_effect, [11](#)  
add\_derivative, [13](#)  
add\_effect\_compartment, [14](#)  
add\_estimation\_step, [15](#)  
add\_iiv, [17](#)  
add\_indirect\_effect, [19](#)  
add\_individual\_parameter, [20](#)  
add\_iov, [21](#)  
add\_lag\_time, [22](#)  
add\_metabolite, [23](#)  
add\_parameter\_uncertainty\_step, [23](#)  
add\_pd\_iiv, [24](#)  
add\_peripheral\_compartment, [25](#)  
add\_pk\_iiv, [26](#)  
add\_population\_parameter, [27](#)  
add\_predictions, [28](#)  
add\_residuals, [29](#)  
add\_time\_after\_dose, [30](#)  
append\_estimation\_step\_options, [31](#)  
  
bin\_observations, [32](#)  
broadcast\_log, [33](#)  
bump\_model\_number, [33](#)  
  
calculate\_aic, [34](#)  
calculate\_bic, [34](#)  
calculate\_corr\_from\_cov, [35](#)  
calculate\_corr\_from\_prec, [36](#)  
calculate\_cov\_from\_corrse, [37](#)  
calculate\_cov\_from\_prec, [38](#)  
calculate\_epsilon\_gradient\_expression, [39](#)  
calculate\_eta\_gradient\_expression, [40](#)  
calculate\_eta\_shrinkage, [41](#)  
calculate\_individual\_parameter\_statistics, [42](#)  
  
calculate\_individual\_shrinkage, [43](#)  
calculate\_parameters\_from\_ucp, [44](#)  
calculate\_pk\_parameters\_statistics, [45](#)  
calculate\_prec\_from\_corrse, [46](#)  
calculate\_prec\_from\_cov, [47](#)  
calculate\_se\_from\_cov, [48](#)  
calculate\_se\_from\_prec, [49](#)  
calculate\_ucp\_scale, [50](#)  
check\_dataset, [50](#)  
check\_high\_correlations, [51](#)  
check\_parameters\_near\_bounds, [52](#)  
check\_pharmpy, [53](#)  
check\_setup, [53](#)  
cleanup\_model, [53](#)  
convert\_model, [54](#)  
create\_basic\_pk\_model, [55](#)  
create\_config\_template, [56](#)  
create\_joint\_distribution, [56](#)  
create\_report, [57](#)  
create\_rng, [57](#)  
create\_symbol, [58](#)  
  
deidentify\_data, [59](#)  
display\_odes, [59](#)  
drop\_columns, [60](#)  
drop\_dropped\_columns, [61](#)  
  
evaluate\_epsilon\_gradient, [61](#)  
evaluate\_eta\_gradient, [62](#)  
evaluate\_expression, [63](#)  
evaluate\_individual\_prediction, [64](#)  
evaluate\_population\_prediction, [65](#)  
evaluate\_weighted\_residuals, [66](#)  
expand\_additional\_doses, [67](#)  
  
filter\_dataset, [67](#)  
find\_clearance\_parameters, [68](#)  
find\_volume\_parameters, [69](#)  
fit, [69](#)  
fix\_or\_unfix\_parameters, [70](#)

fix\_parameters, 71  
fix\_parameters\_to, 72

get\_admid, 73  
get\_baselines, 73  
get\_bioavailability, 74  
get\_central\_volume\_and\_clearance, 75  
get\_cmt, 75  
get\_concentration\_parameters\_from\_data, 76  
get\_config\_path, 76  
get\_covariate\_baselines, 77  
get\_covariate\_effects, 78  
get\_doseid, 78  
get\_doses, 79  
get\_dv\_symbol, 80  
get\_evid, 80  
get\_ids, 81  
get\_individual\_parameters, 81  
get\_individual\_prediction\_expression, 82  
get\_initial\_conditions, 83  
get\_lag\_times, 84  
get\_mdv, 84  
get\_model\_code, 85  
get\_model\_covariates, 85  
get\_mu\_connected\_to\_parameter, 86  
get\_nested\_model, 87  
get\_number\_of\_individuals, 88  
get\_number\_of\_observations, 89  
get\_number\_of\_observations\_per\_individual, 90  
get\_number\_of\_peripheral\_compartments, 91  
get\_number\_of\_transit\_compartments, 91  
get\_observation\_expression, 93  
get\_observations, 92  
get\_omegas, 93  
get\_parameter\_rv, 94  
get\_pd\_parameters, 95  
get\_pk\_parameters, 96  
get\_population\_prediction\_expression, 97  
get\_rv\_parameters, 97  
get\_sigmas, 98  
get\_thetas, 99  
get\_unit\_of, 100  
get\_zero\_order\_inputs, 100  
greekify\_model, 101

has\_additive\_error\_model, 102  
has\_combined\_error\_model, 103  
has\_covariate\_effect, 104  
has\_first\_order\_absorption, 104  
has\_first\_order\_elimination, 105  
has\_instantaneous\_absorption, 106  
has\_linear\_odes, 106  
has\_linear\_odes\_with\_real\_eigenvalues, 107  
has\_michaelis\_menten\_elimination, 108  
has\_mixed\_mm\_fo\_elimination, 108  
has\_mu\_reference, 109  
has\_odes, 110  
has\_presystemic\_metabolite, 110  
has\_proportional\_error\_model, 111  
has\_random\_effect, 112  
has\_seq\_zo\_fo\_absorption, 113  
has\_weibull\_absorption, 113  
has\_weighted\_error\_model, 114  
has\_zero\_order\_absorption, 114  
has\_zero\_order\_elimination, 115

install\_pharmpy, 116  
install\_pharmpy\_devel, 116  
is\_linearized, 117  
is\_real, 117  
is\_simulation\_model, 118  
is\_strictness\_fulfilled, 119

list\_models, 119  
list\_time\_varying\_covariates, 120  
load\_dataset, 121  
load\_example\_model, 121  
load\_example\_modelfit\_results, 122

make\_declarative, 123  
mu\_reference\_model, 123

omit\_data, 124  
open\_context, 125

plot\_abs\_cwres\_vs\_ipred, 125  
plot\_cwres\_vs\_idv, 126  
plot\_dv\_vs\_ipred, 127  
plot\_dv\_vs\_pred, 128  
plot\_eta\_distributions, 128  
plot\_individual\_predictions, 129  
plot\_iofv\_vs\_iofv, 130  
plot\_transformed\_eta\_distributions, 131

plot\_vpc, 131  
predict\_influential\_individuals, 132  
predict\_influential\_outliers, 133  
predict\_outliers, 134  
print\_fit\_summary, 135  
print\_log, 135  
print\_model\_code, 136  
print\_model\_symbols, 136  
print\_pharmpy\_version, 137  
  
read\_dataset\_from\_datainfo, 137  
read\_model, 138  
read\_model\_from\_string, 139  
read\_modelfit\_results, 138  
read\_results, 140  
remove\_bioavailability, 140  
remove\_covariate\_effect, 141  
remove\_derivative, 142  
remove\_error\_model, 142  
remove\_estimation\_step, 143  
remove\_iiv, 144  
remove\_iov, 145  
remove\_lag\_time, 146  
remove\_loq\_data, 146  
remove\_parameter\_uncertainty\_step, 148  
remove\_peripheral\_compartment, 149  
remove\_predictions, 150  
remove\_residuals, 151  
remove\_unused\_parameters\_and\_rvs, 152  
rename\_symbols, 152  
replace\_fixed\_thetas, 153  
replace\_non\_random\_rvs, 153  
resample\_data, 154  
reset\_index, 155  
reset\_indices\_results, 155  
retrieve\_model, 155  
retrieve\_modelfit\_results, 156  
retrieve\_models, 157  
run\_allometry, 157  
run\_amd, 159  
run\_bootstrap, 161  
run\_covsearch, 162  
run\_estmethod, 163  
run\_iivsearch, 165  
run\_iovsearch, 166  
run\_linearize, 167  
run\_modelfit, 168  
run\_modelsearch, 169  
run\_retries, 170  
  
run\_ruvsearch, 171  
run\_simulation, 172  
run\_structsearch, 173  
run\_tool, 174  
  
sample\_individual\_estimates, 175  
sample\_parameters\_from\_covariance\_matrix, 176  
sample\_parameters\_uniformly, 177  
set\_additive\_error\_model, 178  
set\_baseline\_effect, 180  
set\_combined\_error\_model, 180  
set\_covariates, 181  
set\_dataset, 182  
set\_description, 183  
set\_direct\_effect, 183  
set\_dtbs\_error\_model, 184  
set\_dvid, 185  
set\_estimation\_step, 186  
set\_evaluation\_step, 187  
set\_first\_order\_absorption, 188  
set\_first\_order\_elimination, 189  
set\_iiv\_on\_ruv, 189  
set\_initial\_condition, 190  
set\_initial\_estimates, 191  
set\_instantaneous\_absorption, 192  
set\_lloq\_data, 193  
set\_lower\_bounds, 194  
set\_michaelis\_menten\_elimination, 195  
set\_mixed\_mm\_fo\_elimination, 196  
set\_name, 197  
set\_ode\_solver, 197  
set\_peripheral\_compartments, 198  
set\_power\_on\_ruv, 199  
set\_proportional\_error\_model, 200  
set\_reference\_values, 201  
set\_seq\_zo\_fo\_absorption, 202  
set\_simulation, 203  
set\_time\_varying\_error\_model, 204  
set\_tmdd, 204  
set\_transit\_compartments, 205  
set\_upper\_bounds, 206  
set\_weibull\_absorption, 207  
set\_weighted\_error\_model, 208  
set\_zero\_order\_absorption, 208  
set\_zero\_order\_elimination, 209  
set\_zero\_order\_input, 210  
simplify\_expression, 211  
solve\_ode\_system, 211

`split_joint_distribution`, [212](#)  
`summarize_modelfit_results`, [213](#)  
  
`transform_blq`, [213](#)  
`transform_etas_boxcox`, [215](#)  
`transform_etas_john_draper`, [216](#)  
`transform_etas_tdist`, [217](#)  
`translate_nmtran_time`, [218](#)  
  
`unconstrain_parameters`, [218](#)  
`undrop_columns`, [219](#)  
`unfix_parameters`, [220](#)  
`unfix_parameters_to`, [221](#)  
`unload_dataset`, [222](#)  
`update_initial_individual_estimates`,  
    [222](#)  
`use_thetas_for_error_stdev`, [223](#)  
  
`write_csv`, [224](#)  
`write_model`, [224](#)  
`write_results`, [225](#)