

Package ‘survobj’

August 16, 2024

Title Objects to Simulate Survival Times

Version 3.1.1

Description Generate objects that simulate survival times. Random values for the distributions are generated using the method described by Bender (2003) <<https://epub.ub.uni-muenchen.de/id/eprint/1716>> and Leemis (1987) in Operations Research, 35(6), 892–894.

License GPL (>= 3)

Encoding UTF-8

RoxygenNote 7.3.1

Depends R (>= 3.5.0)

Suggests knitr, rmarkdown, spelling, testthat (>= 3.0.0)

Language en-US

Config/testthat/edition 3

Imports dplyr, tidyr, ggplot2, survival

VignetteBuilder knitr

URL <https://johnaponte.github.io/survobj/>,
<https://github.com/johnaponte/survobj>

BugReports <https://github.com/johnaponte/survobj/issues>

NeedsCompilation no

Author Aponte John [aut, cre, cph] (<<https://orcid.org/0000-0002-3014-3673>>)

Maintainer Aponte John <john.j.aponte@gmail.com>

Repository CRAN

Date/Publication 2024-08-16 16:50:02 UTC

Contents

censor_event	2
fx_h_time	3
is_single_number	4

nhpp	5
renewal	6
sfx	7
s_exponential	9
s_factory	10
s_gompertz	11
s_loglogistic	12
s_lognormal	13
s_piecewise	14
s_weibull	15

Index	16
--------------	-----------

censor_event	<i>Censor of events</i>
--------------	-------------------------

Description

if `censor_time < time`, event is change to 0, otherwise not changed

Usage

```
censor_event(censor_time, time, event)
```

```
censor_time(censor_time, time)
```

Arguments

<code>censor_time</code>	the time to censor
<code>time</code>	the time variable where the <code>censor_time</code> is applied
<code>event</code>	the variable with the event. It can be initialized in the call with a value for all times.

Details

if `censor_time < time`, time is changed to `censor_time`, otherwise no change

Be careful and do not overwrite the time variable with the censor time variable to not loose track of the events

Value

censored time or event

Functions

- `censor_time()`: Censor time

Examples

```
# Typical workflow in a simulation of survival time.
# Simulate time to event (sim_t_event)
# and simulates the time to lost to follow up (tim_t_ltof)
# the simulation time frame is 1, so everything after 1 is censored

require(dplyr)
data.frame(
  sim_t_event = c(0.5,0.6,1,10,20),
  sim_t_ltof = c(2,0.5,2,2,0.8)
) |>
mutate(sevent = censor_event(1,sim_t_event,sim_event=1)) |>
mutate(stime = censor_time(1,sim_t_event)) |>
mutate(event = censor_event(sim_t_ltof, stime, sevent)) |>
mutate(timeto = censor_time(sim_t_ltof, stime))
```

fx_h_time

Functions to help in time conversion

Description

This set of functions help in the time conversion, taking into account generic times and not specific times. The conversions are based on the assumption that 1 year is 365.25 days and is 12 months. There is no adjustment for lap days or ours or difference of days between months

Usage

dtom(x)

mtod(x)

dtoy(x)

ytod(x)

mtoy(x)

ytom(x)

Arguments

x the time to convert

Value

the converted time

Functions

- dtom(): convert days to months
- mtod(): convert months to days
- dtoy(): convert days to years
- ytod(): convert years to days
- mtoy(): convert months to year
- ytom(): convert years to months

Examples

```
dtom(365.25)
mtod(12)
dtoy(165.25)
ytod(1)
mtoy(12)
ytom(365.25)
```

is_single_number	<i>Confirm is a single number</i>
------------------	-----------------------------------

Description

Evaluates if the argument is a single number

Usage

```
is_single_number(x)
```

Arguments

x a variable to evaluate

Value

TRUE if is a single number, FALSE otherwise

Examples

```
is_single_number(3) #TRUE
is_single_number(c(3,3,3)) #FALSE
is_single_number(list(a=3)) #FALSE
is_single_number("3") #FALSE
```

nhpp	<i>Generate random recurrent episodes under a non homogeneous Poisson process</i>
------	---

Description

Generate a random draws from the distribution of recurrent set of survival times under a a non homogeneous Poisson process following Leemis (1987)

Usage

```
nhpphr(SURVIVAL, hr, prevtime)
```

```
nhppaft(SURVIVAL, aft, prevtime)
```

Arguments

SURVIVAL	Object of survival class
hr	Vector of hazard ratios
prevtime	Vector of previous survival times
aft	Vector of accelerated failure ratios

Value

Vector of survival times

Functions

- `nhpphr()`: Recurrent episodes under a proportional hazard model
- `nhppaft()`: Recurrent episodes under an accelerated failure time model

Examples

```
s_obj <- s_exponential(fail = 0.4, t = 1)
hr <- c(1,1,0.5,0.5)
time1 <- rsurvhr(s_obj, hr)
time2 <- nhpphr(s_obj,hr, time1)

s_obj <- s_exponential(fail = 0.4, t = 1)
aft <- c(1,1,0.5,0.5)
timea <- rsurvaft(s_obj, aft)
timeb <- nhppaft(s_obj, aft, timea)
```

`renewal`*Generate random recurrent episodes under a renewal Poisson process*

Description

Generate a random draws from the distribution of recurrent set of survival times under a renewal Poisson process following Leemis (1987)

Usage

```
renewhr(SURVIVAL, hr, prevtime)
```

```
renewaft(SURVIVAL, prevtime, aft)
```

Arguments

<code>SURVIVAL</code>	Object of survival class
<code>hr</code>	Vector of hazard ratios
<code>prevtime</code>	Vector of previous survival times
<code>aft</code>	Vector of accelerated failure time ratios

Value

Vector of survival times

Vector of survival times

Functions

- `renewhr()`: Recurrent episodes under a proportional hazard model
- `renewaft()`: Recurrent episodes under an accelerated failure time model

Examples

```
s_obj <- s_exponential(fail = 0.4, t = 1)
hr <- c(1,1,0.5,0.5)
time1 <- rsurvhr(s_obj, hr)
time2 <- renewhr(s_obj, hr, time1)

s_obj2 <- s_exponential(fail = 0.4, t = 1)
aft <- c(1,1,0.5,0.5)
timea <- rsurvaft(s_obj2, aft)
timeb <- renewaft(s_obj2, aft, timea)
```

Description

All the SURVIVAL objects have access to the functions described here

Usage

```
sfx(SURVIVAL, t)
```

```
hfx(SURVIVAL, t)
```

```
Cum_Hfx(SURVIVAL, t)
```

```
invCum_Hfx(SURVIVAL, H)
```

```
rsurv(SURVIVAL, n)
```

```
rsurvhr(SURVIVAL, hr)
```

```
rsurvaft(SURVIVAL, aft)
```

```
rsurvah(SURVIVAL, aft, hr)
```

```
plot_survival(SURVIVAL, timeto, main)
```

```
ggplot_survival_random(SURVIVAL, timeto, subjects, nsim, alpha = 0.1)
```

```
compare_survival(SURVIVAL1, SURVIVAL2, timeto, main)
```

```
ggplot_survival_hr(SURVIVAL, hr, timeto, subjects, nsim, alpha = 0.1)
```

```
ggplot_survival_aft(SURVIVAL, aft, timeto, subjects, nsim, alpha = 0.1)
```

```
ggplot_survival_ah(SURVIVAL, aft, hr, timeto, subjects, nsim, alpha = 0.1)
```

Arguments

SURVIVAL	a SURVIVAL object
t	Time
H	cumulative hazard
n	number of observations
hr	hazard ratio
aft	accelerated failure time

timeto	plot the distribution up to timeto
main	title of the graph
subjects	number of subjects per group to simulate in each simulation
nsim	number of simulations
alpha	alpha value for the graph
SURVIVAL1	a SURVIVAL object
SURVIVAL2	a SURVIVAL object

Value

Depending on the function a proportion surviving, hazard, cumulative hazard, inverse of the cumulative hazard, a random draw or a plot

Functions

- `sfx()`: Survival function
- `hfx()`: Hazard function
- `Cum_Hfx()`: Cumulative Hazard function
- `invCum_Hfx()`: Inverse of the Cumulative Hazard function
- `rsurv()`: Generate random values from the distribution
- `rsurvhr()`: Generate random values from the distribution under proportional hazard ratios
- `rsurvaft()`: Generate random values from the distribution under accelerated failure time ratios
- `rsurvah()`: Generate random values from the distribution under accelerated hazard ratios
- `plot_survival()`: Plot of the survival functions
- `ggplot_survival_random()`: ggplot of the simulation of survival times
- `compare_survival()`: Compare graphically two survival distributions
- `ggplot_survival_hr()`: ggplot of the simulation of survival times with hazard ratios
- `ggplot_survival_aft()`: ggplot of the simulation of survival times with accelerated time failures
- `ggplot_survival_ah()`: ggplot of the simulation of survival times with accelerated hazard

Examples

```
#' # Define a SURVIVAL object
obj <- s_factory(s_weibull, surv = 0.8, t = 2, shape = 1.2)

# Survival, Hazard and Cumulative hazard at time 0.4
sfx(SURVIVAL = obj, t = 0.4)
hfx(SURVIVAL = obj, t = 0.4)
Cum_Hfx(SURVIVAL = obj, t = 0.4)

# Time when the Cumulative hazard is 0.8
invCum_Hfx(SURVIVAL = obj, H = 0.8)
```



```

# Draw one random survival time from the distribution
rsurv(SURVIVAL = obj, n = 1)

# Draw one random survival time from the distribution under Proportional
# hazard, Accelerated time failure or Accelerated hazard.
rsurvhr(SURVIVAL = obj, hr = 0.5)
rsurvaft(SURVIVAL = obj, aft = 2)
rsurvah(SURVIVAL = obj, aft = 2, hr = 0.5)

# Plot the survival functions
plot_survival(SURVIVAL = obj, timeto = 2, main = "Example of Weibull distribution" )

```

s_exponential *Factory of SURVIVAL objects with Exponential distributions*

Description

Creates a SURVIVAL object with an Exponential distribution.

Usage

```
s_exponential(...)
```

Arguments

... Parameters to define the distribution. See the Parameters for details

Value

a SURVIVAL object of the exponential distribution family. See the documentation of s_factory for the methods available for SURVIVAL objects

Parameters

To create an exponential survival object the following options are available:

lambda to specify the canonical parameter of the distribution, or

surv and t for the proportion surviving (no events) at time t, or

fail and t for the proportion failing (events) at time t

lambda = $-\log(\text{surv})/t$

lambda = $-\log(1-\text{fail})/t$

The parameters should be spell correctly as partial matching is not available

Examples

```

s_exponential(lambda = 3)
s_exponential(surv = 0.4, t = 2)
s_exponential(fail = 0.6, t = 2)

```

s_factory

Factory of objects of class SURVIVAL

Description

Create objects of the class SURVIVAL

Usage

```
s_factory(s_family, ...)
```

Arguments

s_family	a factory for a specific distribution
...	parameters to define the survival distribution

Details

The objects of the class SURVIVAL define different distributions of survival times. Each class has its own set of parameters but once the SURVIVAL object is defined, they have access to the same functions to calculate:

- survival time function: `sfx()`,
- hazard time function: `hfx()`,
- cumulative hazard function: `Cum_Hfx()`
- the inverse of the cumulative hazard function: `invCum_Hfx()`.
- generate random survival times: `rsurv()`
- generate random survival times under proportional hazard ratio: `rsurvhr()`.

There several functions to plot the distributions

- generic S3: `plot.SURVIVAL()`
- `plot_survival()`: to plot the functions
- `ggplot_survival_random()`: to ggplot random draws from the distribution
- `compare_survival()`: to compare the functions of two SURVIVAL objects

Value

a SURVIVAL object

Distributions

The current factories are implemented:

- `s_exponential()`: for Exponential distributions
- `s_weibull()`: for Weibull distributions
- `s_gompertz()`: for Gompertz distributions
- `s_picewise()`: for Piecewise exponential distributions

Examples

```
# Define a SURVIVAL object
obj <- s_factory(s_exponential, lambda = 2)

# Survival, Hazard and Cumulative hazard at time 0.4
sfx(SURVIVAL = obj, t= 0.4)
hfx(SURVIVAL = obj, t = 0.4)
Cum_Hfx(SURVIVAL = obj, t = 0.4)

# Time when the Cumulative hazard is 0.8
invCum_Hfx(SURVIVAL = obj, H = 0.8)

# Draw one random survival time from the distribution
rsurv(SURVIVAL = obj, n = 1)

# Draw one random survival time from the distribution, with hazard ratio 0.5
rsurvhr(SURVIVAL = obj, hr = 0.5)

# Plot the survival functions
plot(obj)
```

s_gompertz

Factory of SURVIVAL objects with Gompertz distributions

Description

Creates a SURVIVAL object with an Gompertz distribution.

Usage

```
s_gompertz(...)
```

Arguments

... Parameters to define the distribution. See the Parameters for details

Value

a SURVIVAL object of the Gompertz distribution family. See the documentation of s_factory for the methods available for SURVIVAL objects

Parameters

To create an exponential survival object the following options are available:
scale and shape to specify the canonical parameter of the distribution, or
surv, t and shape for the proportion surviving (no events) at time t and shape, or
fail and t and shape for the proportion failing (events) at time t and shape.

```
scale = -log(surv)*shape/(exp(shape*t))
```

```
scale = -log(1-fail)*shape/(exp(shape*t))
```

The parameters should be spell correctly as partial matching is not available

Examples

```
s_gompertz(scale = 1, shape = 1.5)
s_gompertz(surv = 0.4, t = 2, shape = 1.5)
s_gompertz(fail = 0.6, t = 2, shape = 1.5)
```

s_loglogistic

Factory of SURVIVAL objects with Log Logistic distributions

Description

Creates a SURVIVAL object with a Log Logistic distribution.

Usage

```
s_loglogistic(...)
```

Arguments

... Parameters to define the distribution. See the Parameters for details

Value

a SURVIVAL object of the log-logistic distribution family. See the documentation of s_factory for the methods available for SURVIVAL objects

Parameters

To create an exponential survival object the following options are available:
 scale and shape to specify the canonical parameters of the distribution, or
 surv, t and shape for the proportion surviving (no events) at time t and the shape parameter, or
 fail, t and shape for the proportion failing (events) at time t and the shape parameter or
 intercept and scale for the parameters returned by survreg(..., dist = "loglogistic") models.

The parameters should be spell correctly as partial matching is not available

Examples

```
s_loglogistic(scale = 2, shape = 2)
s_loglogistic(surv = 0.6, t = 12, shape = 0.5)
s_loglogistic(fail = 0.4, t = 12, shape = 0.5)
s_loglogistic(intercept = 0.4, scale = 0.5)
```

`s_lognormal`*Factory of SURVIVAL objects with Log Normal distributions*

Description

Creates a SURVIVAL object with a Log Normal distribution.

Usage

```
s_lognormal(...)
```

Arguments

... Parameters to define the distribution. See the Parameters for details

Value

a SURVIVAL object of the log-normal distribution family. See the documentation of `s_factory` for the methods available for SURVIVAL objects

Parameters

To create an exponential survival object the following options are available:

`scale` and `shape` to specify the canonical parameters of the distribution, or

`surv`, `t` and `shape` for the proportion surviving (no events) at time `t` and the shape parameter, or

`fail`, `t` and `shape` for the proportion failing (events) at time `t` and the shape parameter or

`intercept` and `shape` for the parameters returned by `survreg(..., dist = "lognormal")` models.

The `scale` parameter is the median value of the distribution, and the `shape` is the log standard deviation

The parameters should be spell correctly as partial matching is not available

Examples

```
s_lognormal(scale = 2, shape = 2)
s_lognormal(surv = 0.6, t = 12, shape = 0.5)
s_lognormal(fail = 0.4, t = 12, shape = 0.5)
s_lognormal(intercept = 0.4, scale = 0.5)
```

s_piecewise	<i>Factory of SURVIVAL objects with Piecewise Exponential distributions</i>
-------------	---

Description

Creates a SURVIVAL object with an Piecewise Exponential distribution.

Usage

```
s_piecewise(...)
```

Arguments

... Parameters to define the distribution. See the Parameters for details

Value

a SURVIVAL object of the piecewise exponential distribution family. See the documentation of s_factory for the methods available for SURVIVAL objects

Parameters

To create an piecewise exponential survival object the following options are available:

breaks and hazards to specify the exponential (constant) hazard until each break, or

surv, breaks and segments for the proportion surviving (no events) at the end of last segment or

fail, breaks and segments for the proportion failing (events) at the end of last segment

If surv or fail parameters are indicated, the segments are scaled to hazards in order to mach the surviving or failing proportion at the end of the last segment.

Define the last break point as Inf to fully define the distribution, otherwise an error will be produce if function after the last break is requested

The parameters should be spell correctly as partial matching is not available

Examples

```
s_piecewise(breaks = c(1,2,3,Inf), hazards = c(0.5,0.6,0.5,0.1))
s_piecewise(surv = 0.4, breaks = c(1,2,3,Inf), segments = c(1,2,1,2))
s_piecewise(fail = 0.6, breaks = c(1,2,3,Inf), segments = c(1,2,1,2))
```

`s_weibull`*Factory of SURVIVAL objects with Weibull distributions*

Description

Creates a SURVIVAL object with a Weibull distribution.

Usage

```
s_weibull(...)
```

Arguments

... Parameters to define the distribution. See the Parameters for details

Value

a SURVIVAL object of the Weibull distribution family. See the documentation of `s_factory` for the methods available for SURVIVAL objects

Parameters

To create an exponential survival object the following options are available:

scale and shape to specify the canonical parameters of the distribution, or

surv, t and shape for the proportion surviving (no events) at time t and the shape parameter, or

fail, t and shape for the proportion failing (events) at time t and the shape parameter or

intercept and scale for the parameters returned by `survreg(..., dist = "weibull")` models.

scale = $-\log(\text{surv})/(\text{t}^{\text{shape}})$

scale = $-\log(1-\text{fail})/(\text{t}^{\text{shape}})$

The parameters should be spell correctly as partial matching is not available

Examples

```
s_weibull(scale = 2, shape = 2)
s_weibull(surv = 0.6, t = 12, shape = 0.5)
s_weibull(fail = 0.4, t = 12, shape = 0.5)
s_weibull(intercept = 0.4, scale = 0.5)
```

Index

cancel_event, 2
cancel_time (cancel_event), 2
compare_survival (sfx), 7
Cum_Hfx (sfx), 7

dtom (fx_h_time), 3
dtoy (fx_h_time), 3

fx_h_time, 3

ggplot_survival_aft (sfx), 7
ggplot_survival_ah (sfx), 7
ggplot_survival_hr (sfx), 7
ggplot_survival_random (sfx), 7

hfx (sfx), 7

invCum_Hfx (sfx), 7
is_single_number, 4

mtod (fx_h_time), 3
mtoy (fx_h_time), 3

nhpp, 5
nhppaft (nhpp), 5
nhpphr (nhpp), 5

plot_survival (sfx), 7

renewaft (renewal), 6
renewal, 6
renewhr (renewal), 6
rsurv (sfx), 7
rsurvaft (sfx), 7
rsurvah (sfx), 7
rsurvhr (sfx), 7

s_exponential, 9
s_factory, 10
s_gompertz, 11
s_loglogistic, 12
s_lognormal, 13
s_piecewise, 14
s_weibull, 15
sfx, 7

ytod (fx_h_time), 3
ytom (fx_h_time), 3