

Package ‘AurieLSHGaussian’

January 20, 2025

Type Package

Title Creates a Neighbourhood Using Locality Sensitive Hashing for Gaussian Projections

Version 0.2.0

Author Aritra Banerjee

Maintainer Aritra Banerjee <aritra306@gmail.com>

Description Uses locality sensitive hashing and creates a neighbourhood graph for a data set and calculates the adjusted rank index value for the same. It uses Gaussian random planes to decide the nature of a given point. Datar, Mayur, Nicole Immorlica, Piotr Indyk, and Vahab S. Mirrokni(2004) <[doi:10.1145/997817.997857](https://doi.org/10.1145/997817.997857)>.

License GPL-2

Encoding UTF-8

LazyData TRUE

Depends igraph, stringdist, reshape2, lsa

Imports stats, flexclust

RoxygenNote 6.0.1

NeedsCompilation no

Repository CRAN

Date/Publication 2017-09-15 10:11:27 UTC

Contents

LSH_Gaussian	2
Index	3

LSH_Gaussian	<i>Creates a Neighbourhood Using Locality Sensitive Hashing for Gaussian Projections</i>
--------------	--

Description

This package uses Locality Sensitive Hashing and creates a Neighbourhood Graph for a dataset and calculates the ARI value for the same. It uses Gaussian Random planes to decide the nature of a given point.

Usage

```
LSH_Gaussian(mydata, result9)
```

Arguments

mydata	A data frame consisting of the data set without the class column
result9	A column which consists of the class column

Examples

```
LSH_Gaussian(iris[,-5],iris$Species)
```

Index

LSH_Gaussian, [2](#)