

# Package ‘PlotContour’

January 20, 2025

**Type** Package

**Title** Plot Contour Line

**Version** 0.1.0

**Author** Olivia Cheronet

**Maintainer** Olivia Cheronet <cheronetolivia@gmail.com>

**Depends** KernSmooth ( $\geq 2.23-15$ ), MASS ( $\geq 7.3-33$ )

**Description** This function plots a contour line with a user-defined probability and tightness of fit.

**License** GPL-2

**Encoding** UTF-8

**LazyData** true

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2019-05-03 09:50:11 UTC

## Contents

|                       |          |
|-----------------------|----------|
| PlotContour . . . . . | 1        |
| <b>Index</b>          | <b>3</b> |

---

|             |                    |
|-------------|--------------------|
| PlotContour | <i>PlotContour</i> |
|-------------|--------------------|

---

## Description

This function plots a contour line with a user-defined probability and tightness of fit on an existing plot.

## Usage

```
PlotContour(Data, Probability, BandWidthX,BandWidthY,Colour)
```

**Arguments**

|             |  |
|-------------|--|
| Data        | An n by 2 matrix of data points around which the contour will be drawn.  |
| Probability | The proportion of points which should be within the contour line drawn.  |
| BandWidthX  | The tightness of fit of the contour line along the x-axis. This value will be proportional to the scale of the axis. |
| BandWidthY  | The tightness of fit of the contour line along the y-axis. This value will be proportional to the scale of the axis. |
| Colour      | Colour of the line to be drawn.  |

**Author(s)**

Olivia Cheronet

**Examples**

```
#Plot a regular scatter plot
plot(iris$Sepal.Length,iris$Sepal.Width)

#Plot a contour line encompassing 75% of the points
PlotContour(iris[,1:2],0.75,0.5,0.25,"red")
```

# Index

PlotContour, 1