

Package ‘QCSimulator’

January 20, 2025

Type Package

Title A 5-Qubit Quantum Computing Simulator

Version 0.0.1

Author Tinniam V Ganesh

Maintainer Tinniam V Ganesh<tvganesh.85@gmail.com>

Description Simulates a 5 qubit Quantum Computer and evaluates quantum circuits with 1,2 qubit quantum gates.

LazyData TRUE

License MIT + file LICENSE

Depends R (>= 3.1.2)

Imports ggplot2

URL <https://github.com/tvganesh/QCSimulator>

RoxygenNote 5.0.1

NeedsCompilation no

Repository CRAN

Date/Publication 2016-07-02 07:47:20

Contents

CHadamard	3
CNOT2_01	4
CNOT2_10	5
CNOT3_01	6
CNOT3_02	7
CNOT3_10	8
CNOT3_12	9
CNOT3_20	10
CNOT3_21	11
CNOT4_01	12
CNOT4_02	13
CNOT4_03	14

CNOT4_10	15
CNOT4_12	16
CNOT4_13	17
CNOT4_20	18
CNOT4_21	19
CNOT4_23	20
CNOT4_30	21
CNOT4_31	22
CNOT4_32	23
CNOT5_01	24
CNOT5_02	25
CNOT5_03	26
CNOT5_04	27
CNOT5_10	28
CNOT5_12	29
CNOT5_13	30
CNOT5_14	31
CNOT5_20	32
CNOT5_21	33
CNOT5_23	34
CNOT5_24	35
CNOT5_30	36
CNOT5_31	37
CNOT5_32	38
CNOT5_34	39
CNOT5_40	40
CNOT5_41	41
CNOT5_42	42
CNOT5_43	43
CPauliX	44
CPauliY	45
CPauliZ	46
CSWAP	47
DotProduct	48
GateDagger	49
Hadamard	50
init	51
innerProduct	52
measurement	53
PauliX	54
PauliY	55
PauliZ	56
plotMeasurement	57
RotationGate	58
S1Gate	60
SGate	61
SWAPQ0Q1	62
T1Gate	63

<i>CHadamard</i>	3
TensorProd	64
TGate	65
Toffoli	66
ToffoliState	67
Index	69

CHadamard	<i>controlled Hadamard Gate</i>
-----------	---------------------------------

Description

This function applies a controlled Hadamard gate om the input

Usage

CHadamard(q)

Arguments

q The input

Value

k

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

- <https://quantumexperience.ng.bluemix.net/>
- <https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

- [CNOT2_01](#)
- [PauliX](#)

Examples

```
# Initialize global variables
init()
CHadamard(q00_)
CHadamard(I4)
```

CNOT2_01

2 qubit CNOT gate (control-0,target-1)

Description

This function applies a CNOT gate to 2 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 0 and target is qubit 1

Usage

```
CNOT2_01(a)
```

Arguments

a The input

Value

result The result of applying the CNOT2_01 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT2_01(q11_)
CNOT2_01(I4)
```

CNOT2_10	<i>2 qubit CNOT gate (control-1,target-0)</i>
----------	---

Description

This function applies a CNOT gate to 2 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 1 and target is qubit 0

Usage

```
CNOT2_10(a)
```

Arguments

a The input

Value

result The result of applying the CNOT2_10 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT2_10(q10_)
CNOT2_10(I4)
```

CNOT3_01	<i>3 qubit CNOT gate (control-0,target-1)</i>
----------	---

Description

This function applies a CNOT gate to 3 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 0 and target is qubit 1

Usage

```
CNOT3_01(a)
```

Arguments

a The input

Value

result The result of applying the CNOT3_01 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT3_01(q101_)
CNOT3_01(I8)
```

CNOT3_02	<i>3 qubit CNOT gate (control-0,target-2)</i>
----------	---

Description

This function applies a CNOT gate to 3 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 0 and target is qubit 2

Usage

```
CNOT3_02(a)
```

Arguments

a The input

Value

result The result of applying the CNOT3_02 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT3_02(q111_)
CNOT3_02(I8)
```

CNOT3_10	<i>3 qubit CNOT gate (control-1,target-0)</i>
----------	---

Description

This function applies a CNOT gate to 3 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 1 and target is qubit 0

Usage

```
CNOT3_10(a)
```

Arguments

a	The input
---	-----------

Value

result The result of applying the CNOT3_10 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT3_10(q101_)
CNOT3_10(I8)
```

CNOT3_12	<i>3 qubit CNOT gate (control-1,target-2)</i>
----------	---

Description

This function applies a CNOT gate to 3 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 1 and target is qubit 2

Usage

```
CNOT3_12(a)
```

Arguments

a The input

Value

result The result of applying the CNOT3_12 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT3_12(q101_)
CNOT3_12(I8)
```

CNOT3_20	<i>3 qubit CNOT gate (control-2,target-0)</i>
----------	---

Description

This function applies a CNOT gate to 3 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 2 and target is qubit 0

Usage

```
CNOT3_20(a)
```

Arguments

a The input

Value

result The result of applying the CNOT3_20 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT3_20(q101_)
CNOT3_20(I8)
```

CNOT3_21	<i>3 qubit CNOT gate (control-2,target-1)</i>
----------	---

Description

This function applies a CNOT gate to 3 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 2 and target is qubit 1

Usage

```
CNOT3_21(a)
```

Arguments

a The input

Value

result The result of applying the CNOT3_12 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT3_21(I8)
CNOT3_21(q101_)
```

CNOT4_01*4 qubit CNOT gate (control-0,target-1)*

Description

This function applies a CNOT gate to 4 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 0 and target is qubit 1

Usage

```
CNOT4_01(a)
```

Arguments

a The input

Value

result The result of applying the CNOT4_01 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT4_01(q1001_)
CNOT4_01(I16)
```

CNOT4_02	<i>4 qubit CNOT gate (control-0,target-2)</i>
----------	---

Description

This function applies a CNOT gate to 4 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 0 and target is qubit 2

Usage

```
CNOT4_02(a)
```

Arguments

a The input

Value

result The result of applying the CNOT4_02 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT4_02(q1001_)
CNOT4_02(I16)
```

CNOT4_03

4 qubit CNOT gate (control-0,target-3)

Description

This function applies a CNOT gate to 4 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 0 and target is qubit 3

Usage

```
CNOT4_03(a)
```

Arguments

a The input

Value

result The result of applying the CNOT4_03 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT4_03(q1001_)
CNOT4_03(I16)
```

CNOT4_10	<i>4 qubit CNOT gate (control-1,target-0)</i>
----------	---

Description

This function applies a CNOT gate to 4 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 1 and target is qubit 0

Usage

```
CNOT4_10(a)
```

Arguments

a The input

Value

result The result of applying the CNOT4_10 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT4_10(q1001_)
CNOT4_10(I16)
```

CNOT4_12	<i>4 qubit CNOT gate (control-1,target-2)</i>
----------	---

Description

This function applies a CNOT gate to 4 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 1 and target is qubit 2

Usage

```
CNOT4_12(a)
```

Arguments

a The input

Value

result The result of applying the CNOT4_12 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT4_12(q1001_)
CNOT4_12(I16)
```

CNOT4_13	<i>4 qubit CNOT gate (control-1,target-3)</i>
----------	---

Description

This function applies a CNOT gate to 4 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 1 and target is qubit 3

Usage

```
CNOT4_13(a)
```

Arguments

a The input

Value

result The result of applying the CNOT4_13 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT4_13(q1001_)
CNOT4_13(I16)
```

CNOT4_20	<i>4 qubit CNOT gate (control-2,target-0)</i>
----------	---

Description

This function applies a CNOT gate to 4 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 2 and target is qubit 0

Usage

```
CNOT4_20(a)
```

Arguments

a The input

Value

result The result of applying the CNOT4_20 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT4_20(q1001_)
CNOT4_13(I16)
```

CNOT4_21	<i>4 qubit CNOT gate (control-2,target-1)</i>
----------	---

Description

This function applies a CNOT gate to 4 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 2 and target is qubit 1

Usage

```
CNOT4_21(a)
```

Arguments

a The input

Value

result The result of applying the CNOT4_21 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT4_21(q1001_)
CNOT4_21(I16)
```

CNOT4_23	<i>4 qubit CNOT gate (control-2,target-3)</i>
----------	---

Description

This function applies a CNOT gate to 4 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 2 and target is qubit 3

Usage

```
CNOT4_23(a)
```

Arguments

a The input

Value

result The result of applying the CNOT4_23 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT4_23(q1001_)
CNOT4_23(I16)
```

CNOT4_30	<i>4 qubit CNOT gate (control-3,target-0)</i>
----------	---

Description

This function applies a CNOT gate to 4 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 3 and target is qubit 0

Usage

```
CNOT4_30(a)
```

Arguments

a The input

Value

result The result of applying the CNOT4_23 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT4_30(q1001_)
CNOT4_30(I16)
```

CNOT4_31	<i>4 qubit CNOT gate (control-3,target-1)</i>
----------	---

Description

This function applies a CNOT gate to 4 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 3 and target is qubit 1

Usage

```
CNOT4_31(a)
```

Arguments

a The input

Value

result The result of applying the CNOT4_31 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT4_31(q1001_)
CNOT4_31(I16)
```

CNOT4_32	<i>4 qubit CNOT gate (control-3,target-2)</i>
----------	---

Description

This function applies a CNOT gate to 4 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 3 and target is qubit 2

Usage

```
CNOT4_32(a)
```

Arguments

a	The input
---	-----------

Value

result The result of applying the CNOT4_32 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT4_32(q1001_)
CNOT4_32(I16)
```

CNOT5_01	<i>5 qubit CNOT gate (control-0,target-1)</i>
----------	---

Description

This function applies a CNOT gate to 5 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 0 and target is qubit 1

Usage

```
CNOT5_01(a)
```

Arguments

a	The input
---	-----------

Value

result The result of applying the CNOT5_01 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT5_01(q10010_)
CNOT5_01(I32)
```

CNOT5_02	<i>5 qubit CNOT gate (control-0,target-2)</i>
----------	---

Description

This function applies a CNOT gate to 5 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 0 and target is qubit 2

Usage

```
CNOT5_02(a)
```

Arguments

a The input

Value

result The result of applying the CNOT5_02 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT5_02(q10010_)
CNOT5_02(I32)
```

CNOT5_03	<i>5 qubit CNOT gate (control-0,target-3)</i>
----------	---

Description

This function applies a CNOT gate to 5 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 0 and target is qubit 3

Usage

```
CNOT5_03(a)
```

Arguments

a The input

Value

result The result of applying the CNOT5_03 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT5_03(q10010_)
CNOT5_03(I32)
```

CNOT5_04	<i>5 qubit CNOT gate (control-0,target-4)</i>
----------	---

Description

This function applies a CNOT gate to 5 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 0 and target is qubit 3

Usage

```
CNOT5_04(a)
```

Arguments

a	The input
---	-----------

Value

result The result of applying the CNOT5_04 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT5_04(q10010_)
CNOT5_04(I32)
```

CNOT5_10	<i>5 qubit CNOT gate (control-1,target-0)</i>
----------	---

Description

This function applies a CNOT gate to 5 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 1 and target is qubit 0

Usage

```
CNOT5_10(a)
```

Arguments

a	The input
---	-----------

Value

result The result of applying the CNOT5_10 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT5_10(q10010_)
CNOT5_10(I32)
```

CNOT5_12	<i>5 qubit CNOT gate (control-1,target-2)</i>
----------	---

Description

This function applies a CNOT gate to 5 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 1 and target is qubit 2

Usage

```
CNOT5_12(a)
```

Arguments

a The input

Value

result The result of applying the CNOT5_12 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT5_12(q10010_)
CNOT5_12(I32)
```

CNOT5_13	<i>5 qubit CNOT gate (control-1,target-3)</i>
----------	---

Description

This function applies a CNOT gate to 5 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 1 and target is qubit 3

Usage

```
CNOT5_13(a)
```

Arguments

a The input

Value

result The result of applying the CNOT5_13 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
CNOT5_13(q10010_)
CNOT5_13(I32)
```

CNOT5_14	<i>5 qubit CNOT gate (control-1,target-4)</i>
----------	---

Description

This function applies a CNOT gate to 5 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 1 and target is qubit 4

Usage

```
CNOT5_14(a)
```

Arguments

a The input

Value

result The result of applying the CNOT5_14 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT4_13](#)

Examples

```
# Initialize global variables
init()
CNOT5_14(q10010_)
CNOT5_14(I32)
```

CNOT5_20	<i>5 qubit CNOT gate (control-2,target-0)</i>
----------	---

Description

This function applies a CNOT gate to 5 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 2 and target is qubit 0

Usage

```
CNOT5_20(a)
```

Arguments

a	The input
---	-----------

Value

result The result of applying the CNOT5_20 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT4_13](#)

Examples

```
# Initialize global variables
init()
CNOT5_20(q10010_)
CNOT5_20(I32)
```

CNOT5_21	<i>5 qubit CNOT gate (control-2,target-1)</i>
----------	---

Description

This function applies a CNOT gate to 5 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 2 and target is qubit 1

Usage

```
CNOT5_21(a)
```

Arguments

a The input

Value

result The result of applying the CNOT5_21 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT5_13](#)

Examples

```
# Initialize global variables
init()
CNOT5_21(q10010_)
CNOT5_21(I32)
```

CNOT5_23	<i>5 qubit CNOT gate (control-2,target-3)</i>
----------	---

Description

This function applies a CNOT gate to 5 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 2 and target is qubit 3

Usage

```
CNOT5_23(a)
```

Arguments

a The input

Value

result The result of applying the CNOT5_23 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT5_13](#)

Examples

```
# Initialize global variables
init()
CNOT5_23(q10010_)
CNOT5_23(I32)
```

CNOT5_24	<i>5 qubit CNOT gate (control-2,target-4)</i>
----------	---

Description

This function applies a CNOT gate to 5 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 2 and target is qubit 4

Usage

```
CNOT5_24(a)
```

Arguments

a	The input
---	-----------

Value

result The result of applying the CNOT5_24 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT5_13](#)

Examples

```
# Initialize global variables
init()
CNOT5_24(q10010_)
CNOT5_24(I32)
```

CNOT5_30	<i>5 qubit CNOT gate (control-3,target-0)</i>
----------	---

Description

This function applies a CNOT gate to 5 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 3 and target is qubit 0

Usage

```
CNOT5_30(a)
```

Arguments

a The input

Value

result The result of applying the CNOT5_30 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT5_13](#)

Examples

```
# Initialize global variables
init()
CNOT5_30(q10010_)
CNOT5_30(I32)
```

CNOT5_31	<i>5 qubit CNOT gate (control-3,target-1)</i>
----------	---

Description

This function applies a CNOT gate to 5 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 3 and target is qubit 1

Usage

```
CNOT5_31(a)
```

Arguments

a	The input
---	-----------

Value

result The result of applying the CNOT5_31 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT5_13](#)

Examples

```
# Initialize global variables
init()
CNOT5_31(q10010_)
CNOT5_31(I32)
```

CNOT5_32	<i>5 qubit CNOT gate (control-3,target-2)</i>
----------	---

Description

This function applies a CNOT gate to 5 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 3 and target is qubit 2

Usage

```
CNOT5_32(a)
```

Arguments

a The input

Value

result The result of applying the CNOT5_32 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT5_13](#)

Examples

```
# Initialize global variables
init()
CNOT5_32(q10010_)
CNOT5_32(I32)
```

CNOT5_34	<i>5 qubit CNOT gate (control-3,target-4)</i>
----------	---

Description

This function applies a CNOT gate to 5 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 3 and target is qubit 4

Usage

```
CNOT5_34(a)
```

Arguments

a The input

Value

result The result of applying the CNOT5_34 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT5_13](#)

Examples

```
# Initialize global variables
init()
CNOT5_34(q10010_)
CNOT5_34(I32)
```

CNOT5_40	<i>5 qubit CNOT gate (control-4,target-0)</i>
----------	---

Description

This function applies a CNOT gate to 5 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 4 and target is qubit 0

Usage

```
CNOT5_40(a)
```

Arguments

a	The input
---	-----------

Value

result The result of applying the CNOT5_40 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT5_13](#)

Examples

```
# Initialize global variables
init()
CNOT5_40(q10010_)
CNOT5_40(I32)
```

CNOT5_41	<i>5 qubit CNOT gate (control-4,target-1)</i>
----------	---

Description

This function applies a CNOT gate to 5 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 4 and target is qubit 1

Usage

```
CNOT5_41(a)
```

Arguments

a	The input
---	-----------

Value

result The result of applying the CNOT5_41 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT5_13](#)

Examples

```
# Initialize global variables
init()
CNOT5_41(q10010_)
CNOT5_41(I32)
```

CNOT5_42	<i>5 qubit CNOT gate (control-4,target-2)</i>
----------	---

Description

This function applies a CNOT gate to 5 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 4 and target is qubit 2

Usage

```
CNOT5_42(a)
```

Arguments

a	The input
---	-----------

Value

result The result of applying the CNOT5_42 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT5_13](#)

Examples

```
# Initialize global variables
init()
CNOT5_42(q10010_)
CNOT5_42(I32)
```

CNOT5_43	<i>5 qubit CNOT gate (control-4,target-3)</i>
----------	---

Description

This function applies a CNOT gate to 5 qubits. The qubits start from 0,1,2,3,4. Here control is qubit 4 and target is qubit 3

Usage

```
CNOT5_43(a)
```

Arguments

a The input

Value

result The result of applying the CNOT5_43 gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT4_13](#)

Examples

```
# Initialize global variables
init()
CNOT5_43(q10010_)
CNOT5_43(I32)
```

CPauliX

Controlled Pauli X gate

Description

This function applies a controlled Pauli X gate on its input

Usage

```
CPauliX(q)
```

Arguments

q The input

Value

2 The result of applying the CPauliX gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT5_13](#)

Examples

```
# Initialize global variables
init()
CPauliX(q11_)
CPauliX(I4)
```

CPauliY	<i>Controlled Pauli Y gate</i>
---------	--------------------------------

Description

This function applies a controlled Pauli Y gate on its input

Usage

```
CPauliY(q)
```

Arguments

q The input

Value

2 The result of applying the CPauliY gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT4_13](#)

Examples

```
# Initialize global variables
init()
CPauliY(q11_)
CPauliY(I4)
```

CPauliZ	<i>Controlled Pauli Z gate</i>
---------	--------------------------------

Description

This function applies a controlled Pauli Z gate on its input

Usage

```
CPauliZ(q)
```

Arguments

q The input

Value

2 The result of applying the CPauliZ gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT4_13](#)

Examples

```
# Initialize global variables
init()
CPauliZ(q11_)
CPauliZ(I4)
```

CSWAP

Controlled SWAP gate

Description

This function applies a controlled swap of qubits gate on its input

Usage

```
CSWAP(a)
```

Arguments

a The input

Value

result The result of applying the CSWAP gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT4_13](#)

Examples

```
# Initialize global variables
init()
CSWAP(q11_)
CSWAP(I4)
```

DotProduct	<i>Dot product of 2 vectors</i>
------------	---------------------------------

Description

This function performs a dot product of 2 vectors

Usage

```
DotProduct(a,b)
```

Arguments

a	Vector 1
b	Vector 2

Value

result The result of dot product

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>
<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT4_13](#)

Examples

```
# Initialize global variables
init()
DotProduct(Hadamard(I2),q1_)
DotProduct(CNOT2_01(I4),q01_)
```

GateDagger

Gate dagger of a vector

Description

This function performs a gate dagger transformation. It performs the transpose of the complex conjugate of the unitary matrix

Usage

```
GateDagger(a)
```

Arguments

a Matrix a

Value

gateDagger The result of performing gate dagger function

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT4_13](#)

Examples

```
# Initialize global variables
init()
GateDagger(TGate(I2))
```

Hadamard

Hadamard gate

Description

This function applies a Hadamard gate on its input

Usage

```
Hadamard(a)
```

Arguments

a The input

Value

2 The result of applying the Hadamard gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qcsimulator-a-5-qubit-quantum-computing-simula>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT4_13](#)

Examples

```
# Initialize global variables
init()
Hadamard(Hadamard(I2))
Hadamard(I2)
```

init

Initialization

Description

This function performs an initialization and sets variables in the global environment

Usage

```
init()
```

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qcsimulator-a-5-qubit-quantum-computing-simula>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT5_13](#)

Examples

```
# Initialize global variables
init()
# Display variables
ls()
q001_
I16
```

innerProduct

Inner product of 2 vectors and computes the angle between vectors

Description

This function performs a inner product of 2 vectors and outputs the angle between vectors

Usage

```
innerProduct(a,b)
```

Arguments

a	Vector 1
b	Vector 2

Value

theta The angle between the vectors

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT5_13](#)

Examples

```
# Initialize global variables
init()
phi = matrix(c(1/2,sqrt(3)/2),nrow=2,ncol=1)
si = matrix(c(1/sqrt(2),1/sqrt(2)),nrow=2,ncol=1)
innerProduct(phi,si)
```

measurement

Computes the square of the modulus

Description

This function computes the square of the amplitude of the vectors

Usage

```
measurement(a)
```

Arguments

a The vector

Value

x The square of the modulus of the vector

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>
<https://gigadom.wordpress.com/2016/06/23/introducing-qcsimulator-a-5-qubit-quantum-computing-simul>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT5_13](#)

Examples

```
# Initialize global variables
init()
measurement(TGate(PauliX(I2)))
```

PauliX

Controlled Pauli X gate

Description

This function applies a Pauli X gate on its input

Usage

```
PauliX(a)
```

Arguments

a The input

Value

result The result of applying the PauliX gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References<https://quantumexperience.ng.bluemix.net/><https://gigadom.wordpress.com/2016/06/23/introducing-qcsimulator-a-5-qubit-quantum-computing-simula>**See Also**[CNOT2_10](#)[PauliX](#)[measurement](#)[plotMeasurement](#)[CNOT5_03](#)[CNOT4_13](#)**Examples**

```
# Initialize global variables
init()
PauliX(q1_)
Hadamard(PauliX(I2))
```

PauliY

Controlled Pauli Y gate

Description

This function applies a Pauli Y gate on its input

Usage

```
PauliY(a)
```

Arguments

a The input

Value

result The result of applying the PauliY gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qcsimulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT4_13](#)

Examples

```
# Initialize global variables
init()
PauliY(q1_)
Hadamard(PauliY(I2))
```

PauliZ

Controlled Pauli Z gate

Description

This function applies a Pauli Z gate on its input

Usage

```
PauliZ(a)
```

Arguments

a The input

Value

result The result of applying the PauliZ gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT4_13](#)

Examples

```
# Initialize global variables
init()
PauliZ(q1_)
Hadamard(PauliZ(I2))
```

plotMeasurement

This function plots the result of a measurement

Description

This function plots the output of a quantum circuit

Usage

plotMeasurement(a)

Arguments

a The vector

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT4_13](#)

Examples

```
# Initialize global variables
init()
plotMeasurement(measurement(TensorProd(Hadamard(I2),Hadamard(I2))))
```

RotationGate

This function applies the rotation gate

Description

This function applies the rotation gate on its input through an angle 't'

Usage

```
RotationGate(t,a)
```

Arguments

t	The angle to rotate
a	The vector

Value

result The result of applying the Rotation gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>
<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT4_13](#)

Examples

```
# Initialize global variables  
init()  
RotationGate(30,q0_)
```

S1Gate

Controlled S1Gate

Description

This function applies a S1Gate on its input

Usage

S1Gate(a)

Arguments

a The input

Value

result The result of applying the S1Gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qcsimulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT4_13](#)

Examples

```
# Initialize global variables
init()
S1Gate(q1_)
S1Gate(PauliX(I2))
```

SGate	<i>Apply a SGate</i>
-------	----------------------

Description

This function applies a SGate on its input

Usage

```
SGate(a)
```

Arguments

a The input

Value

result The result of applying the SGate gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qcsimulator-a-5-qubit-quantum-computing-simula>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT4_13](#)

Examples

```
# Initialize global variables
init()
SGate(q1_)
SGate(Hadamard(I2))
```

SWAPQ0Q1

SWAP Q0 Q1

Description

This function swaps q0 and q1

Usage

SWAPQ0Q1 (q)

Arguments

q The input

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qcsimulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT4_13](#)

Examples

```
# Initialize global variables
init()
SWAPQ0Q1(q110_)
SWAPQ0Q1(q010_)
```

T1Gate

Apply a T1Gate

Description

This function applies a T1Gate on its input

Usage

```
T1Gate(a)
```

Arguments

a The input

Value

result The result of applying the T1Gate gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT3_12](#)

Examples

```
# Initialize global variables
init()
T1Gate(q1_)
T1Gate(SGate(Hadamard(I2)))
```

TensorProd	<i>Tensor product of 2 vectors</i>
------------	------------------------------------

Description

This function performs a tensor product of 2 vectors

Usage

```
TensorProd(a,b)
```

Arguments

a	Vector 1
b	Vector 2

Value

result The tensor product of the vectors

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>
<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)
[PauliX](#)
[measurement](#)
[plotMeasurement](#)
[CNOT5_03](#)
[CNOT4_13](#)

Examples

```
# Initialize global variables
init()
TensorProd(Hadamard(I2),Hadamard(I2))
```

TGate

Apply a TGate

Description

This function applies a TGate on its input

Usage

```
TGate(a)
```

Arguments

a The input

Value

result The result of applying the TGate gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>
<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

CNOT2_10
PauliX
measurement
plotMeasurement
CNOT5_03
CNOT4_13

Examples

```
# Initialize global variables
init()
TGate(q1_)
TGate(S1Gate(Hadamard(I2)))
```

Toffoli

Apply a Toffoli gate

Description

This function applies a Toffoli on its input

Usage

```
Toffoli(q)
```

Arguments

q The input

Value

c The result of applying the TGate gate

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qcsimulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT4_13](#)

Examples

```
# Initialize global variables
init()
Toffoli(q100_)
Toffoli(q101_)
```

ToffoliState

Apply a Toffoli state

Description

This function applies a Toffoli state on its input

Usage

```
ToffoliState(a)
```

Arguments

a The input

Note

Maintainer: Tinniam V Ganesh <tvganesh.85@gmail.com>

Author(s)

Tinniam V Ganesh

References

<https://quantumexperience.ng.bluemix.net/>

<https://gigadom.wordpress.com/2016/06/23/introducing-qc-simulator-a-5-qubit-quantum-computing-simulator/>

See Also

[CNOT2_10](#)

[PauliX](#)

[measurement](#)

[plotMeasurement](#)

[CNOT5_03](#)

[CNOT4_13](#)

Examples

```
# Initialize global variables
init()
ToffoliState(q100_)
```

Index

CHadamard, 3
CNOT2_01, 3, 4
CNOT2_10, 4, 5, 5, 6–47, 49–63, 65–68
CNOT3_01, 6
CNOT3_02, 7
CNOT3_10, 8
CNOT3_12, 4–9, 9, 10–30, 63
CNOT3_20, 10
CNOT3_21, 11
CNOT4_01, 12
CNOT4_02, 13
CNOT4_03, 14
CNOT4_10, 15
CNOT4_12, 16
CNOT4_13, 17, 31, 32, 43, 45–47, 49–51, 55–62, 65–68
CNOT4_20, 18
CNOT4_21, 19
CNOT4_23, 20
CNOT4_30, 21
CNOT4_31, 22
CNOT4_32, 23
CNOT5_01, 24
CNOT5_02, 25
CNOT5_03, 4–26, 26, 27–47, 49–63, 65–68
CNOT5_04, 27
CNOT5_10, 28
CNOT5_12, 29
CNOT5_13, 30, 33–42, 44, 52–54
CNOT5_14, 31
CNOT5_20, 32
CNOT5_21, 33
CNOT5_23, 34
CNOT5_24, 35
CNOT5_30, 36
CNOT5_31, 37
CNOT5_32, 38
CNOT5_34, 39
CNOT5_40, 40
CNOT5_41, 41
CNOT5_42, 42
CNOT5_43, 43
CPauliX, 44
CPauliY, 45
CPauliZ, 46
CSWAP, 47
DotProduct, 48
GateDagger, 49
Hadamard, 50
init, 51
innerProduct, 52
measurement, 4–47, 49–53, 53, 54–63, 65–68
PauliX, 3–47, 49–54, 54, 55–63, 65–68
PauliY, 55
PauliZ, 56
plotMeasurement, 4–47, 49–57, 57, 58–63, 65–68
RotationGate, 58
S1Gate, 60
SGate, 61
SWAPQ0Q1, 62
T1Gate, 63
TensorProd, 64
TGate, 65
Toffoli, 66
ToffoliState, 67