

Package ‘ClusterRankTest’

January 20, 2025

Type Package

Title Rank Tests for Clustered Data

Version 1.0

Date 2016-04-21

Author Sandipan Dutta, Somnath Datta

Maintainer Sandipan Dutta <sandipan.dutta07@gmail.com>

Description

Nonparametric rank based tests (rank-sum tests and signed-rank tests) for clustered data, especially useful for clusters having informative cluster size and intra-cluster group size.

License GPL-2 | GPL-3

Depends graphics, stats, utils

NeedsCompilation no

Repository CRAN

Date/Publication 2016-04-28 11:49:57

Contents

ClusterRankTest-package	1
clus.rank.sum	2
dataset	3
print.Cluster.Test	3

Index	4
--------------	----------

ClusterRankTest-package
Rank Tests for Clustered Data

Description

This package consists of methods that compute rank based tests for clustered data.

Details

Package: ClusterRankTest
 Type: Package
 Version: 1.0
 Date: 2016-04-21
 License: GPL-2 | GPL-3

Author(s)

Sandipan Dutta, Somnath Datta

Maintainer: Sandipan Dutta <sandipan.dutta07@gmail.com>

clus.rank.sum *Cluster Rank Test*

Description

This package consists of methods that compute rank based tests for clustered data.

Usage

```
clus.rank.sum(Cluster, X, grp = NULL, Y = NULL, test = c("DS", "DD", "SDS"))
```

Arguments

Cluster	Cluster ID
X	Outcome variable
grp	Binary group indicator variable (0 or 1) if test= "DS" or "DD"
Y	Matched outcome variable if test="SDS"
test	"DS" =Datta-Satten rank-sum test, "DD" = Dutta-Datta rank-sum test, "SDS" = Data-Satten signed rank test

Value

pvalue	P-value for the test
Test Statistic	Test statistic value for the test

References

Datta, S., and Satten, G. A. (2005). Rank-sum tests for clustered data. *Journal of the American Statistical Association*, 100, 908-915.

Datta, S., and Satten, G. A. (2008). A Signed-rank test for clustered data. *Biometrics*, 64, 501-507.

Dutta, S., and Datta, S. (2015). A rank-sum test for clustered data when the number of subjects in a group within a cluster is informative. *Biometrics*, doi: 10.1111/biom.12447.

Examples

```
Cluster<-c(1,1,2,2,2,2,3,3,3)
X<-c(1,4,2,4,6,7,4,7,8)
grp<-c(0,1,0,0,1,1,1,0,1)
dataset <- list(Cluster,X,grp)

clus.rank.sum(Cluster, X, grp, test="DS")
```

dataset

dataset

Description

The dataset has three columns. The first two columns will be 'Cluster ID' and 'X'(outcome). The third column will be either 'Group Indicator' (for rank-sum tests) or 'Y'(paired outcome for signed-rank tests).

Usage

```
data("dataset")
```

print.Cluster.Test

Print function.

Description

Prints the p-value and the test statistic.

Index

`clus.rank.sum`, [2](#)
`ClusterRankTest`
 (`ClusterRankTest-package`), [1](#)
`ClusterRankTest-package`, [1](#)
`dataset`, [3](#)
`print.Cluster.Test`, [3](#)