

Package ‘HDTweedie’

January 20, 2025

Title The Lasso for Tweedie's Compound Poisson Model Using an IRLS-BMD Algorithm

Version 1.2

Date 2022-05-09

Author

Wei Qian <weiqian@stat.umn.edu>, Yi Yang <yiyang@umn.edu>, Hui Zou <hzou@stat.umn.edu>

Maintainer Wei Qian <weiqian@stat.umn.edu>

Imports methods

Description The Tweedie lasso model implements an iteratively reweighed least square (IRLS) strategy that incorporates a blockwise majorization decent (BMD) method, for efficiently computing solution paths of the (grouped) lasso and the (grouped) elastic net methods.

License GPL-2

NeedsCompilation yes

Repository CRAN

Date/Publication 2022-05-10 02:20:02 UTC

Contents

auto	2
coef.cv.HDTweedie	3
coef.HDTweedie	5
cv.HDTweedie	6
HDTweedie	8
plot.cv.HDTweedie	11
plot.HDTweedie	12
predict.cv.HDTweedie	14
predict.HDTweedie	15
print.HDTweedie	17

Index	19
--------------	-----------

auto

A motor insurance dataset

Description

The motor insurance dataset is originally retrieved from the SAS Enterprise Miner database. The included dataset is generated by re-organization and transformation as described in Qian et al. (2016).

Usage

```
data(auto)
```

Details

This data set contains 2812 policy samples with 56 predictors. See Qian et al. (2016) for a detailed description of the generation of these predictors. The response is the aggregate claim loss (in thousand dollars). The predictors are expanded from the following original variables:

CAR_TYPE: car type, 6 categories

JOBCLASS: job class, 8 categories

MAX_EDUC: education level, 5 categories

KIDSDRIV: number of children passengers

TRAVTIME: time to travel from home to work

BLUEBOOK: car value

NPOLICY: number of policies

MVR_PTS: motor vehicle record point

AGE: driver age

HOMEKIDS: number of children at home

YOJ: years on job

INCOME: income

HOME_VAL: home value

SAMEHOME: years in current address

CAR_USE: whether the car is for commercial use

RED_CAR: whether the car color is red

REVOKED: whether the driver's license was revoked in the past

GENDER: gender

MARRIED: whether married

PARENT1: whether a single parent

AREA: whether the driver lives in urban area

Value

A list with the following elements:

x a [2812 x 56] matrix giving 2812 policy records with 56 predictors
 y the aggregate claim loss

References

Yip, K. C. H. and Yau, K. K. W. (2005), "On Modeling Claim Frequency Data In General Insurance With Extra Zeros", *Insurance: Mathematics and Economics*, 36, 153-163.

Zhang, Y (2013). "cplm: Compound Poisson Linear Models". A vignette for R package cplm. Available from <https://CRAN.R-project.org/package=cplm>

Qian, W., Yang, Y., Yang, Y. and Zou, H. (2016), "Tweedie's Compound Poisson Model With Grouped Elastic Net," *Journal of Computational and Graphical Statistics*, 25, 606-625.

Examples

```
# load HDtweedie library
library(HDtweedie)

# load data set
data(auto)

# how many samples and how many predictors ?
dim(auto$x)

# response y
auto$y
```

coef.cv.HDtweedie *get coefficients or make coefficient predictions from a "cv.HDtweedie" object.*

Description

This function gets coefficients or makes coefficient predictions from a cross-validated HDtweedie model, using the "cv.HDtweedie" object, and the optimal value chosen for lambda.

Usage

```
## S3 method for class 'cv.HDtweedie'
coef(object,s=c("lambda.1se","lambda.min"),...)
```

Arguments

object	fitted cv.HDtweedie object.
s	value(s) of the penalty parameter lambda at which predictions are required. Default is the value <code>s="lambda.1se"</code> stored on the CV object, it is the largest value of lambda such that error is within 1 standard error of the minimum. Alternatively <code>s="lambda.min"</code> can be used, it is the optimal value of lambda that gives minimum cross validation error <code>cvm</code> . If s is numeric, it is taken as the value(s) of lambda to be used.
...	not used. Other arguments to predict.

Details

This function makes it easier to use the results of cross-validation to get coefficients or make coefficient predictions.

Value

The coefficients at the requested values for lambda.

Author(s)

Wei Qian, Yi Yang and Hui Zou
 Maintainer: Wei Qian <weiqian@stat.umn.edu>

References

Qian, W., Yang, Y., Yang, Y. and Zou, H. (2016), "Tweedie's Compound Poisson Model With Grouped Elastic Net," *Journal of Computational and Graphical Statistics*, 25, 606-625.

Friedman, J., Hastie, T., and Tibshirani, R. (2010), "Regularization paths for generalized linear models via coordinate descent," *Journal of Statistical Software*, 33, 1.

See Also

[cv.HDtweedie](#), and [predict.cv.HDtweedie](#) methods.

Examples

```
# load HDtweedie library
library(HDtweedie)

# load data set
data(auto)

# 5-fold cross validation using the lasso
cv0 <- cv.HDtweedie(x=auto$x,y=auto$y,p=1.5,nfolds=5)

# the coefficients at lambda = lambda.1se
```

```
coef(cv0)

# define group index
group1 <- c(rep(1,5),rep(2,7),rep(3,4),rep(4:14,each=3),15:21)

# 5-fold cross validation using the grouped lasso
cv1 <- cv.HDtweedie(x=auto$x,y=auto$y,group=group1,p=1.5,nfolds=5)

# the coefficients at lambda = lambda.min
coef(cv1, s = cv1$lambda.min)
```

coef.HDtweedie	<i>get coefficients or make coefficient predictions from an "HDtweedie" object.</i>
----------------	---

Description

Computes the coefficients at the requested values for lambda from a fitted [HDtweedie](#) object.

Usage

```
## S3 method for class 'HDtweedie'
coef(object, s = NULL, ...)
```

Arguments

object	fitted HDtweedie model object.
s	value(s) of the penalty parameter lambda at which predictions are required. Default is the entire sequence used to create the model.
...	not used. Other arguments to predict.

Details

s is the new vector at which predictions are requested. If s is not in the lambda sequence used for fitting the model, the coef function will use linear interpolation to make predictions. The new values are interpolated using a fraction of coefficients from both left and right lambda indices.

Value

The coefficients at the requested values for lambda.

Author(s)

Wei Qian, Yi Yang and Hui Zou
 Maintainer: Wei Qian <weiqian@stat.umn.edu>

References

Qian, W., Yang, Y., Yang, Y. and Zou, H. (2016), "Tweedie's Compound Poisson Model With Grouped Elastic Net," *Journal of Computational and Graphical Statistics*, 25, 606-625.

See Also

[predict.HDtweedie](#) method

Examples

```
# load HDtweedie library
library(HDtweedie)

# load data set
data(auto)

# fit the lasso
m0 <- HDtweedie(x=auto$x,y=auto$y,p=1.5)

# the coefficients at lambda = 0.01
coef(m0,s=0.01)

# define group index
group1 <- c(rep(1,5),rep(2,7),rep(3,4),rep(4:14,each=3),15:21)

# fit grouped lasso
m1 <- HDtweedie(x=auto$x,y=auto$y,group=group1,p=1.5)

# the coefficients at lambda = 0.01 and 0.04
coef(m1,s=c(0.01,0.04))
```

cv.HDtweedie

Cross-validation for HDtweedie

Description

Does k-fold cross-validation for HDtweedie, produces a plot, and returns a value for lambda. This function is modified based on the cv function from the glmnet package.

Usage

```
cv.HDtweedie(x, y, group = NULL, p, weights, lambda = NULL,
  pred.loss = c("deviance", "mae", "mse"),
  nfolds = 5, foldid, ...)
```

Arguments

x	matrix of predictors, of dimension $n \times p$; each row is an observation vector.
y	response variable. This argument should be non-negative.
group	To apply the grouped lasso, it is a vector of consecutive integers describing the grouping of the coefficients (see example below). To apply the lasso, the user can ignore this argument, and the vector is automatically generated by treating each variable as a group.
p	the power used for variance-mean relation of Tweedie model. Default is 1.50.
weights	the observation weights. Default is equal weight.
lambda	optional user-supplied lambda sequence; default is NULL, and <code>HDtweedie</code> chooses its own sequence.
pred.loss	loss to use for cross-validation error. Valid options are: <ul style="list-style-type: none"> • "deviance" Deviance. • "mae" Mean absolute error. • "mse" Mean square error. Default is "deviance".
nfolds	number of folds - default is 5. Although nfolds can be as large as the sample size (leave-one-out CV), it is not recommended for large datasets. Smallest value allowable is nfolds=3.
foldid	an optional vector of values between 1 and nfold identifying what fold each observation is in. If supplied, nfold can be missing.
...	other arguments that can be passed to <code>HDtweedie</code> .

Details

The function runs `HDtweedie` `nfolds+1` times; the first to get the lambda sequence, and then the remainder to compute the fit with each of the folds omitted. The average error and standard deviation over the folds are computed.

Value

an object of class `cv.HDtweedie` is returned, which is a list with the ingredients of the cross-validation fit.

lambda	the values of lambda used in the fits.
cvm	the mean cross-validated error - a vector of length <code>length(lambda)</code> .
cvsd	estimate of standard error of <code>cvm</code> .
cvupper	upper curve = <code>cvm+cvsd</code> .
cvlower	lower curve = <code>cvm-cvsd</code> .
name	a text string indicating type of measure (for plotting purposes).
<code>HDtweedie.fit</code>	a fitted <code>HDtweedie</code> object for the full data.
lambda.min	The optimal value of lambda that gives minimum cross validation error <code>cvm</code> .
lambda.1se	The largest value of lambda such that error is within 1 standard error of the minimum.

Author(s)

Wei Qian, Yi Yang and Hui Zou
 Maintainer: Wei Qian <weiqian@stat.umn.edu>

References

Qian, W., Yang, Y., Yang, Y. and Zou, H. (2016), “Tweedie’s Compound Poisson Model With Grouped Elastic Net,” *Journal of Computational and Graphical Statistics*, 25, 606-625.

See Also

[HDtweedie](#), [plot.cv.HDtweedie](#), [predict.cv.HDtweedie](#), and [coef.cv.HDtweedie](#) methods.

Examples

```
# load HDtweedie library
library(HDtweedie)

# load data set
data(auto)

# 5-fold cross validation using the lasso
cv0 <- cv.HDtweedie(x=auto$x,y=auto$y,p=1.5,nfolds=5)

# define group index
group1 <- c(rep(1,5),rep(2,7),rep(3,4),rep(4:14,each=3),15:21)

# 5-fold cross validation using the grouped lasso
cv1 <- cv.HDtweedie(x=auto$x,y=auto$y,group=group1,p=1.5,nfolds=5)
```

HDtweedie

Fits the regularization paths for lasso-type methods of the Tweedie model

Description

Fits regularization paths for lasso-type methods of the Tweedie model at a sequence of regularization parameters lambda.

Usage

```
HDtweedie(x, y, group = NULL,
  p = 1.50,
  weights = rep(1,nobs),
  alpha = 1,
  nlambdas = 100,
  lambda.factor = ifelse(nobs < nvars, 0.05, 0.001),
```



```

lambda = NULL,
pf = sqrt(bs),
dfmax = as.integer(max(group)) + 1,
pmax = min(dfmax * 1.2, as.integer(max(group))),
standardize = FALSE,
eps = 1e-08, maxit = 3e+08)

```

Arguments

x matrix of predictors, of dimension $n \times p$; each row is an observation vector.

y response variable. This argument should be non-negative.

group To apply the grouped lasso, it is a vector of consecutive integers describing the grouping of the coefficients (see example below). To apply the lasso, the user can ignore this argument, and the vector is automatically generated by treating each variable as a group.

p the power used for variance-mean relation of Tweedie model. Default is 1.50.

weights the observation weights. Default is equal weight.

alpha The elasticnet mixing parameter, with $0 \leq \alpha \leq 1$. The penalty is defined as

$$(1 - \alpha)/2 \|\beta\|_2^2 + \alpha \|\beta\|_1.$$

alpha=1 is the lasso penalty, and alpha=0 the ridge penalty. Default is 1.

nlambda the number of lambda values - default is 100.

lambda.factor the factor for getting the minimal lambda in lambda sequence, where $\min(\text{lambda}) = \text{lambda.factor} * \max(\text{lambda})$. $\max(\text{lambda})$ is the smallest value of lambda for which all coefficients are zero. The default depends on the relationship between n (the number of rows in the matrix of predictors) and p (the number of predictors). If $n \geq p$, the default is 0.001, close to zero. If $n < p$, the default is 0.05. A very small value of lambda.factor will lead to a saturated fit. It takes no effect if there is user-defined lambda sequence.

lambda a user supplied lambda sequence. Typically, by leaving this option unspecified users can have the program compute its own lambda sequence based on nlambda and lambda.factor. Supplying a value of lambda overrides this. It is better to supply a decreasing sequence of lambda values than a single (small) value. If not, the program will sort user-defined lambda sequence in decreasing order automatically.

pf penalty factor, a vector in length of bn (bn is the total number of groups). Separate penalty weights can be applied to each group to allow differential shrinkage. Can be 0 for some groups, which implies no shrinkage, and results in that group always being included in the model. Default value for each entry is the square-root of the corresponding size of each group (for the lasso, it is 1 for each variable).

dfmax limit the maximum number of groups in the model. Default is bs+1.

pmax limit the maximum number of groups ever to be nonzero. For example once a group enters the model, no matter how many times it exits or re-enters model through the path, it will be counted only once. Default is $\min(\text{dfmax} * 1.2, \text{bs})$.

eps	convergence termination tolerance. Defaults value is 1e-8.
standardize	logical flag for variable standardization, prior to fitting the model sequence. If TRUE, x matrix is normalized such that each column is centered and sum squares of each column $\sum_{i=1}^N x_{ij}^2/N = 1$. The coefficients are always returned on the original scale. Default is FALSE.
maxit	maximum number of inner-layer BMD iterations allowed. Default is 3e8.

Details

The sequence of models implied by `lambda` is fit by the IRLS-BMD algorithm. This gives a (grouped) lasso or (grouped) elasticnet regularization path for fitting the Tweedie generalized linear regression paths, by maximizing the corresponding penalized Tweedie log-likelihood. If the `group` argument is ignored, the function fits the lasso. Users can tweak the penalty by choosing different *alpha* and penalty factor.

For computing speed reason, if models are not converging or running slow, consider increasing `eps`, decreasing `nlambda`, or increasing `lambda.factor` before increasing `maxit`.

Value

An object with S3 class `HDtweedie`.

call	the call that produced this object
b0	intercept sequence of length <code>length(lambda)</code>
beta	a <code>p*length(lambda)</code> matrix of coefficients.
df	the number of nonzero groups for each value of <code>lambda</code> .
dim	dimension of coefficient matrix (<code>ices</code>)
lambda	the actual sequence of <code>lambda</code> values used
npasses	total number of iterations (the most inner loop) summed over all <code>lambda</code> values
jerr	error flag, for warnings and errors, 0 if no error.
group	a vector of consecutive integers describing the grouping of the coefficients.

Author(s)

Wei Qian, Yi Yang and Hui Zou
 Maintainer: Wei Qian <weiqian@stat.umn.edu>

References

Qian, W., Yang, Y., Yang, Y. and Zou, H. (2016), "Tweedie's Compound Poisson Model With Grouped Elastic Net," *Journal of Computational and Graphical Statistics*, 25, 606-625.

See Also

`plot.HDtweedie`

Examples

```
# load HDtweedie library
library(HDtweedie)

# load auto data set
data(auto)

# fit the lasso
m0 <- HDtweedie(x=auto$x,y=auto$y,p=1.5)

# define group index
group1 <- c(rep(1,5),rep(2,7),rep(3,4),rep(4:14,each=3),15:21)

# fit the grouped lasso
m1 <- HDtweedie(x=auto$x,y=auto$y,group=group1,p=1.5)

# fit the grouped elastic net
m2 <- HDtweedie(x=auto$x,y=auto$y,group=group1,p=1.5,alpha=0.7)
```

plot.cv.HDtweedie *plot the cross-validation curve produced by cv.HDtweedie*

Description

Plots the cross-validation curve, and upper and lower standard deviation curves, as a function of the lambda values used. This function is modified based on the plot.cv function from the glmnet package.

Usage

```
## S3 method for class 'cv.HDtweedie'
plot(x, sign.lambda, ...)
```

Arguments

x	fitted cv.HDtweedie object
sign.lambda	either plot against $\log(\lambda)$ (default) or its negative if <code>sign.lambda=-1</code> .
...	other graphical parameters to plot

Details

A plot is produced.

Author(s)

Wei Qian, Yi Yang and Hui Zou
Maintainer: Wei Qian <weiqian@stat.umn.edu>

References

Qian, W., Yang, Y., Yang, Y. and Zou, H. (2016), “Tweedie’s Compound Poisson Model With Grouped Elastic Net,” *Journal of Computational and Graphical Statistics*, 25, 606-625.

Friedman, J., Hastie, T., and Tibshirani, R. (2010), “Regularization paths for generalized linear models via coordinate descent,” *Journal of Statistical Software*, 33, 1.

See Also

[cv.HDtweedie](#).

Examples

```
# load HDtweedie library
library(HDtweedie)

# load data set
data(auto)

# 5-fold cross validation using the lasso
cv0 <- cv.HDtweedie(x=auto$x,y=auto$y,p=1.5,nfolds=5,lambda.factor=.0005)

# make a CV plot
plot(cv0)

# define group index
group1 <- c(rep(1,5),rep(2,7),rep(3,4),rep(4:14,each=3),15:21)

# 5-fold cross validation using the grouped lasso
cv1 <- cv.HDtweedie(x=auto$x,y=auto$y,group=group1,p=1.5,nfolds=5,lambda.factor=.0005)

# make a CV plot
plot(cv1)
```

plot.HDtweedie

Plot solution paths from a "HDtweedie" object

Description

Produces a coefficient profile plot of the coefficient paths for a fitted [HDtweedie](#) object.

Usage

```
## S3 method for class 'HDtweedie'
plot(x, group = FALSE, log.l = TRUE, ...)
```

Arguments

x	fitted HDtweedie model
group	what is on the Y-axis. Plot the norm of each group if TRUE. Plot each coefficient if FALSE.
log.l	what is on the X-axis. Plot against the log-lambda sequence if TRUE. Plot against the lambda sequence if FALSE.
...	other graphical parameters to plot

Details

A coefficient profile plot is produced.

Author(s)

Wei Qian, Yi Yang and Hui Zou
 Maintainer: Wei Qian <weiqian@stat.umn.edu>

References

Qian, W., Yang, Y., Yang, Y. and Zou, H. (2016), "Tweedie's Compound Poisson Model With Grouped Elastic Net," *Journal of Computational and Graphical Statistics*, 25, 606-625.

Examples

```
# load HDtweedie library
library(HDtweedie)

# load data set
data(auto)

# fit the lasso
m0 <- HDtweedie(x=auto$x,y=auto$y,p=1.5)

# make plot
plot(m0) # plots the coefficients against the log-lambda sequence

# define group index
group1 <- c(rep(1,5),rep(2,7),rep(3,4),rep(4:14,each=3),15:21)

# fit group lasso
m1 <- HDtweedie(x=auto$x,y=auto$y,group=group1,p=1.5)

# make plots
par(mfrow=c(1,3))
plot(m1) # plots the coefficients against the log-lambda sequence
plot(m1,group=TRUE) # plots group norm against the log-lambda sequence
plot(m1,log.l=FALSE) # plots against the lambda sequence
```

predict.cv.HDtweedie *make predictions from a "cv.HDtweedie" object.*

Description

This function makes predictions from a cross-validated HDtweedie model, using the stored "cv.HDtweedie" object, and the optimal value chosen for lambda.

Usage

```
## S3 method for class 'cv.HDtweedie'
predict(object, newx, s=c("lambda.1se", "lambda.min"), ...)
```

Arguments

object	fitted cv.HDtweedie object.
newx	matrix of new values for x at which predictions are to be made. Must be a matrix. See documentation for predict.HDtweedie .
s	value(s) of the penalty parameter lambda at which predictions are required. Default is the value s="lambda.1se" stored on the CV object. Alternatively s="lambda.min" can be used. If s is numeric, it is taken as the value(s) of lambda to be used.
...	not used. Other arguments to predict .

Details

This function makes it easier to use the results of cross-validation to make a prediction.

Value

The returned object depends on the ... argument which is passed on to the [predict](#) method for [HDtweedie](#) objects.

Author(s)

Wei Qian, Yi Yang and Hui Zou
 Maintainer: Wei Qian <weiqian@stat.umn.edu>

References

Qian, W., Yang, Y., Yang, Y. and Zou, H. (2016), "Tweedie's Compound Poisson Model With Grouped Elastic Net," *Journal of Computational and Graphical Statistics*, 25, 606-625.

See Also

[cv.HDtweedie](#), and [coef.cv.HDtweedie](#) methods.

Examples

```

# load HDtweedie library
library(HDtweedie)

# load data set
data(auto)

# 5-fold cross validation using the lasso
cv0 <- cv.HDtweedie(x=auto$x,y=auto$y,p=1.5,nfolds=5)

# predicted mean response at lambda = lambda.1se, newx = x[1,]
pre = predict(cv0, newx = auto$x[1,], type = "response")

# define group index
group1 <- c(rep(1,5),rep(2,7),rep(3,4),rep(4:14,each=3),15:21)

# 5-fold cross validation using the grouped lasso
cv1 <- cv.HDtweedie(x=auto$x,y=auto$y,group=group1,p=1.5,nfolds=5)

# predicted the log mean response at lambda = lambda.min, x[1:5,]
pre = predict(cv1, newx = auto$x[1:5,], s = cv1$lambda.min, type = "link")

```

predict.HDtweedie *make predictions from a "HDtweedie" object.*

Description

Similar to other predict methods, this functions predicts fitted values from a [HDtweedie](#) object.

Usage

```

## S3 method for class 'HDtweedie'
predict(object, newx, s = NULL,
        type=c("response","link"), ...)

```

Arguments

object	fitted HDtweedie model object.
newx	matrix of new values for x at which predictions are to be made. Must be a matrix.
s	value(s) of the penalty parameter lambda at which predictions are required. Default is the entire sequence used to create the model.
type	type of prediction required: <ul style="list-style-type: none"> • Type "response" gives the mean response estimate. • Type "link" gives the estimate for log mean response.
...	Not used. Other arguments to predict.

Details

s is the new vector at which predictions are requested. If s is not in the lambda sequence used for fitting the model, the predict function will use linear interpolation to make predictions. The new values are interpolated using a fraction of predicted values from both left and right lambda indices.

Value

The object returned depends on type.

Author(s)

Wei Qian, Yi Yang and Hui Zou
Maintainer: Wei Qian <weiqian@stat.umn.edu>

References

Qian, W., Yang, Y., Yang, Y. and Zou, H. (2016), "Tweedie's Compound Poisson Model With Grouped Elastic Net," *Journal of Computational and Graphical Statistics*, 25, 606-625.

See Also

[coef](#) method

Examples

```
# load HDtweedie library
library(HDtweedie)

# load auto data set
data(auto)

# fit the lasso
m0 <- HDtweedie(x=auto$x,y=auto$y,p=1.5)

# predicted mean response at x[10,]
print(predict(m0,type="response",newx=auto$x[10,]))

# define group index
group1 <- c(rep(1,5),rep(2,7),rep(3,4),rep(4:14,each=3),15:21)

# fit the grouped lasso
m1 <- HDtweedie(x=auto$x,y=auto$y,group=group1,p=1.5)

# predicted the log mean response at x[1:5,]
print(predict(m1,type="link",newx=auto$x[1:5,]))
```

print.HDtweedie	<i>print a HDtweedie object</i>
-----------------	---------------------------------

Description

Print the nonzero group counts at each lambda along the HDtweedie path.

Usage

```
## S3 method for class 'HDtweedie'  
print(x, digits = max(3, getOption("digits") - 3), ...)
```

Arguments

x	fitted HDtweedie object
digits	significant digits in printout
...	additional print arguments

Details

Print the information about the nonzero group counts at each lambda step in the [HDtweedie](#) object. The result is a two-column matrix with columns Df and Lambda. The Df column is the number of the groups that have nonzero within-group coefficients, the Lambda column is the the corresponding lambda.

Value

a two-column matrix, the first columns is the number of nonzero group counts and the second column is Lambda.

Author(s)

Wei Qian, Yi Yang and Hui Zou
Maintainer: Wei Qian <weiqian@stat.umn.edu>

References

Qian, W., Yang, Y., Yang, Y. and Zou, H. (2016), "Tweedie's Compound Poisson Model With Grouped Elastic Net," *Journal of Computational and Graphical Statistics*, 25, 606-625.

Examples

```
# load HDtweedie library
library(HDtweedie)

# load auto data set
data(auto)

# fit the lasso
m0 <- HDtweedie(x=auto$x,y=auto$y,p=1.5)

# print out results
print(m0)

# define group index
group1 <- c(rep(1,5),rep(2,7),rep(3,4),rep(4:14,each=3),15:21)

# fit the grouped lasso
m1 <- HDtweedie(x=auto$x,y=auto$y,group=group1,p=1.5)

# print out results
print(m1)
```

Index

* datasets

auto, [2](#)

* models

coef.cv.HDtweedie, [3](#)

coef.HDtweedie, [5](#)

cv.HDtweedie, [6](#)

HDtweedie, [8](#)

plot.cv.HDtweedie, [11](#)

plot.HDtweedie, [12](#)

predict.cv.HDtweedie, [14](#)

predict.HDtweedie, [15](#)

print.HDtweedie, [17](#)

* regression

coef.cv.HDtweedie, [3](#)

coef.HDtweedie, [5](#)

cv.HDtweedie, [6](#)

HDtweedie, [8](#)

plot.cv.HDtweedie, [11](#)

plot.HDtweedie, [12](#)

predict.cv.HDtweedie, [14](#)

predict.HDtweedie, [15](#)

print.HDtweedie, [17](#)

auto, [2](#)

coef, [16](#)

coef.cv.HDtweedie, [3](#), [8](#), [14](#)

coef.HDtweedie, [5](#)

cv.HDtweedie, [4](#), [6](#), [7](#), [11](#), [12](#), [14](#)

HDtweedie, [5](#), [7](#), [8](#), [8](#), [10](#), [12–15](#), [17](#)

plot.cv.HDtweedie, [8](#), [11](#)

plot.HDtweedie, [12](#)

predict, [14](#)

predict.cv.HDtweedie, [4](#), [8](#), [14](#)

predict.HDtweedie, [6](#), [15](#)

print.HDtweedie, [17](#)