

Package ‘Stat2Data’

January 20, 2025

Type Package

Title Datasets for Stat2

Version 2.0.0

Date 2018-12-29

Author Ann Cannon, George Cobb, Bradley Hartlaub, Julie Legler, Robin Lock, Thomas Moore, Alan Rossman, Jeffrey Witmer

Maintainer Robin Lock <rlock@stlawu.edu>

Description Datasets for the textbook Stat2: Modeling with Regression and ANOVA (second edition). The package also includes data for the first edition, Stat2: Building Models for a World of Data and a few functions for plotting diagnostics.

License GPL-3

LazyLoad yes

Depends R (>= 2.10)

Suggests stats,graphics

URL <https://github.com/statmanrobin/Stat2Data>

BugReports <https://github.com/statmanrobin/Stat2Data>

Encoding UTF-8

RoxygenNote 6.1.0

NeedsCompilation no

Repository CRAN

Date/Publication 2019-01-04 11:00:07 UTC

Contents

Stat2Data-package	6
AccordPrice	7
AHCAvote2017	7
Airlines	8
Alfalfa	9

AlitoConfirmation	9
Amyloid	10
AppleStock	11
ArcheryData	11
AthleteGrad	12
AudioVisual	13
AutoPollution	14
Backpack	14
BaseballTimes	15
BaseballTimes2017	16
BeeStings	16
BirdCalcium	17
BirdNest	18
Blood1	19
BlueJays	19
BrainpH	20
BreesPass	21
BritishUnions	21
ButterfliesBc	22
CAFE	23
CalciumBP	23
CanadianDrugs	24
CancerSurvival	25
Caterpillars	26
CavsShooting	27
Cereal	27
ChemoTHC	28
ChildSpeaks	29
ClintonSanders	29
Clothing	30
CloudSeeding	31
CloudSeeding2	32
CO2	33
CO2Germany	33
CO2Hawaii	34
CO2SouthPole	34
Contraceptives	35
cooksplot	36
CountyHealth	37
CrabShip	37
CrackerFiber	38
CreditRisk	39
Cuckoo	39
Day1Survey	40
DiabeticDogs	41
Diamonds	41
Diamonds2	42
Dinosaurs	43

Election08	43
Election16	44
ElephantsFB	45
ElephantsMF	46
emplogitplot1	46
emplogitplot2	48
Ethanol	50
Eyes	50
Faces	51
FaithfulFaces	52
FantasyBaseball	52
FatRats	53
Fertility	54
FGByDistance	54
Film	55
FinalFourIzzo	56
FinalFourIzzo17	57
FinalFourLong	57
FinalFourLong17	58
FinalFourShort	59
FinalFourShort17	60
Fingers	60
FirstYearGPA	61
FishEggs	62
Fitch	62
FlightResponse	63
FloridaDP	64
Fluorescence	64
FranticFingers	65
FruitFlies	66
FruitFlies2	67
FunnelDrop	68
GlowWorms	68
Goldenrod	69
GrinnellHouses	70
Grocery	71
Gunnels	71
Handwriting	72
Hawks	73
HawkTail	74
HawkTail2	75
HearingTest	75
HeatingOil	76
HighPeaks	76
Hoops	77
HorsePrices	78
Houses	79
HousesNY	79

ICU	80
InfantMortality2010	81
Inflation	81
InsuranceVote	82
IQGuessing	83
Jurors	83
Kershaw	84
KeyWestWater	85
Kids198	86
Leafhoppers	86
LeafWidth	87
Leukemia	88
LeveeFailures	88
LewyBody2Groups	89
LewyDLBad	90
LongJumpOlympics	91
LongJumpOlympics2016	91
LosingSleep	92
LostLetter	92
Marathon	93
Markets	94
MathEnrollment	94
MathPlacement	95
MedGPA	96
Meniscus	97
MentalHealth	97
MetabolicRate	98
MetroCommutes	99
MetroHealth83	99
Migraines	100
Milgram	101
MLB2007Standings	102
MLBStandings2016	103
MothEggs	104
MouseBrain	105
MusicTime	105
NCbirths	106
NFL2007Standings	107
NFLStandings2016	108
Nursing	109
OilDeapsorbtion	109
Olives	110
Orings	111
Overdrawn	112
Oysters	112
PalmBeach	113
PeaceBridge2003	114
PeaceBridge2012	114

Pedometer	115
Perch	116
PigFeed	116
Pines	117
PKU	118
Political	119
Pollster08	119
Popcorn	120
PorscheJaguar	121
PorschePrice	122
Pulse	122
Putts1	123
Putts2	124
Putts3	124
RacialAnimus	125
RadioactiveTwins	126
RailsTrails	126
Rectangles	128
ReligionGDP	128
RepeatedPulse	129
ResidualOil	130
Retirement	131
Ricci	131
RiverElements	132
RiverIron	133
SampleFG	134
SandwichAnts	135
SATGPA	136
SeaIce	136
SeaSlugs	137
SleepingShrews	138
sluacf	138
Sparrows	139
SpeciesArea	140
Speed	141
SugarEthanol	141
SuicideChina	142
Swahili	143
Tadpoles	144
TechStocks	144
TeenPregnancy	145
TextPrices	145
ThomasConfirmation	146
ThreeCars	147
ThreeCars2017	147
TipJoke	148
Titanic	149
TMS	150

TomlinsonRush	150
TukeyNonaddPlot	151
TwinsLungs	152
Undoing	153
USstamps	153
VisualVerbal	154
Volts	155
WalkingBabies	155
WalkTheDogs	156
WeightLossIncentive	157
WeightLossIncentive4	158
WeightLossIncentive7	158
Whickham2	159
WordMemory	160
WordsWithFriends	161
Wrinkle	161
YouthRisk	162
YouthRisk2007	163
YouthRisk2009	164
Zimmerman	164

Index **166**

Stat2Data-package *Datasets for Stat2: Modeling with Regression and ANOVA*

Description

Datasets for Stat2: Modeling with Regression and ANOVA (second edition) and Stat2: Building Models for a World of Data (first edition)

Details

Package:	Stat2Data
Type:	Package
Version:	2.0.0
Date:	2018-12-29
License:	GPL-2
LazyLoad:	yes

This package included datasets for both the first and second editions of the text.

Author(s)

Ann Cannon, George Cobb, Bradley Hartlaub, Julie Legler, Robin Lock, Thomas Moore, Allan Rossman, Jeffrey Witmer

Maintainer: Robin Lock <rlock@stlawu.edu>

AccordPrice *Prices of Used Honda Accords (in 2017)*

Description

Age, price, and mileage of used Honda Accords in 2017

Format

A data frame with 30 observations on the following 3 variables.

Age Age of used Honda Accord car

Price Price (in \$1,000's)

Mileage Mileage (in 1,000's of miles)

Details

Information on used Honda Accords obtained from cars.com.

Source

Cars.com, February 2017 using zip code 44107, Lakewood, Ohio

AHCAvote2017 *Congressional Votes on American Health Care Act (in 2017)*

Description

Congressional votes on the American Health Care Act in 2017

Format

A data frame with 430 observations on the following 11 variables.

STATE State name

Dist Congressional district

Party Party affiliation (D=Democrat, R=Republican)

Dem 1=Democrat, 0=Republican

Rep 1=Republican, 0=Democrat

uni2013 Percentage of citizens without health care in 2013

uni2015 Percentage of citizens without health care in 2015

uniChange uni2015 - uni2013

Member Name of representative

AHCAvote 1=yes, 0=no

Trump 1=Trump won district, 0=Clinton won district

Details

On May 4, 2017, the U.S. House of Representatives voted, by the narrow margin of 217-213, to pass the American Health Care Act. Most Republicans voted Yes, while all Democrats voted No.

Source

<https://fivethirtyeight.com/features/obamacare-has-increased-insurance-coverage-everywhere/>

<https://docs.google.com/spreadsheets/d/1VfkHtzBTP5gf4jAu8tcVQgsBJ1IDvXEHjuMqYIOgYbA/edit#gid=0>

<https://www.nytimes.com/interactive/2017/05/04/us/politics/house-vote-republican-health-care-bill.html>

Airlines

OnTime Records for Two Airlines at Two Airports

Description

OnTime arrivals for American and Delta airlines at LaGuardia and O'Hare airports

Format

A data frame with 10333 observations on the following 5 variables.

airline American or Delta

airport LGA=LaGuardia ORD=O'Hare

OnTime no or yes

IndOHare Is the airport ORD? (1=yes or 0=no)

IndDelta Is the airline Delta? (1=yes or 0=no)

Details

OnTime/late data for individual flights to LaGuardia and O'Hare airports by American and Delta airlines.

Source

Data collected on 9/20/16 from http://www.transtats.bts.gov/ot_delay/OT_DelayCause1.asp?pn=1

 Alfalfa

Alfalfa Growth

Description

Growth of alfalfa sprouts in acidic conditions

Format

A dataset with 15 observations on the following 3 variables.

Ht4	Height of alfalfa sprouts after four days
Acid	Amount of acid: 1.5HCl, 3.0HCl, or water
Row	a through e with a= closest to window and e=farthest from window

Details

Some students were interested in how an acidic environment might affect the growth of plants. They planted alfalfa seeds in 15 cups and randomly chose five to get plain water, five to get a moderate amount of acid (1.5M HCl), and five to get a stronger acid solution (3.0M HCl). The plants were grown in an indoor room so the students assumed that the distance from the main source of daylight (windows) might have an affect on growth rates. For this reason, they arranged the cups in five rows of three with one cup from each Acid level in each row. These are labeled in the data set as Row: a=farthest from the window through e=nearest to the window.

Source

Neumann, A., Richards, A. L., and Randa, J. (2001). Effects of acid rain on alfalfa plants. Unpublished manuscript, Oberlin College.

Examples

```
data(Alfalfa)
```

 AlitoConfirmation

US Senate Votes on Samuel Alito for the Supreme Court

Description

US Senate party affiliatoin and votes on confirming Samuel Alito for the Supreme Court

Format

A data frame with 100 observations on the following 6 variables.

State State name

Senator Senator's name

Party Party affiliation (D=Democrat, R=Republican)

ConfVote Confirmation vote (Nay=against or Yea=for)

StateOpinion Percentage of state residents supporting the choice

Vote 1=for or 0=against

Details

Data from the U.S. Senate vote on January 31, 2006 to confirm Samuel Alito to a position on the Supreme Court.

Source

These numbers are taken from Kastlelec, J.P., Lax, J.R., and Phillips, J. (2010), "Public Opinion and Senate Confirmation of Supreme Court Nominees," *Journal of Politics*, 72(3): 767-84. In this paper the authors used opinion polls and an advanced statistical method known as multilevel regression and poststratification to determine the StateOpinion levels.

Amyloid

Amyloid-beta and Cognitive Impairment

Description

Amyloid-beta and cognitive impairment for a sample of Catholic priests

Format

A data frame with 57 observations on the following 2 variables.

Group mAD=Alzheimer's, MCI=mild impairment, NCI=no impairment

Abeta Amount of Abeta from the posterior cingulate cortex (pmol/g tissue)

Details

Amyloid-beta (Abeta) is a protein fragment that has been linked to Alzheimer's disease. Autopsies from a sample of Catholic priests included measurements of Abeta (pmol/g tissue from the posterior cingulate cortex) from three groups: subjects who had exhibited no cognitive impairment before death, subjects who had exhibited mild cognitive impairment, and subjects who had mild to moderate Alzheimer's disease.

Source

Violetta N. Pivtoraiko, Eric E. Abrahamson, Sue E. Leurgans, Steven T. DeKosky, Elliott J. Mufson,, Milos D. Ikonovic (2015) Cortical pyroglutamate amyloid-beta levels and cognitive decline in Alzheimer's disease. *Neurobiology of Aging* (36) 12-19. Data are read from Figure 1, panel d.

AppleStock

Daily Price and Volume of Apple Stock

Description

Daily prices and trading volume of Apple stock from July 21st to August 21st in 2016

Format

A data frame with 66 observations on the following 4 variables.

Date Date as mm/dd/yyyy

Price Closing price of Apple stock

Change Change in price from previous day

Volume Number of shares traded (in millions)

Details

Closing price of Apple stock (AAPL) for each trading day in a three month period from 7/21/2016 to 10/21/2016 as well as the change in stock price and number of shares traded.

Source

Data downloaded from Nasdaq historical prices at <http://www.nasdaq.com/symbol/aapl/historical>

ArcheryData

Scores in an Archery Class

Description

Score results from an archery class

Format

A dataset with 18 observations on the following 7 variables.

Attendance	Number of days in class
Average	Average score over all days
Sex	Coded as f or m
Day1	Archery score on first day
LastDay	Archery score on last day
Improvement	Last day - first day score
Improve	1=improved or 0=did not improve

Details

In 2002, Heather Tollerud, a Saint Olaf College student, undertook a study of the archery scores of students at the college who were enrolled in an archery course. Students taking the course record a score for each day they attend class from the first until the last day. Hopefully the instruction they receive helps them to improve their game.

Source

Student project

AthleteGrad

Athletic Participation, Race, and Graduation

Description

Six-year graduation data for 214,555 students in 2004

Format

A data frame with 214555 observations on the following 3 variables.

Student Athlete or NonAthlete

Race Black or White

Grad 1=graduated within 6 years, otherwise 0

Details

Six-year graduation data from 2004 for male non-athletes and for male athletes, where "Athlete" means football or basketball player. These data show Simpson's Paradox.

Source

Victor Matheson, College of the Holy Cross, collected the summary statistics.

Data are derived from the summary tables in:

Matheson, V., "Research Note: Athletic Graduation Rates and Simpson's Paradox," *Economics of Education Review*, Vol. 26:4 (August 2007), 516-520.

AudioVisual

Reaction Times to Audio and Visual Stimuli

Description

Data from an experiment on reaction times to audio or visual stimuli by Oberlin College students.

Format

A data frame with 72 observations on the following 4 variables.

Subject SubjectIDs coded s1 to s36

ResponseTime Time to respond to a stimulus (in ms)

Stimulus Type of stimulus (auditory or visual)

Group Musician or NonMusician

Details

Subjects in a reaction time study were asked to press a button as fast as possible after being exposed to either an auditory stimulus (a burst of white noise) or a visual stimulus (a circle flashing on a computer screen). Average reaction times (ms) were recorded for between 10 and 20 trials for each type of stimulus for each subject. Data also identifies which subjects are musicians.

Source

Arjuna Pettit, Jr. and Jeremy Potterfield at Oberlin College

AutoPollution

Noise Levels of Filters to Reduce Automobile Pollution

Description

Measurements of noise levels for different filters to reduce pollution levels of automobiles.

Format

A dataset with 36 observations on the following 4 variables.

Noise	Noise level (decibels)
Size	Vehicle size: 1=small, 2=medium, or 3=large
Type	1=standard filter or 2=new filter
Side	Side of vehicle: code1=right or 2=left

Details

In a 1973 testimony before the Air and Water Pollution Subcommittee of the Senate Public Works Committee, John McKinley, President of Texaco discussed a new filter that had been developed to reduce pollution. Questions were raised about the effects of this filter on other measures of vehicle performance. The data set AutoPollution gives the results of an experiment on 36 different cars. The cars were randomly assigned to get either this new filter or a standard filter and the noise level for each car was measured.

Source

Data explanation and link can be found at <http://lib.stat.cmu.edu/DASL/Stories/airpollutionfilters.html>.

References

A.Y. Lewin and M.F. Shakun, Policy Sciences: Methodology and Cases, Pergammon Press, 1976, p 313.

Backpack

Weights of College Student Backpacks

Description

Backpack weights for a sample of college students

Format

A data frame with 100 observations on the following 9 variables.

BackpackWeight	Backpack weight (in pounds)
BodyWeight	Body weight (in pounds)
Ratio	BackpackWeight/BodyWeight
BackProblems	0=no or 1=yes
Major	Code for academic major
Year	Year in school
Sex	a factor with levels Female Male
Status	Graduate or undergraduate? G or U
Units	Number of credits taken that quarter

Details

A survey of students at California Polytechnic State University (San Luis Obispo) collected data to investigate the question of whether back aches might be due to carrying heavy backpacks,

Source

Mintz J., Mintz J., Moore K., and Schuh K., "Oh, My Aching Back! A Statistical Analysis of Backpack Weights," *Stats: The Magazine for Students of Statistics*, vol. 32, 2002, pp. 1719.

BaseballTimes

Baseball Game Times of One Day in 2008

Description

Game times and boxscore information for baseball games

Format

A data frame with 15 observations on the following 7 variables.

Game	Code for opposing teams
League	AL= American League or NL=National League
Runs	Total number of runs scored (both teams)
Margin	Margin of victory (Winner-Loser score)
Pitchers	Total number of pitchers used (both teams)
Attendance	Number of spectators at the game
Time	Total time for the game (in minutes)

Details

Data were collected for 15 Major League Baseball (MLB) games played on August 26, 2008. This dataset was used in first edition, but updated to BaseballTimes2017 for the second edition.

Source

Data from boxscores at www.baseball-reference.com

BaseballTimes2017 *Baseball Game Times of One Day in 2017*

Description

Times for one day's major league baseball games

Format

A data frame with 14 observations on the following 7 variables.

Game MLB teams that played

League AL=American League, IL=Interleague, or NL=National League

Runs Runs scored by the two teams combined

Margin Winning margin

Pitchers Number of pitchers used total for two teams

Attendance Announced attendance

Time Time in minutes to play the game

Details

Data from all MLB games played on August 11, 2017. There were no extra-innings game nor any rain delays.

Source

<https://www.baseball-reference.com/boxes/?month=8&day=11&year=2017>

BeeStings *Do Bee Stings Depend on Previous Stings?*

Description

Data from an experiment to see if the number of bee stings depends on previous stings.

Format

A data frame with 18 observations on the following 3 variables.

Occasion	Trial: I to IX
Treatment	Fresh or Stung
Stingers	Number of stingers

Details

If you are stung by a bee, does that make you more likely to get stung again? Might bees leave behind a chemical message that tells other bees to attack you? To test this hypothesis, scientists dangled a 4x4 array of 16 muslin-wrapped cotton balls over a beehive. Eight of 16 balls had been previously stung; the other eight were fresh. The response was the total number of new stingers left behind by the bees. The process was repeated for a total of nine trials.

Used in first edition, but not second edition.

Source

Free, J.B. (1961) "The stinging response of honeybees," *Animal Behavior*, Vol. 9, pp 193-196.

BirdCalcium

Effect of a Hormone on Bird Calcium Levels

Description

An experiment on the effects of a hormone on blood calcium levels in robins

Format

A data frame with 20 observations on the following 5 variables.

Bird ID number for each bird (1 to 20)

Sex female or male

Hormone Treated with hormone (no or yes)

Group Combined Sex and Hormone (F No, F Yes, M No, or M Yes)

Ca Blood calcium level (mg per 100 ml)

Details

An experiment looked at the effects of treatment with a hormone for increasing the concentration of calcium in birds. Twenty birds (robins) were used in the study, ten male and ten female, equally divided between the hormone and no hormone treatments.

Source

Bliss, Chester (1970), *Statistics in Biology*, McGraw-Hill

 BirdNest

Nest Characteristics for Different Bird Species

Description

Nest and species characteristics for North American passerines

Format

A data frame with 84 observations on the following 12 variables.

Species	Latin species name
Common	Common species name
Page	Page in a bird manual describing the species
Length	Mean body length for the species (in cm)
Nesttype	Type of nest
Location	Location of nest
No. eggs	Number of eggs
Color	Egg color (0=plain/solid or 1=speckled/spotted)
Incubate	Mean length of time (in days) the species incubates eggs in the nest
Nestling	Mean length of time (in days) the species cares for babies in the nest until fledged
Totcare	Total care time = Incubate+Nestling
Closed	1=closed nest (pendant, spherical, cavity, crevice, burrow), 0=open nest (saucer, cup)

Details

Amy R. Moore, as a student at Grinnell College in 1999, wanted to study the relationship between species characteristics and the type of nest a bird builds, using data collected from available sources. For the study, she collected data by species for 84 separate species of North American passerines.

Source

Project by Amy Moore at Grinnell College

References

The Birders Handbook, by Ehrlich, et al. (1988)

 Blood1

Blood Pressure, Weight, and Smoking Status

Description

Systolic blood pressure, weight and smoking status for a sample of 500 adults

Format

A data frame with 500 observations on the following 3 variables.

SystolicBP	Systolic blood pressure (mm of Hg)
Smoke	Y=smoker or N=non-smoker
Overwt	1=normal, 2=overweight, or 3=obese

Details

Data on systolic blood pressure, along with smoker status and weight status, for a sample of 500 adults.

Source

Data are part of a larger case study for the 2003 Annual Meeting of the Statistical Society of Canada.
<http://www.ssc.ca/en/education/archived-case-studies/case-studies-for-the-2003-annual-meeting-blood-pressure>.

 BlueJays

Blue Jay Measurements

Description

Body measurements for a sample of blue jays

Format

A data frame with 123 observations on the following 9 variables.

BirdID	ID tag for bird
KnownSex	Sex coded as F or M
BillDepth	Thickness of the bill measured at the nostril (in mm)
BillWidth	Width of the bill (in mm)
BillLength	Length of the bill (in mm)
Head	Distance from tip of bill to back of head (in mm)
Mass	Body mass (in grams)

Skull Distance from base of bill to back of skull (in mm)
 Sex Sex coded as 0=female or 1=male

Details

Body measurements for captured blue jays. Values are averaged for birds captured more than once.

Source

Data from Keith Tarvin, Department of Biology, Oberlin College

BrainpH

Brain pH Measurements

Description

Brain tissue pH at time of death

Format

A data frame with 54 observations on the following 5 variables.

pH Brain tissue pH

Sex F or M

Ethnicity AfricanAmerican, Asian, Caucasian, or PacificIslander

Age Age at death

DeathType Cause of death (Cardiac, Other, or Suicide)

Details

These are data from a PNAS article (supplemental file) on pH in brain tissue samples for controls and for people who had Major Depressive Disorder. We extracted just the controls (roughly 3/4 of whom died of cardiac arrest).

Source

Jun Z. Li et al. (2013), "Circadian patterns of gene expression in the human brain and disruption in major depressive disorder," PNAS, vol 110, no. 24, www.pnas.org/cgi/doi/10.1073/pnas.1305814110

Data extracted from Supporting Information, Table S4: Li et al. www.pnas.org/cgi/content/short/1305814110

BreesPass *Drew Brees Passing Statistics (2016)*

Description

Passing statistics for football quarterback Drew Brees in 2016

Format

A data frame with 16 observations on the following 5 variables.

Game Game number (1 is the first game of the regular season)

Opponent Opponent abbreviation

Completed Number of completed passes

Attempts Pass attempts

Yards Passing yards

Details

Drew Brees was the quarterback for the NFL's New Orleans Saints football team in 2016. This dataset shows some of his passing statistics for each of the 16 regular season games.

Source

http://www.espn.com/nfl/player/gamelog/_id/2580/year/2016

BritishUnions *Attitudes Towards British Trade Unions*

Description

Poll attitudes towards British trade unions

Format

A data frame with 17 observations on the following 7 variables.

Date	Month of the poll Aug-77 to Sep-79
AgreePct	Percent who agree (unions have too much power)
DisagreePct	Percent who disagree
NetSupport	DisagreePct-AgreePct
Months	Months since August 1975
Late	1=after 1986 or 0=before 1986
Unemployment	Unemployment rate

Details

The British polling company Ipsos MORI conducted several opinion polls in the UK between 1975 and 1995 in which they asked whether people agree or disagree with the statement "Trade unions have too much power in Britain today".

Source

Data from the Ipsos MORI website at
<http://www.ipsos-mori.com/researchpublications/researcharchive/poll.aspx?oItemID=94>

ButterfliesBc

Butterfly (Boloria chariclea) Measurements

Description

Measurements for a sample of butterflies in Greenland

Format

A data frame with 32 observations on the following 4 variables.

Temp Average temperature for preceding summer (Celsius)

Wing Average wing length (mm)

Sex Female or Male

Species all are Bc, Boloria chariclea

Details

Scientists measured wing length of a species of butterfly, Boloria chariclea (Bc), in Greenland each year from 1996 through 2013. They also recorded summer temperatures.

Source

Digitized data from plots in Bowden, J. et al., "High-Arctic butterflies become smaller with rising temperatures", published in Biology Letters 11: 20150574

 CAFE

US Senate Votes on Corporate Average Fuel Economy Bill

Description

Senate votes for Corporate Average Fuel Economy (CAFE) bill

Format

A data frame with 100 observations on the following 7 variables.

Senator	Senator's name
State	Code for senator's state
Party	party affiliation: D=Democrat, I=Independent, R=Republican
Contribution	Contributions from car manufactures (dollars)
LogContr	Log of (Contribution+1)
Dem	1=Democrat/Independent 0=Republican
Vote	1=yes or 0=no

Details

The Corporate Average Fuel Economy (CAFE) Bill was proposed by Senators John McCain and John Kerry to improve the fuel economy of cars and light trucks sold in the United States. However a critical vote on an amendment in March of 2002 threatened to indefinitely postpone CAFE. The amendment charged the National Highway Traffic Safety Administration to develop a new standard, the effect being to put on indefinite hold the McCain-Kerry bill. It passed by a vote of 62-38. A political question of interest is whether there is evidence of monetary influence on a senator's vote. Scott Preston, a professor of statistics at SUNY, Oswego, collected data on this vote which includes the vote of each senator (1=Yes or 0=No) and monetary contributions that each of the 100 senators received over his or her lifetime from the car manufacturers.

Source

Thanks to Prof. Scott Preston from SUNY Oswego for the data.

 CalciumBP

Do Calcium Supplements Lower Blood Pressure?

Description

An experiment on calcium supplements and blood pressure in 21 men

Format

A data frame with 21 observations on the following 2 variables.

Treatment	Calcium or Placebo
Decrease	Beginning-ending blood pressure

Details

The purpose of this study was to see whether daily calcium supplements can lower blood pressure. The subjects were 21 men; each was randomly assigned either to a treatment group or to a control group. Those in the treatment group took a daily pill containing calcium. Those in the control group took a daily pill with no active ingredients. Each subject's blood pressure was measured at the beginning of the 12-week study, and again at the end. The decrease in blood pressure (begin-end) was recorded (so a negative value means blood pressure increased).

Source

Dataset downloaded from online data source Data and Story Library,
<http://lib.stat.cmu.edu/DASL/Stories/CalciumandBloodPressure.html>

CanadianDrugs

Canadian Drugs Senate Vote

Description

US Senate vote on Klobuchar amendment to lower drug prices

Format

A data frame with 94 observations on the following 6 variables.

Senator	Name of the Senator
Contributions	Amount of money received from the pharmaceutical industry over 6 years
Party	D=Democrat or R=Republican
State	Abbreviation for Senator's state
RollCall	Nay or Yea
Vote	Against or With what drug makers wanted

Details

January 2017 vote in the U.S. Senate related to repeal part of ObamaCare. The "Klobuchar amendment" to a bill was introduced with the purpose of lowering drug prices by allowing prescription drugs to be imported from Canada.

The data exclude two senators who did not vote on the amendment and four senators who were new to Congress and thus had received no money from the drug industry. The remaining 94 senators represent 49 states (every state except California) and each of these senators had received at least \$3,000.

Source

Data obtained from:

http://www.senate.gov/legislative/LIS/roll_call_lists/roll_call_vote_cfm.cfm?congress=115&session=1&vote=00020

<http://maplight.org/us-congress/interest/H4300/view/all>

CancerSurvival

Survival Times for Different Cancers

Description

Cancer survival with ascorbate supplement

Format

A dataset with 64 observations on the following 2 variables.

Survival	Survival time (in days)
Organ	Breast, Bronchus, Colon, Ovary, or Stomach

Details

In the 1970's doctors wondered if giving terminal cancer patients a supplement of ascorbate would prolong their lives. They designed an experiment to compare cancer patients who received ascorbate to cancer patients who did not receive the supplement. The result of that experiment was that, in fact, ascorbate did seem to prolong the lives of these patients. But then a second question arose. Was the effect of the ascorbate different when different organs were affected by the cancer? The researchers took a second look at the data. This time they concentrated only on those patients who received the ascorbate and divided the data up by which organ was affected by the cancer. They had 5 different organs represented among the patients (all of whom only had one organ affected): Stomach, bronchus, colon, ovary, and breast.

Source

From the article "Supplemental Ascorbate in the Supportive Treatment of Cancer: Reevaluation of Prolongation of Survival Times in Terminal Human Cancer" by Ewan Cameron and Linus Pauling, Proceedings of the National Academy of Sciences of the United States of America, Vol. 75, No. 9 (Sep., 1978), pp. 4538-4542.

 Caterpillars

 Measurements of *Manduca Sexta* Caterpillars

Description

Measurements on a sample of *Manduca Sexta* caterpillars

Format

A data frame with 267 observations on the following 18 variables.

Instar	Coded from 1 (smallest) to 5 (largest) indicating stage of the caterpillar's life
ActiveFeeding	Indicator (Y or N) of whether or not the animal is actively feeding
Fgp	Indicator (Y or N) of whether or not the animal is in a free growth period
Mgp	Indicator (Y or N) of whether or not the animal is in a maximum growth period
Mass	Body mass (in grams)
LogMass	Log (base 10) of body mass
Intake	Wet food intake (in grams/day)
LogIntake	Log (base 10) of Intake
WetFrass	Amount of frass (solid waste) produced (in grams/day)
LogWetFrass	Log (base 10) of WetFrass
DryFrass	Amount of frass, after drying, produced (in grams/day)
LogDryFrass	Log (base 10) of DryFrass
Cassim	CO ₂ assimilation (ingestion - excretion)
LogCassim	Log (base 10) of Cassim
Nfrass	Nitrogen in frass
LogNfrass	Log (base 10) of Nfrass
Nassim	Nitrogen assimilation (ingestion - excretion)
LogNassim	Log (base 10) of Nassim

Details

Student and faculty researchers at Kenyon College conducted numerous experiments with *Manduca Sexta* caterpillars to study biological growth.

Source

We thank Professors Harry Itagaki, Drew Kerkhoff, Chris Gillen, and Judy Holdener and their students for sharing this data from research supported by NSF InSTaRs grant #0827208.

CavsShooting *Cleveland Cavalier's Shooting (2016-2017)*

Description

Shooting percentages for two Cav players

Format

A data frame with 1940 observations on the following 3 variables.

Player Frye or Irving

ShotType Two or Three

Hit 1=made or 0=missed

Details

Shooting success on 2-point shots and 3-point shots for the 2016-17 NBA season for two Cleveland Cavalier basketball players, Kyrie Irving and Channing Frye. Each case is a shot attempt. These data show Simpson's Paradox.

Source

http://www.espn.com/nba/player/splits/_id/6442/kyrie-irving http://www.espn.com/nba/player/splits/_id/2754/type/total/channing-frye

Cereal *Nutrition Content of Breakfast Cereals*

Description

Nutrition content for a sample of 36 different brands of breakfast cereals

Format

A data frame with 36 observations on the following 4 variables.

Cereal	Brandname of cereal
Calories	Calories per serving
Sugar	Grams of sugar per serving
Fiber	Grams of fiber per serving

Details

Data give nutrition contents (per serving) for 36 breakfast cereals.

Source

These data were collected by Patricia Benedict, Ronald Brahler, and Kenneth Motz, who read the nutritional labels on the boxes, in an attempt to learn whether cereals high in fiber are also high in sugar and calories. The cereals are all of those that were sold at Russo Stop & Shop in University Heights, OH, in July, 1990.

 ChemoTHC

THC for Antinausea Treatment in Chemotherapy

Description

Comparison of two treatments for nausea in chemotherapy

Format

A data frame with 2 observations on the following 4 variables.

Drug	Prochlorperazine or THC
Effective	Count of effective cases
NotEffective	Count of noneffective cases
Patients	Number of patients in the treatment

Details

An article in the New England Journal of Medicine described a study on the effectiveness of medications for combatting nausea in patients undergoing chemotherapy treatments for cancer. In the experiment, 157 patients were divided at random into two groups. One group of 78 patients was given a standard antinausea drug called prochlorperazine, while the other group of 79 patients received THC (the active ingredient in marijuana). Both medications were delivered orally and no patients were told which of the two drugs they were taking. The response measured was whether or not the patient experienced relief from nausea when undergoing chemotherapy. Dataset is a 2 x 2 table of counts.

Source

Sallan SE, Cronin C, Zelen M, Zinberg NE (1980), "Antiemetics in patients receiving chemotherapy for cancer: a randomized comparison of delta-9-tetrahydrocannabinol and prochlorperazine," New England Journal of Medicine, 302(3) p.135-138.

ChildSpeaks	<i>Age at First Speaking</i>
-------------	------------------------------

Description

Age at first speaking and aptitude test scores

Format

A data frame with 21 observations on the following 3 variables.

Child	ID for each child
Age	Age at first speaking (in months)
Gesell	Gesell Aptitude Test Score

Details

The data are from a study about whether there is a relationship between the age at which a child first speaks (in months) and his or her score on a Gesell Aptitude Test taken later in childhood.

Source

These data were originally collected by L.M. Linde of UCLA but were first published by M.R. Mickey, O.J. Dunn, and V. Clark, "Note on the use of stepwise regression in detecting outliers," *Computers and Biomedical Research*, 1 (1967), pp. 105-111. The data have been used by several authors. We found them in David Moore's *Basic Practice of Statistics*, WH Freeman (2004)

ClintonSanders	<i>Clinton/Sanders Primary Results (2016)</i>
----------------	---

Description

2016 US Democratic Presidential primary results

Format

A data frame with 31 observations on the following 5 variables.

State	ID for primary state
Delegates	Percentage of delegates won by Clinton
PaperTrail	Was a paper trail available for votes cast? (No Paper Trail or Paper Trail)
PopularVote	Percentage of votes won by Clinton
AfAmPercent	Percentage of African-Americans in the state

Details

In 2016 Hillary Clinton won the Democratic nomination for U.S. President over Bernie Sanders. A paper was circulated that claimed to show evidence of election fraud based, among other things, on Clinton doing better in states that don't have a paper trail for votes cast in a primary election than she did in states that have a paper trail. Data is for the 31 states that held Democratic primaries in 2016.

Source

<https://docs.google.com/spreadsheets/d/1cszGOhbmHDTHH5ntaGPmeX55RgMMaoBhgqO1Wx-9TRk/edit#gid=0>

<http://kff.org/other/state-indicator/distribution-by-raceethnicity/?currentTimeframe=0&sortModel=%7B%22colId%22:%22>

Clothing

Sales for a Clothing Retailer

Description

Data on 60 customers at a clothing retailer

Format

A data frame with 60 observations on the following 8 variables.

ID	Case ID
Amount	Net dollar amount spent by customers in their latest purchase from this retailer
Recency	Number of months since the last purchase
Freq12	Number of purchases in the last 12 months
Dollar12	Dollar amount of purchases in the last 12 months
Freq24	Number of purchases in the last 24 months
Dollar24	Dollar amount of purchases in the last 24 months
Card	1 for customers who have a private-label credit card with the retailer, 0 if not

Details

This dataset represents a random sample of 60 customers from a large clothing retailer. The manager of the store is interested in predicting how much a customer will spend on his or her next purchase based on one or more of the available explanatory variables.

Source

Personal communication with David Cameron who completed a more extensive consulting project for the retailer.

CloudSeeding

Cloud Seeding Experiment (Winter Only)

Description

Rainfall amounts from a cloud seeding experiment (winter only)

Format

A data frame with 28 observations on the following 7 variables.

Seeded	Treatment coded as S=seeded or U=unseeded
Season	All in Winter
TE	Rainfall in East (treatment)
TW	Rainfall in West (treatment)
NC	Rainfall in North (control)
SC	Rainfall in South (control)
NWC	Rainfall in Northwest (control)

Details

Researchers were interested in whether seeded clouds would produce more rainfall. An experiment was conducted in Tasmania between 1964 and 1971 and rainfall amounts were measured in inches per rainfall period. The researchers measured the amount of rainfall in two target areas: East (TE) and West (TW). They also measured the amount of rainfall in three control locations. Clouds were coded as being either seeded (treatment) or unseeded (control). This is a subset (only Winter months) of the larger CloudSeeding2 dataset. All rainfall amounts are in inches.

Source

Data were accessed from the website www.statsci.org/data/oz/cloudtas.html. This is the web home of the Australasian Data and Story Library (OzDASL).

References

A.J. Miller, D.E. Shaw, L.G. Veitch, and E.J. Smith, (1979) "Analyzing the results of a cloud-seeding experiment in Tasmania" in *Communications in Statistics: Theory and Methods*, A8 (10), pp. 1017-1047.

 CloudSeeding2

Cloud Seeding Experiment (Four Seasons)

Description

Rainfall amounts from a cloud seeding experiment

Format

A data frame with 108 observations on the following 8 variables.

Period	ID for time period
Seeded	Treatment coded as S=seeded or U=unseeded
Season	Coded as Autumn, Spring, Summer, or Winter
TE	Rainfall in East (treatment)
TW	Rainfall in West (treatment)
NC	Rainfall in North (control)
SC	Rainfall in South (control)
NWC	Rainfall in Northwest (control)

Details

Researchers were interested in whether seeded clouds would produce more rainfall. An experiment was conducted in Tasmania between 1964 and 1971 and rainfall amounts were measured in inches per rainfall period. The researchers measured the amount of rainfall in two target areas: East (TE) and West (TW). They also measured the amount of rainfall in three control locations. Clouds were coded as being either seeded (treatment) or unseeded (control). A subset (only Winter months) of these data is stored in CloudSeeding. All rainfall amounts are in inches.

Source

Data were accessed from the website www.statsci.org/data/oz/cloudtas.html. This is the web home of the Australasian Data and Story Library (OzDASL).

References

A.J. Miller, D.E. Shaw, L.G. Veitch, and E.J. Smith, (1979) "Analyzing the results of a cloud-seeding experiment in Tasmania" in *Communications in Statistics: Theory and Methods*, A8 (10), pp. 1017-1047.

CO2

Daily CO2 Measurements in Germany

Description

Daily carbon dioxide measurements for April through November 2011

Format

A data frame with 237 observations on the following 2 variables.

CO2 Carbon dioxide (CO2) level (in parts per million)

Day Number of day in 2011 (April 1 = day 91)

Details

Scientists at a research station in Brotjacklriegel, Germany recorded CO2 levels, in parts per million, in the atmosphere for each day from the start of April through November in 2011.

This dataset was renamed to CO2Germany for the second edition.

Source

<http://gaw.empa.ch/gawsis/reports.asp?StationID=-739519191>

CO2Germany

Daily CO2 Measurements in Germany

Description

Daily carbon dioxide measurements for April through November 2011

Format

A data frame with 237 observations on the following 2 variables.

CO2 Carbon dioxide (CO2) level (in parts per million)

Day Number of day in 2011 (April 1 = day 91)

Details

Scientists at a research station in Brotjacklriegel, Germany recorded CO2 levels, in parts per million, in the atmosphere for each day from the start of April through November in 2011.

Source

<http://gaw.empa.ch/gawsis/reports.asp?StationID=-739519191>

CO2Hawaii

CO2 Readings in Hawaii

Description

Monthly carbon dioxide readings at Mauna Loa, Hawaii

Format

A data frame with 360 observations on the following 4 variables.

Year Year (1988 - 2017)

Month Month (1=Jan. to 12=Dec.)

CO2 Atmospheric carbon dioxide level (ppm)

t Time interval (t=1 to 360)

Details

Monthly average carbon dioxide readings (1988 - 2017) at the Mauna Loa Observatory in Hawaii. Data collected and disseminated by ERS� (Earth System Research Laboratory) of the U.S. NOAA (National Oceanic and Atmospheric Administration).

Source

Data downloaded for MOL (Mauna Loa) from the ESRL/GMD data page at <https://www.esrl.noaa.gov/gmd/ccgg/trends/data>.

CO2SouthPole

CO2 Readings at the South Pole

Description

Monthly carbon dioxide readings at the South Pole

Format

A data frame with 348 observations on the following 4 variables.

Year Year (1988 - 2016)

Month Month (1=Jan. to 12=Dec.)

CO2 Atmospheric carbon dioxide level (ppm)

t Time interval (t=1 to 348)

Details

Monthly average carbon dioxide readings (1988 - 2016) at the South Pole. Data collected and disseminated by ERS� (Earth System Research Laboratory) of the U.S. NOAA (National Oceanic and Atmospheric Administration).

Source

Data downloaded for SPO (South Pole) from the ERS�/GMD data page at <https://www.esrl.noaa.gov/gmd/dv/data/>

Contraceptives

Drug Interaction with Contraceptives

Description

Drug interaction study with oral contraceptives

Format

A data frame with 44 observations on the following 6 variables.

ID ID number for each of the women

StudyPeriod 1=first or 2=second

Treatment Drug or Placebo

EE Bioavailability of the ethinyl estradiol component of the oral contraceptive (in pg*hr/ml)

ComparisonValues Comparison values used for a Tukey nonadditivity plot

Residuals Residuals used for a Tukey nonadditivity plot

Details

Twenty-two female subjects were allocated randomly to one of two treatment sequences in a two period crossover design. The two treatments were a new Drug D or placebo, both given concomitantly with a standard oral contraceptive which was given in both study periods. The oral contraceptive has two components, ethinyl estradiol (EE) and norethindrone (NET). The purpose of the study was to evaluate whether the presence of Drug D affected the bioavailability of each of the oral contraceptive components. Note that our dataset does not include the NET variable.

Source

Thomas E. Bradstreet & Deborah L. Panebianco (2017) "An Oral Contraceptive Drug Interaction Study", *Journal of Statistics Education*, 12:1, DOI: 10.1080/10691898.2004.11910719

`cookplot`*Plot of standardized residuals vs. leverage with boundaries for unusual cases*

Description

This function produces an plot of standardized residuals versus leverage values for a regression model. Horizontal boundaries identify mild or more extreme standardized residuals. Vertical boundaries identify mild and more severe high leverage points. Curved boundaries identify mild and more severe values of Cook's D.

Usage

```
cookplot(mod)
```

Arguments

`mod` a regression model from `lm()`

Details

The plot shows standardized residuals (vertical) versus leverage values (horizontal) for all cases in a regression model.

Horizontal (blue) boundaries mark standardized residuals beyond ± 2 (mild) and ± 3 (more severe).

Vertical (green) boundaries mark leverage points beyond $2(k+1)/4$ (mild) and $3(k+1)/n$ (more severe), where k = number of predictors.

Curved (red) boundaries for mark influential points beyond 0.5 (mild) and 1.0 (more severe) using Cook's D.

Unusual points are labeled with a case number.

Value

A plot showing standardized residuals versus leverage values with boundaries for unusual cases

Examples

```
data(AccordPrice)
mod1=lm(Price~Age,data=AccordPrice)
cookplot(mod1)
```

 CountyHealth

County Health Resources

Description

Medical facilities and doctors in a sample of counties.

Format

A data frame with 53 observations on the following 4 variables.

County County name, state

MDs Number of medical doctors

Hospitals Number of community hospitals

Beds Number of beds in the hospitals

Details

Data compiled from information provided by the American Medical Association on the availability of health care in counties in the United States. A random sample of 53 counties was chosen from among counties with at least two community hospitals.

Source

Physicians—American Medical Association, Chicago, IL, Physician Characteristics and Distribution in the U.S., annual (copyright), accessed May 17, 2006. Community hospitals—Health Forum LLC, an American Hospital Association (AHA) Company, Chicago, IL, Hospital Statistics, and unpublished data (copyright), e-mail accessed May 4, 2006 (related Internet site <http://www.healthforum.com>).

Other web sources:

<http://www.ama-assn.org/> http://www.healthforum.com/healthforum/html/data_statistics/data_statistics.html

<http://www.cms.hhs.gov> <http://www.ssa.gov>

CrabShip

Crab Oxygen Intake

Description

Oxygen intake of crabs with different noise sources

Format

A data frame with 34 observations on the following 3 variables.

Mass Oxygen intake of crabs with different noise sources

Oxygen Rate of oxygen consumption (μ moles h^{-1})

Noise Source of noise (ambient or ship)

Details

Animals that are stressed might increase their oxygen consumption. Biologists measured oxygen consumption of shore crabs that were either exposed to 7.5 minutes of ship noise or 7.5 minutes of ambient harbor noise.

Source

Wale MA, Simpson SD, Radford AN. (2013) "Size-dependent physiological responses of shore crabs to single and repeated playback of ship noise", *Biol Lett* 9: 20121194. <http://dx.doi.org/10.1098/rsbl.2012.1194>

 CrackerFiber

Effects of Cracker Fiber on Digested Calories

Description

Digested calories with different types of fiber in crackers

Format

A data frame with 48 observations on the following 3 variables.

Subj	ID for the subject
Fiber	Type of fiber: bran, combo, control, or gum
Calories	Digested calories

Details

Twelve female subjects were fed a controlled diet, with crackers before every meal. There were four different kinds of crackers: control, bran fiber, gum fiber, and a combination of both bran and gum fiber. Over the course of the study, each subject ate all four kinds of crackers, one kind at a time, for a stretch of several days. The order was randomized. The response is the number of digested calories, measured as the difference between calories eaten and calories passed through the system.

Source

Subset of the data at <http://lib.stat.cmu.edu/DASL/Datafiles/Fiber.html>.

CreditRisk	<i>Overdrawn Checking Account?</i>
------------	------------------------------------

Description

Variables that might be related to whether students overdraw a checking account.

Format

A data frame with 450 observations on the following 4 variables.

Age	Age of the student (in years)
Sex	0=male or 1=female
DaysDrink	Number of days drinking alcohol (in past 30 days)
Overdrawn	Has student overdrawn a checking account? 0=no or 1=yes

Details

Researchers conducted a survey of 450 undergraduates in large introductory courses at either Mississippi State University or the University of Mississippi. There were close to 150 questions on the survey, but only four of these variables are included in this dataset. (You can consult the paper to learn how the variables beyond these 4 affect the analysis.) The primary interest for the researchers was factors relating to whether or not a student has ever overdrawn a checking account.

Source

Worthy S.L., Jonkman J.N., Blinn-Pike L. (2010), "Sensation-Seeking, Risk-Taking, and Problematic Financial Behaviors of College Students," *Journal of Family and Economic Issues*, 31: 161-170

Cuckoo	<i>Measurements of Cuckoo Eggs</i>
--------	------------------------------------

Description

Lengths of cuckoo eggs laid in other birds' nests

Format

A data frame with 120 observations on the following 2 variables.

Bird	Type of bird nest: mdw_pipit (meadow pipit), tree_pipit, hedge_sparrow, robin, wagtail, or wren
Length	Cuckoo egg length (in mm)

Details

Cuckoos are known to lay their eggs in the nests of other (host) birds. The eggs are then adopted and hatched by the host birds. The data give the lengths of cuckoo eggs found in nests of various other bird species.

Source

Downloaded from DASL at <http://lib.stat.cmu.edu/DASL/Datafiles/cuckoodat.html>

References

"The Egg of *Cuculus Canorus*. An Enquiry into the Dimensions of the Cuckoo's Egg and the Relation of the Variations to the Size of the Eggs of the Foster-Parent, with Notes on Coloration", by Oswald H. Latter, *Biometrika*, Vol. 1, No. 2 (Jan., 1902), pp. 164-176.

Day1Survey

First Day Survey of Statistics Students

Description

Data from a first day class survey in an introductory statistics course

Format

A data frame with 43 observations on the following 13 variables.

Section	Section: 1 or 2
Class	Year in school: Freshman, Sophomore, Junior, or Senior
Sex	F=female or M=male
Distance	Distance (in miles) to get to campus
Height	Height (in inches)
Handedness	Left, Right, or Ambidextrous
Coins	Value of coins student has (in class)
WhiteString	Estimated length of a white string (in inches)
BlackString	Estimated length of a black string (in inches)
Reading	Expected amount of reading during the semester (pages/week)
TV	Hours of TV watched per week
Pulse	Resting pulse rate (beats per minute)
Texting	Number of text messages in past 24 hours

Details

An instructor at a small liberal arts college distributed a data survey on the first day of class. The data for two different sections of the course are given in this dataset.

Source

Student survey in an introductory statistics class.

 DiabeticDogs

Lactic Acid Turnover in Dogs

Description

The rate of lactic acid turnover was measured by two methods for normal and diabetic dogs.

Format

A data frame with 20 observations on the following 4 variables.

Dog Code for individual dogs (d1 through d10)

Method Tracer method to measure response (infuse or inject)

Operation Pancreas removed to make the dog diabetic? (no or yes)

Response Rate for biochemical turnover of lactic acid

Details

Five dogs had their pancreas removed to make them diabetic (Operation=yes), the other five were normal (Operation=no). The rate of turnover of lactic acid was measured for each dog by two methods, infusion and injection.

Source

Forbath, N., A. B. Kenshole, and G. Hetenyi, Jr. (1967), "Turnover lactic acid in normal and diabetic dogs calculated by two tracer methods," *Am. J. Physiol.* v. 212, pp.1179 - 1183.

 Diamonds

Characteristics of a Sample of Diamonds

Description

Price and characteristics for a sample of 351 diamonds

Format

A data frame with 351 observations on the following 6 variables.

Carat	Size of the diamond (in carats)
Color	Coded as D (most white/bright) through J
Clarity	Coded as IF, VVS1, VVS2, VS1, VS2, SI1, SI2, or SI3
Depth	Depth (as a percentage of diameter)
PricePerCt	Price per carat
TotalPrice	Price for the diamond (in dollars)

Details

Data for a sample of diamonds. The clarity of the diamonds ranges from IF (internally flawless) through VVS1 (very,very slightly included), VS1 (very slightly included), to SI3 (slightly included) in the order listed above.

Source

Diamond data obtained from AwesomeGems.com on July 28, 2005.

Diamonds2

Characteristics of a Subset of the Diamond Sample

Description

A subset of 307 cases with the most frequent colors from the Diamonds data

Format

A data frame with 307 observations on the following 6 variables.

Carat	Size of the diamond (in carats)
Color	Coded as D (most white/bright) through G
Clarity	Coded as IF, VVS1, VVS2, VS1, VS2, SI1, SI2, or SI3
Depth	Depth (as a percentage of diameter)
PricePerCt	Price per carat
TotalPrice	Price for the diamond (in dollars)

Details

A subset of the Diamonds data, containing only those with most frequent colors D, E, F, and G. The clarity of the diamonds ranges from IF (internally flawless) through VVS1 (very,very slightly included), VS1 (very slightly included), to SI3 (slightly included) in the order listed above.

Source

Diamond data obtained from AwesomeGems.com on July 28, 2005.

Dinosaurs

*Iridium Levels in Rock Layers to Investigate Dinosaur Extinction***Description**

Iridium levels in prehistoric rock layers

Format

A data frame with 28 observations on the following 4 variables.

ID Sample identifier

Source Type of rock (Limestone Shale)

Depth Depth of the sample (in meters)

Iridium Iridium concentration (ppb)

Details

The question of interest is whether a volcanic eruption or asteroid strike had created a dust cloud that led to extinction of most dinosaurs. Rock samples taken in Gubbio, Italy were measured for the concentration of iridium (a rare metal which is more common in asteroids). The deeper the sample, the older the rocks are. A sudden increase in iridium at some point in time would lend support for the asteroid hypothesis.

Source

Ramsey, Fred L. and Daniel W. Schafer (2002). *The Statistical Sleuth*, 2nd ed., Pacific Grove, CA, Duxbury, pp.405-407.

Election08

*2008 U.S. Presidential Election***Description**

State-by-state information from the 2008 U.S. presidential election

Format

A dataframe with 51 observations on the following 7 variables.

State Name of the state

Abr Abbreviation for the state

Income Per capita income in the state as of 2007 (in dollars)

HS Percentage of adults with at least a high school education

BA Percentage of adults with at least a college education

Dem.Rep Difference in %Democrat and %Republican (according to 2008 Gallup survey)
 ObamaWin 1= Obama (Democrat) wins state in 2008 or 0=McCain (Republican) wins

Details

This dataset contains information from all 50 states and the District of Columbia for the 2008 U.S. presidential election.

Source

State income data from: Census Bureau Table 659. Personal Income Per Capita (in 2007)
 High school data from: U.S. Census Bureau, 1990 Census of Population,
http://nces.ed.gov/programs/digest/d08/tables/dt08_011.asp
 College data from: Census Bureau Table 225. Educational Attainment by State (in 2007)
 % Democrat and %Republican:
<http://www.gallup.com/poll/114016/state-states-political-party-affiliation.aspx#1>

Election16

2016 U.S. Presidential Election

Description

2016 presidential election and state demographic data

Format

A data frame with 50 observations on the following 8 variables.

State State name

Abr Abbreviation for state name

Income Per capita income in the state

HS Percent high school grads

BA Percent college grads

Adv Percent with advanced degrees

Dem.Rep Democratic lean - Republican lean in 2015 Gallup poll

TrumpWin Trump won the state? (1=yes or 0=no)

Details

This dataset contains information from all 50 states and the District of Columbia for the 2016 U.S. presidential election. It is similar to Election08 for the 2008 election.

Source

Income data from

[https://www.census.gov/search-results.html?q=per+capita+income+by+state&search.x=0 &search.y=0&search=submit&pa](https://www.census.gov/search-results.html?q=per+capita+income+by+state&search.x=0&search.y=0&search=submit&pa)

2015 data via American Community Survey

https://en.wikipedia.org/wiki/List_of_U.S._states_by_educational_attainment from Bureau, U.S. Census. "2011-2015 American Community Survey 5-Year Estimates. factfinder.census.gov. Retrieved 2017-01-19.

<http://www.gallup.com/poll/188969/red-states-outnumber-blue-first-time-gallup-tracking.aspx>

ElephantsFB

Measurements of Male African Elephants

Description

Age and height of male African elephants

Format

A data frame with 138 observations on the following 3 variables.

Age Age (in years)

Height Shoulder height (in cm)

Firstborn Firstborn? (1=yes, 0=no)

Details

Data on 138 male African elephants that lived through droughts in the first two years of life.

Source

Data are from Phyllis Lee, Stirling University, and are related to Lee, P., et al. (2013), "Enduring consequences of early experiences: 40-year effects on survival and success among African elephants (*Loxodonta Africana*)," *Biology Letters*, 9: 20130011.

ElephantsMF

Measurements of African Elephants

Description

Age and height of African elephants

Format

A data frame with 288 observations on the following 3 variables.

Age Age (in years)

Height Shoulder height (in cm)

Sex F=female or M=male

Details

Data on 288 African elephants that lived through droughts in the first two years of life.

Source

Data are from Phyllis Lee, Stirling University, and are related to Lee, P., et al. (2013), "Enduring consequences of early experiences: 40-year effects on survival and success among African elephants (*Loxodonta Africana*)," *Biology Letters*, 9: 20130011.

emplogitplot1

Empirical logit plot for one quantitative variable

Description

This function produces an empirical logit plot for a binary response variable and a single quantitative predictor variable.

Usage

```
emplogitplot1(formula, data = NULL, ngroups = 3, breaks = NULL,  
  yes = NULL, padj = TRUE, out = FALSE, showplot = TRUE,  
  showline = TRUE, ylab = "Log(Odds)", xlab = NULL,  
  dotcol = "black", linecol = "blue", pch = 16, main = "",  
  ylim = NULL, xlim = NULL, lty = 1, lwd = 1, cex = 1)
```

Arguments

formula	A formula of the form (binary) Response~Predictor
data	A dataframe
ngroups	Number of groups to use (not needed if breaks is used), ngroups="all" uses all unique values
breaks	A vector of endpoints for the bins (not needed if ngroups is used)
yes	Set a value for the response to be counted for proportions (optional)
padj	Should proportions be adjusted to avoid zero and one? (default is TRUE)
out	Should the function return a dataframe with group information? (default is FALSE)
showplot	Show the plot? default is TRUE
showline	Show the regression line? default is TRUE
ylab	Text label for the vertical axis (default is "Log(Odds)")
xlab	Text label for the horizontal axis (default is NULL)
dotcol	Color for the dots (default is "black")
linecol	Color for the line (default is "black")
pch	Plot character for the dots (default is 16)
main	Title for plot
ylim	Limits for the vertical axis
xlim	Limits for the horizontal axis
lty	Line type (default is 1)
lwd	Line width (default is 1)
cex	Multiplier for plot symbols

Details

Values of the quantitative explanatory variable will be grouped into ngroups roughly equal sized groups, unless breaks is used to determine the boundaries of the groups. Using ngroups="all" will make each distinct value of the explanatory variable its own group

We find an adjusted proportion for the binary response variable within each of the groups with $(\text{Number yes} + 0.5) / (\text{Number of cases} + 1)$. This is converted to an adjusted log odds $\log(\text{adjp} / (1 - \text{adjp}))$. The adjustment avoids problems if there are no "successes" or all "successes" in a group. What constitutes a "success" can be specified with yes= and the proportion adjustment can be turned off (if no group proportions are likely to be zero or one) with padj=FALSE.

The function plots the log odds versus the mean of the explanatory variable within each group. A least square line is fit to these points. The plot can be suppressed with showplot=FALSE.

The out=TRUE option will return a dataframe with the boundaries of each group, proportion, adjusted proportion, mean explanatory variable, and (adjusted or unadjusted) log odds.

Value

A dataframe with group information (if out=TRUE)

Examples

```
data(MedGPA)
emplogitplot1(Acceptance~GPA,data=MedGPA)

GroupTable=emplogitplot1(Acceptance~MCAT,ngroups=5,out=TRUE,data=MedGPA)

emplogitplot1(Acceptance~MCAT,data=MedGPA,breaks=c(0,34.5,39.5,50.5),dotcol="red",linecol="black")

data(Putts1)
emplogitplot1(Made~Length,data=Putts1,ngroups="all")
```

emplogitplot2	<i>Empirical logit plot for one quantitative variable by categorical groups</i>
---------------	---

Description

This function produces an empirical logit plot for a binary response variable and with a single quantitative predictor variable broken down by a single categorical factor.

Usage

```
emplogitplot2(formula, data = NULL, ngroups = 3, breaks = NULL,
  yes = NULL, padj = TRUE, out = FALSE, showplot = TRUE,
  showline = TRUE, ylab = "Log(Odds)", xlab = NULL,
  putlegend = "n", levelcol = NULL, pch = NULL, main = "",
  ylim = NULL, xlim = NULL, lty = NULL, lwd = 1, cex = 1)
```

Arguments

formula	A formula of the form (binary) Response~Quantitative Predictor+Factor
data	A dataframe
ngroups	Number of groups to use (not needed if breaks is used), ngroups="all" uses all unique values
breaks	A vector of endpoints for the bins (not needed if ngroups is used)
yes	Set a value for the response to be counted for proportions (optional)
padj	Should proportions be adjusted to avoid zero and one? (default is TRUE)
out	Should the function return a dataframe with group and factor information? (default is FALSE)
showplot	Show the plot? default is TRUE

showline	Show the regression lines? default is TRUE
ylab	Text label for the vertical axis (default is "Log(Odds)")
xlab	Text label for the horizontal axis (default is NULL)
putlegend	Position for the legend (default is "n" for no legend)
levelcol	Vector of colors for the factor levels
pch	Plot character for the dots
main	Title for plot
ylim	Limits for the vertical axis
xlim	Limits for the horizontal axis
lty	Line type (default is 1)
lwd	Line width (default is 1)
cex	Multiplier for plot symbols

Details

Values of the quantitative explanatory variable will be grouped into `ngroups` roughly equal sized groups, unless `breaks` is used to determine the boundaries of the groups. Using `ngroups="all"` will make each distinct value of the explanatory variable its own group

We find a proportion for the binary response variable within each of the groups created from the quantitative variable crossed with the categorical variable. To avoid problems with proportions of zero and one, we compute an adjusted proportion with $(\text{Number yes} + 0.5) / (\text{Number of cases} + 1)$. This is converted to an adjusted log odds $\log(\text{adjp} / (1 - \text{adjp}))$. What constitutes a "success" can be specified with `yes=` and the proportion adjustment can be turned off (if no group proportions are likely to be zero or one) with `padj=FALSE`.

The function plots the log odds versus the mean of the explanatory variable within each group with different colors for each of the categories defined by the categorical variable. A least square line is fit to these points within each categorical group. The plot can be suppressed with `showplot=FALSE`.

The `out=TRUE` option will return a dataframe with the boundaries of each group, proportion, adjusted proportion, mean explanatory variable, and (adjusted or unadjusted) log odds.

Value

A dataframe with group information (if `out=TRUE`)

Examples

```
data(MedGPA)
emplogitplot2(Acceptance~GPA+Sex, data=MedGPA)

GroupTable2=emplogitplot2(Acceptance~MCAT+Sex, ngroups=5, out=TRUE, data=MedGPA, putlegend="topleft")

emplogitplot2(Acceptance~MCAT+Sex, data=MedGPA, breaks=c(0, 34.5, 39.5, 50.5),
              levelcol=c("red", "blue"), putlegend="bottomright")
```

Ethanol

*Effects of Oxygen on Sugar Metabolism***Description**

Experiment on the effects of oxygen on sugar metabolism by bacteria

Format

A data frame with 16 observations on the following 3 variables.

Sugar	Type of sugar: Galactose or Glucose
O2Conc	Oxygen concentration
Ethanol	Ethanol concentration

Details

Many biochemical reactions are slowed or prevented by the presence of oxygen. For example, there are two simple forms of fermentation, one which converts each molecule of sugar to two molecules of lactic acid, and a second which converts each molecule of sugar to one each of lactic acid, ethanol, and carbon dioxide. This experiment was designed to compare the inhibiting effect of oxygen on the metabolism of two different sugars, glucose and galactose, by Streptococcus bacteria. In this case there were four levels of oxygen that were applied to the two kinds of sugar.

Renamed to SugarEthanol in second edition.

Source

Data are found in Statistics: The Exploration and Analysis of Data by Jay Devore and Roxy Peck (2008). St. Paul, MN: West.

The original article is Yamada T., Takahashi-Abbe S., Abbe K. (1985) "Effects of oxygen concentration on pyruvate formate lyase in situ and sugar metabolism of Streptococcus mutans and Streptococcus sanguis," Infection and Immunity, pp. 129-134.

Eyes

*Pupil Dilation and Sexual Orientation***Description**

Data from an experiment relating pupil dilation to sexual orientation.

Format

A data frame with 106 observations on the following 4 variables.

DilateDiff Difference in pupil dilation when looking at same-sex and opposite-sex nude photographs

Sex F=female or M=male

Gay 1=gay or 0=not, based on Kinsey scale score greater than 3

SexMale 0=female or 1=male

Details

DilateDiff is, essentially, the difference in pupil dilation when looking at (a) same-sex nudes and (b) opposite-sex nude photographs. More specifically, multiple measurements of pupil size were taken under each of the two conditions, together with a third condition that involved a neutral stimulus. Within-subject z-scores were then computed, which led to the DilateDiff numbers used here.

Source

G. Rieger and R.C. Savin-Williams (2012), "The Eyes Have It: Sex and Sexual Orientation Differences in Pupil Dilation Patterns," in PLoS ONE. The full study included 325 students. Here we are analyzing a subset of the data that excludes White students.

Faces

Facial Attractiveness of Men

Description

Grip strength, attractiveness, and shoulder-hip ratio for men

Format

A data frame with 38 observations on the following 5 variables.

MaxGripStrength Measurement of strength of hand grip

SHR Shoulder to hip ratio

Partners Number of sexual partners (lifetime)

Attractive Attractiveness rating

AgeFirstSex Age of first sex

Details

Facial attractiveness of several men was rated by female college students. Maximum grip strength was also measured, along with shoulder to hip ratio, age of first sex, and number of sex partners.

Source

Shoup, M. L. and Gallup, G.G., Jr. (2008), "Men's Faces Convey Information about Their Bodies and Their Behavior: What You See is What You Get," *Evolutionary Psychology*, 6(3): 469-479.

 FaithfulFaces

Faithfulness from a Photo?

Description

Ratings from a facial photo and actual faithfulness.

Format

A data frame with 170 observations on the following 7 variables.

SexDimorph Rating of sexual dimorphism (masculinity for males, femininity for females)

Attract Rating of attractiveness

Cheater Was the face subject unfaithful to a partner? (1=yes or 0=no)

Trust Rating of trustworthiness

Faithful Rating of faithfulness

FaceSex Sex of face (F=female or M=male)

RaterSex Sex of rater (F=female or M=male)

Details

College students were asked to look at a photograph of an opposite-sex adult face and to rate the person, on a scale from 1 (low) to 10 (high), for attractiveness. They were also asked to rate trustworthiness, faithfulness, and sexual dimorphism (i.e., how masculine a male face is and how feminine a female face is). Overall, 68 students (34 males and 34 females) rated 170 faces (88 men and 82 women).

Source

This dataset is based on G. Rhodes et al. (2012), "Women can judge sexual unfaithfulness from unfamiliar men's faces," *Biology Letters*, November 2012. All of the 68 raters were heterosexual Caucasians, as were the 170 persons who were rated. (We have deleted 3 subjects with missing values and 16 subjects who were over age 35.)

 FantasyBaseball

Selection Times in a Fantasy Baseball Draft

Description

Draft selection times for a fantasy baseball league

Format

A data frame with 24 observations on the following 9 variables.

Round	Round of the draft (1 to 24)
DJ	Draft time (in seconds) for D.J.
AR	Draft time (in seconds) for A.R.
BK	Draft time (in seconds) for B.K.
JW	Draft time (in seconds) for J.W.
TS	Draft time (in seconds) for T.S.
RL	Draft time (in seconds) for R.L.
DR	Draft time (in seconds) for D.R.
MF	Draft time (in seconds) for M.F.

Details

Time (in seconds) for participants in a draft for a fantasy baseball league to make a selection at each round.

Source

Mathematical Science Baseball League historical records (online).

FatRats

Diet and Weight of Rats

Description

Experiment on effects of diets on weight gain of rats

Format

A data frame with 60 observations on the following 3 variables.

Gain	Weight gain (in grams per week)
Protein	Level of protein (Hi or Lo)
Source	Source of protein (Beef, Cereal, or Pork)

Details

Data from this experiment compared weight gain for 60 baby rats that were fed different diets. Half of the rats had low-protein diets (Lo) and the rest had high-protein (Hi). The source of protein was either beef, cereal, or pork.

Source

C. P. Wilsie, Iowa State College Agricultural Station (1944) via Snedecor and Cochran

 Fertility

Fertility Data for Women Having Trouble Getting Pregnant

Description

Fertility measurements for a sample of women who have difficulty getting pregnant

Format

A data frame with 333 observations on the following 10 variables.

Age	Age (in years)
LowAFC	Smallest antral follicle count
MeanAFC	Average antral follicle count
FSH	Maximum follicle stimulating hormone level
E2	Fertility level
MaxE2	Maximum fertility level
MaxDailyGn	Maximum daily gonadotropin level
TotalGn	Total gonadotropin level
Oocytes	Number of egg cells
Embryos	Number of embryos

Details

A medical doctor and her team of researchers collected a variety of data on women who were having trouble getting pregnant. A key method for assessing fertility is a count of antral follicles (LowAFC or MeanAFC) that can be performed with noninvasive ultrasound. Researchers are interested in how the other variables are related to these counts.

Source

We thank Dr. Priya Maseelall and her research team for sharing these data.

 FGByDistance

Results of NFL Field Goal Attempts

Description

Field goal results in the National Football League (NFL) by distance

Format

A data frame with 51 observations on the following 7 variables.

Row	Case ID
Dist	Distance of the attempt (in yards)
N	Number of kicks attempted from that distance
Makes	Number of kicks made from that distance
PropMakes	Proportion of attempts made
Blocked	Number of kicks blocked
PropBlocked	Proportion of kicks blocked

Details

This dataset summarizes all 8520 field goals attempted by place kickers in the National Football League (NFL) during regular season games for the 2000 through the 2008 seasons. Results are counts (attempted, made, and blocked) and proportions (made and blocked) for each distance.

Source

We thank Sean Forman and Doug Drinen of Sports Reference LLC for providing us with the NFL field goal data set.

Film	<i>Film Data from Leonard Maltin's Guide</i>
------	--

Description

Film data from Maltin's Movie and Video Guide

Format

A data frame with 100 observations on the following 9 variables.

Title	Movie title
Year	Year the movie was released
Time	Running time (in minutes)
Cast	Number of cast members listed in the guide
Rating	Maltin rating (range is 1 to 4, in steps of 0.5)
Description	Number of lines of text Maltin uses to describe the movie
Origin	Country: 0 = USA, 1 = Great Britain, 2 = France, 3 = Italy, 4 = Canada
Time_code	long=90 minutes or longer short=under 90 minutes
Good	1=rating of 3 stars or better 0=any lower rating

Details

One statistician movie fan decided to use statistics to study the movie ratings in his favorite movie guide, *Movie and Video Guide* (1996), by Leonard Maltin. Maltin rates movies on a one-star to four-star system, in increments of half-stars, with higher numbers being better. The guide also includes additional information on each film. The statistician used a random number generator to select a simple random sample of 100 movies rated by the Guide.

Source

Data from Leonard Maltin's *Movie and Video Guide* (1996)

FinalFourIzzo	<i>NCAA Final Four by Seed and Tom Izzo (through 2010)</i>
---------------	--

Description

NCAA Final Four by seed with indicator for Tom Izzo's teams from 1985 - 2010.

Format

A dataset with 1664 observations on the following 4 variables.

Year	Year (1985 - 2010)
Seed	Seed in NCAA men's basketball tournament: 1 to 16
Final4	1=made Final Four or 0=did not make Final Four
Izzo	1=team coached by Tom Izzo or 0=not an Izzo team

Details

Each year 64 college teams are selected for the NCAA Division I Men's Basketball tournament, with 16 teams placed in each of four regions. Within each region the teams are seeded from 1 to 16, with the (presumed) best team as the 1 seed and the (presumed) weakest team as the 16 seed; this practice of seeding teams began in 1979 for the NCAA tournament. Only one team from each region (so four teams each year) advances to the Final Four. This dataset is the same as FinalFourLong, except the data starts in 1985 and we have a extra column that is an indicator for Michigan State teams coached by Tom Izzo.

Updated to FinalFourIzzo17 in second edition.

Source

Final Four teams and their seed can be found at
<http://www.championshiphistory.com/ncaahoops.php>.

FinalFourIzzo17 *NCAA Final Four by Seed and Tom Izzo (through 2017)*

Description

NCAA Final Four by seed with indicator for Tom Izzo's teams for 1985 - 2017

Format

A data frame with 2112 observations on the following 4 variables.

Year Year 1985 - 2017

Seed Seed in NCAA men's basketball tournament: 1 to 16

Final4 1=made Final Four or 0=did not make Final Four

Izzo 1=team coached by Tom Izzo or 0=not an Izzo team

Details

Each year 64 college teams are selected for the NCAA Division I Men's Basketball tournament, with 16 teams placed in each of four regions. Within each region the teams are seeded from 1 to 16, with the (presumed) best team as the 1 seed and the (presumed) weakest team as the 16 seed; this practice of seeding teams began in 1979 for the NCAA tournament. Only one team from each region (so four teams each year) advances to the Final Four. This dataset is an extension of FinalFourIzzo (that ended in 2017) and the same as FinalFourLong2017, except the data starts in 1985 and we have an extra column that is an indicator for Michigan State teams coached by Tom Izzo.

Source

Final Four teams and their seed can be found at <http://www.championshiphistory.com/ncaahoops.php>

FinalFourLong *NCAA Final Four by Seed (Long Version through 2010)*

Description

NCAA Final Four by seed with individual cases for each team each year

Format

A data frame with 2048 observations on the following 3 variables.

Year Year (1979 - 2010)
 Seed Seed in NCAA men's basketball tournament: 1 to 16
 Final4 1=made Final Four or 0=did not make Final Four

Details

Each year 64 college teams are selected for the NCAA Division I Men's Basketball tournament, with 16 teams placed in each of four regions. Within each region the teams are seeded from 1 to 16, with the (presumed) best team as the 1 seed and the (presumed) weakest team as the 16 seed; this practice of seeding teams began in 1979 for the NCAA tournament. Only one team from each region (so four teams each year) advances to the Final Four. This dataset has a row (case) for each team in the NCAA Division I Men's Basketball tournament from 1979 to 2010 along with its seed and an indicator for whether the team made the Final Four that year.

Updated to FinalFourLong17 in second edition.

Source

Final Four teams and their seed can be found at
<http://www.championshiphistory.com/ncaahoops.php>.

FinalFourLong17 *NCAA Final Four by Seed (Long Version through 2017)*

Description

NCAA Final Four by seed with individual cases for each team each year

Format

A data frame with 2496 observations on the following 4 variables.

Year Year (1979 - 2017)
 Seed Seed in NCAA men's basketball tournament: 1 to 16
 Final4 1=made Final Four or 0=did not make Final Four

Details

Each year 64 college teams are selected for the NCAA Division I Men's Basketball tournament, with 16 teams placed in each of four regions. Within each region the teams are seeded from 1 to 16, with the (presumed) best team as the 1 seed and the (presumed) weakest team as the 16 seed; this practice of seeding teams began in 1979 for the NCAA tournament. Only one team from each region (so four teams each year) advances to the Final Four. This dataset has a row (case) for each team in the NCAA Division I Men's Basketball tournament from 1979 to 2017 along with its seed and an indicator for whether the team made the Final Four that year. This dataset is an extension of FinalFourLong (that went through 2010).

Source

Final Four teams and their seed can be found at
<http://www.championshiphistory.com/ncaahoops.php>

FinalFourShort	<i>CAA Final Four by Seed (Short Version through 2010)</i>
----------------	--

Description

NCAA Final Four participation summarized each year by seed

Format

A data frame with 512 observations on the following 4 variables.

Year	Year (1979 - 2010)
Seed	Seed in NCAA men's basketball tournament: 1 to 16
In	Number of teams at that seed who made the Final Four that year
Out	Number of teams at that seed who did not make the Final Four that year

Details

Each year 64 college teams are selected for the NCAA Division I Men's Basketball tournament, with 16 teams placed in each of four regions. Within each region the teams are seeded from 1 to 16, with the (presumed) best team as the 1 seed and the (presumed) weakest team as the 16 seed; this practice of seeding teams began in 1979 for the NCAA tournament. Only one team from each region (so four teams each year) advances to the Final Four. This dataset is similar to FinalFourLong, except that each row combines the count of the results (make/don't make the Final Four) for each seed, so that In+Out= 4 for each row.

Updated to FinalFourShort17 in second edition.

Source

Final Four teams and their seed can be found at
<http://www.championshiphistory.com/ncaahoops.php>.

FinalFourShort17 *NCAA Final Four by Seed (Short Version through 2017)*

Description

NCAA Final Four participation summarized each year by seed

Format

A data frame with 624 observations on the following 4 variables.

Year Year 1979 to 2017

Seed Seed in NCAA men's basketball tournament: 1 to 16

In Number of teams at that seed who made the Final Four that year

Out Number of teams at that seed who did not made the Final Four that year

Details

Each year 64 college teams are selected for the NCAA Division I Men's Basketball tournament, with 16 teams placed in each of four regions. Within each region the teams are seeded from 1 to 16, with the (presumed) best team as the 1 seed and the (presumed) weakest team as the 16 seed; this practice of seeding teams began in 1979 for the NCAA tournament. Only one team from each region (so four teams each year) advances to the Final Four. This dataset is similar to FinalFourLong2017, except that each row combines the count of the results (make/don't make the Final Four) for each seed, so that In+Out= 4 for each row. This dataset is an extension of FinalFourShort (that went though 2010).

Source

Final Four teams and their seed can be found at
<http://www.championshiphistory.com/ncaahoops.php>

Fingers *Finger Tap Rates*

Description

Finger tap rates after drug administration

Format

A data frame with 12 observations on the following 4 variables.

Subject Subject code (I, II, III, or IV)

Drug Drug administered (Ca=caffeine, Pl=placebo, or Th=theobromine)

TapRate Finger taps in a fixed time interval

Details

Scientists Scott and Chen, published research that compared the effects of caffeine with those of theobromine (a similar chemical found in chocolate) and with those of a placebo. Their experiment used four human subjects, and took place over several days. Each day each subject swallowed a tablet containing one of caffeine, theobromine, or the placebo. Two hours later they were timed while tapping a finger in a specified manner (that they had practiced earlier, to control for learning effects). The response is the number of taps in a fixed time interval.

Renamed FranticFingers in second edition.

Source

The data was found in Statistics in Biology, Vol. 1, by C. I. Bliss (1967), New York: McGraw Hill.

The original article is Scott, C. and Chen, K. (1944) "Comparison of the action of 1-ethyl theobromine and caffeine in animals and man," Journal of Pharmacological Experimental Therapy, v. 82, pp 89-97.

FirstYearGPA

First Year GPA for College Students

Description

Predicting first-year college GPA

Format

A data frame with 219 observations on the following 10 variables.

GPA	First-year college GPA on a 0.0 to 4.0 scale
HSGPA	High school GPA on a 0.0 to 4.0 scale
SATV	Verbal/critical reading SAT score
SATM	Math SAT score
Male	1= male, 0= female
HU	Number of credit hours earned in humanities courses in high school
SS	Number of credit hours earned in social science courses in high school
FirstGen	1= student is the first in her or his family to attend college, 0=otherwise
White	1= white students, 0= others
CollegeBound	1=attended a high school where >=50% students intended to go on to college, 0=otherwise

Details

The data in FirstYearGPA contains information from a sample of 219 first year students at a mid-western college that might be used to build a model to predict their first year GPA.

Source

A sample from a larger set of data collected in 1996 by a professor at this college.

 FishEggs

Fertility of Fish Eggs

Description

Fertility measurement for eggs from a sample of 35 lake trout

Format

A data frame with 35 observations on the following 4 variables.

Age	Age of the fish (in years)
PctDM	Percentage of the total egg material that is solid
Month	Month fish was caught: Sep=September or Nov=November
Sept	Indicator with 1=September or 0=November

Details

Researchers collected samples of female lake trout from Lake Ontario in September and November of 2002 through 2004. A goal of the study was to investigate the fertility of fish that had been stocked in the lake. One measure of the viability of fish eggs is percent dry mass (PctDM) which reflects the energy potential stored in the eggs by recording the percentage of the total egg material that is solid. Values of the PctDM for a sample of 35 lake trout (14 in September and 21 in November) are given in this dataset along with the age (in years) of the fish.

Source

Lantry, OGorman, and Machut (2008) "Maternal Characteristics versus Egg Size and Energy Density," *Journal of Great Lakes Research* 34(4): 661-674.

 Fitch

Body Measurements of Mammal Species

Description

Body measurements for a sample of 28 mammal species from a Fitch paper on acoustic allometry

Format

A data frame with 28 observations on the following 5 variables.

Species	species of mammal
Order	Order (Carnivora or Primates)
Wt	Body weight (in kg)
Skull	Skull length (in cm)
Palate	Palate length (in cm)

Details

Data on mammal species from a Zoology paper about acoustic allometry by W. Tecumseh Fitch.

Source

Fitch, W. Tecumseh (2000), "Skull dimensions in relation to body size in nonhuman mammals: The causal bases for acoustic allometry," *Zoology*, 103, 40-58.

FlightResponse	<i>Response of Migratory Geese to Helicopter Overflights</i>
----------------	--

Description

Flight response of Pacific Brant to overflights of helicopters

Format

A dataset with 464 observations on the following 7 variables.

FlockID	Flock ID
Altitude	Altitude of the overflight by the helicopter (in 100m)
Lateral	Lateral distance (in 100m) between the aircraft and flock
Flight	1=more than 10% of flock flies away or 0=otherwise
AltLat	Product of Altitude x Lateral
AltCat	Altitude categories: low=under 3, mid=3 to 6, high=over 6
LatCat	Lateral categories: 1under 10 to 4=over 30

Details

A 1994 study collected data on the effects of air traffic on the behavior of the Pacific Brant (a small migratory goose). The data represent the flight response to helicopter "overflights" to see what the relationship between the proximity of a flight, both lateral and altitudinal, would be to the propensity of the Brant to flee the area. For this experiment, air traffic was restricted to helicopters because previous study had ascertained that helicopters created more radical flight response than other aircraft. The data are in FlightResponse. Each case represents a flock of Brant that has been observed during one overflight in the study. Flocks were determined observationally as contiguous collections of Brants, flock sizes varying from 10 to 30,000 birds.

Source

Data come from the book *Statistical Case Studies: A Collaboration Between Academe and Industry*, Roxy Peck, Larry D. Haugh, and Arnold Goodman, editors; SIAM and ASA, 1998.

 FloridaDP

Florida Death Penalty Cases

Description

Florida death penalty cases by race of defendant and victim

Format

A data frame with 326 observations on the following 4 variables.

Penalty Was death penalty given? (No or Yes)

Defendant Race of the defendant (Black or White)

White.Victim Was the victim white? (1=yes or 0=no)

Black.Victim Was the victim black? (1=yes or 0=no)

Details

Mike Radelet's data on imposition of the death penalty for murderers in Florida broken down by race of the victim and defendant.

Source

Radelet, M. (1981), "Racial Characteristics and Imposition of the Death Penalty," *American Sociological Review*, 46, 918-927.

 Fluorescence

Measuring Calcium Binding to Proteins

Description

Data from an experiment on calcium binding to proteins

Format

A data frame with 51 observations on the following 2 variables.

Calcium	Log of free calcium concentration
ProteinProp	Proportion of protein bound to calcium

Details

Suzanne Rohrback used a novel approach in a series of experiments to examine calcium binding proteins.

Source

Thanks to Suzanne Rohrback for providing these data from her honors experiments at Kenyon College.

FranticFingers

Finger Tap Rates

Description

Finger tap rates after drug administration

Format

A data frame with 12 observations on the following 4 variables.

ID Case ID

Rate Finger taps in a fixed time interval

Subj Subject code (A, B, C, or D)

Drug Drug administered (Ca=caffeine, Pl=placebo, or Th=theobromine)

Details

Scientists Scott and Chen published research that compared the effects of caffeine with those of theobromine (a similar chemical found in chocolate) and with those of a placebo. Their experiment used four human subjects and took place over several days. Each day each subject swallowed a tablet containing one of caffeine, theobromine, or the placebo. Two hours later they were timed while tapping a finger in a specified manner (that they had practiced earlier, to control for learning effects). The response is the number of taps in a fixed time interval.

Source

The data was found in *Statistics in Biology*, Vol. 1, by C. I. Bliss (1967), New York: McGraw Hill.

The original article is Scott, C.C. and Chen, K. K. (1944), "Comparison of the action of 1-ethyl theobromine and caffeine in animals and man," *Journal of Pharmacological Experimental Therapy*, v. 82, pp 89-97.

 FruitFlies

Fruit Fly Sexual Activity and Longevity

Description

Sexual activity and lifetimes of fruit flies

Format

A data frame with 125 observations on the following 7 variables.

ID	a numeric vector
Partners	Number of female partners: 0, 1, or 8
Type	0=pregnant, 1=virgin, 9=none
Longevity	Lifespan (in days)
Thorax	Length of thorax (in mm)
Sleep	Percent of day sleeping
Treatment	1 pregnant, 1 virgin, 8 pregnant, 8 virgin, or none

Details

Hanley and Shapiro (1994) report on a study conducted by Partridge and Farquhar (1981) about the sexual behavior of fruit flies. It was already known that increased reproduction leads to shorter life spans for female fruit flies. But the question remained whether an increase in sexual activity would also reduce the life spans of male fruit flies. The researchers designed an experiment to answer this question. They had a total of 125 male fruit flies to use and they randomly assigned each of the 125 to one of the following five groups.

Source

The data are given as part of the data archive on the Journal of Statistics Education website and can be found on the page
http://www.amstat.org/publications/jse/jse_data_archive.htm.

References

Hanley and Shapiro, (1994) "Sexual Activity and the Lifespan of Male Fruitflies: A Dataset That Gets Attention," Journal of Statistics Education v.2, n.1
<http://www.amstat.org/publications/jse/v2n1/datasets.hanley.html>

FruitFlies2

Fruit Fly Sexual Activity and Male Competition

Description

Results from an experiment on male fruit flies with different levels of sexual activity and competition from other males

Format

A data frame with 201 observations on the following 7 variables.

Mated Was the fly allowed mating opportunities? (n or y)

Alone Did the fly live alone? (y=yes or n= no, lived near another male)

Mating How many mating opportunities was the fly given?

Total Total duration of mating time over all opportunities (in seconds)

Size Size of the thorax (in mm)

Lifespan Lifespan (in hours, starting at the 12th day)

Activity Number of times a movement detector was tripped starting in the 12th day

Details

Researchers randomly assigned virgin male fruit flies to one of two treatments: live alone or live in an environment where they can sense one other male fly. Flies were randomly allocated to either have mating opportunities with female flies or to not have such opportunities. Those flies that were given mating opportunities were given 3, 4, or 5 opportunities to mate (Mating measures this number). Researchers also measured size, lifespan and activity levels of the fruit flies.

Source

The file we are using is the link called survival at
<http://rsbl.royalsocietypublishing.org/content/suppl/2013/02/25/rsbl.2012.1188.DC1.html>

The article talking about the data is at
<http://rsbl.royalsocietypublishing.org/content/9/2/20121188.full>

 FunnelDrop

Funnel Drop Times

Description

Experiment with a ball swirling thorough a funnel

Format

A data frame with 120 observations on the following 3 variables.

Funnel Height of the funnel (inches)

Tube Height of the drop tube (inches)

Time Time (in seconds) for the ball to drop/swirl though the funnel

Details

Data from a class experiment to see where a steel ball was rolled through a plastic tube into a long plastic funnel. The angle of the funnel and the angle of the tube with respect to the flat table could be adjusted by changing the height of either (Funnel measured from the table, Tube measured from the top of the funnel). The ball rolls down the tube, then swirls around the funnel until dropping out at the bottom. Total trip time was measured with a stopwatch. Heights were adjusted after every two drops in a randomized order.

Source

The funnel dropping experiment was originally described in Gunter, B. (1993) "Through a Funnel Slowly with Ball Bearing and Insight to Teach Experimental Design," The American Statistician, Vol. 47. These data come from a class experiment based on the setup in that article.

 GlowWorms

Female Glow-worms

Description

Brightness and fecundity of female glow-worms

Format

A data frame with 26 observations on the following 2 variables.

Lantern Length of glow lantern (in mm)

Eggs Number of eggs laid

Details

Data on 26 female glow-worms captured in Finland. Female glow-worms attract males by glowing with part of their abdomen (lantern). Researchers believe the brightness of glow might be related to mating success.

Source

Hopkins J, Baudry G, Candolin U, Kaitala A. (2015), "I'm sexy and I glow it: female ornamentation in a nocturnal capital breeder," *Biol. Lett.* 11: 20150599.
<http://dx.doi.org/10.1098/rsbl.2015.0599>

 Goldenrod

Goldenrod Galls

Description

Measurements for a sample of goldenrod galls

Format

A data frame with 1055 observations on the following 9 variables.

Gdiam03 Gall diameter in 2003 (in mm)
 Stdiam03 Stem diameter in 2003 (in mm)
 Wall03 Wall thickness in 2003 (in mm)
 Fate03 b=beetle present e=early death f=living fly larva g=living wasp o=pupal case u=unknown
 Gdiam04 Gall diameter in 2004 (in mm)
 Stdiam04 Stem diameter in 2004 (in mm)
 Wall04 Wall thickness in 2003 (in mm)
 Fate04 b=beetle present e=early death f=living fly larva g=living wasp o=pupal case u=unknown
 Fly04 Fly in 2004? n or y

Details

Biology students collected measurements on goldenrod galls at the Brown Family Environmental Center at Kenyon College.

Source

Thanks to the Kenyon College Department of Biology for sharing these data.

GrinnellHouses

House Sales in Grinnell, Iowa

Description

Data on houses sold between 2005 and 2015 in Grinnell, Iowa

Format

A data frame with 929 observations on the following 15 variables.

Date Coded value for date of sale (Jan 1, 2005=16436)

Address Street address of the house

Bedrooms Number of bedrooms

Baths Number of bathrooms

SquareFeet The square footage of the home's living space

LotSize Lot size (in acres)

YearBuilt Year the house was built; many pre-1900 homes are listed as 1900

YearSold The year the house was sold, for this case

MonthSold The month the house was sold (1=Jan, 2=Feb, to 12=Dec)

DaySold Day of the month the house was sold (1 to 31)

CostPerSqFt $\text{SalePrice} / \text{SquareFeet}$ (round to nearest penny)

OrigPrice List price of the house when originally put on the market (dollars)

ListPrice List price at the time of sale (dollars)

SalePrice Sale price of the house (dollars)

SPLPPct $(\text{Sale_Price} / \text{List_Price}) * 100$

Details

A local Grinnell realtor, Matt Karjalahti, put these data together to see what patterns might be found, perhaps with an improvement in how one sells houses or buys them. He asked Grinnell College economists, Lee Logan and Eric Ohrn, to help with the analysis and we obtained the data from them.

Source

Thanks to Grinnell realtor Matt Karjalahti who originally collected the data and Grinnell College economists Lee Logan and Eric Ohrn who gave us the data.

 Grocery

Grocery Sales and Discounts

Description

Grocery store sales with different discounts

Format

A data frame with 36 observations on the following 5 variables.

Discount	Amount of discount: 5.00%, 10.00%, or 15.00%
Store	Store number (1-12)
Display	Featured End of Aisl, Featured Middle of A, or Not Featured
Sales	Number sold during one week
Price	Wholesale price (in dollars)

Details

Grocery stores and product manufacturers are always interested in how well the products on the store shelves sell. An experiment was designed to test whether the amount of discount given on products affected the amount of sales of that product. There were three levels of discount, 5%, 10%, and 15%, and sales were held for a week. The total number of products sold during the week of the sale was recorded. The researchers also recorded the wholesale price of the item put on sale.

Source

These data are not real, though they are simulated to approximate an actual study. The data come from John Grego, Director of the Stat Lab at University of South Carolina.

 Gunnel's

Are Gunnel's Present at Shoreline?

Description

Presence/absence of gunnel's (eels) at shoreline quadrats

Format

A data frame with 1592 observations on the following 10 variables.

Gunnel	1= gunnel present in the quadrat or 0=gunnel absent
Time	Minutes after midnight
FromLow	Time in minutes from low tide

Slope	Slope (to nearest 10 degrees) perpendicular to waterline
Rw	Percentage cover in quadrat of rockweed/algae/plants
Amphiso	Density of crustacean food: 0=none to 4=high
Subst	Substratum: 1=solid rock, 2=rocky cobbles, 3=mixed pebbles/sand, 4=fine sand, 5=mud, 6=mixed mud/shell detritus, 7=cobbles on solid rock, 8=cobbles on mixed pebbles/sand, 9=cobbles on fine sand, 10=cobbles on mud, 11=cobbles on mixed mud/shell detritus, 12=cobbles on shell detritus, 13=shell detritus
Pool	Standing water deep? 1=yes or 2=no
Water	Standing water in the quadrat? 1=yes or 2=no
Cobble	Rocky cobbles? 1=yes or 2=no

Details

This dataset comes from a study on the habitat preferences of a species of eel, called a gunnel. Biologist Jake Shorty sampled quadrats along a coastline and recorded whether or not the species was found in the quadrat.

Source

Thanks to Jake Shorty, Bowdoin biology student, for this dataset.

Handwriting

Guess Author's Sex from Handwriting?

Description

Survey data to see if subjects can guess author's sex from handwriting specimens

Format

A data frame with 204 observations on the following 8 variables.

Individual Survey Respondent Number

Gender Gender of Respondent (0 = male, 1 = female)

Survey1 Percent correct on Survey 1

Survey2 Percent correct on Survey 2

FemaleID Percent correct in identifying female specimens on Survey 1

MaleID Percent correct in identifying male specimens on Survey 1

Both Percent correctly identified on Survey 1 AND Survey 2

DIFF Survey1 - Survey2

Details

Bradley and colleagues at Clarke University gave two identical surveys to a sample of 203 students (each student did the survey twice). Each survey contains 25 writing specimens and students were asked to identify whether the author is male or female. Of the 25 specimens, 12 are written by a female, 13 by a male.

An example of the survey form can be found at

https://docs.google.com/forms/d/1sO6vlsozsORbqaCTsA7Ta0qZL7_6_MCEPJ7tYeKYyvI/viewform

Source

Bradley, S., (2015), "Handwriting and Gender: A Multi-use Dataset", JSE (Datasets and Stories). March 2015.

<http://www.amstat.org/publications/jse/v23n1/bradley.pdf>

Hawks

Measurements on Three Hawk Species

Description

Data for a samples of hawks from three different species

Format

A data frame with 908 observations on the following 19 variables.

Month	8=September to 12=December
Day	Date in the month
Year	Year: 1992-2003
CaptureTime	Time of capture (HH:MM)
ReleaseTime	Time of release (HH:MM)
BandNumber	ID band code
Species	CH=Cooper's, RT=Red-tailed, SS=Sharp-Shinned
Age	A=Adult or I=Imature
Sex	F=Female or M=Male
Wing	Length (in mm) of primary wing feather from tip to wrist it attaches to
Weight	Body weight (in gm)
Culmen	Length (in mm) of the upper bill from the tip to where it bumps into the fleshy part of the bird
Hallux	Length (in mm) of the killing talon
Tail	Measurement (in mm) related to the length of the tail (invented at the MacBride Raptor Center)
StandardTail	Standard measurement of tail length (in mm)
Tarsus	Length of the basic foot bone (in mm)
WingPitFat	Amount of fat in the wing pit
KeelFat	Amount of fat on the breastbone (measured by feel
Crop	Amount of material in the crop, coded from 1=full to 0=empty

Details

Students and faculty at Cornell College in Mount Vernon, Iowa, collected data over many years at the hawk blind at Lake MacBride near Iowa City, Iowa. The data set that we are analyzing here is a subset of the original data set, using only those species for which there were more than 10 observations. Data were collected on random samples of three different species of hawks: Red-tailed, Sharp-shinned, and Cooper's hawks.

Source

Many thanks to the late Professor Bob Black at Cornell College for sharing these data with us.

 HawkTail

Tail Lengths of Hawks

Description

Tail lengths for two hawk species

Format

A data frame with 838 observations on the following 2 variables.

Species	RT=Red-tailed, SS=Sharp-shinned
Tail	Length of tail (in mm)

Details

Tail lengths measured for a sample of 838 hawks observed in Mount Vernon, Iowa. Note: Hawk-Tail2 has these data in unstacked format and they are a subset of the data in Hawks which has a third species (Cooper's hawk).

Source

Observations by students and faculty at Cornell College.

HawkTail2	<i>Tail Lengths of Hawks (Unstacked)</i>
-----------	--

Description

Tail lengths for two hawk species

Format

A data frame with observations on the following 2 variables.

Tail_RT	Tail length (in mm) for a sample of Red-tailed hawks
Tail_SS	Tail length (in mm) for a sample of Sharp-shinned hawks

Details

Tail lengths measured for a sample of hawks observed in Mount Vernon, Iowa. Note: HawkTail has similar data in stacked format. The Hawks dataset has more variables and a third species (Cooper's hawk).

Source

Observations by students and faculty at Cornell College.

HearingTest	<i>Correctly Identified Words in a Hearing Test</i>
-------------	---

Description

Percentaged of correctly identified words in a hearing test

Format

A data frame with 96 observations on the following 3 variables.

Subj	Subject number (1 - 24)
List	List of words: L1 L2 L3 L4
Percent	Percent (out of 50) of words correctly identified

Details

Audiologists use standard lists of 50 words to test hearing; the words are calibrated, using subjects with normal hearing, to make all 50 words on the list equally hard to hear. The goal of the study described here was to see how four such lists, denoted by L1-L4 in this dataset, compared when played at low volume with a noisy background. The response is the percentage of words identified correctly.

Source

Data downloaded from DASL at <http://lib.stat.cmu.edu/DASL/Datafiles/Hearing.html>.

References

Loven, F. (1981), "A Study of the Interlist Equivalency of the CID W-22 Word List Presented in Quiet and in Noise." Unpublished MS Thesis, University of Iowa.

HeatingOil

Heating Oil Consumption

Description

Monthly US residential consumption of fuel oil (1983-2016)

Format

A data frame with 408 observations on the following 4 variables.

Year Year (1983 to 2016)

Month Month (1=Jan through 12=Dec)

t Time index (1 to 408)

FuelOil Residential consumption of fuel oil (in 1,000 barrels/day)

Details

U.S. residential consumption of distillate fuel oil each month from January 1983 through December 2016.

Source

U.S. Energy Information Administration website, <https://www.eia.gov/totalenergy/data/monthly/index.php>

HighPeaks

Characteristics of Adirondack Hiking Trails

Description

Data on hiking trails for each of the 46 "High Peaks" in the Adirondack mountains

Format

A data frame with 46 observations on the following 6 variables.

Peak	Name of the mountain
Elevation	Elevation at the highest point (in feet)
Difficulty	Rating of difficulty of the hike: 1 (easy) to 7 (most difficult)
Ascent	Vertical ascent (in feet)
Length	Length of hike (in miles)
Time	Expected trip time (in hours)

Details

Forty-six mountains in the Adirondacks of upstate New York are known as the High Peaks with elevations near or above 4000 feet (although modern measurements show a couple of the peaks are actually slightly under 4000 feet). A goal for hikers in the region is to become a "46er" by scaling each of these peaks. This dataset gives information about the hiking trails up each of these peaks.

Source

High Peaks data available at <http://www.adirondack.net/tour/hike/highpeaks.cfm>. Thanks to Jessica Chapman at St. Lawrence University for recommending this dataset.

Hoops

Grinnell College Basketball Games

Description

Data from games played by the Grinnell College men's basketball team between 1997 and 2006

Format

A data frame with 147 observations on the following 22 variables.

Game	An ID number assigned to each game
Opp	Name of the opponent school for the game
Home	Indicator variable where 1 = home game and 0 = away game
OppAtt	Number of field goal attempts by the opposing team
GrAtt	Number of field goal attempts by Grinnell
Gr3Att	Number of three-point field goal attempts by Grinnell
GrFT	Number of free throw attempts by Grinnell
OppFT	Number of free throw attempts by the opponent
GrRB	Total number of Grinnell rebounds
GrOR	Number of Grinnell offensive rebounds
OppDR	Number of defensive rebounds the opposing team had
OppPoint	Points scored in the game by the opponent
GrPoint	Points scored in the game by Grinnell
GrAss	Number of assists Grinnell had in the game
OppTO	Number of turnovers the opposing team gave up
GrTO	Number of turnovers Grinnell gave up

GrBlocks	Number of blocks Grinnell had in the game
GrSteal	Number of steals Grinnell had in the game
X40Point	Indicator variable that is 1 if some Grinnell player scored 40 or more points
X30Point	Indicator variable that is 1 if some Grinnell player scored 30 or more points
WinLoss	1=Grinnell win or 0=Grinnell loss
PtDiff	Point differential for the game (Grinnell score minus Opponent's score)

Details

Since 1991, David Arseneault, men's basketball coach of Grinnell College, has developed a unique, fast-paced style of basketball that he calls "the system." This dataset comes from the 147 games the Grinnell team played within its athletics conference between the 1997-98 season through the 2005-06 season.

Source

These data were collected by Grinnell College students Eric Ohrn and Ben Johannsen.

HorsePrices

Prices of Horses

Description

Price and related characteristics of horses listed for sale on the internet

Format

A data frame with 50 observations on the following 5 variables.

HorseID	ID code for each horse
Price	Price (in dollars)
Age	Age of the horse (in years)
Height	Height of the horse (in hands)
Sex	f=female m=male

Details

Undergraduate students at Cal Poly collected data on prices of 50 horses advertised for sale on the internet. Predictor variables of price include the age and height of the horse (in hands), as well as its sex.

Source

Cal Poly students using a horse sale website.

Houses

House Prices, Sizes, and Lot Areas

Description

Selling price and characteristics for a sample of 20 houses in a small town

Format

A data frame with 20 observations on the following 3 variables.

Price	Selling price (in dollars)
Size	Size of the house (in square feet)
Lot	Area of the house's lot (in square feet)

Details

This dataset contains selling prices for 20 houses that were sold in 2008 in a small midwestern town. The file also contains data on the size of each house (in square feet) and the size of the lot (in square feet) that the house is on.

Updated to HousesNY in second edition.

Source

Data collected from zillow.com in June 2008.

HousesNY

House Prices in Rural NY

Description

House prices for a sample of houses in Canton NY

Format

A data frame with 53 observations on the following 5 variables.

Price	Estimated price (in \$1,000's)
Beds	Number of bedrooms
Baths	Number of bathrooms
Size	Floor area of the house (in 1,000 square feet)
Lot	Size of the lot (in acres)

Details

Data scraped from Zillow.com for a sample of houses near the 13617 area code (Canton, NY a small town in upstate NY). Houses on lots bigger than five acres (often farms) were excluded.

Source

Data scraped from the Zillow.com website using tools an app at <http://myslu.stlawu.edu/~clee/dataset/zillow/> (April 2017)

 ICU

Intensive Care Unit Patients

Description

Data for a sample of 200 patients at an Intensive Care Unit (ICU)

Format

A data frame with 200 observations on the following 9 variables.

ID	Patient ID code
Survive	1=patient survived to discharge or 0=patient died
Age	Age (in years)
AgeGroup	1= young (under 50), 2= middle (50-69), 3 = old (70+)
Sex	1=female or 0=male
Infection	1=infection suspected or 0=no infection
SysBP	Systolic blood pressure (in mm of Hg)
Pulse	Heart rate (beats per minute)
Emergency	1=emergency admission or 0=elective admission

Details

This dataset contains information for a sample of 200 patients who were part of a larger study conducted in a hospital's Intensive Care Unit (ICU). Since an ICU often deals with serious, life-threatening cases, a key variable to study is patient survival, which is coded in the Survive variable as 1 if the patient lived to be discharged and 0 if the patient died.

Source

Data downloaded from The Data and Story Library (DASL), <http://lib.stat.cmu.edu/DASL/Datafiles/ICU.html>.

InfantMortality2010 *Infant Mortality Rates*

Description

Infant mortality rates in the United States by decade (1920-2010)

Format

A data frame with 10 observations on the following 2 variables.

Mortality Deaths within one year of birth (per 1000 births)

Year Year (1920-2010 by decades)

Details

Infant mortality (deaths within one year of birth per 1,000 births) in the US from 1920 - 2010 (by decade).

Source

CDC National Vital Statistics Reports at http://www.cdc.gov/nchs/data/nvsr/nvsr57/nvsr57_14.pdf and https://www.cdc.gov/nchs/data/nvsr/nvsr64/nvsr64_09.pdf

Inflation *Monthly Consumer Price Index (2009-2016)*

Description

Consumer Price Index (CPI) each month for 2009 through 2016

Format

A data frame with 96 observations on the following 5 variables.

Month Month: 1=January to 12=December

Year Year (2009 to 2016)

CPI Consumer Price Index (base=100 in 1984)

CPIPctDiff Monthly percent change in CPI

t Time index (1 to 96)

Details

Monthly Consumer Price Index for 2009 to 2016 as produced by the Bureau of Labor Statistics (Series Id. CUUR0000SA0). Based on prices for all items in U.S. city average for all consumers (not seasonally) Base period is 1982-1984-100.

Source

Data downloaded from Bureau of Labor Statistics at
<https://www.bls.gov/data/>

InsuranceVote	<i>Congressional Votes on a Health Insurance Bill</i>
---------------	---

Description

Congressional votes on an ObamaCare health insurance bill in 2009

Format

A dataset with 435 observations on the following 9 variables.

Party	Party affiliation: D=Democrat or R=Republican
Dist.	Congressional district (State-Number)
InsVote	Vote on the health insurance bill: 1=yes or 0=no
Rep	Indicator for Republicans
Dem	Indicator for Democrats
Private	Percentage of non-senior citizens in district with private health insurance
Public	Percentage of non-senior citizens in district with public health insurance
Uninsured	Percentage of non-senior citizens in district with no health insurance
Obama	District winner in 2008 presidential election: 1=Obama 0=McCain

Details

On 7 November 2009 the U.S. House of Representatives voted, by the narrow margin of 220-215, for a bill to enact health insurance reform. Most Democrats voted yes while almost all Republicans voted no. This dataset contains data for each of the 435 representatives.

Source

Insurance data are from the American Community Survey (http://www.census.gov/acs/www/data_documentation/data_main/). Roll call of congressional votes on this bill can be found at <http://clerk.house.gov/evs/2009/roll887.xml>.

 IQGuessing

Guess IQ from a Photo?

Description

True IQ and guessed IQ (from a photo) for 40 women

Format

A data frame with 40 observations on the following 3 variables.

Age Age of woman

GuessIQ Guessed IQ

TrueIQ Actual IQ

Details

One hundred sixty raters (75 men and 85 women) took part in judging intelligence (on a 1=high to 7=low scale) based on photographs of students. The ratings were converted to z-scores and then put on an IQ scale to compare to actual measured IQ. There were photos of 80 students, 40 men and 40 women. This data set contains data for the 40 women.

Source

Kleisner K, Chvatalova V, Flegr J (2014), "Perceived Intelligence Is Associated with Measured Intelligence in Men but Not Women," PLoS ONE 9(3): e81237. doi:10.1371/journal.pone.0081237.

 Jurors

Reporting Rates for Jurors

Description

Reporting rates for bi-weekly jury pools in Franklin County Court (Columbus, OH).

Format

A data frame with 52 observations on the following 4 variables.

Period	Sequential 2-week periods ove the course of a year
PctReport	Percentage of selected jurors who report
Year	1998 or 2000
I2000	Indicator for data from the year 2000

Details

Tom Shields, jury commissioner for the Franklin County Municipal Court in Columbus, Ohio, is responsible for making sure that the judges have enough potential jurors to conduct jury trials. Jury duty for this court is two weeks long, so Tom must bring together a new group of potential jurors twenty-six times a year. Random sampling methods are used to obtain a sample of registered voters in Franklin County every two weeks, and these individuals are sent a summons to appear for jury duty. One of the most difficult aspects of Tom's job is to get those registered voters who receive a summons to actually appear at the courthouse for jury duty. This dataset contains the 1998 and 2000 data for the percentages of individuals who reported for jury duty after receiving a summons. The reporting dates vary slightly from year to year, so they are coded sequentially from 1, the first group to report in January, to 26, the last group to report in December. A variety of methods were used after 1998 to try to increase participation rates.

Source

Franklin County Municipal Court

Kershaw

Kershaw Pitch Data

Description

Pitch-by-pitch data for baseball pitcher Clayton Kershaw in the 2013 season

Format

A data frame with 3402 observations on the following 24 variables.

BatterNumber Number of batters faced so far that game

Outcome One of 14 possible results for a pitch (e.g. Ball, Ball In Dirt, Called Strike, ..., Swinging Strike (Blocked))

Class One of three classifications (B=ball, S=strike, or X=in play)

Result From pitcher's perspective (Neg=ball or hit, Pos=strike or out)

Swing Did the batter swing at the pitch? (No or Yes)

Time Date and time of the pitch (format yyyy-mm-ddThh:mm:ssZ)

StartSpeed Speed leaving the pitcher's hand (in mph)

EndSpeed Speed crossing home plate (in mph)

HDev Horizontal movement (inches)

VDev Vertical movement (inches)

HPos Horizontal position at home plate (inches from center, positive is catcher's right)

VPos Vertical position at home plate (inches above the ground)

PitchType Code for pitch type (CH=changeup, CU=curve, FF=fastball, or SL=slider)

Zone 1-9 in theoretical strike zone (upper left to lower right), 11-14 are out of strike zone

Nasty A measure on a 0-100 scale of difficulty of the pitch to hit (100 is most difficult)
 Count Ball strike count (0-0, 0-1, 0-2, 1-1, 1-2, 2-1, 2-2, 3-1, or 3-2)
 BallCount Number of balls before the pitch (0, 1, 2, or 3)
 StrikeCount Number of strikes before the pitch (0, 1, or 2)
 Inning Inning of the game
 InningSide Portion of the inning (bottom= pitcher at home or top=pitcher away)
 Outs Number of outs when the pitch is thrown
 BatterHand Batter's stance (L=left or R=right)
 ABEvent Result of the at bat (several possibilities)
 Batter Name of the batter faced

Details

Dataset includes information for 3,402 individual pitches thrown by Los Angeles Dodger baseball pitcher Clayton Kershaw during the 2013 regular season when he won the Cy Young award as the best pitcher in the National League. Many variables are measured using Major League Baseball's PITCHfx system that uses camera systems in each ballpark to track characteristics of each pitch thrown.

Source

Data scraped from the MLB GameDay website (<http://gd2.mlb.com/components/game/mlb/>) using pitchRx

KeyWestWater

Key West Water Temperatures

Description

Hourly water temperatures from Gulf of Mexico near Key West, Florida

Format

A data frame with 6572 observations on the following 3 variables.

DateTime Date and time of reading (format mm/dd/yyyy h:00)

WaterTemp Water temperature (in degrees Fahrenheit)

t Time index (1 to 673)

Details

Hourly readings of water temperatures from a measuring device in the Gulf of Mexico near Key West, Florida. The hourly temperatures are provided from October 3, 2016 to October 3, 2017 and were obtained from station 8724580. A few missing values have been interpolated to provide a complete series.

Source

National Oceanographic and Atmospheric Administration (2017), Key West Ocean Temperature Data, October 3, 2016 to October 3, 2017, <https://www.nodc.noaa.gov>, Accessed on October 4, 2017

Data were obtained by Kyle Johnston for his Senior Exercise (a capstone project).

 Kids198

Body Measurements of Children

Description

Body measurements for a sample of 198 children

Format

A data frame with 198 observations on the following 5 variables.

Height	Height (in inches)
Weight	Weight (in pounds)
Age	Age (in months)
Sex	0=male or 1=female
Race	0=white or 1=other

Details

This dataset comes from a 1977 anthropometric study of body measurements for children. Subjects in this sample are between the ages of 8 and 18 years old, selected at random from the much larger dataset of the original study.

Source

A sample of 198 cases from the NIST's AnthroKids dataset at <http://ovrt.nist.gov/projects/anthrokids/>

 Leafhoppers

Leafhopper Diet and Longevity

Description

Lifetimes for potato leafhoppers on various sugar diets

Format

A data frame with 8 observations on the following 2 variables.

Diet Control, Fructose, Glucose, or Sucrose
 Days Number of days until half the leafhoppers in a dish died

Details

The goal of this study was to compare the effects of four diets on the lifespan of small insects called potato leafhoppers. One of the four was a control diet: just distilled water with no nutritive value. Each of the other three diets had a particular sugar added to the distilled water, one of glucose, sucrose, or fructose. Leafhoppers were sorted into groups of eight and each group was put into one of eight lab dishes. Each of the four diets was added to two dishes, chosen using chance.

Source

"Survival and behavioral responses of the potato leafhopper, *Empoasca fabae* (Harris), on synthetic media," MS thesis by Douglas Dahlman (1963), Iowa State University. The data can be found in *Analyzing Experimental Data by Regression* by David M. Allen and Foster B. Cady, Belmont, CA: Lifetime Learning (Wadsworth).

 LeafWidth

Leaf Measurements

Description

Measurements of *Dodonaea viscosa* leaves

Format

A data frame with 252 observations on the following 5 variables.

Width Average width (in mm)
 Length Average length (in mm)
 LWRatio Length divided by Width
 Area Area (in sq. mm)
 Year Year the leaves were collected

Details

Data on samples of leaves from the species *Dodonaea viscosa* subsp. *angustissima* (common name hopbush), which have been collected in a certain region of South Australia for many years.

Source

Guerin, G., Wen, H., Lowe, A. (2012), "Leaf morphology shift linked to climate change," *Biol. Lett.*, 8, doi: 10.1098/rsbl.2012.0458

 Leukemia

Responses to Treatment for Leukemia

Description

Treatment results for leukemia patients

Format

A data frame with 51 observations on the following 9 variables.

Age	Age at diagnosis (in years)
Smear	Differential percentage of blasts
Infil	Percentage of absolute marrow leukemia infiltrate
Index	Percentage labeling index of the bone marrow leukemia cells
Blasts	Absolute number of blasts, in thousands
Temp	Highest temperature of the patient prior to treatment, in degrees Fahrenheit
Resp	1=responded to treatment or 0=failed to respond
Time	Survival time from diagnosis (in months)
Status	0=dead or 1=alive

Details

A study involved 51 untreated adult patients with acute myeloblastic leukemia who were given a course of treatment, after which they were assessed as to their response.

Source

Data come from Statistical Analysis Using S-Plus (Brian S. Everitt; first edition 1994, Chapman & Hall).

 LeveeFailures

Levee Failures along the Mississippi River

Description

Factors relating to Mississippi River levee failure

Format

A data frame with 82 observations on the following 14 variables.

Failure Did the levee fail? (1=yes or 0=no)

Year Year

RiverMile Location along the river (mile marker)

Sediments Sediments present? (1=yes or 0=no)

BorrowPit Borrow pit present? (1=yes or 0=no)

Meander Type of meander (1=inside bend, 2=outside bend, 3=chute, 4=straight)

ChannelWidth Width of the river channel (in meters)

FloodwayWidth Width of floodway (in meters, levee to levee, levee to bluff, or bluff to bluff, as appropriate)

ConstrictionFactor Constriction of the floodway over time (1880s to present)

LandCover 1=open water, 2=grassy, 3=agricultural, 4=forest

VegWidth Vegative buffer width (in meters)

Sinuosity River length divided by valley length for 10 miles up- and down-valley from levee site

Dredging Dredging intensity

Revetement Is there a stone structure (wall) meant to hold up the bank? (1=yes or 0=no)

Details

The goal of this investigation was to test the relative importance of geologic, geomorphic, and other physical factors that have led to levee failures through the past century along much of the Mississippi River.

Source

A. Flor, N. Pinter, W.F. Remo (2010), "Evaluating Levee Failure Susceptibility on the Mississippi River Using Logistic Regression Analysis," *Engineering Geology*, Vol. 116, pp. 139-148

LewyBody2Groups

Lewy Bodies and Dementia

Description

Dementia study comparing two groups of patients

Format

A data frame with 39 observations on the following 3 variables.

Type DLB=Dementia with Lewy Bodies or DLB/AD=DLB and Alzheimer's Disease

APC Annualized Percentage Change from baseline volume of the brain

MMSE Change in functional performance on the Mini Mental State Examination

Details

Brain MRIs were used to study the brains of patients with Dementia with Lewy Bodies, some of whom also were diagnosed with Alzheimer's Disease.

Source

Z. Nedelksa et al. (2015), "Pattern of brain atrophy rates in autopsy-confirmed dementia with Lewy bodies," *Neurobiology of Aging*, 36: 452-461.

LewyDLBad

Lewy Bodies and Dementia with Alzheimer's

Description

Dementia Study with Lewy Bodies

Format

A data frame with 20 observations on the following 3 variables.

group DLB/AD=DLB and Alzheimer's Disease

APC Annualized Percentage Change from baseline volume of the brain

MMSE Change in functional performance on the Mini Mental State Examination

Details

Brain MRIs were used to study the brains of patients with Dementia with Lewy Bodies. These are the cases that were also diagnosed with Alzheimer's Disease. This is a subset of LewBody2Groups

Source

Z. Nedelksa et al. (2015), "Pattern of brain atrophy rates in autopsy-confirmed dementia with Lewy bodies," *Neurobiology of Aging*, 36: 452-461.

LongJumpOlympics *Olympic Men's Long Jump Gold Medal Distance (1900 - 2008)*

Description

Winning distances in men's Olympic long jump competitions (1900 - 2008)

Format

A data frame with 26 observations on the following 2 variables.

Year Year of the Olympics (1900 - 2008)
Gold Winning men's long jump distance (in meters)

Details

Gold medal winning distances for the men's long jump at the Olympics from 1900 to 2008.
Updated to LongJumpOlympics2016 in second edition.

Source

Historical Olympic long ump results at <http://trackandfield.about.com/od/longjump/qt/olymlongjumpmen.htm>

LongJumpOlympics2016 *Olympic Men's Long Jump Gold Medal Distance (1900 - 2016)*

Description

Gold medal distance for Olympic men's long jump

Format

A data frame with 28 observations on the following 2 variables.

Year Olympic Year (1900-2016)
Gold Gold medal distance (in meters)

Details

Gold medal winning distances for the men's long jump at the Olympics from 1900 to 2016.

Source

Historical Olympic long jump results at <http://trackandfield.about.com/od/longjump/qt/olymlongjumpmen.htm>

 LosingSleep

Sleep Hours for Teenagers

Description

Hours of sleep for teenagers

Format

A data frame with 446 observations on the following 3 variables.

Person Cased ID number

Age Age (in years)

Outcome Average at least 7 hours of sleep? (1=yes or 0=no)

Details

Data from a sample of 446 teens, aged 14 to 18, who answer the question, "On an average school night, how many hours of sleep do you get?" The outcome variable records whether or not each person averages at least 7 hours of sleep.

Source

Wahlstrom, K., Dretzke, B., Gordon, M., Peterson, K., Edwards, K., & Gdula, J. (2014) "Examining the Impact of Later School Start Times on the Health and Academic Performance of High School Students: A Multi-Site Study," Center for Applied Research and Educational Improvement. St Paul, MN: University of Minnesota.

 LostLetter

Return Rates for "Lost" Letters

Description

Which "lost" letters will be returned by the public?

Format

A data frame with 140 observations on the following 8 variables.

Location	Where letter was "lost": DesMoines, GrinnellCampus, or GrinnellTown
Address	Address on the letter: Confederacy or Peaceworks
Returned	1=letter was returned or 0=letter was not returned
DesMoines	Indicator for letters left in Des Moines
GrinnellTown	Indicator for letters left in the town of Grinnell
GrinnellCampus	Indicator for letters left on the Grinnell campus

Peaceworks Indicator for letters addressed to Iowa Peaceworks
 Confederacy Indicator for letters addressed to Friends of the Confederacy

Details

In 1999 Grinnell College students Laurelin Muir and Adam Gratch conducted an experiment for an introductory statistics class. They intentionally "lost" 140 letters in either the city of Des Moines, the town of Grinnell, or on the Grinnell College campus. Half of each sample were addressed to Friends of the Confederacy and the other half to Iowa Peaceworks. The students kept track of which letters were eventually returned.

Source

Student project at Grinnell College

Marathon	<i>Daily Training for a Marathon Runner</i>
----------	---

Description

Training records for a marathon runner

Format

A dataset with 1128 observations on the following 9 variables.

Date	Training date
Miles	Miles for training run
Time	Training time (in minutes:seconds:hundredths)
Pace	Running pace (in minutes:seconds:hundredths per mile)
ShoeBrand	Addidas, Asics, Brooks, Izumi, Mizuno, or New Balance
TimeMin	Training time (in minutes)
PaceMin	Running pace (in minutes per mile)
Short	1= 5 miles or less or 0=more than 5 miles
After2004	1= for runs after 2004 or 0=for earlier runs

Details

Information from training records of a marathoner over a five-year period from 2002-2006.

Source

Data from training records of one of the Stat2 authors.

Markets *Daily Change in Dow Jones and Nikkei Stock Market Indices*

Description

Daily changes in two stock market indices

Format

A dataset with 56 observations on the following 5 variables.

DJIAch	Change in Dow Jones Industrial Average
Date	Date: 06-Aug-09 to 02-Nov-09
Nik225ch	Change in Nikkei 225 stock average
Up	Indicator for positive Nikkei change
lagNik	Previous day's Nikkei change

Details

This dataset contains data on daily changes from two stock markets over 56 days from 06-Aug-09 to 02-Nov-09. The Dow Jones Industrial Average is based in New York and the Nikkei 225 is a stock index in Japan.

Source

Dow Jones Industrial Average:
<http://markets.cbsnews.com/cbsnews/quote/historical?Month=11&Symbol=310%3A998313&Year=2009&Range=12&tag=cbsnewsSectionsArea>
 Historical Nikkei 225 index:
<http://markets.cbsnews.com/cbsnews/quote/historical?Month=11&Symbol=992%3A1900000035&Year=2009&Range=12&tag=cbsnewsSectionsArea>

MathEnrollment *Enrollments in Math Courses*

Description

Semester enrollments in mathematics courses

Format

A dataset with 11 observations on the following 3 variables.

AYear	Academic year (for the fall)
Fall	Fall semester total enrollments
Spring	Spring semester total enrollments

Details

Total enrollments in mathematics courses at a small liberal arts college were obtained for each semester from Fall 2001 to Spring 2012.

Source

The data were obtained from <http://Registrar.Kenyon.edu> on June 1, 2012.

 MathPlacement

Math Placement Exam Results

Description

Results from a Math Placement exam at a liberal arts college

Format

A dataset with 2696 observations on the following 16 variables.

Student	Identification number for each student
Gender	0=Female, 1=Male
PSATM	PSAT score in Math
SATM	SAT score in Math
ACTM	ACT Score in Math
Rank	Adjusted rank in HS class
Size	Number of students in HS class
GPAadj	Adjusted GPA
PlcmtScore	Score on math placement exam
Recommends	Recommended course: R0 R01 R1 R12 R2 R3 R4 R6 R8
Course	Actual course taken
Grade	Course grade
RecTaken	1=recommended course, 0=otherwise
TooHigh	1=took course above recommended, 0=otherwise
TooLow	1=took course below recommended, 0=otherwise
CourseSuccess	1=B or better grade, 0=grade below B

Details

Scores and course results for students taking a math placement exam at a college.

Source

Personal correspondence

MedGPA

GPA and Medical School Admission

Description

Medical school admission status and information on GPA and standardized test scores

Format

A dataset with 55 observations on the following 11 variables.

Accept	Status: A=accepted to medical school or D=denied admission
Acceptance	Indicator for Accept: 1=accepted or 0=denied
Sex	F=female or M=male
BCPM	Bio/Chem/Physics/Math grade point average
GPA	College grade point average
VR	Verbal reasoning (subscore)
PS	Physical sciences (subscore)
WS	Writing sample (subscore)
BS	Biological sciences (subscore)
MCAT	Score on the MCAT exam (sum of CR+PS+WS+BS)
Apps	Number of medical schools applied to

Details

This dataset has information gathered on 55 medical school applicants from a liberal arts college in the Midwest.

Source

Data collected at a midwestern liberal arts college.

Meniscus

Meniscus Repair Methods

Description

Comparing meniscus repair methods on cadaver knees

Format

A data frame with 18 observations on the following 4 variables.

Method Meniscus repair method (1 = Vertical Suture, 2 = Meniscus Arrow, 3 = FasT-Fix)

FailureLoad Load at failure (in Newtons)

Displacement Displacement (in mm)

Stiffness Stiffness (Newtons/mm)

Details

Eighteen, lightly embalmed, cadaveric knee specimens were used in a study to compare three different methods of meniscus repair. The specimens were randomly assigned to one of the three treatments: vertical suture, meniscus arrow, FasT-Fix. They were evaluated on three different response variables: load at failure, stiffness, and displacement.

Source

P. Borden, J. Nyland, D.N.M. Caborn, D. Pienkowski (2003), "Biomechanical Comparison of the FasT-Fix Meniscal Repair Suture System with Vertical Mattress Sutures and Meniscus Arrows," *The American Journal of Sports Medicine*, Vol. 31, #3, pp. 374-378

Dataset downloaded from <http://www.stat.ufl.edu/~winner/data/meniscus.txt>

MentalHealth

Mental Health Admissions

Description

Admissions to a mental health emergency room and full moons

Format

A dataset with 36 observations on the following 3 variables.

Month	Month of the year
Moon	Relationship to full moon: After, Before, or During
Admission	Number of emergency room admissions

Details

Some researchers in the early 1970s set out to study whether there is a "full-moon" effect on emergency room admissions at a mental health hospital. They separated the data over 12 months into rates before the full moon (mean number of patients seen 4-13 days before the full moon), during the full moon (the number of patients seen on the full moon day), and after the full moon (mean number of patients seen 4-13 days after the full moon).

Source

Introduction to Mathematical Statistics and its Applications by Richard J. Larsen and Morris L. Marx. Prentice Hall:Englewood Cliffs, NJ, 1986.

References

The original discussion of the study is in Blackman, S., and Catalina, D. (1973). "The moon and the emergency room." *Perceptual and Motor Skills* 37, 624-626.

MetabolicRate	<i>Metabolic Rate of Caterpillars</i>
---------------	---------------------------------------

Description

Body size and metabolic rate of *Manduca Sexta* caterpillars

Format

A dataset with 305 observations on the following 7 variables.

Computer	ID number of the computer used to measure metabolic rate
BodySize	Size of the caterpillar (in grams)
LogBodySize	Log (base 10) of BodySize
Instar	Number from 1 (smallest) to 5 (largest) indicating stage of the caterpillar's life
CO2ppm	Carbon dioxide concentration (in ppm)
Mrate	Metabolic rate
LogMrate	Log (base 10) of metabolic rate

Details

Marisa Stearns collected and analyzed body size and metabolic rates for *Manduca Sexta* caterpillars.

Source

We thank Professor Itagaki and his research students for sharing these data.

MetroCommutes

Commute Times

Description

Commute times for four cities

Format

A data frame with 2000 observations on the following 3 variables.

City Boston, Houston, Minneapolis, or Washington

Distance Distance of commute (in miles)

Time Time of commute (in minutes)

Details

The data are distances (miles) and times (minutes) of daily commute (one-way) for random samples of 500 commuters in each of four cities (Boston, Houston, Minneapolis, Washington) in 2007. The random samples were taken from the Metropolitan Public Use File of the 2007 American Housing Survey

Source

2007 American Housing Survey <https://www.census.gov/programs-surveys/ahs/data/2007/ahs-2007-public-use-file-puf-.html>

MetroHealth83

Health Services in Metropolitan Areas

Description

Health services data for 83 metropolitan areas

Format

A dataset with 83 observations on the following 16 variables.

City	Name of the metropolitan area
NumMDs	Number of physicians
RateMDs	Number of physicians per 100,000 people
NumHospitals	Number of community hospitals
NumBeds	Number of hospital beds
RateBeds	Number of hospital beds per 100,000 people
NumMedicare	Number of Medicare recipients in 2003
PctChangeMedicare	Percent change in Medicare recipients (2000 to 2003)
MedicareRate	Number of Medicare recipients per 100,000 people
SSBNum	Number of Social Security recipients in 2004
SSBRate	Number of Social Security recipients per 100,000 people
SSBChange	Percent change in Social Security recipients (2000 to 2004)
NumRetired	Number of retired workers
SSINum	Number of Supplemental Security Income recipients in 2004
SSIRate	Number of Supplemental Security Income recipients per 100,000 people
SqrtMDs	Square root of number of physicians

Details

The U.S. Census Bureau regularly collects information for many metropolitan areas in the United States, including data on number of physicians and number (and size) of hospitals. This dataset has such information for 83 different metropolitan areas.

This dataset is in the first edition, but replaced by CountyHealth in the second edition.

Source

U.S. Census Bureau: 2006 State and Metropolitan Area Data Book (Table B-6)
<http://www.census.gov/prod/2006pubs/smadb/smadb-06.pdf>

Migraines

Migraines and TMS

Description

Effects of transcranial magnetic stimulation (TMS) on migraine headaches

Format

A data frame with 2 observations on the following 4 variables.

Group Treatment group (Placebo or TMS)

Yes Count of number of patients that were pain-free in each group

No Count of number of patients that had pain in each group

Trials Number of patients in each group

Details

A study investigated whether a handheld device that sends a magnetic pulse into a person's head might be an effective treatment for migraine headaches. Researchers recruited 200 subjects who suffered from migraines and randomly assigned them to receive either the TMS (transcranial magnetic stimulation) treatment or a sham (placebo) treatment from a device that did not deliver any stimulation. Subjects were instructed to apply the device at the onset of migraine symptoms and then assess how they felt two hours later. This dataset is a two-way table of the results.

This dataset was called TMS in the first edition.

Source

Based on results in R. B. Lipton, et al, (2010) "Single-pulse Transcranial Magnetic Stimulation for Acute Treatment of Migraine with Aura: A Randomised, Double-blind, Parallel-group, Shamcontrolled Trial," *Lancet Neurology*, 9(4):373-380.

Milgram

Ethics and a Milgram Experiment

Description

Attitudes towards ethics of a famous Milgram experiment

Format

A dataset with 37 observations on the following 2 variables.

Results	Treatment group: Actual, Complied, or Refused
Score	Ethical score from 1 (not at all ethical) to 9 (completely ethical)

Details

One of the most famous and most disturbing psychological studies of the twentieth century took place in the laboratory of Stanley Milgram at Yale University. Milgram's subjects were asked to monitor the answers of a "learner" and to push a button to deliver shocks whenever the learner gave a wrong answer. The more wrong answers, the more powerful the shock. Even Milgram himself was surprised by the results: Every one of his subjects ended up delivering what they thought was a dangerous 300-volt shock to a slow "learner" as punishment for repeated wrong answers.

Even though the "shocks" were not real and the "learner" was in on the secret, the results triggered a hot debate about ethics and experiments with human subjects. To study attitudes on this issue, Harvard graduate student Maryann de Mateo conducted a randomized comparative experiment. Her subjects were 37 high school teachers who did not know about the Milgram study. Using chance, Maryann assigned each teacher to one of three treatment groups:

Group 1: Actual results. Each subject in this group read a description of Milgram's study, including the actual results that every subject delivered the highest possible "shock."

Group 2: Many complied. Each subject read the same description given to the subjects in Group 1, except that the actual results were replaced by fake results, that many but not all subjects complied.

Group 3. Most refused. For subjects in this group, the fake results said that most subjects refused to comply.

After reading the description, each subject was asked to rate the study according to how ethical they thought it was, from 1 (not at all ethical) to 9 (completely ethical.)

Source

"An experimental study of attitudes toward deception" by Mary Ann DiMatteo. Unpublished manuscript, Department of Psychology and Social Relations, Harvard University (1972).

MLB2007Standings

Standings and Team Statistics from the 2007 Baseball Season

Description

Data for Major League Baseball teams from the 2007 regular season

Format

A dataset with 30 observations on the following 21 variables.

Team	Name of the team
League	League: AL or NL
Wins	Number of wins for the season (out of 162 games)
Losses	Number of losses for the season
WinPct	Proportion of games won (Wins/162)
BattingAvg	Team batting average
Runs	Number of runs runs scored
Hits	Number of hits
HR	Number of home runs hit
Doubles	Number of doubles hit
Triples	Number of triple hit
RBI	Number of runs batted in
SB	Number of stolen bases
OBP	On base percentage
SLG	Slugging percentage
ERA	Earned run average (earned runs allowed per 9 innings)
HitsAllowed	Number of hits against the team
Walks	Number of walks allowed

StrikeOuts	Number of strikeouts (by the team's pitchers)
Saves	Number of games saved (by the team's pitchers)
WHIP	Number of walks and hits per inning pitched

Details

Data for all 30 Major League Baseball (MLB) teams for the 2007 regular season. This includes team batting statistics (BattingAvg through SLG) and team pitching statistics (ERA through WHIP)

Updated to MLBStandings2016 in second edition.

Source

Data downloaded from baseball-reference.com:

<http://www.baseball-reference.com/leagues/MLB/2007-standings.shtml>

<http://www.baseball-reference.com/leagues/MLB/2007.shtml>

MLBStandings2016

MLB Standings in 2016

Description

Major League Baseball (MLB) standings and team statistics for the 2016 season

Format

A data frame with 30 observations on the following 21 variables.

Team Team name

League AL=American or NL=National

Wins Number of wins for the season (out of 162 games)

Losses Number of losses for the season

WinPct Proportion of games won

BattingAverage Team batting average

Runs Number of runs scored

Hits Number of hits

HR Number of home runs hit

Doubles Number of doubles hit

Triples Number of triples hit

RBI Number of runs batted in

SB Number of stolen bases

OBP On base percentage

SLG Slugging percentage

ERA Earned run average (earned runs allowed per 9 innings)

HitsAllowed Number of hits against the team

Walks Number of walks allowed

StrikeOuts Number of strikeouts (by the team's pitchers)

Saves Number of games saved (by the team's pitchers)

WHIP Number of walks and hits per inning pitched

Details

Data for all 30 Major League Baseball (MLB) teams for the 2016 regular season. This includes team batting statistics (BattingAvg through SLG) and team pitching statistics (ERA through WHIP)

Source

Data downloaded from [baseball-reference.com](http://www.baseball-reference.com):

<http://www.baseball-reference.com/leagues/MLB/2016-standings.shtml>

<http://www.baseball-reference.com/leagues/MLB/2016.shtml>

MothEggs

Moth Eggs

Description

Body size and eggs produced for a species of moths

Format

A dataset with 39 observations on the following 2 variables.

BodyMass	Log of body size measured in grams
Eggs	Number of eggs present

Details

Researchers were interested in an association between body size and the number of eggs produced by a species of moths.

Source

We thank Professor Itagaki and his students for sharing this data from experiments on *Manduca Sexta*.

MouseBrain

Effects of Serotonin in Mice

Description

Effects of altering serotonin levels on social interactions of mice

Format

A data frame with 48 observations on the following 3 variables.

Contacts Number of social contacts the mouse had during the experiment

Sex F=female or M=male

Genotype Minus, Mixed, or Plus (see description below)

Details

Serotonin is a chemical that influences mood balance in humans. But how does it affect mice? Scientists genetically altered mice by "knocking out" the expression of a gene, tryptophan hydroxylase 2 (Tph2), that regulates serotonin production. With careful breeding, the scientists produced three types of mice that we label as "Minus" for Tph2^{-/-}, "Plus" for Tph2^{+/+}, "Mixed" for Tph2^{+/-}. The variable Genotype records Minus/Plus/Mixed. The variable Contacts is the number of social contacts that a mouse had with other mice during an experiment and the variable Sex is "M" for males and "F" for females.

Source

Beis D, Holzwarth K, Flinders M, Bader M, Wöhr M, Alenina N., (2015) "Brain serotonin deficiency leads to social communication deficits in mice," *Biol. Lett.* 11:20150057.
<http://dx.doi.org/10.1098/rsbl.2015.0057>

Once you go to the above link, to get the data, click on the "Figures and Data" tab. Then click on the "Juvenile SocInter Behavior Data" link to download a hairy data file that needs to be cleaned a great deal to get our data.

MusicTime

Estimating Time with Different Music Playing

Description

Estimates of 45 seconds with different music playing

Format

A data frame with 60 observations on the following 6 variables.

MusicBg Music playing in the background (no or yes)

Subject Code for each subject (subj1 through subj20)

Sex Subject's sex (f=female or m=male)

TimeGuess Subject's time estimating 45 seconds (in seconds)

Music Type of music (calm, control, or upbeat)

Accuracy Absolute value of TimeGuess minus 45

Details

Participants were asked to judge when 45 seconds had passed in silence (control), while listening to an upbeat song (Metropolis, by David Guetta and Nicky Romero), and while listening to a calm song (Bach's Das Wohltemperierte Klavier, Prelude in C Major). The order in which the three conditions were experienced was randomized for each participant. Time until subject guessed 45 seconds had elapsed (TimeGuess) and the magnitude of the difference from 45 (Accuracy) were recorded.

Source

Data collected by Ksenia Vlasov at Oberlin College.

NCbirths

North Carolina Birth Records

Description

Data from births in North Carolina in 2001

Format

A dataset with 1450 observations on the following 15 variables.

ID	Patient ID code
Plural	1=single birth, 2=twins, 3=triplets
Sex	Sex of the baby 1=male 2=female
MomAge	Mother's age (in years)
Weeks	Completed weeks of gestation
Marital	Marital status: 1=married or 2=not married
RaceMom	Mother's race: 1=white, 2=black, 3=American Indian, 4=Chinese 5=Japanese, 6=Hawaiian, 7=Filipino, or 8=Other Asian or Pacific Islander
Hispmom	Hispanic origin of mother: C=Cuban, M=Mexican, N=not Hispanic 0=Other Hispanic, P=Puerto Rico, S=Central/South America
Gained	Weight gained during pregnancy (in pounds)

Smoke	Smoker mom? 1=yes or 0=no
BirthWeightOz	Birth weight in ounces
BirthWeightGm	Birth weight in grams
Low	Indicator for low birth weight, 1=2500 grams or less
Premie	Indicator for premature birth, 1=36 weeks or sooner
MomRace	Mother's race: black, hispanic, other, or white

Details

This dataset contains data on a sample of 1450 birth records that statistician John Holcomb selected from the North Carolina State Center for Health and Environmental Statistics.

Source

Thanks to John Holcomb at Cleveland State University for sharing these data.

NFL2007Standings	<i>NFL Standings for 2007 Regular Season</i>
------------------	--

Description

Standings for National Football League teams in 2007

Format

A dataset with 32 observations on the following 10 variables.

Team	Team name
Conference	Conference: AFC or NFC
Division	Division within conference: ACE, ACN, ACS, ACW, NCE, NCN, NCS, NCW
Wins	Number of wins (out of 16 games)
Losses	Number of losses
WinPct	Proportion of games won (Wins/16)
PointsFor	Total points scored by the team
PointsAgainst	Total points scored against the team
NetPts	PointsFor minus PointsAgainst
TDs	Number of touchdowns scored by the team

Details

Data for all 32 National Football League (NFL) teams for the 2007 regular season.
Updated to NFLStandings2016 in the second edition.

Source

Data downloaded from www.nfl.com

NFLStandings2016

NFL Standings for 2016 Regular Season

Description

Standings and team statistics for National Football League (NFL) teams in the 2016 season

Format

A data frame with 32 observations on the following 11 variables.

Team Team name

Wins Wins in the 2016 regular season (out of 16 games)

Losses Losses in the 2016 regular season

Ties Ties in the 2016 regular season (ties are very rare in the NFL)

WinPct Winning percentage = $(\text{Wins} + 0.5 * \text{Ties}) / 16$ games

PointsFor Points scored

PointsAgainst Points allowed

NetPts Points scored minus Points allowed

YardsFor Offensive yards gained by the team

YardsAgainst Offensive yards against the team

TDs Touchdowns scored

Details

Standings for the 2016 regular season of the National Football League (NFL) along with points and scored and allowed for each team in its 16 games.

Source

Data downloaded from:
<http://www.pro-football-reference.com/years/2016/>

 Nursing

Nursing Homes

Description

Characteristics of nursing homes in New Mexico.

Format

A dataset with 52 observations on the following 7 variables.

Beds	Number of beds in the nursing home
InPatientDays	Annual medical in-patient days (in hundreds)
AllPatientDays	Annual total patient days (in hundreds)
PatientRevenue	Annual patient care revenue (in hundreds of dollars)
NurseSalaries	Annual nursing salaries (in hundreds of dollars)
FacilitiesExpend	Annual facilities expenditure (in hundreds of dollars)
Rural	1=rural or 0=non-rural

Details

The data were collected by the Department of Health and Social Services of the State of New Mexico and cover 52 of the 60 licensed nursing facilities in New Mexico in 1988.

Source

Downloaded from DASL at <http://lib.stat.cmu.edu/DASL/Datafiles/Nursingdat.html>

References

Howard L. Smith, Niell F. Piland, and Nancy Fisher, "A Comparison of Financial Performance, Organizational Characteristics, and Management Strategy Among Rural and Urban Nursing Facilities," *Journal of Rural Health*, Winter 1992, pp 27-40.

 OilDeapsorbtion

Effect of Ultrasound on Oil Deapsorbtion

Description

Experiment to measure the effect of ultrasound on deapsorbing oil from sand

Format

A data frame with 40 observations on the following 4 variables.

Salt Type of water (1=salt water or 0=distilled water)

Ultra Amount of time each sample was exposed to ultrasound (5 or 10 minutes)

Oil Amount of oil in the sample (5ml or 10 ml)

Diff Difference in the amount of oil removed between the ultrasound run and an equivalent control run (no ultrasound) (Diff = Treatment - Control)

Details

This data set is the result of a science fair experiment run by a high school student. The basic question was whether exposing sand with oil in it (think oil spill) to ultrasound could help the oil deabsorb from it better than sand that was not exposed to ultrasound. There were two levels of ultrasound tested (5 minutes and 10 minutes) and two levels of oil (5 ml and 10 ml). There was also a question of whether exposure to salt water or fresh water made a difference so half the samples had salt water, the others distilled water. Each combination of factor levels was replicated 5 times. There were also an equivalent number of control observations run, all factors being the same but without any exposure to ultrasound. Each experimental run was paired with an appropriate control run and the response variable is the difference in the amount of oil removed in the experimental run and the control run.

Source

Experiment run by Las Vegas high school student Chris Mathews for a science fair project in spring 2016.

Olives

Fenthion in Olive Oil

Description

Measurements of the pesticide fenthion in olive oil over time

Format

A dataset with 18 observations on the following 7 variables.

SampleNumber	Code (1-6) for sample of olive oil
Group	Code for group: 1 or 2
Day	Time (in days) when sample was measured: 0, 281, or 365
Fenthion	Amount of fenthion (pesticide)
FenthionSulphoxide	Amount of fenthion sulfide
FenthionSulphone	Amount of fenthion sulphone
Time	Code (0, 3, or 4) for the number of days

Details

Fenthion is a pesticide used against the olive fruit fly in olive groves. It is toxic to humans so it is important that there be no residue left on the fruit or in olive oil that will be consumed. One theory was that if there is residue of the pesticide left in the olive oil, it would dissipate over time. Chemists set out to test that theory by taking a random sample of small amounts of olive oil with fenthion residue and measuring the amount of fenthion in the oil at three different times over the year - day 0, day 281 and day 365.

Source

Data provided by Rosemary Roberts and discussed in "Persistence of fenthion residues in olive oil" by Chaido Lentza-Rizos, Elizabeth J. Avramides, and Rosemary A. Roberts in *Pest Management Science*, Vol. 40, Issue 1, Jan. 1994, pp. 63-69.

 Orings

Space Shuttle O-Rings

Description

Number of damaged O-rings on space shuttle launches and launch temperature

Format

A dataset with 24 observations on the following 2 variables.

Temp	Code for temperature (in degrees F): Above65 Below65
Failures	Number of O-ring failures

Details

The space shuttle Challenger exploded shortly after liftoff in 1987. The subsequent investigation focused on the failure of O-ring seals, which allowed liquid hydrogen and oxygen to mix and explode. These failures might be related to temperature at the launch site which was near freezing (32 degrees F) on that day. This dataset shows the number of O-ring failures on previous shuttle launches, along with an indicator for whether the temperature was above or below 65 degrees F.

Source

Data can be found in "Risk analysis of the space shuttle: Pre-challenger prediction of failure" by Siddhartha R. Dalal, Edward B. Fowlke, and Bruce Hoadley in *Journal of the American Statistical Association*, Vol. 84, No. 408 (Dec. 1989), pp 945-957

Overdrawn	<i>Overdrawn Checking Account?</i>
-----------	------------------------------------

Description

Survey of college students to look at factors related to having overdrawn a checking account.

Format

A dataset with 450 observations on the following 4 variables.

Age	Age of the student (in years)
Sex	0=male or 1=female
DaysDrink	Number of days drinking alcohol (in past 30 days)
Overdrawn	Has student overdrawn a checking account? 0=no or 1=yes

Details

Researchers conducted a survey of 450 undergraduates in large introductory courses at either Mississippi State University or the University of Mississippi. There were close to 150 questions on the survey, but only four of these variables are included in this dataset. (You can consult the paper to learn how the variables beyond these 4 affect the analysis.) The primary interest for the researchers was factors relating to whether or not a student has ever overdrawn a checking account.

Renamed as CreditRisk in second edition.

Source

Worthy S.L., Jonkman J.N., Blinn-Pike L. (2010), "Sensation-Seeking, Risk-Taking, and Problematic Financial Behaviors of College Students," *Journal of Family and Economic Issues*, 31: 161-170

Oysters	<i>Size of Oysters</i>
---------	------------------------

Description

Comparing methods for measuring the size of oysters

Format

A data frame with 30 observations on the following 5 variables.

ID	ID number of each oyster
Weight	Weight (in grams)
Volume	Volume (in cubic centimeters)
ThreeD	Measurement from a 3D system (pixels)
TwoD	Measurement from a 2D cross-section (pixels)

Details

In 2001 engineers at an R&D lab Agri-Tech, Inc, in Woodstock, Virginia, designed a 3-D system that they hoped would improve on the existing 2-D system for measuring the size of oysters. The 3-D system used computer scanning to estimate an oyster volume, whereas the old 2-D system estimated a cross-sectional area. Data shows the result of both systems, as well as the actual weight and volume of each oyster used in calibration.

Source

Data found at JSE data archive: http://ww2.amstat.org/publications/jse/jse_data_archive.htm with the filenames of 30oysters. Contributors are G. Andy Chang, G. Jay Kerns, D. J. Lee, and Gary L. Stanek.

Original article is: Lee, D., Lane, R., and Chang, G., (2001) "Three-dimension Reconstruction for High-speed Volume Measurement," Proceedings of the International Society for Optical Engineering, Machine Vision and Three-Dimensional Imaging Systems for Inspection and Metrology, Volume 4189, p.258-267.

PalmBeach

Palm Beach Butterfly Ballot

Description

Votes for Geroge Bush and Pat Buchanan in Florida counties for the 2000 U.S. presidential election

Format

A dataset with 67 observations on the following 3 variables.

County	Name of the Florida county
Buchanan	Number of votes for Pat Buchanan
Bush	Number of votes for George Bush

Details

The race for the presidency of the United States in the fall of 2000 was very close, with the electoral votes from Florida determining the outcome. In the disputed final tally in Florida, George W. Bush won by just 537 votes over Al Gore, out of almost 6 million votes cast. About 2.3% of the votes cast in Florida were awarded to other candidates. One of those other candidates was Pat Buchanan, who did much better in Palm Beach County than he did anywhere else. Palm Beach County used a unique "butterfly ballot" that had candidate names on either side of the page with "chads" to be punched in the middle. This non-standard ballot seemed to confuse some voters, who punched votes for Buchanan that may have been intended for a different candidate. This dataset shows the number of votes for Bush and Buchanan in each Florida county.

Source

Florida county data for the 2000 presidential election can be found at
<http://election.dos.state.fl.us/elections/resultsarchive/Index.asp?ElectionDate=11/7/00>

PeaceBridge2003 *Monthly Peace Bridge Traffic (2003-2015)*

Description

Monthly traffic (in 1,000's) across the Peace Bridge between Canada and the U.S.

Format

A data frame with 156 observations on the following 4 variables.

Year Year (2003 to 2015)

Month Month (1 to 12)

Traffic Vehicles (in 1,000's)

t Time frame (1 to 156)

Details

Monthly traffic (in thousands of vehicles) across the Peace Bridge between the U.S. and Canada near Niagara Falls between January 2003 and December 2015. Note PeaceBridge2012 has only the last four years of this series.

Source

<http://www.peacebridge.com/index.php/historical-traffic-statistics/yearly-volumes>

PeaceBridge2012 *Monthly Peace Bridge Traffic (2012-2015)*

Description

Monthly traffic (in 1,000's) across the Peace Bridge between Canada and the U.S.

Format

A data frame with 48 observations on the following 4 variables.

Year Year (2012 to 2015)

Month Month (1 to 12)

Traffic Vehicles (in 1,000's)

t Time frame (1 to 48)

Details

Monthly traffic (in thousands of vehicles) across the Peace Bridge between the U.S. and Canada near Niagara Falls between January 2012 and December 2015. Note PeaceBridge2003 has similar data starting in 2003.

Source

<http://www.peacebridge.com/index.php/historical-traffic-statistics/yearly-volumes>

Pedometer

Pedometer Walking Data

Description

Daily walking amounts recorded on a personal pedometer from September-December 2011

Format

A dataset with 68 observations on the following 8 variables.

Steps	Total number of steps for the day
Moderate	Number of steps at a moderate walking speed
Min	Number of minutes walking at a moderate speed
kcal	Number of calories burned walking at a moderate speed
Mile	Total number of miles walked
Rain	Type of weather (rain or shine)
Day	Day of the week (U=Sunday, M=Monday, T=Tuesday, W=Wednesday, R=Thursday, F=Friday, S=Saturday)
DayType	Coded as Weekday or Weekend

Details

A statistics professor regularly keeps a pedometer in his pocket. It records not only the number of steps taken each day, but also the number of steps taken at a moderate pace, the number of minutes walked at a moderate pace, and the number of miles total that he walked. He also added to the data set the day of the week, whether it was rainy, sunny, or cold (on sunny days he often biked, but on rainy or cold days he did not), and whether it was a weekday or weekend.

Source

One of the Stat2 authors

Perch *Perch Sizes*

Description

Size of perch caught in a Finnish lake

Format

A dataset with 56 observations on the following 4 variables.

Obs	Observation number
Weight	Weight (in grams)
Length	Length (in centimeters)
Width	Width (in centimeters)

Details

This dataset comes from a sample of fish (perch) caught at Lake Laengelmavesi in Finland.

Source

JSE Data Archive, http://www.amstat.org/publications/jse/jse_data_archive.htm, submitted by Juha Puranen.

PigFeed *Additives in Pig Feed*

Description

Effects of additives to pig feed on weight gain

Format

A dataset with 12 observations on the following 3 variables.

WgtGain	Daily weight gain (hundredths of a pound over 1.00)
Antibiotic	Antibiotic in the feed? No or Yes
B12	Vitamin B12 in the feed? No or Yes

Details

A scientist in Iowa was interested in additives to standard pig chow that might increase the rate at which the pigs gained weight. Two factors of interest were vitamin B12 and antibiotics. To perform the experiment, the scientist randomly assigned 12 pigs, three to each of the diet combinations (Antibiotic only, B12 only, both, and neither).

Source

Data are found in *Statistical Methods* by George W. Snedecor and William G. Cochran (1967). Ames, IA: The Iowa State University Press.

References

Original source is Iowa Agricultural Experiment Station (1952). *Animal Husbandry Swine Nutrition Experiment No. 577*.

Pines

Measurements of Pine Tree Seedlings

Description

Data from pine seedlings planted in 1990

Format

A dataset with 1000 observations on the following 15 variables.

Row	Row number in pine plantation
Col	Column number in pine plantation
Hgt90	Tree height at time of planting (cm)
Hgt96	Tree height in September 1996 (cm)
Diam96	Tree trunk diameter in September 1996 (cm)
Grow96	Leader growth during 1996 (cm)
Hgt97	Tree height in September 1997 (cm)
Diam97	Tree trunk diameter in September 1997 (cm)
Spread97	Widest lateral spread in September 1997 (cm)
Needles97	Needle length in September 1997 (mm)
Deer95	Type of deer damage in September 1995: 0 = none, 1 = browsed
Deer97	Type of deer damage in September 1997: 0 = none, 1 = browsed
Cover95	Thorny cover in September 1995: 0 = none; 1 = some; 2 = moderate; 3 = lots
Fert	Indicator for fertilizer: 0 = no, 1 = yes
Spacing	Distance (in feet) between trees (10 or 15)

Details

This dataset contains data from an experiment conducted by the Department of Biology at Kenyon College at a site near the campus in Gambier, Ohio. In April 1990, student and faculty volunteers planted 1000 white pine (*Pinus strobus*) seedlings at the Brown Family Environmental Center. These seedlings were planted in two grids, distinguished by 10- and 15-foot spacings between the seedlings. Several variables were measured and recorded for each seedling over time (in 1990, 1996, and 1997).

Source

Thanks to the Kenyon College Department of Biology for sharing these data.

PKU

Dopamine levels with PKU in diets

Description

Dopamine levels with different amounts of phenylalanine in diets

Format

A data frame with 20 observations on the following 4 variables.

Subject Initials to identify each subject

Diet Level of phenylalanine in diet (Low or Normal)

DietControl Ability to follow prescribed diet (Good or Poor)

Y Concentration of dopamine (micrograms per milligram of creatinine)

Details

Phenylketonuria (PKU) is an enzyme deficiency that keeps a person from being able to synthesize enough dopamine. The amino acid phenylalanine inhibits the enzyme needed to synthesize dopamine, and so to some extent, a diet low in phenylalanine can moderate the symptoms of PKU. In short, less phenylalanine in the diet should lead to more dopamine in the brain. The dopamine level for each patient was measured after a normal diet and after a week on a low phenylalanine diet.

Source

Krause, Halminski, McDonald, Dembure, Salvo, Freides, and Elsas (1985) "Biochemical and Neuropsychological Effects of Elevated Plasma Phenylalanine in Patients with Treated Phenylketonuria," *J. of Clinical Investigation*, Volume 75, January 1985, 40-48

Several of the values were altered slightly in ways that would not change the analysis except to simplify the arithmetic.

 Political

Political Behavior of College Students

Description

Survey of political activity for Grinnell College students

Format

A dataset with 59 observations on the following 9 variables.

Year	Class year (1 to 4)
Sex	0=male or 1=female
Vote	Voting status: 0=not eligible, 1=eligible/not registered, 2=registered/didn't vote, 4=voted
Paper	Read news (per week): 0=never, 1=less than once, 2=once, 3=2 or 3 times, 4=daily
Edit	Read editorial page? 0=no or 1=yes
TV	Watch TV news: 0=never, 1=less than once, 2=once, 3=2 or 3 times, 4=daily
Ethics	Politics should be ruled by: 1=ethical considerations to 5=practical power
Inform	How informed are you about politics? 1=uninformed to 5=very well informed
Participate	Missing if Vote=0, 0 if Vote=1 or 2, 1 if Vote=3

Details

Students Jennifer Wolfson and Meredith Goulet conducted a survey in the spring of 1992 of Grinnell College students to ascertain patterns of political behavior. They took a simple random sample of 60 students who were U.S. citizens and conducted phone interviews. Using several "call backs" they obtained 59 responses.

Source

Student survey at Grinnell College

 Pollster08

2008 U.S. Presidential Election Polls

Description

Polls for 2008 U.S. presidential election

Format

A dataset with 102 observations on the following 11 variables.

PollTaker	Polling organization
PollDates	Dates the poll data were collected
MidDate	Midpoint of the polling period
Days	Number of days after August 28th (end of Democratic convention)
n	Sample size for the poll
Pop	A=all, LV=likely voters, RV=registered voters
McCain	Percent supporting John McCain
Obama	Percent supporting Barack Obama
Margin	Obama percent minus McCain percent
Charlie	Indicator for polls after Charlie Gibson interview with VP candidate Sarah Palin (9/11)
Meltdown	Indicator for polls after Lehman Brothers bankruptcy (9/15)

Details

The file Pollster08 contains data from 102 polls that were taken during the 2008 U.S. Presidential campaign. These data include all presidential polls reported on the internet site pollster.com that were taken between August 29th, when John McCain announced that Sarah Palin would be his running mate as the Republican nominee for vice president, and the end of September.

Source

Downloaded from pollster.com

Popcorn

Popcorn Popping Success

Description

Unpopped kernels in bags of microwave popcorn

Format

A dataset with 12 observations on the following 3 variables.

Unpopped	Number of unpopped kernels (adjusted for size difference)
Brand	Orville or Seaway
Trial	Trial number

Details

Two students, Lara and Lisa, conducted an experiment to compare Orville Redenbacher's Light Butter Flavor vs. Seaway microwave popcorn. They made 12 batches of popcorn, 6 of each type, cooking each batch for four minutes. They noted that the microwave oven seemed to get warmer as they went along so they kept track of six trials and randomly chose which brand would go first for each trial. For a response variable they counted the number of unpopped kernels and then adjusted the count for Seaway for having more ounces per bag of popcorn (3.5 vs 3.0).

Source

Student project

PorscheJaguar

Porsche and Jaguar Prices

Description

Compare prices for Porsche and Jaguar cars offered for sale at an internet site

Format

A dataset with 60 observations on the following 5 variables.

Car	Car model: Jaguar or Porsche
Price	Price (in \$1,000's)
Age	Age of the car (in years)
Mileage	Previous miles driven (in 1,000's)
Porsche	Indicator for Porsche (1) or Jaguar (0)

Details

Two students collected samples of Porsche and Jaguar cars that were offered for sale at an internet site. In addition to asking price, they recorded the model year (converting to age) and mileage of each advertised car.

Source

Student project data collected from autotrader.com in Spring 2007.

 PorschePrice

Porsche Prices

Description

Prices for Porsche cars offered for sale at an internet site.

Format

A dataset with 30 observations on the following 3 variables.

Price	Asking price for the car (in \$1,000's)
Age	Age of the car (in years)
Mileage	Previous miles driven (in 1,000's)

Details

A student was interested in prices for used Porsche sports cars being sold on the internet. He selected a random sample of 30 Porsches from the ones being advertised at autotrader.com. For each car he recorded the asking price, mileage, and model year (which he converted to age).

This dataset was replaced by AccordPrice for second edition.

Source

Data collected for a student project from autotrader.com in February 2007.

 Pulse

Pulse Rates and Exercise

Description

Pulse rates before and after exercise for a sample of statistics students

Format

A dataset with 232 observations on the following 7 variables.

Active	Pulse rate (beats per minute) after exercise
Rest	Resting pulse rate (beats per minute)
Smoke	1=smoker or 0=nonsmoker
Sex	1=female or 0=male
Exercise	Typical hours of exercise (per week)
Hgt	Height (in inches)
Wgt	Weight (in pounds)

Details

Students in a Stat2 class recorded resting pulse rates (in class), did three "laps" walking up/down a nearby set of stairs, and then measured their pulse rate after the exercise. They provided additional information about height, weight, exercise, and smoking habits via a survey.

Source

Data compiled over several semesters from students taking a Stat2 course.

Putts1

Putting Success by Length (Long Form)

Description

Putting results for a golfing statistician

Format

A dataset with 587 observations on the following 2 variables.

Length	Length of the putt (in feet)
Made	1=made the putt or 0=missed the putt

Details

A statistician golfer kept careful records of every putt he attempted when playing golf, recording the length of the putt and whether or not he was successful in making the putt. This dataset has one case for each of the 587 attempted putts. A different form of the same data (Putts2) accumulates counts of makes and misses for each putt length.

Source

Personal observations by one of the Stat2 authors

 Putts2

Putting Success by Length (Short Form)

Description

Putting results for a golfing statistician (by length of the putts)

Format

A dataset with 5 observations on the following 4 variables.

Length	Length of the attempted putt (in feet)
Made	Number of putts made at this length
Missed	Number of putts missed at this length
Trials	Total number of putts attempted at this length

Details

A statistician golfer kept careful records of every putt he attempted when playing golf, recording the length of the putt and whether or not he was successful in making the putt. For each different length, this dataset records the number of putts made, missed, and the total number of attempts from that length. A similar dataset, Putts1, has one case for each of the 587 attempted putts, showing the length and outcome.

Source

Personal observations by one of the Stat2 authors

 Putts3

Hypothetical Putting Data (Short Form)

Description

Hypothetical putting results for a golfing statistician

Format

A data frame with 5 observations on the following 4 variables.

Length	Length of the attempted putt (in feet)
Made	Number of putts made at this length
Missed	Number of putts missed at this length
Trials	Total number of putts attempted at this length

Details

This is a hypothetical revision of the table of putting success in Putts2 that helps demonstrate overdispersion.

Source

Modified from personal observations by one of the Stat2 authors.

RacialAnimus

Racial Animus and City Demographics

Description

Demographics and a measurement of racial animus in cities based on Google searches

Format

A data frame with 196 observations on the following 7 variables.

MediaMarket City (State)

Age65Plus Percentage 65 and older

BachPlus Percentage with a bachelor's degree

Black Percentage of African-Americans

Hispanic Percentage of Hispanics

ObamaKerry Percentage of vote won by Obama in 2008 minus Kerry percentage in 2004

Animus Measurement (0-250) of racial animus

Details

Professor Seth Stephens-Davidowitz studies the level of racial animus across different areas in America by measuring the percent of Google search queries that include racially charged language. A measurement, Animus, is derived from his algorithm and is scaled to be between 0 (low racial animus) and 250 (high racial animus). The dataset includes those values along with demographic information about each media market.

Source

Chae DH, Clouston S, Hatzenbuehler ML, Kramer MR, Cooper HLF, Wilson SM, et al. (2015) "Association between an Internet-Based Measure of Area Racism and Black Mortality, PLoS ONE 10(4): e0122963. doi:10.1371/journal.pone.0122963

RadioactiveTwins

Comparing Twins Ability to Clear Radioactive Particles

Description

Experiment comparing twins (one urban, one rural) ability to clear airborne radioactive particles from their lungs

Format

A data frame with 30 observations on the following 3 variables.

TwinPair Identifies the twin pairs (1 to 15)

Env Residential environment (Rural or Urban)

Rate Clearance rate (percentage radioactive particles remaining after one hour)

Details

To assess lung health, the scientists measured "tracheobronchial clearance rate," that is, in English, "How fast do your lungs get rid of nasty stuff?" Each subject agreed to inhale an aerosol of radioactive Teflon particles. A Geiger counter held to the chest measured the radioactivity just after inhaling, and again one hour later. The clearance rate was the percentage of radioactivity remaining – the lower the better. Subjects were 15 sets of identical twins, each pair with one twin living in an urban environment and the other in a rural environment.

Source

Per Camner MD & Klas Philipson MSc (1973) "Urban Factor and Tracheobronchial Clearance," Archives of Environmental Health: An International Journal, 27:2, 81-84, DOI: 10.1080/00039896.1973.10666323
Link to the article: <https://doi.org/10.1080/00039896.1973.10666323>

RailsTrails

Homes in Northampton MA Near Rail Trails

Description

Sample of homes in Northampton, MA to see whether being close to a bike trail enhances the value of the home

Format

A data frame with 104 observations on the following 30 variables.

- HouseNum Unique house number
- Acre Lot size for the house (in acres)
- AcreGroup Lot size groups ($\leq 1/4$ acre or $> 1/4$ acre)
- Adj1998 Estimated 1998 price (in thousands of 2014 dollars)
- Adj2007 Estimated 2007 price (in thousands of 2014 dollars)
- Adj2011 Estimated 2011 price (in thousands of 2014 dollars)
- BedGroup Bedroom groups (1-2 beds, 3 beds, or 4+ beds)
- Bedrooms Number of bedrooms
- BikeScore Bike friendliness (0-100 score, higher scores are better)
- Diff2014 Difference in price between 2014 estimate and adjusted 1998 estimate (in thousands of dollars)
- Distance Distance (in feet) to the nearest entry point to the rail trail network
- DistGroup Distance groups, compared to 1/2 mile (Closer or Farther Away)
- GarageSpaces Number of garage spaces (0-4)
- GarageGroup Any garage spaces? (no or yes)
- Latitude Latitude (for mapping)
- Longitude Longitude (for mapping)
- NumFullBaths Number of full baths (includes shower or bathtub)
- NumHalfBaths Number of half baths (no shower or bathtub)
- NumRooms Number of rooms
- PctChange Percentage change from adjusted 1998 price to 2014 (value of zero means no change)
- Price1998 Zillow 10 year estimate from 2008 (in thousands of dollars)
- Price2007 Zillow price estimate from 2007 (in thousands of dollars)
- Price2011 Zillow price estimate from 2011 (in thousands of dollars)
- Price2014 Zillow price estimate from 2014 (in thousands of dollars)
- SFGGroup SquareFeet group (≤ 1500 sf or > 1500 sf)
- SquareFeet Square footage of interior finished space (in thousands of sf)
- StreetName Street name
- StreetNum House number on street
- WalkScore Walk friendliness (0-100 score, higher scores are better)
- Zip Location (1060 = Northampton or 1062 = Florence)

Details

This dataset comprises 104 homes in Northampton, MA that were sold in 2007. The authors measured the shortest distance from each home to a railtrail on streets and pathways with Google maps and recorded the Zillow.com estimate of each home’s price in 1998 and 2011. Additional attributes such as square footage, number of bedrooms and number of bathrooms are available from a realty database from 2007. We divide the houses into two groups based on distance to the trail (Dist-Group).

Source

From July 2015 JSE Datasets and Stories: "Rail Trails and Property Values: Is There an Association?", Ella Hartenian, Smith College and Nicholas J. Horton, Amherst College.

<http://www.amstat.org/publications/jse/v23n2/horton.pdf>

Rectangles

Measurements of Rectangles

Description

Measurements for a hypothetical set of nine rectangles.

Format

A data frame with 9 observations on the following 5 variables.

Case ID number for each rectangle

Width Width (1, 4, or 10)

Length Length (1, 4, or 10)

Area Area

logArea Log (base 10) of area

Details

Areas for rectangles of width 1, 4, or 10 and length of 1, 4, or 10.

Source

Areas computed for a hypothetical set of rectangles.

ReligionGDP

Religion and GDP for Countries

Description

Data on religiosity of countries from the Pew Global Attitudes Project

Format

A dataset with 44 observations on the following 9 variables.

Country	Name of country
Religiosity	A measure of degree of religiosity for residents of the country
GDP	Per capita Gross Domestic Product in the country
Africa	Indicator for countries in Africa
EastEurope	Indicator for countries in Eastern Europe
MiddleEast	Indicator for countries in the Middle East
Asia	Indicator for countries in Asia
WestEurope	Indicator for countries in Western Europe
Americas	Indicator for countries in North/South America

Details

The Pew Research Center's Global Attitudes Project surveyed people around the world and asked (among many other questions) whether they agreed that "belief in God is necessary for morality," whether religion is very important in their lives, and whether they pray at least once per day. The variable Religiosity is the sum of the percentage of positive responses on these three items, measured in each of 44 countries. The dataset also includes the per capita GDP for each country and indicator variables that record the part of the world the country is in.

Source

Data from the 2007 Spring Survey conducted through the Pew Global Attitudes Project at <http://www.pewglobal.org>.

RepeatedPulse	<i>Pulse Rates at Various Times of Day</i>
---------------	--

Description

A student measured her pulse several times a day over 26 days.

Format

A data frame with 104 observations on the following 3 variables.

Pulse	Pulse rate (beats per minute)
Time	Time of day (evening, morning, noon, one)
Day	Day1 to Day26

Details

A student measured her pulse in the morning, at noon, at 1:00, and in the evening for each of 26 days.

Source

Data supplied by a student at Oberlin College.

 ResidualOil

US Residual Oil Production (Quarterly 1983-2016)

Description

Quarterly production of residual oil in the U.S. from 1983 to 2016

Format

A data frame with 136 observations on the following 7 variables.

Year Year (1983 to 2016)

Qtr Month (1=Jan-Mar, 2=Apr-June, 3=July-Sep, 4=Oct-Dec)

t Time index (1 to 136)

Oil Residual fuel oil distribution (in million gallons/day)

LogOil Natural logarithm of Oil

Details

The U.S. Energy Information Administration tracks the production and distribution of various types of petroleum products. The category for this dataset is called residual oil, which are heavier oils (often called No. 5. and No. 6) that remain after lighter oils (such as No. 4 home heating oil) are distilled away in the refining process. It is used in steam-powered ships, power plants, and other industrial applications.

Source

U.S. Energy Information Administration website - Refiner sales volumes for residual fuel oil and No. 4 heating oil at <https://www.eia.gov/petroleum/data.php#consumption>. Specific webpage is https://www.eia.gov/dnav/pet/pet_cons_refres_d_nus_VTR_mgalpd_m.htm.

Retirement	<i>Yearly Contributions to a Supplemental Retirement Account</i>
------------	--

Description

Contributions to a supplemental retirement account (1997-2012)

Format

A dataset with 16 observations on the following 2 variables.

Year	1997-2012
SRA	Annual contribution to the Supplemental Retirement Account

Details

A faculty member opened a supplemental retirement account (SRA) in 1997 to invest money for retirement. This dataset shows the annual contributions to that account. Annual contributions were adjusted downward during sabbatical years in order to maintain a steady family income.

Source

Individual records kept by the faculty member.

Ricci	<i>Firefighter Promotion Exam Scores</i>
-------	--

Description

Data on firefighter promotion exams as part of the Ricci v. DeStafano court case

Format

A data frame with 118 observations on the following 5 variables.

Race Race of firefighter (B=black, H=Hispanic, or W=white)

Position Promotion desired (Captain or Lieutenant)

Oral Oral exam score

Written Written exam score

Combine Combined score (written exam gets 60% weight)

Details

The city of New Haven, Connecticut administered exams (both written and oral) in November and December of 2003 to firefighters hoping to qualify for promotion to either Lieutenant or Captain in the city fire department. A final score consisting of a 60% weight for the written exam and a 40% weight for the oral exam was computed for each person who took the exam. For each person who took the exams, there are measurements on their race (black, white, or Hispanic), which position they were trying for (Lieutenant, Captain), scores on the oral and written exams, and the combined score. These data were used as part of a court case (Ricci v.DeStefano) dealing with racial discrimination

Source

Data (RicciData.csv) and documentation (Ricci.txt) downloaded from
http://www.amstat.org/publications/jse/jse_data_archive.htm

An article on using these data: Miao, W. (2011) "Did the Results of Promotion Exams Have a Disparate Impact on Minorities? Using Statistical Evidence in Ricci v. DeStefano," JSE 19:1 at www.amstat.org/publications/jse/v19n1/wilson.pdf

 RiverElements

Elements in River Water Samples

Description

Concentrations of elements in river water samples from upstate NY

Format

A dataset with 12 observations on the following 27 variables.

River	One of four rivers: Grasse, Oswegatchie, Raquette, or St. Regis
Site	Location: 1=UpStream, 2=MidStream, 3=Downstream
Al	Aluminum
Ba	Barium
Br	Bromine
Ca	Calcium
Ce	Cerium
Cu	Copper
Dy	Dysprosium
Er	Erbium
Fe	Iron
Gd	Gadolinium
Ho	Holmium
K	Potassium
La	Lanthanum
Li	Lithium
Mg	Magnesium

Mn	Manganese
Nd	Neodymium
Pr	Proseydymium
Rb	Rubidium
Si	Silicon
Sr	Strontium
Y	Yttrium
Yb	Ytterbium
Zn	Zinc
Zr	Zirconium

Details

Some geologists were interested in the water chemistry of rivers in upstate New York. They took water samples at three different locations in four rivers (Grasse, Oswegatchie, Raquette, and St. Regis). The sampling sites were chosen to investigate how the composition of the water changes as it flows from the source to the mouth of each river. The sampling sites were labeled as upstream, midstream, and downstream. This dataset contains the concentrations (parts per million) of a variety of elements in those water samples. The dataset RiverIron contains the information for iron (FE) alone, along with the log of the concentration.

Source

Thanks to Dr. Jeff Chiarenzelli of the St. Lawrence University Geology Department for the data.

References

Chiarenzelli, Lock, Cady, Bregani and Whitney, "Variation in river multi-element chemistry related to bedrock buffering: an example from the Adirondack region of northern New York, USA", *Environmental Earth Sciences*, Volume 67, Number 1 (2012), 189-204

RiverIron

Iron in River Water Samples

Description

Amounts of iron in water samples of four rivers

Format

A dataset with 12 observations on the following 4 variables.

River	One of four rivers: Grasse, Oswegatchie, Raquette, or St. Regis
Site	Location of the site: DownStream, MidStream or Upstream
Iron	Iron concentration in the water sample (parts per million)
LogIron	Log (base 10) of iron concentration

Details

Some geologists were interested in the water chemistry of rivers in upstate New York. They took water samples at three different locations in four rivers (Grasse, Oswegatchie, Raquette, and St. Regis). The sampling sites were chosen to investigate how the composition of the water changes as it flows from the source to the mouth of each river. The sampling sites were labeled as upstream, midstream, and downstream. This dataset contains the concentrations of iron in the samples. The dataset RiverElements has similar concentration data for many other elements.

Source

Thanks to Dr. Jeff Chiarenzelli of the St. Lawrence University Geology Department for the data.

References

Chiarenzelli, Lock, Cady, Bregani and Whitney, "Variation in river multi-element chemistry related to bedrock buffering: an example from the Adirondack region of northern New York, USA", Environmental Earth Sciences, Volume 67, Number 1 (2012), 189-204

SampleFG

Field Goal Attempts in the NFL

Description

A sample of 30 field goal attempts in the National Football League

Format

A dataset with 30 observations on the following 13 variables.

ID	ID number
PlayerID	Code for player
LastName	Last name
FirstName	First name
Year	Year
Team	Abbreviation for team name
Date	Code for date: mmddyy
FGAttempts	Field goals attempted by the kicker that game
FGMade	Field goals made by the kicker that game
Attempt	Which attempt during the game?
Result	1=made the field goal or 0=missed
Yards	Number of yards for the field goal attempt
Block	1=attempt blocked or 0=not blocked

Details

This is a subset of just 30 field goal attempts selected at random from the larger sample of attempts made by NFL kickers that is summarized in FGByDistance.

Source

We thank Sean Forman and Doug Drinen of Sports Reference LLC for providing us with the NFL field goal data set.

 SandwichAnts

Ants on Sandwiches

Description

Ant counts on samples of different kinds of sandwiches

Format

A dataset with 48 observations on the following 5 variables.

Trial	Trial number
Bread	Type of bread: Multigrain, Rye, White, or Wholemeal
Filling	Type of filling: HamPickles, PeanutButter, or Vegemite
Butter	Butter on the sandwich? no or yes
Ants	Number of ants on the sandwich

Details

As young students, Dominic Kelly and his friends enjoyed watching ants gather on pieces of sandwiches. Later, as a university student, Dominic decided to study this with a more formal experiment. He chose three types of sandwich fillings (vegemite, peanut butter, and ham & pickles), four types of bread (multigrain, rye, white, and wholemeal), and put butter on some of the sandwiches.

To conduct the experiment he randomly chose a sandwich, broke off a piece, and left it on the ground near an ant hill. After several minutes he placed a jar over the sandwich bit and counted the number of ants. He repeated the process, allowing time for ants to return to the hill after each trial, until he had two samples for each combination of the three factors.

Source

Margaret Mackisack, "Favourite Experiments: An Addendum to What is the Use of Experiments Conducted by Statistics Students?", *Journal of Statistics Education* (1994)
<http://www.amstat.org/publications/jse/v2n1/mackisack.supp.html>

 SATGPA

SAT Scores and GPA

Description

A sample of SAT scores and grade point averages for statistics students

Format

A dataset with 24 observations on the following 3 variables.

MathSAT	Score (out of 800) on the mathematics portion of the SAT exam
VerbalSAT	Score (out of 800) on the verbal portion of the SAT exam
GPA	Grade point average (0.0-4.0 scale)

Details

In recent years many colleges have re-examined the traditional role the scores on the Scholastic Aptitude Tests (SAT's) play in making decisions on which students to admit. Do SAT scores really help predict success in college? To investigate this question a group of 24 introductory statistics students supplied the data in this dataset showing their score on the Verbal and Math portions of the SAT as well as their current grade point average (GPA) on a 0.0-4.0 scale.

Source

Student survey in an introductory statistics course.

 SeaIce

Arctic Sea Ice (1979-2015)

Description

Area of sea ice in the Arctic measured yearly in September (1979 to 2015)

Format

A data frame with 37 observations on the following 4 variables.

Year Year (1979 - 2015)

Extent Extent of arctic sea ice (in million square km)

Area Area of arctic sea ice (in million square km)

t Index for year (t=1 in 1979)

Details

Climatologists have been measuring the amount of sea ice in both the Arctic and Antarctic regions for a number of years. This datafile gives information about the amount of sea ice in the arctic region as measured in September (the time when the amount of ice is at its least) since 1979. The basic research question is to see if we can use time to model the amount of sea ice.

In fact, there are two ways to measure the amount of sea ice: Area and Extent. Area measures the actual amount of space taken up by ice. Extent measures the area inside the outer boundaries created by the ice. If there are areas inside the outer boundaries that are not ice (think about a slice of swiss cheese), then the Extent will be a larger number than the Area. In fact, this is almost always true.

Source

Data from ftp://sidads.colorado.edu/DATASETS/NOAA/G02135/Sep/N_09_areaV2.txt updated data from

Witt, G. (2103) "Using Data from Climate Science to Teach Introductory Statistics," JSE 21:1 available at www.amstat.org/publications/jse/v21n1/witt.pdf

 SeaSlugs

Sea Slug Larvae

Description

Metamorphose rates for sea slugs exposed to different water samples

Format

A dataset with 36 observations on the following 2 variables.

Time	Minutes after tide come in
Percent	Proportion of 15 sea slug larvae that metamorphose

Details

Sea slugs, common on the coast of southern California, live on vaucherian seaweed. The larvae from these sea slugs need to locate this type of seaweed to survive. A study was done to try to determine whether chemicals that leach out of the seaweed attract the larvae. Seawater was collected over a patch of this kind of seaweed at 5-minute intervals as the tide was coming in and, presumably, mixing with the chemicals. The idea was that as more seawater came in, the concentration of the chemicals was reduced. Each sample of water was divided into 6 parts. Fifteen larvae were then introduced to this seawater to see what percentage metamorphosed (an indication that the desired chemical was detected).

Source

Data downloaded from <http://www.stat.ucla.edu/projects/datasets/seaslug-explanation.html>

References

A paper based on these data: Krug, P.J. and R.K. Zimmer. 2000b. Larval settlement: chemical markers for tracing production, transport, and distribution of a waterborne cue. *Marine Ecology Progress Series*, vol. 207: 283-296.

SleepingShrews *Shrew Heart Rates at Stages of Sleep*

Description

Heart rates for a sample of six tree shrews at each of three stages of sleep.

Format

A data frame with 18 observations on the following 4 variables.

ID Row ID

Shrew Shrew ID (A through F)

Phase Phase of sleep (DSW=deep wave, LSW=light wave, or REM=dreaming)

Rate Heart rate (beats per minute)

Details

Heart rates were recorded for a sample of six tree shrews at each of three stages of sleep.

Source

Berger, R. J. and Walker, J. M. (1972) "The Polygraphic Study of Sleep in the Tree Shrew," *Brain, Behavior, and Evolution*, v. 5, pp. 62

sluacf *Computes autocorrelations (ACF) for a time series*

Description

This function computes autocorrelations for various lags of a time series.

Usage

```
sluacf(series, lags = 1, maxlag = NULL, ndiff = 0, sdiff = 0)
```

Arguments

series	a time series object
lags	a multiplier for the lag. For example, use lag=12 for monthly data.
maxlag	maximum number of lags to compute
ndiff	number of regular differences to take before finding the ACF
sdiff	number of seasonal differences (with seasonal period specified by lags)

Details

This is a wrapper for the `acf` function which allows for specifying regular (`ndiff`) and seasonal (`sdiff`) differences. The `lags` parameter specifies the seasonal lag and adjusts the default lags in the returned `acf` object to go 1, 2, ..., rather than showing fractional lags (for example, 1/12, 2/12, ... for monthly data). The lag 0 autocorrelation is set to NA (rather than 1) so that it won't show when `acf` is plotted.

Value

An object of class "acf"

Examples

```
data(SeaIce)
ExtentY=ts(SeaIce$Extent, start=1979)
sluacf(ExtentY)
sluacf(ExtentY, maxlag=8, ndiff=1)

data(Inflation)
CPIts=ts(Inflation$CPI, start=c(2009, 1), frequency=12)
CPIacf=sluacf(CPIts, maxlag=36, lags=12)
plot(CPIacf, lwd=2, ci.type="ma", xlim=c(1, 36), xaxp=c(0, 36, 6), main="")
```

Sparrows

Sparrow Measurements

Description

Weight and wing length for a sample of Savannah sparrows

Format

A dataset with 116 observations on the following 3 variables.

Treatment	Nest adjustment: control, enlarged, or reduced
Weight	Weight (in grams)
WingLength	Wing length (in mm)

Details

Priscilla Erickson from Kenyon College collected data on a stratified random sample of 116 Savannah sparrows at Kent Island. Nests that were reduced, controlled (no change), or enlarged.

Source

We thank Priscilla Erickson and Professor Robert Mauck from the Department of Biology at Kenyon College for allowing us to use these data.

SpeciesArea	<i>Land Area and Mammal Species</i>
-------------	-------------------------------------

Description

Land area and number of mammal species for islands in Southeast Asia

Format

A dataset with 14 observations on the following 5 variables.

Name	Name of the island
Area	Area (in sq. km)
Species	Number of mammal species
logArea	Natural logarithm (base e) of Area
logSpecies	Natural logarithm (base e) of Species

Details

This dataset shows the number of mammal species and the area for 13 islands in Southeast Asia. Biologists have speculated that the number of species is related to the size of an island and would like to be able to predict the number of species given the size of an island.

Source

Heaney, Lawrence R. (1984) "Mammalian species richness on islands on the Sunda Shelf, Southeast Asia," *Oecologia*, 61:11 17.

Speed	<i>Highway Fatality Rates (Yearly)</i>
-------	--

Description

Highway fatality rates 1987-2007

Format

A dataset with 21 observations on the following 3 variables.

Year	Year (1987-2007)
FatalityRate	Number of fatalities on interstate highways (per 100 million vehicle-miles)
StateControl	0=1987-1994 or 1=1995-2007

Details

In 1987 the federal government allowed the speed limit on interstate highways to be 65 mph in most areas. In 1995 federal restrictions were eliminated, so that states assumed control of setting speed limits on interstate highways. This data set compares fatality rates for years before and after the states assumed control for highway speed limits.

Source

Data from the National Highway Safety Administration website at <http://www-fars.nhtsa.dot.gov/Main/index.aspx>

SugarEthanol	<i>Effects of Oxygen on Sugar Metabolism</i>
--------------	--

Description

Experiment on the effects of oxygen on sugar metabolism by bacteria

Format

A data frame with 16 observations on the following 3 variables.

Sugar	Type of sugar (Galactose or Glucose)
Oxygen	Oxygen concentration
Ethanol	Ethanol concentration

Details

Many biochemical reactions are slowed or prevented by the presence of oxygen. For example, there are two simple forms of fermentation, one which converts each molecule of sugar to two molecules of lactic acid, and a second which converts each molecule of sugar to one each of lactic acid, ethanol, and carbon dioxide. This experiment was designed to compare the inhibiting effect of oxygen on the metabolism of two different sugars, glucose and galactose, by *Streptococcus* bacteria. In this case there were four levels of oxygen that were applied to the two kinds of sugar.

Source

Data are found in *Statistics: The Exploration and Analysis of Data* by Jay Devore and Roxy Peck (2008). St. Paul, MN: West.

The original article is Yamada T., Takahashi-Abbe S., Abbe K. (1985) "Effects of oxygen concentration on pyruvate formatylase in situ and sugar metabolism of *Streptococcus mutans* and *Streptococcus samguis*," *Infection and Immunity*, pp. 129-134.

 SuicideChina

Suicide Attempts in Shandong, China

Description

Data on serious suicide attempts in Shandong, China

Format

A data frame with 2571 observations on the following 11 variables.

Person_ID ID number

Hospitalised Hospitalised? (no or yes)

Died Died? (no or yes)

Urban Urban area? (no, unknown, or yes)

Year Year (2009, 2010, or 2011)

Month Month (1=Jan through 12=December)

Sex Sex (female or male)

Age Age (years)

Education Education level (illiterate, primary, Secondary, Tertiary, or unknown)

Occupation One of ten occupation categories

method One of nine possible methods

Details

Data from a study of serious suicide attempts over three years in a predominantly rural population in Shandong, China.

Source

Sun J, Guo X, Zhang J, Wang M, Jia C, Xu A (2015) "Incidence and fatality of serious suicide attempts in a predominantly rural population in Shandong, China: a public health surveillance study," *BMJ Open* 5(2): e006762. <https://doi.org/10.1136/bmjopen-2014-006762>

Data downloaded via Dryad Digital Repository. <https://doi.org/10.5061/dryad.r0v35>

 Swahili

Attitudes Towards Swahili in Kenyan Schools

Description

Attitudes towards the Swahili language among Kenyan school children

Format

A dataset with 480 observations on the following 4 variables.

Province	NAIROBI or PWANI
Sex	female or male
Attitude.Score	Score (out a possible 200 points) on a survey of attitude towards the Swahili language
School	Code for the school: A through L

Details

Hamisi Babusa, a Kenyan scholar, administered a survey to 480 students from Pwani and Nairobi provinces about their attitudes towards the Swahili language. In addition, the students took an exam on Swahili. From each province, the students were from 6 schools (3 girls schools and 3 boys schools) with 40 students sampled at each school, so half of the students from each province were males and the other half females. The survey instrument contained 40 statements about attitudes towards Swahili and students rated their level of agreement to each. Of these questions, 30 were positive questions and the remaining 10 were negative questions. On an individual question the most positive response would be assigned a value of 5 while the most negative response would be assigned a value of 1. By summing (adding) the responses to each question, we can find an overall Attitude Score for each student. The highest possible score would be 200 (an individual who gave the most positive possible response to every question). The lowest possible score would be 40 (an individual who gave the most negative response to every question).

Source

Thanks to Dr. Babusi of Kenyatta University for sharing these data.

Tadpoles	<i>Effects of a Fungus on Tadpoles</i>
----------	--

Description

Comparing intestine lengths for tadpoles with and without exposure to Bd fungus

Format

A data frame with 27 observations on the following 4 variables.

Treatment Exposed to fungus (Bd=yes or Control=no)

Body Length of body (in mm)

GutLength Length of intestine (in mm)

MouthpartDamage Measure of damage to the mouth (e.g. missing teeth)

Details

Biologists wondered whether tadpoles can adjust the relative length of their intestines if they are exposed to a fungus called *Batrachochytrium dendrobatidis* (Bd).

Source

Venesky MD, Hanlon SM, Lynch K, Parris MJ, Rohr JR. (2013) "Optimal digestion theory does not predict the effect of pathogens on intestinal plasticity," *Biol Lett* 9: 20130038. <http://dx.doi.org/10.1098/rsbl.2013.0038>

TechStocks	<i>Daily Prices of Three Tech Stocks</i>
------------	--

Description

Daily closing prices of Apple, Google, and Microsoft stocks (12/1/2015 to 12/1/2017)

Format

A data frame with 504 observations on the following 5 variables.

Date Date (coded as mm/dd/yyyy)

AAPL Apple Inc. closing price

GOOG Alphabet Inc. (Google) closing price

MSFT Microsoft Corp. closing price

t Time index (1 to 505)

Details

Closing price of Apple (AAPL), Google/Alphabet (GOOG) and Microsoft (MSFT) stocks for each trading day in a two-year period from 12/1/2015 to 12/1/2017.

Source

Data downloaded using the Quandl R package (12/2/2017)

TeenPregnancy	<i>State Teen Pregnancy Rates</i>
---------------	-----------------------------------

Description

State teen pregnancy rates, Civil War participation, and church attendance.

Format

A data frame with 50 observations on the following 4 variables.

State State abbreviation

CivilWar Role in Civil War (B=border, C=Confederate, O=other, or U=union)

Church Percentage who attended church in previous week (from a state survey)

Teen Number of pregnancies per 1000 teenage girls in state

Details

State level data on teen pregnancies, church attendance, and role in the U.S. Civil War.

Source

2010 teen pregnancy rate, per 1000 teenage women, per year. Source: Guttmacher Institute, via Tanya Lewis (5 May 2014) "Teen pregnancy rates by state," <https://www.livescience.com>

TextPrices	<i>Textbook Prices</i>
------------	------------------------

Description

Prices and number of pages for a sample of college textbooks

Format

A dataset with 30 observations on the following 2 variables.

Pages Number of pages in the textbook
 Price Price of the textbook (in dollars)

Details

Two undergraduate students at Cal Poly - San Luis Obispo took a random sample of 30 textbooks from the campus bookstore in the fall of 2006. They recorded the price and number of pages in each book, in order to investigate the question of whether number of pages can be used to predict price.

Source

Student project

ThomasConfirmation *US Senate Votes on Clarence Thomas Confirmation*

Description

Votes in the US Senate on Clarence Thomas nomination for the US Supreme Court

Format

A data frame with 100 observations on the following 6 variables.

State State name

Senator Senator name

Party Party affiliation (D=Democrat or R=Republican)

ConfVote Confirmation vote (Nay or Yea)

StateOpinion Percentage of state residents supporting the choice

Vote Numeric coding for vote (1=for or 0=against)

Details

Data from the U.S. Senate vote on October 15, 1991 to confirm Clarence Thomas to a position on the Supreme Court.

Source

These numbers are taken from Kastle, J.P., Lax, J.R., and Phillips, J. (2010), "Public Opinion and Senate Confirmation of Supreme Court Nominees," *Journal of Politics*, 72(3): 767-84. In this paper the authors used opinion polls and an advanced statistical method known as multilevel regression and poststratification to determine the StateOpinion levels.

 ThreeCars

Prices of Three Used Car Models (2007)

Description

Compare prices for Porsche, Jaguar, and BMW cars offered for sale at an internet site

Format

A dataset with 90 observations on the following 8 variables.

CarType	BMW, Jaguar, or Porsche
Price	Asking price (in \$1,000's)
Age	Age of the car (in years)
Mileage	previous miles driven (in 1,000's)
Car	0=Porsche, 1=Jaguar, 2=BMW
Porsche	Indicator with 1= Porsche and 0=otherwise
Jaguar	Indicator with 1= Jaguar and 0=otherwise
BMW	Indicator with 1= BMW and 0=otherwise

Details

Two students collected samples of Porsche, Jaguar, and BMW cars that were offered for sale at an internet site. In addition to asking price, they recorded the model year (converting to age) and mileage of each advertised car. The PorschePrice dataset (from the first edition) has only the Porsche data and the PorscheJaguar dataset has the data for those two models.

This dataset has been updated (with different car models) to ThreeCars2017 for the second edition.

Source

Student project data collected from autotrader.com in Spring 2007.

 ThreeCars2017

Price, Age, and Mileage of Three Used Car Models

Description

Data from cars.com for a sample of three different models of used cars in 2017

Format

A data frame with 90 observations on the following 7 variables.

CarType Model (Accord, Maxima, or Mazda6)

Age Age of used car (years)

Price Price (in thousands of dollars)

Mileage Mileage (in thousands of miles)

Mazda6 Is the car a Mazda6? (1=yes or 0=no)

Accord Is the car an Accord? (1=yes or 0=no)

Maxima Is the car a Maxima? (1=yes or 0=no)

Details

Data for a sample of cars from three models (Mazda6, Honda Accord, Toyota Maxima) from a website. The dataset AccordPrice is a subset of this file.

Source

Data obtained from cars.com, February 2017 using zip code 44107, Lakewood, Ohio.

TipJoke

Improve Chances of Getting a Tip?

Description

Effect of a waiter leaving a joke or an advertisement on getting a tip

Format

A dataset with 211 observations on the following 5 variables.

Card Type of card used: Ad, Joke, or None

Tip 1=customer left a tip or 0=no tip

Ad Indicator for Ad card (1=ad card left or 0=no ad card)

Joke Indicator for Joke card (1=joke card left or 0=no joke card)

None Indicator for no card (1=no card left or 0=ad or joke card left)

Details

Can telling a joke affect whether or not a waiter in a coffee bar receives a tip from a customer? A study investigated this question at a coffee bar at a famous resort on the west coast of France. The waiter randomly assigned coffee-ordering customers to one of three groups: When receiving the bill one group also received a card telling a joke, another group received a card containing an advertisement for a local restaurant, and a third group received no card at all. He recorded whether or not each customer left a tip.

Source

Gueguen, Nicholas (2002), "The Effects of a Joke on Tipping When it is Delivered at the Same Time as the Bill," *Journal of Applied Social Psychology*, 32, 1955-1963.

Titanic

*Passengers on the Titanic***Description**

List and outcomes for passengers on the Titanic

Format

A dataset with 1313 observations on the following 6 variables.

Name	Passenger name
PClass	Passenger class: *=missing, 1st, 2nd, or 3rd
Age	Age (in years)
Sex	female or male
Survived	1=survived or 0=died
SexCode	1=female or 0=male

Details

The Titanic was a British luxury ocean liner that sank famously in the icy North Atlantic on its maiden voyage in April of 1912. Of the approximately 2200 passengers on board, 1500 died. The high death rate was blamed largely on the inadequate supply of lifeboats, a result of the manufacturer's claim that the ship was "unsinkable." A partial data set of the passenger list was compiled by Philip Hinde in his *Encyclopedia Titanica* and is given in this dataset.

Source

Philip Hinde's *Encyclopedia Titanica*, <http://www.encyclopedia-titanica.org/>. Data may also be downloaded from the Australasian Data and Story Library (OzDASL) at <http://www.statsci.org/data/general/titanic.html>.

TMS

Migraines and TMS

Description

Effects of transcranial magnetic stimulation (TMS) on migraine headaches

Format

A dataset with 2 observations on the following 4 variables.

Group	Treatment group: Placebo or TMS
Yes	Count of number of patients that were pain-free
No	Count of number of patients that had pain
Trials	Number of patients in the group

Details

A study investigated whether a handheld device that sends a magnetic pulse into a person's head might be an effective treatment for migraine headaches. Researchers recruited 200 subjects who suffered from migraines and randomly assigned them to receive either the TMS (transcranial magnetic stimulation) treatment or a sham (placebo) treatment from a device that did not deliver any stimulation. Subjects were instructed to apply the device at the onset of migraine symptoms and then assess how they felt two hours later. This dataset is a two-way table of the results.

This dataset renamed as Migraines in second edition.

Source

Based on results in R. B. Lipton, et. al. (2010) "Single-pulse Transcranial Magnetic Stimulation for Acute Treatment of Migraine with Aura: A Randomised, Double-blind, Parallel-group, Sham-controlled Trial," 9(4):373-380.

TomlinsonRush

LaDainian Tomlinson Rushing Yards

Description

Rushing yards for each game LaDainian Tomlinson played in the 2006 National Football League (NFL regular) season.

Format

A dataset with 16 observations on the following 4 variables.

Game	Week number in the 2006 season
Opponent	Name of opposing team
Attempts	Number of rushing attempts
Yards	Total yards gained rushing for the game

Details

For each of the sixteen games the San Diego Chargers played in the 2006 NFL regular season we have the number of times LaDainian Tomlinson ran the ball and the total yards he gained.

This data set from the first edition was replaced by BreesPass in the second edition.

Source

Data downloaded from <http://www.pro-football-reference.com/players/T/TomLa00/gamelog/2006/>

TukeyNonaddPlot	<i>Tukey Nonadditivity Plot for Two-way ANOVA</i>
-----------------	---

Description

This function produces a Tukey nonadditivity plot for a two-way ANOVA model.

Usage

```
TukeyNonaddPlot(formula, data, out = "n",
  main = "Tukey Nonadditivity Plot", ylab = "Residuals")
```

Arguments

formula	A formula for a two-way ANOVA in the form Response=FactorA+FactorB (or FactorA*FactorB)
data	A dataframe
out	Control what is returned. Default is "n"=nothing. Other options are "comp" for the comparisons, "line" for the equation of the line, and "resid" for the cell residuals.
main	Add a title, default is "Tukey Nonadditivity Plot"
ylab	Label vertical axis, default is "Residuals"

Details

More details need to be written

Value

Depends on the option set with out.

Examples

```
data(Dinosaurs)
TukeyNonaddPlot(Iridium~Source*factor(Depth),data=Dinosaurs)
```

TwinsLungs

Comparing Twins Ability to Clear Radioactive Particles

Description

Experiment comparing twins (one urban, one rural) ability to clear airborne radioactive particles from their lungs

Format

A dataset with 14 observations on the following 3 variables.

Pair	Code for the twin pair: A - G
Environ	Living environment: Rural or Urban
Percent	Percentage of radioactivity remaining in lungs

Details

This dataset is from a study to compare the effect of living environment (rural or urban) on human lung function, where the researchers were able to locate seven pairs of twins with one twin in each pair living in the country, the other in a city. To measure lung function, twins inhaled an aerosol of radioactive Teflon particles. By measuring the level of radioactivity immediately and then again after an hour, the scientists could measure the rate of "tracheobronchial clearance." The percentage of radioactivity remaining in the lungs after an hour told how quickly subjects' lungs cleared the inhaled particles.

This dataset was renamed as RadioactiveTwins for the second edition.

Source

"Urban factor and tracheobronchial clearance" by Per Camner and Klas Philipson in Archives of Environmental Health, V. 27 (1973), page 82. Data can be found in Introduction to Mathematical Statistics and its Applications, 2nd Edition by Richard J. Larson and Morris L. Marx. Englewood Cliffs, NJ: Prentice Hall, p. 548.

 Undoing

Defense of Undoing OCD Symptoms in Psychotherapy

Description

Ratings of an OCD symptom in psychotherapy sessions

Format

A data frame with 44 observations on the following 3 variables.

Group Time frame of the session (I=early through VI=late)

Score Rating of OCD symptom on a 1 to 4 scale

Symbol Indicator for groups I, III, and IV

Details

A patient had been diagnosed with OCD (obsessive/compulsive disorder) and underwent a series of psychotherapy sessions. Notes from the sessions were presented to three different experienced therapists who rated sessions with a particular OCD symptom (defense of undoing) on a 1 to 4 scale (smaller values indicating worse symptoms). If all three judges agreed on the stage of a session, that determined the category. Otherwise, they discussed until they reached a consensus. The sessions were also grouped into six groups with I being the earliest sessions and VI being the latest.

Source

Sampson, Harold, Joseph Weiss, L. Mlodansky, and Edward Hause (1972) "Defense analysis and the emergence of warded off mental contents," *Archives of General Psychiatry*, v. 26, pp. 524-532.

 USstamps

Price of US Stamps

Description

Price of US stamp for first class mail 1885-2012

Format

A dataset with 25 observations on the following 2 variables.

Year	Years when stamp price changed
Price	Cost of a US first class stamp (in cents)

Details

The data record the year and price for each change in price for a US first class (1 ounce, domestic letter) stamp since 1885.

Source

<http://about.usps.com/who-we-are/postal-history/domestic-letter-rates-1863-2011.htm>

VisualVerbal

Visual versus Verbal Performance

Description

Experiment to compare visual and verbal performance

Format

A data frame with 80 observations on the following 5 variables.

Subject Subject number (s1 to s20)

Task Follow a letter (Visual) or a sentence (Verbal)

Report Point response (Visual) or say response (Verbal)

Group Combination of Task+Report (Letter Point, Letter Say, Sentence Point, or Sentence Say)

Time Response time (in seconds)

Details

Subjects carried out two kinds of tasks, one visual (identify letters), one verbal (identify sentences); and to report the results in either of two ways, one visual (pointing at a response), one verbal (speaking a response). Time to complete each task was recorded in seconds.

Source

Original experiment from Brooks, L., R. (1968) "Spatial and verbal components of the act of recall," Canadian J. Psych. V 22, pp. 349 - 368. These data collected from a Mount Holyoke College psychology class.

 Volts

Voltage Drop for a Discharging Capacitor

Description

Voltage drop over time as a capacitor discharges

Format

A dataset with 50 observations on the following 2 variables.

Voltage	Voltage (in volts)
Time	Time after charging (in seconds)

Details

A capacitor was charged with a nine-volt battery and then a voltmeter recorded the voltage as the capacitor was discharged. Measurements were taken every 0.02 seconds.

Source

Measurements recorded by one of the authors.

 WalkingBabies

Effects of Exercise on First Walking

Description

An experiment to see if special exercises help babies learn to walk sooner

Format

A dataset with 24 observations on the following 2 variables.

Group	Treatments: exercise control, final report, special exercises, or weekly report
Age	Age (in months) when first walking

Details

Scientists wondered if they could get babies to walk sooner by prescribing a set of special exercises. Their experimental design included four groups of babies and the following treatments:

Special exercises: Parents were shown the special exercises and encouraged to use them with their children. They were phoned weekly to check on their child's progress.

Exercise control: These parents were not shown the special exercises, but they were told to make sure their babies spent at least 15 minutes a day exercising.

Weekly report: Parents in this group were not given instructions about exercise. Like the parents in the treatment group, however, they received a phone call each week to check on progress.

Final report: These parents were not given weekly phone calls or instructions about exercises. They reported at the end of the study.

Source

Zelazo, Phillip R., Nancy Ann Zelazo, and Sarah Kolb (1972), "Walking in the Newborn," *Science*, v. 176, pp. 314-315.

 WalkTheDogs

Did the Author Walk the Dogs Today?

Description

Daily pedometer data for one of the authors

Format

A data frame with 223 observations on the following 7 variables.

StepCount Number of steps taken in the day

Kcal Calories burned (according to pedometer)

Miles Miles walked

Weather cold, rain, or shine

Day Day of week (F=Friday, M=Monday, R=Thursday, S=Saturday, T=Tuesday, U=Sunday, W=Wednesday)

Walk Were the dogs walked? (1=yes or 0=no)

Steps Steps in units of 1,000 (so StepCount/1000)

Details

One of the authors recorded daily pedometer data, the weather, and whether or not he walked the dogs.

Source

One of the author's pedometer records.

WeightLossIncentive *Do Financial Incentives Improve Weight Loss?*

Description

An experiment to see if financial incentives improve weight loss

Format

A dataset with 38 observations on the following 3 variables.

WeightLoss	Weight loss (in pounds) after four months
Group	Treatment group: Control or Incentive
Month7Loss	Weight loss (in pounds) after seven months

Details

Researchers investigated whether financial incentives would help people lose weight more successfully. Some participants in the study were randomly assigned to a treatment group that was offered financial incentives for achieving weight loss goals, while others were assigned to a control group that did not use financial incentives. All participants were monitored over a four month period and the net weight change (Before - After in pounds) at the end of this period was recorded for each individual. Then the individuals were left alone for three months with a followup weight check at the seven-month mark to see whether weight losses persisted after the original four months of treatment.

The 4-month data alone (with missing values omitted) is stored in WeightLossIncentive4.

The 7-month data alone (with missing values omitted) is stored in WeightLossIncentive7.

Source

"Financial incentive-based approaches for weight loss," Journal of the American Medical Association by Volpp, John, Troxel, et. al., Vol. 200, no. 22, pp 2631-2637, (Dec. 2008)

WeightLossIncentive4 *Do Financial Incentives Improve Weight Loss? (4 Months)*

Description

Weight loss after four months with/without a financial incentive

Format

A dataset with 36 observations on the following 2 variables.

WeightLoss	weight loss (in pounds) after 4 months
Group	Treatment group: Control or Incentive

Details

Researchers investigated whether financial incentives would help people lose weight more successfully. Some participants in the study were randomly assigned to a treatment group that was offered financial incentives for achieving weight loss goals, while others were assigned to a control group that did not use financial incentives. All participants were monitored over a four month period and the net weight change (Before - After in pounds) at the end of this period was recorded for each individual. Then the individuals were left alone for three months with a followup weight check at the seven-month mark to see whether weight losses persisted after the original four months of treatment. This dataset has only the non-missing 4-month data. The 7-month data are in WeightLossIncentive7 and both measurements (including missing values) are in WeightLossIncentive.

Source

"Financial incentive-based approaches for weight loss," Journal of the American Medical Association by Volpp, John, Troxel, et. al., Vol. 200, no. 22, pp 2631-2637, (Dec. 2008)

WeightLossIncentive7 *Do Financial Incentives Improve Weight Loss? (7 Months)*

Description

Weight loss after seven months with/without a financial incentive

Format

A dataset with 33 observations on the following 2 variables.

Group	Treatment group: Control or Incentive
Month7Loss	Weight loss (in pounds) after seven months

Details

Researchers investigated whether financial incentives would help people lose weight more successfully. Some participants in the study were randomly assigned to a treatment group that was offered financial incentives for achieving weight loss goals, while others were assigned to a control group that did not use financial incentives. All participants were monitored over a four month period and the net weight change (Before - After in pounds) at the end of this period was recorded for each individual. Then the individuals were left alone for three months with a followup weight check at the seven-month mark to see whether weight losses persisted after the original four months of treatment. This dataset has only the non-missing 7-month data. The 4-month data are in `WeightLossIncentive4` and both measurements (including missing values) are in `WeightLossIncentive`.

Source

"Financial incentive-based approaches for weight loss," *Journal of the American Medical Association* by Volpp, John, Troxel, et. al., Vol. 200, no. 22, pp 2631-2637, (Dec. 2008)

 Whickham2

Whickham Health Study

Description

Mortality data over 20 years for 1314 women from Whickham, England

Format

A data frame with 1314 observations on the following 5 variables.

Outcome Status at 20-year follow-up (Alive or Dead)

Smoker Smoker at baseline? (No or Yes)

Age Age (in years at baseline)

AgeGroup Age group (18-64 or 65+)

Alive Numeric code for Outcome (1=alive or 0=dead)

Details

Twenty-year mortality, smoking status, and age for 1314 women in Whickham, England. We have named this `Whickham2` to distinguish it from `Whickham`, which is a file in the `mosaicData` package.

Source

A version of these data are in the mosaicData package but originally are from:

Appleton, D. R., French, J. M., and Vanderpump, M.P. (1996), "Ignoring a Covariate: An Example of Simpson's Paradox," *The American Statistician*, 50, 340-341.

WordMemory

Experiment on Word Memory

Description

Percentage of different types of words recalled

Format

A dataset with 40 observations on the following 4 variables.

Subject	Code to identify each subject: A to J
Abstract	Words were abstract? No or Yes
Frequent	Words were common? No or Yes
Percent	Percentage of words recalled (out of 25)

Details

One hundred words were presented to each subject in a randomized order. The goal of the experiment was to see whether some kinds of words were easier to remember than others. In particular, are common words like potato, love, diet, and magazine easier to remember than less common words like manatee, hangnail, fillip, and apostasy? Are concrete words like coffee, dog, kale, and tamborine easier than abstract words like beauty, sympathy, fauna, and guile? There were 25 words each of four kinds, obtained by crossing the two factors of interest, Abstraction (concrete or abstract) and Frequency (common or rare).

This dataset appears in the first edition, but is not used in the second edition.

Source

Data from a student laboratory project, Department of Psychology and Education, Mount Holyoke College.

 WordsWithFriends

Words with Friends Scores

Description

Results from the online game Words with Friends (solo play)

Format

A data frame with 444 observations on the following 11 variables.

Points Number of points scored by the author

OppPoints Number of points scored by opponent ("solo")

WinMargin Points minus OppPoints, so margin of victory (or loss)

Start Did the author go first or pass? (first or pass)

Ss Number of S tiles (0 to 5)

BlanksNumber Number of Blank tiles (0 to 2)

J Did the author get the J tile? (1=yes, 0=no)

Q Did the author get the Q tile? (1=yes, 0=no)

X Did the author get the X tile? (1=yes, 0=no)

Z Did the author get the Z tile? (1=yes, 0=no)

Blanks Number of Blank tiles (0blanks, 1blank, or 2blanks)

Details

Results collected from one of the authors playing the "solo" mode of Words with Friends.

Source

Author's iPhone

 Wrinkle

Moving Wet Objects with Wrinkled Fingers

Description

Results from an experiment to move wet/dry objects with wrinkled/dry fingers

Format

A data frame with 80 observations on the following 7 variables.

Participant Participant ID (p1 to p20)

Time Time to move objects (seconds)

Condition non-wrinkled/dry, non-wrinkled/wet, wrinkled/dry, or wrinkled/wet

Fingers Status of fingers (non or wrinkled)

Objects Status of objects (dry or wet)

WrinkledThenNon Wrinkled first? (1=yes or 1=no)

DryThenWet Dry first? (1=yes or 1=no)

Details

Each of 20 participants were measured doing a "transfer task" several times under each of four conditions. The transfer task was to pick up an item with the right hand thumb and index finger, pass the item through a small hole and grab it with the left hand, and then put the item into a box that had a hole in the lid. Sometimes the participant's fingers were wrinkled; sometimes the items were sitting in water.

Source

Kareklas, Nettle, and Smulders (2013) "Water-induced finger wrinkles improve handling of wet objects", *Biology Letters*, <http://dx.doi.org/10.1098/rsbl.2012.0999>

YouthRisk

Annual survey of health-risk youth behaviors

Description

Data from the Youth Risk Behavior Surveillance System

Format

A data frame with 13387 observations on the following 6 variables.

ride.alc.driver 1=rode with a drinking driver in past 30 days or 0=did not

female 1=female or 0=male

grade Year in high school: 9, 10, 11, or 12

age4 Age (in years)

smoke Ever smoked? 1=yes or 0=no

DriverLicense Have a driver's license? 1=yes or 0=no

Details

This dataset is derived from the 2007 Youth Risk Behavior Surveillance System (YRBSS), which is an annual survey conducted by the Centers for Disease Control and Prevention (CDC) to monitor the prevalence of health-risk youth behaviors. This dataset focuses on whether or not youths have recently (in past 30 days) ridden with a drunk driver.

Source

<http://www.cdc.gov/HealthyYouth/yrbs/index.htm>

YouthRisk2007

Riding with a Driver Who Has Been Drinking

Description

Risky behavior (riding with a drinking driver) in youths

Format

A dataset with 13387 observations on the following 6 variables.

ride.alc.driver	1=rode with a drinking driver in past 30 days or 0=did not
female	1=female or 0=male
grade	Year in high school: 9, 10, 11, or 12
age4	Age (in years)
smoke	Ever smoked? 1=yes or 0=no
DriverLicense	Have a driver's license? 1=yes or 0=no

Details

This dataset is derived from the 2007 Youth Risk Behavior Surveillance System (YRBSS), which is an annual survey conducted by the Centers for Disease Control and Prevention (CDC) to monitor the prevalence of health-risk youth behaviors. This dataset focuses on whether or not youths have recently (in past 30 days) ridden with a drunk driver.

This dataset renamed as YouthRisk for the second edition.

Source

The article "Which Young People Accept a Lift From a Drunk or Drugged Driver?" in *Accident Analysis and Prevention* (July 2009. pp. 703-9) provides more details.

References

A more recent version of the full dataset is available at http://www.cdc.gov/brfss/technical_infodata/surveydata.htm.

 YouthRisk2009

Youth Risk Survey

Description

Survey of students in grades 9-12 concerning health-risk behaviors

Format

A dataset with 500 observations on the following 6 variables.

Sleep Average hours sleep on school night (10 or more hours, 9 hours, down to 4 or less hours)

Sleep7 Seven or more hours of sleep? (0=no or 1=yes)

SmokeLife Ever smoked? (No or Yes)

SmokeDaily Regular smoker? (No or Yes)

MarijuaEver Ever smoked marijuana? (0=no or 1=yes)

Age Age (in years)

Details

Data from the Centers for Disease Control's Youth Risk Behavior Surveillance System (YRBSS).

This data set is from the first edition, but not used in the second edition.

Source

<http://www.cdc.gov/HealthyYouth/yrbs/index.htm>

 Zimmerman

Stand Your Ground Simpson's Paradox

Description

Data from 220 cases in Florida where a "Stand your ground" defense was used.

Format

A data frame with 220 observations on the following 5 variables.

Convicted Was the defendant Convicted? (No or Yes)

IndWhiteVictim Was the victim white? (1=yes or 0=no)

IndWhiteDefendant Was the defendant white? (1=yes or 0=no)

VictimRace Race of the victim (Minority or White)

DefendantRace Race of the defendant (Minority or White)

Details

Inspired by the Travon Martin case, combined fatal and non-fatal cases of assault in Florida for which the defendant used the Stand Your Ground law in defense. These data show Simpson's Paradox. Race of the victim is more important than race of the defendant.

Source

Data from Tampa Bay Times, male plus female cases, as of 2/8/15 – final posted data <http://www.tampabay.com/stand-your-ground-law/nonfatal-cases> <http://www.tampabay.com/stand-your-ground-law/fatal-cases>

Index

* datasets

AccordPrice, 7
AHCAvote2017, 7
Airlines, 8
Alfalfa, 9
AlitoConfirmation, 9
Amyloid, 10
AppleStock, 11
ArcheryData, 11
AthleteGrad, 12
AudioVisual, 13
AutoPollution, 14
Backpack, 14
BaseballTimes, 15
BaseballTimes2017, 16
BeeStings, 16
BirdCalcium, 17
BirdNest, 18
Blood1, 19
BlueJays, 19
BrainpH, 20
BreesPass, 21
BritishUnions, 21
ButterfliesBc, 22
CAFE, 23
CalciumBP, 23
CanadianDrugs, 24
CancerSurvival, 25
Caterpillars, 26
CavsShooting, 27
Cereal, 27
ChemoTHC, 28
ChildSpeaks, 29
ClintonSanders, 29
Clothing, 30
CloudSeeding, 31
CloudSeeding2, 32
CO2, 33
CO2Germany, 33
CO2Hawaii, 34
CO2SouthPole, 34
Contraceptives, 35
CountyHealth, 37
CrabShip, 37
CrackerFiber, 38
CreditRisk, 39
Cuckoo, 39
Day1Survey, 40
DiabeticDogs, 41
Diamonds, 41
Diamonds2, 42
Dinosaurs, 43
Election08, 43
Election16, 44
ElephantsFB, 45
ElephantsMF, 46
Ethanol, 50
Eyes, 50
Faces, 51
FaithfulFaces, 52
FantasyBaseball, 52
FatRats, 53
Fertility, 54
FGByDistance, 54
Film, 55
FinalFourIzzo, 56
FinalFourIzzo17, 57
FinalFourLong, 57
FinalFourLong17, 58
FinalFourShort, 59
FinalFourShort17, 60
Fingers, 60
FirstYearGPA, 61
FishEggs, 62
Fitch, 62
FlightResponse, 63
FloridaDP, 64
Fluorescence, 64

FranticFingers, 65
FruitFlies, 66
FruitFlies2, 67
FunnelDrop, 68
GlowWorms, 68
Goldenrod, 69
GrinnellHouses, 70
Grocery, 71
Gunnels, 71
Handwriting, 72
Hawks, 73
HawkTail, 74
HawkTail2, 75
HearingTest, 75
HeatingOil, 76
HighPeaks, 76
Hoops, 77
HorsePrices, 78
Houses, 79
HousesNY, 79
ICU, 80
InfantMortality2010, 81
Inflation, 81
InsuranceVote, 82
IQGuessing, 83
Jurors, 83
Kershaw, 84
KeyWestWater, 85
Kids198, 86
Leafhoppers, 86
LeafWidth, 87
Leukemia, 88
LeveeFailures, 88
LewyBody2Groups, 89
LewyDLBad, 90
LongJumpOlympics, 91
LongJumpOlympics2016, 91
LosingSleep, 92
LostLetter, 92
Marathon, 93
Markets, 94
MathEnrollment, 94
MathPlacement, 95
MedGPA, 96
Meniscus, 97
MentalHealth, 97
MetabolicRate, 98
MetroCommutes, 99
MetroHealth83, 99
Migraines, 100
Milgram, 101
MLB2007Standings, 102
MLBStandings2016, 103
MothEggs, 104
MouseBrain, 105
MusicTime, 105
NCbirths, 106
NFL2007Standings, 107
NFLStandings2016, 108
Nursing, 109
OilDeapsorbtion, 109
Olives, 110
Orings, 111
Overdrawn, 112
Oysters, 112
PalmBeach, 113
PeaceBridge2003, 114
PeaceBridge2012, 114
Pedometer, 115
Perch, 116
PigFeed, 116
Pines, 117
PKU, 118
Political, 119
Pollster08, 119
Popcorn, 120
PorscheJaguar, 121
PorschePrice, 122
Pulse, 122
Putts1, 123
Putts2, 124
Putts3, 124
RacialAnimus, 125
RadioactiveTwins, 126
RailsTrails, 126
Rectangles, 128
ReligionGDP, 128
RepeatedPulse, 129
ResidualOil, 130
Retirement, 131
Ricci, 131
RiverElements, 132
RiverIron, 133
SampleFG, 134
SandwichAnts, 135
SATGPA, 136

- SeaIce, 136
- SeaSlugs, 137
- SleepingShrews, 138
- Sparrows, 139
- SpeciesArea, 140
- Speed, 141
- SugarEthanol, 141
- SuicideChina, 142
- Swahili, 143
- Tadpoles, 144
- TechStocks, 144
- TeenPregnancy, 145
- TextPrices, 145
- ThomasConfirmation, 146
- ThreeCars, 147
- ThreeCars2017, 147
- TipJoke, 148
- Titanic, 149
- TMS, 150
- TomLinsonRush, 150
- TwinsLungs, 152
- Undoing, 153
- USstamps, 153
- VisualVerbal, 154
- Volts, 155
- WalkingBabies, 155
- WalkTheDogs, 156
- WeightLossIncentive, 157
- WeightLossIncentive4, 158
- WeightLossIncentive7, 158
- Whickham2, 159
- WordMemory, 160
- WordsWithFriends, 161
- Wrinkle, 161
- YouthRisk, 162
- YouthRisk2007, 163
- YouthRisk2009, 164
- Zimmerman, 164
- * **package**
 - Stat2Data-package, 6
- AccordPrice, 7
- AHCAvote2017, 7
- Airlines, 8
- Alfalfa, 9
- AlitoConfirmation, 9
- Amyloid, 10
- AppleStock, 11
- ArcheryData, 11
- AthleteGrad, 12
- AudioVisual, 13
- AutoPollution, 14
- Backpack, 14
- BaseballTimes, 15
- BaseballTimes2017, 16
- BeeStings, 16
- BirdCalcium, 17
- BirdNest, 18
- Blood1, 19
- BlueJays, 19
- BrainpH, 20
- BreesPass, 21
- BritishUnions, 21
- ButterfliesBc, 22
- CAFE, 23
- CalciumBP, 23
- CanadianDrugs, 24
- CancerSurvival, 25
- Caterpillars, 26
- CavsShooting, 27
- Cereal, 27
- ChemoTHC, 28
- ChildSpeaks, 29
- ClintonSanders, 29
- Clothing, 30
- CloudSeeding, 31
- CloudSeeding2, 32
- CO2, 33
- CO2Germany, 33
- CO2Hawaii, 34
- CO2SouthPole, 34
- Contraceptives, 35
- cooksplot, 36
- CountyHealth, 37
- CrabShip, 37
- CrackerFiber, 38
- CreditRisk, 39
- Cuckoo, 39
- Day1Survey, 40
- DiabeticDogs, 41
- Diamonds, 41
- Diamonds2, 42
- Dinosaurs, 43
- Election08, 43

- Election16, 44
- ElephantsFB, 45
- ElephantsMF, 46
- emplogitplot1, 46
- emplogitplot2, 48
- Ethanol, 50
- Eyes, 50

- Faces, 51
- FaithfulFaces, 52
- FantasyBaseball, 52
- FatRats, 53
- Fertility, 54
- FGByDistance, 54
- Film, 55
- FinalFourIzzo, 56
- FinalFourIzzo17, 57
- FinalFourLong, 57
- FinalFourLong17, 58
- FinalFourShort, 59
- FinalFourShort17, 60
- Fingers, 60
- FirstYearGPA, 61
- FishEggs, 62
- Fitch, 62
- FlightResponse, 63
- FloridaDP, 64
- Fluorescence, 64
- FranticFingers, 65
- FruitFlies, 66
- FruitFlies2, 67
- FunnelDrop, 68

- GlowWorms, 68
- Goldenrod, 69
- GrinnellHouses, 70
- Grocery, 71
- Gunnels, 71

- Handwriting, 72
- Hawks, 73
- HawkTail, 74
- HawkTail2, 75
- HearingTest, 75
- HeatingOil, 76
- HighPeaks, 76
- Hoops, 77
- HorsePrices, 78
- Houses, 79

- HousesNY, 79

- ICU, 80
- InfantMortality2010, 81
- Inflation, 81
- InsuranceVote, 82
- IQGuessing, 83

- Jurors, 83

- Kershaw, 84
- KeyWestWater, 85
- Kids198, 86

- Leafhoppers, 86
- LeafWidth, 87
- Leukemia, 88
- LeveeFailures, 88
- LewyBody2Groups, 89
- LewyDLBad, 90
- LongJumpOlympics, 91
- LongJumpOlympics2016, 91
- LosingSleep, 92
- LostLetter, 92

- Marathon, 93
- Markets, 94
- MathEnrollment, 94
- MathPlacement, 95
- MedGPA, 96
- Meniscus, 97
- MentalHealth, 97
- MetabolicRate, 98
- MetroCommutes, 99
- MetroHealth83, 99
- Migraines, 100
- Milgram, 101
- MLB2007Standings, 102
- MLBStandings2016, 103
- MothEggs, 104
- MouseBrain, 105
- MusicTime, 105

- NCbirths, 106
- NFL2007Standings, 107
- NFLStandings2016, 108
- Nursing, 109

- OilDeapsorbtion, 109
- Olives, 110

- Orings, [111](#)
- Overdrawn, [112](#)
- Oysters, [112](#)

- PalmBeach, [113](#)
- PeaceBridge2003, [114](#)
- PeaceBridge2012, [114](#)
- Pedometer, [115](#)
- Perch, [116](#)
- PigFeed, [116](#)
- Pines, [117](#)
- PKU, [118](#)
- Political, [119](#)
- Pollster08, [119](#)
- Popcorn, [120](#)
- PorscheJaguar, [121](#)
- PorschePrice, [122](#)
- Pulse, [122](#)
- Putts1, [123](#)
- Putts2, [124](#)
- Putts3, [124](#)

- RacialAnimus, [125](#)
- RadioactiveTwins, [126](#)
- RailsTrails, [126](#)
- Rectangles, [128](#)
- ReligionGDP, [128](#)
- RepeatedPulse, [129](#)
- ResidualOil, [130](#)
- Retirement, [131](#)
- Ricci, [131](#)
- RiverElements, [132](#)
- RiverIron, [133](#)

- SampleFG, [134](#)
- SandwichAnts, [135](#)
- SATGPA, [136](#)
- SeaIce, [136](#)
- SeaSlugs, [137](#)
- SleepingShrews, [138](#)
- sluacf, [138](#)
- Sparrows, [139](#)
- SpeciesArea, [140](#)
- Speed, [141](#)
- Stat2Data (Stat2Data-package), [6](#)
- Stat2Data-package, [6](#)
- SugarEthanol, [141](#)
- SuicideChina, [142](#)
- Swahili, [143](#)

- Tadpoles, [144](#)
- TechStocks, [144](#)
- TeenPregnancy, [145](#)
- TextPrices, [145](#)
- ThomasConfirmation, [146](#)
- ThreeCars, [147](#)
- ThreeCars2017, [147](#)
- TipJoke, [148](#)
- Titanic, [149](#)
- TMS, [150](#)
- TomlinsonRush, [150](#)
- TukeyNonaddPlot, [151](#)
- TwinsLungs, [152](#)

- Undoing, [153](#)
- USstamps, [153](#)

- VisualVerbal, [154](#)
- Volts, [155](#)

- WalkingBabies, [155](#)
- WalkTheDogs, [156](#)
- WeightLossIncentive, [157](#)
- WeightLossIncentive4, [158](#)
- WeightLossIncentive7, [158](#)
- Whickham2, [159](#)
- WordMemory, [160](#)
- WordsWithFriends, [161](#)
- Wrinkle, [161](#)

- YouthRisk, [162](#)
- YouthRisk2007, [163](#)
- YouthRisk2009, [164](#)

- Zimmerman, [164](#)