

Package ‘fastmatrix’

September 6, 2024

Type Package

Title Fast Computation of some Matrices Useful in Statistics

Version 0.5-7721

Date 2024-09-06

Maintainer Felipe Osorio <felipe.osorios@usm.cl>

Description Small set of functions to fast computation of some matrices and operations useful in statistics and econometrics. Currently, there are functions for efficient computation of duplication, commutation and symmetrizer matrices with minimal storage requirements. Some commonly used matrix decompositions (LU and LDL), basic matrix operations (for instance, Hadamard, Kronecker products and the Sherman-Morrison formula) and iterative solvers for linear systems are also available. In addition, the package includes a number of common statistical procedures such as the sweep operator, weighted mean and covariance matrix using an online algorithm, linear regression (using Cholesky, QR, SVD, sweep operator and conjugate gradients methods), ridge regression (with optimal selection of the ridge parameter considering several procedures), omnibus tests for univariate normality, functions to compute the multivariate skewness, kurtosis, the Mahalanobis distance (checking the positive definiteness), and the Wilson-Hilferty transformation of gamma variables. Furthermore, the package provides interfaces to C code callable by another C code from other R packages.

Depends R(>= 3.5.0)

License GPL-3

URL <https://faosorios.github.io/fastmatrix/>

NeedsCompilation yes

LazyLoad yes

Author Felipe Osorio [aut, cre] (<<https://orcid.org/0000-0002-4675-5201>>),
Alonso Ogueda [aut]

Repository CRAN

Date/Publication 2024-09-06 21:10:02 UTC

Contents

array.mult	3
asSymmetric	4
bezier	5
bracket.prod	6
cg	7
cholupdate	8
circulant	8
comm.info	9
comm.prod	10
commutation	11
corAR1	12
corCS	13
cov.MSSD	13
cov.weighted	14
dupl.cross	15
dupl.info	16
dupl.prod	17
duplication	18
equilibrate	20
frank	20
geomean	21
hadamard	22
harris.test	23
helmert	24
is.lower.tri	25
jacobi	26
JarqueBera.test	27
kronecker.prod	28
krylov	29
kurtosis	30
ldl	31
lu	32
lu-methods	33
lu2inv	34
Mahalanobis	35
matrix.inner	36
matrix.norm	37
mchol	38
mediancenter	39
minkowski	40
moments	41
ols	42
ols.fit	43
ols.fit-methods	44
power.method	45
rball	46

<i>array.mult</i>	3
ridge	47
rmnorm	49
rsphere	50
scaled.condition	51
seidel	52
sherman.morrison	53
sweep.operator	54
symm.info	55
symm.prod	56
symmetrizer	57
vec	58
vech	58
WH.normal	59
whitening	60
wilson.hilferty	61
Index	62

<i>array.mult</i>	<i>Array multiplication</i>
-------------------	-----------------------------

Description

Multiplication of 3-dimensional arrays was first introduced by Bates and Watts (1980). More extensions and technical details can be found in Wei (1998).

Usage

`array.mult(a, b, x)`

Arguments

<code>a</code>	a numeric matrix.
<code>b</code>	a numeric matrix.
<code>x</code>	a three-dimensional array.

Details

Let $\mathbf{X} = (x_{tij})$ be a 3-dimensional $n \times p \times q$ where indices t, i and j indicate face, row and column, respectively. The product $\mathbf{Y} = \mathbf{A}\mathbf{X}\mathbf{B}$ is an $n \times r \times s$ array, with \mathbf{A} and \mathbf{B} are $r \times p$ and $q \times s$ matrices respectively. The elements of \mathbf{Y} are defined as:

$$y_{tkl} = \sum_{i=1}^p \sum_{j=1}^q a_{ki} x_{tij} b_{jl}$$

Value

`array.mult` returns a 3-dimensional array of dimension $n \times r \times s$.

References

- Bates, D.M., Watts, D.G. (1980). Relative curvature measures of nonlinearity. *Journal of the Royal Statistical Society, Series B* **42**, 1-25.
- Wei, B.C. (1998). *Exponential Family Nonlinear Models*. Springer, New York.

See Also

[array](#), [matrix](#), [bracket.prod](#).

Examples

```
x <- array(0, dim = c(2,3,3)) # 2 x 3 x 3 array
x[, ,1] <- c(1,2,2,4,3,6)
x[, ,2] <- c(2,4,4,8,6,12)
x[, ,3] <- c(3,6,6,12,9,18)

a <- matrix(1, nrow = 2, ncol = 3)
b <- matrix(1, nrow = 3, ncol = 2)

y <- array.mult(a, b, x) # a 2 x 2 x 2 array
y
```

asSymmetric

Force a matrix to be symmetric

Description

Force a square matrix x to be symmetric

Usage

```
asSymmetric(x, lower = TRUE)
```

Arguments

x	a square matrix to be forced to be symmetric.
lower	logical, should the upper (lower) triangle be replaced with the lower (upper) triangle?

Value

a square symmetric matrix.

Examples

```
a <- matrix(1:16, ncol = 4)
isSymmetric(a) # FALSE
a <- asSymmetric(a) # copy lower triangle into upper triangle
```

Description

Computes the Bezier curve based on $n + 1$ control points using the De Casteljaou's method.

Usage

```
bezier(x, y, ngrid = 200)
```

Arguments

`x, y` vector giving the coordinates of the control points. Missing values are deleted.
`ngrid` number of elements in the grid used to compute the smoother.

Details

Given p_0, p_1, \dots, p_n control points the Bezier curve is given by $B(t)$ defined as

$$B(t) = \begin{pmatrix} x(t) \\ y(t) \end{pmatrix} = \sum_{k=0}^n \binom{n}{k} t^k (1-t)^{n-k} p_k$$

where $t \in [0, 1]$. To evaluate the Bezier curve the De Casteljaou's method is used.

Value

A list containing `xgrid` and `ygrid` elements used to plot the Bezier curve.

Examples

```
# a tiny example
x <- c(1.0, 0.25, 1.25, 2.5, 4.00, 5.0)
y <- c(0.5, 2.00, 3.75, 4.0, 3.25, 1.0)
plot(x, y, type = "o")
z <- bezier(x, y, ngrid = 50)
lines(z$xgrid, z$ygrid, lwd = 2, lty = 2, col = "red")

# other simple example
x <- c(4,6,4,5,6,7)
y <- 1:6
plot(x, y, type = "o")
z <- bezier(x, y, ngrid = 50)
lines(z$xgrid, z$ygrid, lwd = 2, lty = 2, col = "red")
```

bracket.prod

*Bracket product***Description**

Bracket product of a matrix and a 3-dimensional array.

Usage

```
bracket.prod(a, x)
```

Arguments

a	a numeric matrix.
x	a three-dimensional array.

Details

Let $\mathbf{X} = (x_{tij})$ be a 3-dimensional $n \times p \times q$ array and \mathbf{A} an $m \times n$ matrix, then $\mathbf{Y} = [\mathbf{A}][\mathbf{X}]$ is called the bracket product of \mathbf{A} and \mathbf{X} , that is an $m \times p \times q$ with elements

$$y_{tij} = \sum_{k=1}^n a_{tk} x_{kij}$$

Value

bracket.prod returns a 3-dimensional array of dimension $m \times p \times q$.

References

Wei, B.C. (1998). *Exponential Family Nonlinear Models*. Springer, New York.

See Also

[array](#), [matrix](#), [array.mult](#).

Examples

```
x <- array(0, dim = c(2,3,3)) # 2 x 3 x 3 array
x[, , 1] <- c(1,2,2,4,3,6)
x[, , 2] <- c(2,4,4,8,6,12)
x[, , 3] <- c(3,6,6,12,9,18)

a <- matrix(1, nrow = 3, ncol = 2)

y <- bracket.prod(a, x) # a 3 x 3 x 3 array
y
```

cg *Solve linear systems using the conjugate gradients method*

Description

Conjugate gradients (CG) method is an iterative algorithm for solving linear systems with positive definite coefficient matrices.

Usage

```
cg(a, b, maxiter = 200, tol = 1e-7)
```

Arguments

a	a symmetric positive definite matrix containing the coefficients of the linear system.
b	a vector of right-hand sides of the linear system.
maxiter	the maximum number of iterations. Defaults to 200
tol	tolerance level for stopping iterations.

Value

a vector with the approximate solution, the iterations performed are returned as the attribute 'iterations'.

Warning

The underlying C code does not check for symmetry nor positive definitiveness.

References

Golub, G.H., Van Loan, C.F. (1996). *Matrix Computations*, 3rd Edition. John Hopkins University Press.

Hestenes, M.R., Stiefel, E. (1952). Methods of conjugate gradients for solving linear equations. *Journal of Research of the National Bureau of Standards* **49**, 409-436.

See Also

[jacobi](#), [seidel](#), [solve](#)

Examples

```
a <- matrix(c(4,3,0,3,4,-1,0,-1,4), ncol = 3)
b <- c(24,30,-24)
z <- cg(a, b)
z # converged in 3 iterations
```

 cholupdate

Rank 1 update to Cholesky factorization

Description

function cholupdate, where $R = \text{chol}(A)$ is the original Cholesky factorization of A , returns the upper triangular Cholesky factor of $A + \mathbf{x}\mathbf{x}^T$, with \mathbf{x} a column vector of appropriate dimension.

Usage

```
cholupdate(r, x)
```

Arguments

r a upper triangular matrix, the Cholesky factor of matrix a .
 x vector defining the rank one update.

References

Golub, G.H., Van Loan, C.F. (2013). *Matrix Computations*, 4th Edition. John Hopkins University Press.

See Also

[chol](#)

Examples

```
a <- matrix(c(1,1,1,1,2,3,1,3,6), ncol = 3)
r <- chol(a)
x <- c(0,0,1)
b <- a + outer(x,x)
r1 <- cholupdate(r, x)
r1
all(r1 == chol(b)) # TRUE
```

 circulant

Form a symmetric circulant matrix

Description

Forms a symmetric circulant matrix using a backwards shift of its first column

Usage

```
circulant(x)
```


Arguments

`x` the first column to form the circulant matrix.

Value

A symmetric circulant matrix.

Examples

```
x <- c(2,3,5,7,11,13)
circulant(x)
```

 comm.info

Compact information to construct the commutation matrix

Description

This function provides the minimum information required to create the commutation matrix.

The commutation matrix is a square matrix of order mn that, for an $m \times n$ matrix \mathbf{A} , transform $\text{vec}(\mathbf{A})$ to $\text{vec}(\mathbf{A}^T)$.

Usage

```
comm.info(m = 1, n = m, condensed = TRUE)
```

Arguments

`m` a positive integer row dimension.
`n` a positive integer column dimension.
`condensed` logical. Information should be returned in compact form?

Details

This function returns a list containing two vectors that represent an element of the commutation matrix and is accessed by the indexes in vectors `row` and `col`. This information is used by function [comm.prod](#) to do some operations involving the commutation matrix without forming it. This information also can be obtained using function [commutation](#).

Value

A list containing the following elements:

`row` vector of indexes, each entry represents the row index of the commutation matrix.
`col` vector of indexes, each entry represents the column index of the commutation matrix. Only present if `condensed = FALSE`.
`m` positive integer, row dimension.
`n` positive integer, column dimension.

References

Magnus, J.R., Neudecker, H. (1979). The commutation matrix: some properties and applications. *The Annals of Statistics* **7**, 381-394.

See Also

[commutation](#), [comm.prod](#)

Examples

```
z <- comm.info(m = 3, n = 2, condensed = FALSE)
z # where are the ones in commutation matrix of order '3,2'?

K32 <- commutation(m = 3, n = 2, matrix = TRUE)
K32 # only recommended if m and n are very small
```

comm.prod

Matrix multiplication involving the commutation matrix

Description

Given the row and column dimensions of a commutation matrix K of order mn and a conformable matrix x , performs one of the matrix-matrix operations:

- $Y = KX$, if side = "left" and transposed = FALSE, or
- $Y = K^T X$, if side = "left" and transposed = TRUE, or
- $Y = XK$, if side = "right" and transposed = FALSE, or
- $Y = XK^T$, if side = "right" and transposed = TRUE.

The main aim of comm.prod is to do this matrix multiplication **without forming** the commutation matrix.

Usage

```
comm.prod(m = 1, n = m, x = NULL, transposed = FALSE, side = "left")
```

Arguments

m	a positive integer row dimension.
n	a positive integer column dimension.
x	numeric matrix (or vector).
transposed	logical. Commutation matrix should be transposed?
side	a string selecting if commutation matrix is pre-multiplying x, that is side = "left" or post-multiplying x, by using side = "right".

Details

Underlying Fortran code only uses information provided by [comm.info](#) to performs the matrix multiplication. The commutation matrix is **never** created.

See Also

[commutation](#)

Examples

```
K42 <- commutation(m = 4, n = 2, matrix = TRUE)
x <- matrix(1:24, ncol = 3)
y <- K42 %*% x

z <- comm.prod(m = 4, n = 2, x) # K42 is not stored
all(z == y) # matrices y and z are equal!
```

commutation

Commutation matrix

Description

This function returns the commutation matrix of order mn which transforms, for an $m \times n$ matrix \mathbf{A} , $\text{vec}(\mathbf{A})$ to $\text{vec}(\mathbf{A}^T)$.

Usage

```
commutation(m = 1, n = m, matrix = FALSE, condensed = FALSE)
```

Arguments

<code>m</code>	a positive integer row dimension.
<code>n</code>	a positive integer column dimension.
<code>matrix</code>	a logical indicating whether the commutation matrix will be returned.
<code>condensed</code>	logical. Information should be returned in compact form?

Details

This function is a wrapper function for the function `comm.info`. This function provides the minimum information required to create the commutation matrix. If option `matrix = FALSE` the commutation matrix is stored in two vectors containing the coordinate list of indexes for rows and columns. Option `condensed = TRUE` only returns vector of indexes for the rows of commutation matrix.

Warning: `matrix = TRUE` is **not** recommended, unless the order `m` **and** `n` be small. This matrix can require a huge amount of storage.

Value

Returns an mn by mn matrix (if requested).

References

Magnus, J.R., Neudecker, H. (1979). The commutation matrix: some properties and applications. *The Annals of Statistics* 7, 381-394.

Magnus, J.R., Neudecker, H. (2007). *Matrix Differential Calculus with Applications in Statistics and Econometrics*, 3rd Edition. Wiley, New York.

See Also

[comm.info](#)

Examples

```
z <- commutation(m = 100, condensed = TRUE)
object.size(z) # 40.6 Kb of storage

z <- commutation(m = 100, condensed = FALSE)
object.size(z) # 80.7 Kb of storage

K100 <- commutation(m = 100, matrix = TRUE) # time: < 2 secs
object.size(K100) # 400 Mb of storage, do not request this matrix!

# a small example
K32 <- commutation(m = 3, n = 2, matrix = TRUE)
a <- matrix(1:6, ncol = 2)
v <- K32 %*% vec(a)
all(vec(t(a)) == as.vector(v)) # vectors are equal!
```

corAR1

AR(1) correlation structure

Description

This function is a constructor for the corAR1 correlation matrix representing an autocorrelation structure of order 1.

Usage

```
corAR1(rho, p = 2)
```

Arguments

rho the value of the lag 1 autocorrelation, which must be between -1 and 1.
p dimension of the requested correlation matrix.

Value

Returns a p by p matrix.

Examples

```
R <- corAR1(rho = 0.8, p = 5)
```

corCS	<i>Compound symmetry correlation structure</i>
-------	--

Description

This function is a constructor for the corCS correlation matrix representing a compound symmetry structure corresponding to uniform correlation.

Usage

```
corCS(rho, p = 2)
```

Arguments

rho	the value of the correlation between any two correlated observations, which must be between -1 and 1.
p	dimension of the requested correlation matrix.

Value

Returns a p by p matrix.

Examples

```
R <- corCS(rho = 0.8, p = 5)
```

cov.MSSD	<i>Mean Square Successive Difference (MSSD) estimator of the covariance matrix</i>
----------	--

Description

Returns a list containing the mean and covariance matrix of the data.

Usage

```
cov.MSSD(x)
```

Arguments

x	a matrix or data frame. As usual, rows are observations and columns are variables.
---	--

Details

This procedure uses the Holmes-Mergen method using the difference between each successive pairs of observations also known as Mean Square Successive Method (MSSD) to estimate the covariance matrix, which is given by

$$S_{HD} = \frac{1}{2(n-1)} \sum_{i=2}^n (\mathbf{x}_i - \mathbf{x}_{i-1})(\mathbf{x}_i - \mathbf{x}_{i-1})^T.$$

Value

A list containing the following named components:

mean	an estimate for the center (mean) of the data.
cov	the estimated covariance matrix.

References

Holmes, D.S., Mergen, A.E. (1993). Improving the performance of the T^2 control chart. *Quality Engineering* **5**, 619-625.

See Also

[cov](#) and [var](#).

Examples

```
x <- cbind(1:10, c(1:3, 8:5, 8:10))
z0 <- cov(x)
z0
z1 <- cov.MSSD(x)
z1
```

cov.weighted	<i>Weighted covariance matrices</i>
--------------	-------------------------------------

Description

Returns a list containing estimates of the weighted mean and covariance matrix of the data.

Usage

```
cov.weighted(x, weights = rep(1, nrow(x)))
```

Arguments

x	a matrix or data frame. As usual, rows are observations and columns are variables.
weights	a non-negative and non-zero vector of weights for each observation. Its length must equal the number of rows of x.

Details

The covariance matrix is divided by the number of observations, which arise for instance, when we use the class of elliptical contoured distributions. Thus,

$$W_n = \sum_{i=1}^n w_i, \quad \bar{\mathbf{x}}_n = \frac{1}{W_n} \sum_{i=1}^n w_i \mathbf{x}_i \quad \mathbf{S}_n = \frac{1}{n} \sum_{i=1}^n w_i (\mathbf{x}_i - \bar{\mathbf{x}}_n)(\mathbf{x}_i - \bar{\mathbf{x}}_n)^T.$$

This differs from the behaviour of function [cov.wt](#).

Value

A list containing the following named components:

mean	an estimate for the center (mean) of the data.
cov	the estimated (weighted) covariance matrix.

References

Clarke, M.R.B. (1971). Algorithm AS 41: Updating the sample mean and dispersion matrix. *Applied Statistics* **20**, 206-209.

See Also

[cov.wt](#), [cov](#) and [var](#).

Examples

```
x <- cbind(1:10, c(1:3, 8:5, 8:10))
z0 <- cov.weighted(x) # all weights are 1
D2 <- Mahalanobis(x, center = z0$mean, cov = z0$cov)
p <- ncol(x)
wts <- (p + 1) / (1 + D2) # nice weights!
z1 <- cov.weighted(x, weights = wts)
z1
```

dupl.cross

Matrix crossproduct involving the duplication matrix

Description

Given the order of two duplication matrices and a conformable matrix \mathbf{X} , this function performs the operation: $\mathbf{Y} = \mathbf{D}_n^T \mathbf{X} \mathbf{D}_k$, where \mathbf{D}_n and \mathbf{D}_k are duplication matrices of order n and k , respectively.

Usage

```
dupl.cross(n = 1, k = n, x = NULL)
```

Arguments

n	order of the duplication matrix used pre-multiplying x.
k	order of the duplication matrix used post-multiplying x. By default k = n is used.
x	numeric matrix, this argument is required.

Details

This function calls `dupl.prod` to performs the matrix multiplications required but **without forming** any duplication matrices.

See Also

[dupl.prod](#)

Examples

```
D2 <- duplication(n = 2, matrix = TRUE)
D3 <- duplication(n = 3, matrix = TRUE)
x <- matrix(1, nrow = 9, ncol = 4)
y <- t(D3) %*% x %*% D2

z <- dupl.cross(n = 3, k = 2, x) # D2 and D3 are not stored
all(z == y) # matrices y and z are equal!

x <- matrix(1, nrow = 9, ncol = 9)
z <- dupl.cross(n = 3, x = x) # same matrix is used to pre- and post-multiplying x
z # print result
```

dupl.info

Compact information to construct the duplication matrix

Description

This function provides the minimum information required to create the duplication matrix.

Usage

```
dupl.info(n = 1, condensed = TRUE)
```

Arguments

n	order of the duplication matrix.
condensed	logical. Information should be returned in compact form?

Details

This function returns a list containing two vectors that represent an element of the duplication matrix and is accessed by the indexes in vectors `row` and `col`. This information is used by function [dupl.prod](#) to do some operations involving the duplication matrix without forming it. This information also can be obtained using function [duplication](#)

Value

A list containing the following elements:

<code>row</code>	vector of indexes, each entry represents the row index of the duplication matrix. Only present if <code>condensed = FALSE</code> .
<code>col</code>	vector of indexes, each entry represents the column index of the duplication matrix.
<code>order</code>	order of the duplication matrix.

See Also

[duplication](#), [dupl.prod](#)

Examples

```
z <- dupl.info(n = 3, condensed = FALSE)
z # where are the ones in duplication of order 3?

D3 <- duplication(n = 3, matrix = TRUE)
D3 # only recommended if n is very small
```

`dupl.prod`

Matrix multiplication involving the duplication matrix

Description

Given the order of a duplication and a conformable matrix X , performs one of the matrix-matrix operations:

- $Y = DX$, if `side = "left"` and `transposed = FALSE`, or
- $Y = D^T X$, if `side = "left"` and `transposed = TRUE`, or
- $Y = XD$, if `side = "right"` and `transposed = FALSE`, or
- $Y = XD^T$, if `side = "right"` and `transposed = TRUE`,

where D is the duplication matrix of order n . The main aim of `dupl.prod` is to do this matrix multiplication **without forming** the duplication matrix.

Usage

```
dupl.prod(n = 1, x, transposed = FALSE, side = "left")
```

Arguments

n	order of the duplication matrix.
x	numeric matrix (or vector).
transposed	logical. Duplication matrix should be transposed?
side	a string selecting if duplication matrix is pre-multiplying x, that is side = "left" or post-multiplying x, by using side = "right".

Details

Underlying C code only uses information provided by [dupl.info](#) to performs the matrix multiplication. The duplication matrix is **never** created.

See Also

[duplication](#)

Examples

```
D4 <- duplication(n = 4, matrix = TRUE)
x <- matrix(1, nrow = 16, ncol = 2)
y <- crossprod(D4, x)

z <- dupl.prod(n = 4, x, transposed = TRUE) # D4 is not stored
all(z == y) # matrices y and z are equal!
```

duplication

Duplication matrix

Description

This function returns the duplication matrix of order n which transforms, for a symmetric matrix \mathbf{A} , $\text{vech}(\mathbf{A})$ into $\text{vec}(\mathbf{A})$.

Usage

```
duplication(n = 1, matrix = FALSE, condensed = FALSE)
```

Arguments

n	order of the duplication matrix.
matrix	a logical indicating whether the duplication matrix will be returned.
condensed	logical. Information should be returned in compact form?.

Details

This function is a wrapper function for the function `dupl.info`. This function provides the minimum information required to create the duplication matrix. If option `matrix = FALSE` the duplication matrix is stored in two vectors containing the coordinate list of indexes for rows and columns. Option `condensed = TRUE` only returns vector of indexes for the columns of duplication matrix.

Warning: `matrix = TRUE` is **not** recommended, unless the order `n` be small. This matrix can require a huge amount of storage.

Value

Returns an n^2 by $n(n + 1)/2$ matrix (if requested).

References

Magnus, J.R., Neudecker, H. (1980). The elimination matrix, some lemmas and applications. *SIAM Journal on Algebraic Discrete Methods* **1**, 422-449.

Magnus, J.R., Neudecker, H. (2007). *Matrix Differential Calculus with Applications in Statistics and Econometrics*, 3rd Edition. Wiley, New York.

See Also

[dupl.info](#)

Examples

```
z <- duplication(n = 100, condensed = TRUE)
object.size(z) # 40.5 Kb of storage

z <- duplication(n = 100, condensed = FALSE)
object.size(z) # 80.6 Kb of storage

D100 <- duplication(n = 100, matrix = TRUE)
object.size(D100) # 202 Mb of storage, do not request this matrix!

# a small example
D3 <- duplication(n = 3, matrix = TRUE)
a <- matrix(c( 1, 2, 3,
              2, 3, 4,
              3, 4, 5), nrow = 3)
upper <- vech(a)
v <- D3 %*% upper
all(vec(a) == as.vector(v)) # vectors are equal!
```

equilibrate	<i>Equilibration of a rectangular or symmetric matrix</i>
-------------	---

Description

Equilibrate a rectangular or symmetric matrix using 2-norm.

Usage

```
equilibrate(x, scale = TRUE)
```

Arguments

`x` a numeric matrix.
`scale` a logical value, x must be scaled to norm unity?

Value

For `scale = TRUE`, the equilibrated matrix. The scalings and an approximation of the condition number, are returned as attributes "scales" and "condition". If `x` is a rectangular matrix, only the columns are equilibrated.

Examples

```
x <- matrix(c(1, 1, 1,
              1, 2, 1,
              1, 3, 1,
              1, 1,-1,
              1, 2,-1,
              1, 3,-1), ncol = 3, byrow = TRUE)
z <- equilibrate(x)
apply(z, 2, function(x) sum(x^2)) # all 1

xx <- crossprod(x)
equilibrate(xx)
```

frank	<i>Frank matrix</i>
-------	---------------------

Description

This function returns the Frank matrix of order n .

Usage

```
frank(n = 1)
```

Arguments

`n` order of the Frank matrix.

Details

A Frank matrix of order n is a square matrix $F_n = (f_{ij})$ defined as

$$f_{ij} = \begin{cases} n - j + 1, & i \leq j, \\ n - j, & i = j + 1, \\ 0, & i \geq j + 2 \end{cases}$$

Value

Returns an n by n matrix.

References

Frank, W.L. (1958). Computing eigenvalues of complex matrices by determinant evaluation and by methods of Danilewski and Wielandt. *Journal of the Society for Industrial and Applied Mathematics* **6**, 378-392.

Examples

```
F5 <- frank(n = 5)
det(F5) # equals 1
```

geomean

Geometric mean

Description

It calculates the geometric mean using a Fused-Multiply-and-Add (FMA) compensated scheme for accurate computation of floating-point product.

Usage

```
geomean(x)
```

Arguments

`x` a numeric vector containing the sample observations.

Details

If x contains any non-positive values, `geomean` returns NA and a warning message is displayed.

The geometric mean is a measure of central tendency, which is defined as

$$G = \sqrt[n]{x_1 x_2 \dots x_n} = \left(\prod_{i=1}^n x_i \right)^{1/n}.$$

This procedure calculates the product required in the geometric mean safely using a compensated scheme as proposed by Graillat (2009).

Value

The geometric mean of the sample, a non-negative number.

References

Graillat, S. (2009). Accurate floating-point product and exponentiation. *IEEE Transactions on Computers* **58**, 994-1000.

Oguita, T., Rump, S.M., Oishi, S. (2005). Accurate sum and dot product. *SIAM Journal on Scientific Computing* **26**, 1955-1988.

See Also

[mean](#), [median](#).

Examples

```
set.seed(149)
x <- rlnorm(1000)
mean(x)      # 1.68169
median(x)    # 0.99663
geomean(x)   # 1.01688
```

hadamard

Hadamard product of two matrices

Description

This function returns the Hadamard or element-wise product of two matrices x and y , that have the same dimensions.

Usage

```
hadamard(x, y = x)
```

Arguments

x a numeric matrix or vector.
y a numeric matrix or vector.

Value

A matrix with the same dimension of x (and y) which corresponds to the element-by-element product of the two matrices.

References

Styan, G.P.H. (1973). Hadamard products and multivariate statistical analysis, *Linear Algebra and Its Applications* **6**, 217-240.

Examples

```
x <- matrix(rep(1:10, times = 5), ncol = 5)
y <- matrix(rep(1:5, each = 10), ncol = 5)
z <- hadamard(x, y)
z
```

harris.test	<i>Test for variance homogeneity of correlated variables</i>
-------------	--

Description

Performs large-sample methods for testing equality of $p \geq 2$ correlated variables.

Usage

```
harris.test(x, test = "Wald")
```

Arguments

x a matrix or data frame. As usual, rows are observations and columns are variables.
test test statistic to be used. One of "Wald" (default), "log", "robust" or "log-robust".

Value

A list of class 'harris.test' with the following elements:

statistic	value of the statistic, i.e. the value of either Wald test, using the log-transformation, or distribution-robust versions of the test (robust and log-robust).
parameter	the degrees of freedom for the test statistic, which is chi-square distributed.
p.value	the p-value for the test.
estimate	the estimated covariance matrix.
method	a character string indicating what type of test was performed.

References

Harris, P. (1985). Testing the variance homogeneity of correlated variables. *Biometrika* **72**, 103-107.

Examples

```
x <- iris[,1:4]
z <- harris.test(x, test = "robust")
z
```

helmert

Helmert matrix

Description

This function returns the Helmert matrix of order n .

Usage

```
helmert(n = 1)
```

Arguments

n order of the Helmert matrix.

Details

A Helmert matrix of order n is a square matrix defined as

$$\mathbf{H}_n = \begin{bmatrix} 1/\sqrt{n} & 1/\sqrt{n} & 1/\sqrt{n} & \dots & 1/\sqrt{n} \\ 1/\sqrt{2} & -1/\sqrt{2} & 0 & \dots & 0 \\ 1/\sqrt{6} & 1/\sqrt{6} & -2/\sqrt{6} & \dots & 0 \\ \vdots & \vdots & \vdots & \ddots & \vdots \\ \frac{1}{\sqrt{n(n-1)}} & \frac{1}{\sqrt{n(n-1)}} & \frac{1}{\sqrt{n(n-1)}} & \dots & -\frac{(n-1)}{\sqrt{n(n-1)}} \end{bmatrix}.$$

Helmert matrix is orthogonal and is frequently used in the analysis of variance (ANOVA).

Value

Returns an n by n matrix.

References

Lancaster, H.O. (1965). The Helmert matrices. *The American Mathematical Monthly* **72**, 4-12.

Gentle, J.E. (2007). *Matrix Algebra: Theory, Computations, and Applications in Statistics*. Springer, New York.

Examples

```
n <- 1000
set.seed(149)
x <- rnorm(n)

H <- helmert(n)
object.size(H) # 7.63 Mb of storage
K <- H[2:n,]
z <- c(K %*% x)
sum(z^2) # 933.1736

# same that
(n - 1) * var(x)
```

is.lower.tri	<i>Check if a matrix is lower or upper triangular</i>
--------------	---

Description

Returns TRUE if the given matrix is lower or upper triangular matrix.

Usage

```
is.lower.tri(x, diag = FALSE)
is.upper.tri(x, diag = FALSE)
```

Arguments

x a matrix of other R object with $\text{length}(\text{dim}(x)) = 2$.
diag logical. Should the diagonal be included?

Value

Check if a matrix is lower or upper triangular. You can also include diagonal to the check.

See Also

[lower.tri](#), [upper.tri](#)

Examples

```
x <- matrix(rnorm(10 * 3), ncol = 3)
R <- chol(crossprod(x))

is.lower.tri(R)
is.upper.tri(R)
```

 jacobi

 Solve linear systems using the Jacobi method

Description

Jacobi method is an iterative algorithm for solving a system of linear equations.

Usage

```
jacobi(a, b, start, maxiter = 200, tol = 1e-7)
```

Arguments

a	a square numeric matrix containing the coefficients of the linear system.
b	a vector of right-hand sides of the linear system.
start	a vector for initial starting point.
maxiter	the maximum number of iterations. Defaults to 200
tol	tolerance level for stopping iterations.

Details

Let D , L , and U denote the diagonal, lower triangular and upper triangular parts of a matrix A . Jacobi's method solve the equation $Ax = b$, iteratively by rewriting $Dx + (L + U)x = b$. Assuming that D is nonsingular leads to the iteration formula

$$x^{(k+1)} = -D^{-1}(L + U)x^{(k)} + D^{-1}b$$

Value

a vector with the approximate solution, the iterations performed are returned as the attribute 'iterations'.

References

Golub, G.H., Van Loan, C.F. (1996). *Matrix Computations*, 3rd Edition. John Hopkins University Press.

See Also

[seidel](#)

Examples

```
a <- matrix(c(5,-3,2,-2,9,-1,3,1,-7), ncol = 3)
b <- c(-1,2,3)
start <- c(1,1,1)
z <- jacobi(a, b, start)
z # converged in 15 iterations
```

JarqueBera.test	<i>Jarque-Bera test for univariate normality</i>
-----------------	--

Description

Performs an omnibus test for univariate normality.

Usage

```
JarqueBera.test(x, test = "DH")
```

Arguments

x	a numeric vector containing the sample observations.
test	test statistic to be used. One of "DH" (Doornik-Hansen, the default), "JB" (Jarque-Bera), "robust" (robust modification by Gel and Gastwirth), "ALM" (Adjusted Lagrange multiplier).

Value

A list of class 'JarqueBera.test' with the following elements:

statistic	value of the statistic, i.e. the value of either Doornik-Hansen, Jarque-Bera, or Adjusted Lagrange multiplier test.
parameter	the degrees of freedom for the test statistic, which is chi-square distributed.
p.value	the p-value for the test.
skewness	the estimated skewness coefficient.
kurtosis	the estimated kurtosis coefficient.
method	a character string indicating what type of test was performed.

References

- Doornik, J.A., Hansen, H. (2008). An omnibus test for univariate and multivariate normality. *Oxford Bulletin of Economics and Statistics* **70**, 927-939.
- Gel, Y.R., Gastwirth, J.L. (2008). A robust modification of the Jarque-Bera test of normality. *Economics Letters* **99**, 30-32.
- Jarque, C.M., Bera, A.K. (1980). Efficient tests for normality, homoscedasticity and serial independence of regression residuals. *Economics Letters* **6**, 255-259.
- Urzua, C.M. (1996). On the correct use of omnibus tests for normality. *Economics Letters* **53**, 247-251.

Examples

```
set.seed(149)
x <- rnorm(100)
z <- JarqueBera.test(x, test = "DH")
z
```

```
set.seed(173)
x <- runif(100)
z <- JarqueBera.test(x, test = "DH")
z
```

kronecker.prod

Kronecker product on matrices

Description

Computes the kronecker product of two matrices, x and y.

Usage

```
kronecker.prod(x, y = x)
```

Arguments

x a numeric matrix or vector.
y a numeric matrix or vector.

Details

Let \mathbf{X} be an $m \times n$ and \mathbf{Y} a $p \times q$ matrix. The $mp \times nq$ matrix defined by

$$\begin{bmatrix} x_{11}\mathbf{Y} & \dots & x_{1n}\mathbf{Y} \\ \vdots & & \vdots \\ x_{m1}\mathbf{Y} & \dots & x_{mn}\mathbf{Y} \end{bmatrix},$$

is called the *Kronecker product* of \mathbf{X} and \mathbf{Y} .

Value

An array with dimensions $\dim(x) * \dim(y)$.

References

Magnus, J.R., Neudecker, H. (2007). *Matrix Differential Calculus with Applications in Statistics and Econometrics*, 3rd Edition. Wiley, New York.

See Also

[kronecker](#) function from base package is based on [outer](#). Our C version is slightly faster.

Examples

```
# block diagonal matrix:
a <- diag(1:3)
b <- matrix(1:4, ncol = 2)
kronecker.prod(a, b)

# examples with vectors
ones <- rep(1, 4)
y <- 1:3
kronecker.prod(ones, y) # 12-dimensional vector
kronecker.prod(ones, t(y)) # 3 x 3 matrix
```

krylov	<i>Computes a Krylov matrix</i>
--------	---------------------------------

Description

Given A an n by n real matrix and an n -vector b , this function constructs the Krylov matrix K , where

$$K = [b, Ab, \dots, A^{m-1}b].$$

Usage

```
krylov(a, b, m = ncol(a))
```

Arguments

a	a numeric square matrix of order n by n for which the Krylov matrix is to be computed.
b	a numeric vector of length n .
m	length of the Krylov sequence.

Value

Returns an n by m matrix.

Examples

```
a <- matrix(c(1, 3, 2, -5, 1, 7, 1, 5, -4), ncol = 3, byrow = TRUE)
b <- c(1, 1, 1)
k <- krylov(a, b, m = 4)
k
```

kurtosis*Mardia's multivariate skewness and kurtosis coefficients*

Description

Functions to compute measures of multivariate skewness (b_{1p}) and kurtosis (b_{2p}) proposed by Mardia (1970),

$$b_{1p} = \frac{1}{n^2} \sum_{i=1}^n \sum_{j=1}^n ((\mathbf{x}_i - \bar{\mathbf{x}})^T \mathbf{S}^{-1} (\mathbf{x}_j - \bar{\mathbf{x}}))^3,$$

and

$$b_{2p} = \frac{1}{n} \sum_{i=1}^n ((\mathbf{x}_i - \bar{\mathbf{x}})^T \mathbf{S}^{-1} (\mathbf{x}_i - \bar{\mathbf{x}}))^2.$$

Usage

`kurtosis(x)`

`skewness(x)`

Arguments

`x` matrix of data with, say, p columns.

References

Mardia, K.V. (1970). Measures of multivariate skewness and kurtosis with applications. *Biometrika* **57**, 519-530.

Mardia, K.V., Zemroch, P.J. (1975). Algorithm AS 84: Measures of multivariate skewness and kurtosis. *Applied Statistics* **24**, 262-265.

Examples

```
setosa <- iris[1:50,1:4]
kurtosis(setosa)
skewness(setosa)
```

ldl *The LDL decomposition*

Description

Compute the LDL decomposition of a real symmetric matrix.

Usage

```
ldl(x)
```

Arguments

`x` a symmetric numeric matrix whose LDL decomposition is to be computed.

Value

The factorization has the form $X = LDL^T$, where D is a diagonal matrix and L is unitary lower triangular.

The LDL decomposition of x is returned as a list with components:

`lower` the unitary lower triangular factor L .
`d` a vector containing the diagonal elements of D .

References

Golub, G.H., Van Loan, C.F. (1996). *Matrix Computations*, 3rd Edition. John Hopkins University Press.

See Also

[chol](#)

Examples

```
a <- matrix(c(2,-1,0,-1,2,-1,0,-1,1), ncol = 3)
z <- ldl(a)
z # information of LDL factorization

# computing det(a)
prod(z$d) # product of diagonal elements of D

# a non-positive-definite matrix
m <- matrix(c(5,-5,-5,3), ncol = 2)
try(chol(m)) # fails
ldl(m)
```

 lu

The LU factorization of a square matrix

Description

lu computes the LU factorization of a matrix.

Usage

```

lu(x)
## Default S3 method:
lu(x)

## S3 method for class 'lu'
solve(a, b, ...)

is.lu(x)

```

Arguments

x	a square numeric matrix whose LU factorization is to be computed.
a	an LU factorization of a square matrix.
b	a vector or matrix of right-hand sides of equations.
...	further arguments passed to or from other methods

Details

The LU factorization plays an important role in many numerical procedures. In particular it is the basic method to solve the equation $A\mathbf{x} = \mathbf{b}$ for given matrix A , and vector \mathbf{b} .

`solve.lu` is the method for `solve` for lu objects.

`is.lu` returns TRUE if x is a `list` and `inherits` from "lu".

Unsuccessful results from the underlying LAPACK code will result in an error giving a positive error code: these can only be interpreted by detailed study of the Fortran code.

Value

The LU factorization of the matrix as computed by LAPACK. The components in the returned value correspond directly to the values returned by DGETRF.

lu	a matrix with the same dimensions as x. The upper triangle contains the U of the decomposition and the strict lower triangle contains information on the L of the factorization.
pivot	information on the pivoting strategy used during the factorization.

Note

To compute the determinant of a matrix (do you *really* need it?), the LU factorization is much more efficient than using eigenvalues ([eigen](#)). See [det](#).

LAPACK uses column pivoting and does not attempt to detect rank-deficient matrices.

References

Anderson. E., Bai, Z., Bischof, C., Blackford, S., Demmel, J., Dongarra, J., Du Croz, J., Greenbaum, A., Hammarling, S., McKenney, A. Sorensen, D. (1999). *LAPACK Users' Guide*, 3rd Edition. SIAM.

Golub, G.H., Van Loan, C.F. (1996). *Matrix Computations*, 3rd Edition. John Hopkins University Press.

See Also

[extractL](#), [extractU](#), [constructX](#) for reconstruction of the matrices, [lu2inv](#)

Examples

```
a <- matrix(c(3,2,6,17,4,18,10,-2,-12), ncol = 3)
z <- lu(a)
z # information of LU factorization

# computing det(a)
prod(diag(z$lu)) # product of diagonal elements of U

# solve linear equations
b <- matrix(1:6, ncol = 2)
solve(z, b)
```

lu-methods

Reconstruct the L, U, or X matrices from an LU object

Description

Returns the original matrix from which the object was constructed or the components of the factorization.

Usage

```
constructX(x)
extractL(x)
extractU(x)
```

Arguments

x object representing an LU factorization. This will typically have come from a previous call to [lu](#).

Value

constructX returns X , the original matrix from which the lu object was constructed (because of the pivoting the X matrix is not exactly the product between L and U).

extractL returns L . This may be pivoted.

extractU returns U .

See Also

[lu](#).

Examples

```
a <- matrix(c(10,-3,5,-7,2,-1,0,6,5), ncol = 3)
z <- lu(a)
L <- extractL(z)
L
U <- extractU(z)
U
X <- constructX(z)
all(a == X)
```

lu2inv

Inverse from LU factorization

Description

Invert a square matrix from its LU factorization.

Usage

```
lu2inv(x)
```

Arguments

`x` object representing an LU factorization. This will typically have come from a previous call to [lu](#).

Value

The inverse of the matrix whose LU factorization was given.

Unsuccessful results from the underlying LAPACK code will result in an error giving a positive error code: these can only be interpreted by detailed study of the Fortran code.

Source

This is an interface to the LAPACK routine DGETRI. LAPACK is from <https://netlib.org/lapack/> and its guide is listed in the references.

References

Anderson. E., Bai, Z., Bischof, C., Blackford, S., Demmel, J., Dongarra, J., Du Croz, J., Greenbaum, A., Hammarling, S., McKenney, A. Sorensen, D. (1999). *LAPACK Users' Guide*, 3rd Edition. SIAM.

Golub, G.H., Van Loan, C.F. (1996). *Matrix Computations*, 3rd Edition. John Hopkins University Press.

See Also

[lu](#), [solve](#).

Examples

```
a <- matrix(c(3,2,6,17,4,18,10,-2,-12), ncol = 3)
z <- lu(a)
a %%% lu2inv(z)
```

Mahalanobis

Mahalanobis distance

Description

Returns the squared Mahalanobis distance of all rows in \mathbf{x} and the vector $\boldsymbol{\mu}$ = center with respect to $\boldsymbol{\Sigma}$ = cov. This is (for vector \mathbf{x}) defined as

$$D^2 = (\mathbf{x} - \boldsymbol{\mu})^T \boldsymbol{\Sigma}^{-1} (\mathbf{x} - \boldsymbol{\mu})$$

Usage

```
Mahalanobis(x, center, cov, inverted = FALSE)
```

Arguments

x	vector or matrix of data. As usual, rows are observations and columns are variables.
center	mean vector of the distribution.
cov	covariance matrix ($p \times p$) of the distribution, must be positive definite.
inverted	logical. If TRUE, cov is supposed to contain the <i>inverse</i> of the covariance matrix.

Details

Unlike function `mahalanobis`, the covariance matrix is factorized using the Cholesky decomposition, which allows to assess if cov is positive definite. Unsuccessful results from the underlying LAPACK code will result in an error message.

See Also

[cov](#), [mahalanobis](#)

Examples

```
x <- cbind(1:6, 1:3)
xbar <- colMeans(x)
S <- matrix(c(1,4,4,1), ncol = 2) # is negative definite
D2 <- mahalnobis(x, center = xbar, S)
all(D2 >= 0) # several distances are negative

## next command produces the following error:
## Covariance matrix is possibly not positive-definite
## Not run: D2 <- Mahalanobis(x, center = xbar, S)
```

matrix.inner

Compute the inner product between two rectangular matrices

Description

Computes the inner product between two rectangular matrices calling BLAS.

Usage

```
matrix.inner(x, y = x)
```

Arguments

x a numeric matrix.
y a numeric matrix.

Value

a real value, indicating the inner product between two matrices.

Examples

```
x <- matrix(c(1, 1, 1,
             1, 2, 1,
             1, 3, 1,
             1, 1,-1,
             1, 2,-1,
             1, 3,-1), ncol = 3, byrow = TRUE)
y <- matrix(1, nrow = 6, ncol = 3)
matrix.inner(x, y)

# must be equal
matrix.norm(x, type = "Frobenius")^2
matrix.inner(x)
```

 matrix.norm

 Compute the norm of a rectangular matrix

Description

Computes a matrix norm of `x` using LAPACK. The norm can be the one ("1") norm, the infinity ("inf") norm, the Frobenius norm, the maximum modulus ("maximum") among elements of a matrix, as determined by the value of `type`.

Usage

```
matrix.norm(x, type = "Frobenius")
```

Arguments

<code>x</code>	a numeric matrix.
<code>type</code>	character string, specifying the <i>type</i> of matrix norm to be computed. A character indicating the type of norm desired. "1" specifies the one norm, (maximum absolute column sum); "Inf" specifies the infinity norm (maximum absolute row sum); "Frobenius" specifies the Frobenius norm (the Euclidean norm of <code>x</code> treated as if it were a vector); "maximum" specifies the maximum modulus of all the elements in <code>x</code> .

Details

As function `norm` in package **base**, method of `matrix.norm` calls the LAPACK function `DLANGE`. Note that the 1-, Inf- and maximum norm is faster to calculate than the Frobenius one.

Value

The matrix norm, a non-negative number.

Examples

```
# a tiny example
x <- matrix(c(1, 1, 1,
             1, 2, 1,
             1, 3, 1,
             1, 1,-1,
             1, 2,-1,
             1, 3,-1), ncol = 3, byrow = TRUE)
matrix.norm(x, type = "Frobenius")
matrix.norm(x, type = "1")
matrix.norm(x, type = "Inf")

# an example not that small
```

```
n <- 1000
x <- .5 * diag(n) + 0.5 * matrix(1, nrow = n, ncol = n)
matrix.norm(x, type = "Frobenius")
matrix.norm(x, type = "1")
matrix.norm(x, type = "Inf")
matrix.norm(x, type = "maximum") # equal to 1
```

mchol

The modified Cholesky factorization

Description

Compute the Cholesky factorization of a real symmetric but not necessarily positive definite matrix.

Usage

```
mchol(x)
```

Arguments

`x` a symmetric but not necessarily positive definite matrix to be factored.

Value

The lower triangular factor of modified Cholesky decomposition, i.e., the matrix L such that $X + E = LL^T$, where E is a nonnegative diagonal matrix that is zero if X is sufficiently positive definite.

References

Gill, P.E., Murray, W., Wright, M.H. (1981). *Practical Optimization*. Academic Press, London.
 Nocedal, J., Wright, S.J. (1999). *Numerical Optimization*. Springer, New York.

See Also

[chol](#), [ldl](#)

Examples

```
# a non-positive-definite matrix
a <- matrix(c(4,2,1,2,6,3,1,3,-.004), ncol = 3)
try(chol(a)) # fails
z <- mchol(a)
z # triangular factor

# modified 'a' matrix
tcrossprod(z)
```

mediancenter	<i>Mediancenter</i>
--------------	---------------------

Description

It calculates the mediancenter (or geometric median) of multivariate data.

Usage

```
mediancenter(x)
```

Arguments

`x` a matrix or data frame. As usual, rows are observations and columns are variables.

Details

The mediancenter for a sample of multivariate observations is computed using a steepest descend method combined with bisection. The mediancenter invariant to rotations of axes and is useful as a multivariate generalization of the median of univariate sample.

Value

A list containing the following named components:

<code>median</code>	an estimate for the mediancenter of the data.
<code>iter</code>	the number of iterations performed, it is negative if a degenerate solution is found.

References

Gower, J.C. (1974). Algorithm AS 78: The mediancentre. *Applied Statistics* **23**, 466-470.

See Also

[cov.wt](#), [median](#).

Examples

```
x <- cbind(1:10, c(1:3, 8:5, 8:10))
z <- mediancenter(x)$median # degenerate solution
xbar <- colMeans(x)
plot(x, xlab = "", ylab = "")
points(x = xbar[1], y = xbar[2], pch = 16, col = "red")
points(x = z[1], y = z[2], pch = 3, col = "blue", lwd = 2)
```

minkowski	<i>Computes the p-norm of a vector</i>
-----------	---

Description

Computes a p -norm of vector x . The norm can be the one ($p = 1$) norm, Euclidean ($p = 2$) norm, the infinity ($p = \text{Inf}$) norm. The underlying C or Fortran code is inspired on ideas of BLAS Level 1.

Usage

```
minkowski(x, p = 2)
```

Arguments

x	a numeric vector.
p	a number, specifying the <i>type</i> of norm desired. Possible values include real number greater or equal to 1, or Inf, Default value is $p = 2$.

Details

Method of minkowski for $p = \text{Inf}$ calls idamax BLAS function. For other values, C or Fortran subroutines using unrolled cycles are called.

Value

The vector p -norm, a non-negative number.

Examples

```
# a tiny example
x <- rnorm(1000)
minkowski(x, p = 1)
minkowski(x, p = 1.5)
minkowski(x, p = 2)
minkowski(x, p = Inf)

x <- x / minkowski(x)
minkowski(x, p = 2) # equal to 1
```

moments

Central moments

Description

It calculates up to fourth central moments (or moments about the mean), and the skewness and kurtosis coefficients using an online algorithm.

Usage

```
moments(x)
```

Arguments

x a numeric vector containing the sample observations.

Details

The k -th central moment is defined as

$$m_k = \frac{1}{n} \sum_{i=1}^n (x_i - \bar{x})^k.$$

In particular, the second central moment is the variance of the sample. The sample skewness and kurtosis are defined, respectively, as

$$b_1 = \frac{m_3}{m_2^{3/2}}, \quad b_2 = \frac{m_4}{m_2^2}.$$

Value

A list containing second, third and fourth central moments, and skewness and kurtosis coefficients.

References

Spicer, C.C. (1972). Algorithm AS 52: Calculation of power sums of deviations about the mean. *Applied Statistics* **21**, 226-227.

See Also

[var.](#)

Examples

```
set.seed(149)
x <- rnorm(1000)
z <- moments(x)
z
```

ols *Fit linear regression model*

Description

Returns an object of class "ols" that represents a linear model fit.

Usage

```
ols(formula, data, subset, na.action, method = "qr", tol = 1e-7, maxiter = 100,
    x = FALSE, y = FALSE, contrasts = NULL, ...)
```

Arguments

formula	an object of class " formula " (or one that can be coerced to that class): a symbolic description of the model to be fitted.
data	an optional data frame, list or environment (or object coercible by as.data.frame to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> , typically the environment from which <code>ols</code> is called.
subset	an optional vector specifying a subset of observations to be used in the fitting process.
na.action	a function which indicates what should happen when the data contain NAs. The default is set by the <code>na.action</code> setting of options , and is <code>na.fail</code> if that is unset.
method	the least squares fitting method to be used; the options are "cg" (conjugate gradients), "chol", "qr" (the default), "svd" and "sweep".
tol	tolerance for the conjugate gradients (gc) method. Default is <code>tol = 1e-7</code> .
maxiter	The maximum number of iterations for the conjugate gradients (gc) method. Defaults to 100.
x, y	logicals. If TRUE the corresponding components of the fit (the model matrix, the response) are returned.
contrasts	an optional list. See the <code>contrasts.arg</code> of model.matrix.default .
...	additional arguments (currently disregarded).

Value

`ols` returns an object of class "ols".

The function summary is used to obtain and print a summary of the results. The generic accessor functions `coefficients`, `fitted.values` and `residuals` extract various useful features of the value returned by `ols`.

An object of class "ols" is a list containing at least the following components:

<code>coefficients</code>	a named vector of coefficients
---------------------------	--------------------------------

residuals	the residuals, that is response minus fitted values.
fitted.values	the fitted mean values.
RSS	the residual sum of squares.
cov.unscaled	a $p \times p$ matrix of (unscaled) covariances of the $\hat{\beta}_j, j = 1, \dots, p$.
call	the matched call.
terms	the <code>terms</code> object used.
contrasts	(only where relevant) the contrasts used.
y	if requested, the response used.
x	if requested, the model matrix used.
model	if requested (the default), the model frame used.

See Also

[ols.fit](#), [lm](#), [lsfit](#)

Examples

```
# tiny example of regression
y <- c(1, 3, 3, 2, 2, 1)
x <- matrix(c(1, 1,
              2, 1,
              3, 1,
              1,-1,
              2,-1,
              3,-1), ncol = 2, byrow = TRUE)
f0 <- ols(y ~ x) # intercept is included by default
f0 # printing results (QR method was used)

f1 <- ols(y ~ x, method = "svd") # using SVD method instead
f1
```

ols.fit

Fitter functions for linear models

Description

This function is a *switcher* among various numerical fitting functions ([ols.fit.cg](#), [ols.fit.chol](#), [ols.fit.qr](#), [ols.fit.svd](#) and [ols.fit.sweep](#)). The argument `method` does the switching: "qr" for [ols.fit.qr](#), etc. This should usually *not* be used directly unless by experienced users.

Usage

```
ols.fit(x, y, method = "qr", tol = 1e-7, maxiter = 100)
```

Arguments

<code>x</code>	design matrix of dimension $n \times q$.
<code>y</code>	vector of observations of length n .
<code>method</code>	currently, methods "cg", "chol", "qr" (default), "svd" and "sweep" are supported.
<code>tol</code>	tolerance for the conjugate gradients (gc) method. Default is <code>tol = 1e-7</code> .
<code>maxiter</code>	The maximum number of iterations for the conjugate gradients (gc) method. Defaults to 100.

Value

a `list` with components:

<code>coefficients</code>	a named vector of coefficients
<code>residuals</code>	the residuals, that is response minus fitted values.
<code>fitted.values</code>	the fitted mean values.
<code>RSS</code>	the residual sum of squares.
<code>cov.unscaled</code>	a $p \times p$ matrix of (unscaled) covariances of the $\hat{\beta}_j, j = 1, \dots, p$.

See Also

[ols.fit.cg](#), [ols.fit.chol](#), [ols.fit.qr](#), [ols.fit.svd](#), [ols.fit.sweep](#).

Examples

```
set.seed(151)
n <- 100
p <- 2
x <- matrix(rnorm(n * p), n, p) # no intercept!
y <- rnorm(n)
fm <- ols.fit(x = x, y = y, method = "chol")
fm
```

ols.fit-methods

Fit a linear model

Description

Fits a linear model, returning the bare minimum computations.

Usage

```
ols.fit.cg(x, y, tol = 1e-7, maxiter = 100)
ols.fit.chol(x, y)
ols.fit.qr(x, y)
ols.fit.svd(x, y)
ols.fit.sweep(x, y)
```

Arguments

<code>x, y</code>	numeric vectors or matrices for the predictors and the response in a linear model. Typically, but not necessarily, <code>x</code> will be constructed by one of the fitting functions.
<code>tol</code>	tolerance for the conjugate gradients (gc) method. Default is <code>tol = 1e-7</code> .
<code>maxiter</code>	The maximum number of iterations for the conjugate gradients (gc) method. Defaults to 100.

Value

The bare bones of an `ols` object: the coefficients, residuals, fitted values, and some information used by `summary.ols`.

See Also

[ols](#), [ols.fit](#), [lm](#)

Examples

```
set.seed(151)
n <- 100
p <- 2
x <- matrix(rnorm(n * p), n, p) # no intercept!
y <- rnorm(n)
z <- ols.fit.chol(x, y)
z
```

power.method

Power method to approximate dominant eigenvalue and eigenvector

Description

The power method seeks to determine the eigenvalue of maximum modulus, and a corresponding eigenvector.

Usage

```
power.method(x, only.value = FALSE, maxiter = 100, tol = 1e-8)
```

Arguments

<code>x</code>	a symmetric matrix.
<code>only.value</code>	if TRUE, only the dominant eigenvalue is returned, otherwise both dominant eigenvalue and eigenvector are returned.
<code>maxiter</code>	the maximum number of iterations. Defaults to 100
<code>tol</code>	a numeric tolerance.

Value

When `only.value` is not true, as by default, the result is a list with components "value" and "vector". Otherwise only the dominant eigenvalue is returned. The performed number of iterations to reach convergence is returned as attribute "iterations".

See Also

[eigen](#) for eigenvalues and eigenvectors computation.

Examples

```
n <- 1000
x <- .5 * diag(n) + 0.5 * matrix(1, nrow = n, ncol = n)

# dominant eigenvalue must be (n + 1) / 2
z <- power.method(x, only.value = TRUE)
```

rball

Generation of deviates uniformly distributed in a unitary ball

Description

Random vector generation uniformly in the unitary ball.

Usage

```
rball(n = 1, p = 2)
```

Arguments

n	the number of samples requested
p	dimension of the unitary sphere

Details

The function `rball` is an interface to C routines, which make calls to subroutines from BLAS.

Value

If `n = 1` a `p`-dimensional vector, otherwise a matrix of `n` rows of random vectors.

References

Hormann, W., Leydold, J., Derflinger, G. (2004). *Automatic Nonuniform Random Variate Generation*. Springer, New York.

See Also

[runif](#)

Examples

```
# generate the sample
z <- rball(n = 500)

# scatterplot of a random sample of 500 points uniformly distributed
# in the unitary ball
par(pty = "s")
plot(z, xlab = "x", ylab = "y")
title("500 points in the ball", font.main = 1)
```

ridge

Ridge regression

Description

Fit a linear model by ridge regression, returning an object of class "ridge".

Usage

```
ridge(formula, data, subset, lambda = 1.0, method = "GCV", ngrid = 200, tol = 1e-07,
      maxiter = 50, na.action, x = FALSE, y = FALSE, contrasts = NULL, ...)
```

Arguments

formula	an object of class " <i>formula</i> " (or one that can be coerced to that class): a symbolic description of the model to be fitted.
data	an optional data frame, list or environment (or object coercible by <code>as.data.frame</code> to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> , typically the environment from which <code>ridge</code> is called.
subset	an optional vector specifying a subset of observations to be used in the fitting process.
na.action	a function which indicates what should happen when the data contain NAs. The default is set by the <code>na.action</code> setting of <code>options</code> , and is <code>na.fail</code> if that is unset.
lambda	a scalar or vector of ridge constants. A value of 0 corresponds to ordinary least squares.
method	the method for choosing the ridge parameter lambda. If <code>method = "none"</code> , then lambda is 'fixed'. If <code>method = "GCV"</code> (the default) then the ridge parameter is chosen automatically using the generalized cross validation (GCV) criterion. For <code>method = "grid"</code> , optimal value of lambda is selected computing the GCV criterion over a grid. If <code>method = "MSE"</code> the optimal ridge parameter is selected minimizing the mean squared estimation error criterion, this is the ORPS1 subroutine by Lee (1987).
ngrid	number of elements in the grid used to compute the GCV criterion. Only required if <code>method = "grid"</code> and lambda is a scalar.

tol	tolerance for the optimization of the GCV criterion. Default is 1e-7.
maxiter	maximum number of iterations. The default is 50.
x, y	logicals. If TRUE the corresponding components of the fit (the model matrix, the response) are returned.
contrasts	an optional list. See the contrasts.arg of <code>model.matrix.default</code> .
...	additional arguments to be passed to the low level regression fitting functions (not implemented).

Details

ridge function fits in linear ridge regression **without** scaling or centering the regressors and the response. In addition, If an intercept is present in the model, its coefficient is penalized.)

Value

A list with the following components:

dims	dimensions of model matrix.
coefficients	a named vector of coefficients.
scale	a named vector of coefficients.
fitted.values	the fitted mean values.
residuals	the residuals, that is response minus fitted values.
RSS	the residual sum of squares.
edf	the effective number of parameters.
GCV	vector (if method = "grid") of GCV values.
HKB	HKB estimate of the ridge constant.
LW	LW estimate of the ridge constant.
lambda	vector (if method = "grid") of lambda values; otherwise, for methods method = "none", "GCV" or "MSE", the value of ridge parameter used by the algorithm.
optimal	value of lambda with the minimum GCV (only relevant if method = "grid").
iterations	number of iterations performed by the algorithm (only relevant if method = "MSE").
call	the matched call.
terms	the <code>terms</code> object used.
contrasts	(only where relevant) the contrasts used.
y	if requested, the response used.
x	if requested, the model matrix used.
model	if requested, the model frame used.

References

- Golub, G.H., Heath, M., Wahba, G. (1979). Generalized cross-validation as a method for choosing a good ridge parameter. *Technometrics* **21**, 215-223.
- Hoerl, A.E., Kennard, R.W., Baldwin, K.F. (1975). Ridge regression: Some simulations. *Communication in Statistics* **4**, 105-123.
- Hoerl, A.E., Kennard, R.W. (1970). Ridge regression: Biased estimation of nonorthogonal problems. *Technometrics* **12**, 55-67.
- Lawless, J.F., Wang, P. (1976). A simulation study of ridge and other regression estimators. *Communications in Statistics* **5**, 307-323.
- Lee, T.S (1987). Algorithm AS 223: Optimum ridge parameter selection. *Applied Statistics* **36**, 112-118.

See Also

[lm, ols](#)

Examples

```
z <- ridge(GNP.deflator ~ ., data = longley, lambda = 4, method = "grid")
z # ridge regression on a grid over seq(0, 4, length = 200)

z <- ridge(GNP.deflator ~ ., data = longley)
z # ridge parameter selected using GCV (default)
```

rmnorm

Multivariate normal random deviates

Description

Random number generation from the multivariate normal (Gaussian) distribution.

Usage

```
rmnorm(n = 1, mean = rep(0, nrow(Sigma)), Sigma = diag(length(mean)))
```

Arguments

n	the number of samples requested
mean	a vector giving the means of each variable
Sigma	a positive-definite covariance matrix

Details

The function `rmnorm` is an interface to C routines, which make calls to subroutines from LAPACK. The matrix decomposition is internally done using the Cholesky decomposition. If `Sigma` is not non-negative definite then there will be a warning message.

Value

If $n = 1$ a vector of the same length as mean, otherwise a matrix of n rows of random vectors.

References

Devroye, L. (1986). *Non-Uniform Random Variate Generation*. Springer-Verlag, New York.

See Also

[rnorm](#)

Examples

```
# covariance parameters
Sigma <- matrix(c(10,3,3,2), ncol = 2)
Sigma

# generate the sample
y <- rmnorm(n = 1000, Sigma = Sigma)
var(y)

# scatterplot of a random bivariate normal sample with mean
# vector zero and covariance matrix 'Sigma'
par(pty = "s")
plot(y, xlab = "", ylab = "")
title("bivariate normal sample", font.main = 1)

# QQ-plot of transformed distances
z <- WH.normal(y)
par(pty = "s")
qqnorm(z, main = "Transformed distances QQ-plot")
abline(c(0,1), col = "red", lwd = 2, lty = 2)
```

rsphere

Generation of deviates uniformly located on a spherical surface

Description

Random vector generation uniformly on the sphere.

Usage

```
rsphere(n = 1, p = 2)
```

Arguments

n	the number of samples requested
p	dimension of the unitary sphere

Details

The function `rsphere` is an interface to C routines, which make calls to subroutines from BLAS.

Value

If $n = 1$ a p -dimensional vector, otherwise a matrix of n rows of random vectors.

References

Devroye, L. (1986). *Non-Uniform Random Variate Generation*. Springer-Verlag, New York.

See Also

[runif](#)

Examples

```
# generate the sample
z <- rsphere(n = 200)

# scatterplot of a random sample of 200 points uniformly distributed
# on the unit circle
par(pty = "s")
plot(z, xlab = "x", ylab = "y")
title("200 points on the circle", font.main = 1)
```

scaled.condition	<i>Scaled condition number</i>
------------------	--------------------------------

Description

Compute the scaled condition number of a rectangular matrix.

Usage

```
scaled.condition(x, scales = FALSE)
```

Arguments

<code>x</code>	a numeric rectangular matrix.
<code>scales</code>	a logical value indicating whether the scaling factors that allow balancing the columns of <code>x</code> should be returned by the function.

Value

The columns of a rectangular matrix `x` are equilibrated (but not centered), then the scaled condition number is computed following the guidelines of Belsley (1990). If requested, the column scalings are returned as the attribute `'scales'`.

References

Belsley, D.A. (1990). *Conditioning Diagnostics: Collinearity and Weak Data in Regression*. Wiley, New York.

Examples

```
x <- matrix(c(1, 1, 1,
              1, 2, 1,
              1, 3, 1,
              1, 1,-1,
              1, 2,-1,
              1, 3,-1), ncol = 3, byrow = TRUE)
scaled.condition(x)
```

 seidel

 Solve linear systems using the Gauss-Seidel method

Description

Gauss-Seidel method is an iterative algorithm for solving a system of linear equations.

Usage

```
seidel(a, b, start, maxiter = 200, tol = 1e-7)
```

Arguments

a	a square numeric matrix containing the coefficients of the linear system.
b	a vector of right-hand sides of the linear system.
start	a vector for initial starting point.
maxiter	the maximum number of iterations. Defaults to 200
tol	tolerance level for stopping iterations.

Details

Let D , L , and U denote the diagonal, lower triangular and upper triangular parts of a matrix A . Gauss-Seidel method solve the equation $Ax = b$, iteratively by rewriting $(L + D)x + Ux = b$. Assuming that $L + D$ is nonsingular leads to the iteration formula

$$x^{(k+1)} = -(L + D)^{-1}Ux^{(k)} + (L + D)^{-1}b$$

Value

a vector with the approximate solution, the iterations performed are returned as the attribute 'iterations'.

References

Golub, G.H., Van Loan, C.F. (1996). *Matrix Computations*, 3rd Edition. John Hopkins University Press.

See Also

[jacobi](#)

Examples

```
a <- matrix(c(5,-3,2,-2,9,-1,3,1,-7), ncol = 3)
b <- c(-1,2,3)
start <- c(1,1,1)
z <- seidel(a, b, start)
z # converged in 10 iterations
```

sherman.morrison *Sherman-Morrison formula*

Description

The Sherman-Morrison formula gives a convenient expression for the inverse of the rank 1 update $(\mathbf{A} + \mathbf{b}\mathbf{d}^T)$ where \mathbf{A} is a $n \times n$ matrix and \mathbf{b} , \mathbf{d} are n -dimensional vectors. Thus

$$(\mathbf{A} + \mathbf{b}\mathbf{d}^T)^{-1} = \mathbf{A}^{-1} - \frac{\mathbf{A}^{-1}\mathbf{b}\mathbf{d}^T\mathbf{A}^{-1}}{1 + \mathbf{d}^T\mathbf{A}^{-1}\mathbf{b}}.$$

Usage

```
sherman.morrison(a, b, d = b, inverted = FALSE)
```

Arguments

a	a numeric matrix.
b	a numeric vector.
d	a numeric vector.
inverted	logical. If TRUE, a is supposed to contain its <i>inverse</i> .

Details

Method of sherman.morrison calls BLAS level 2 subroutines DGEMV and DGER for computational efficiency.

Value

a square matrix of the same order as a.

Examples

```
n <- 10
ones <- rep(1, n)
a <- 0.5 * diag(n)
z <- sherman.morrison(a, ones, 0.5 * ones)
z
```

sweep.operator

Gauss-Jordan sweep operator for symmetric matrices

Description

Perform the sweep operation (or reverse sweep) on the diagonal elements of a symmetric matrix.

Usage

```
sweep.operator(x, k = 1, reverse = FALSE)
```

Arguments

x a symmetric matrix.
k elements (if k is vector) of the diagonal which will be swept.
reverse logical. If reverse = TRUE the reverse sweep is performed.

Details

The symmetric sweep operator is a powerful tool in computational statistics with uses in stepwise regression, conditional multivariate normal distributions, MANOVA, and more.

Value

a square matrix of the same order as x.

References

Goodnight, J.H. (1979). A tutorial on the SWEEP operator. *The American Statistician* **33**, 149-158.

Examples

```
# tiny example of regression, last column contains 'y'
xy <- matrix(c(1, 1, 1, 1,
              1, 2, 1, 3,
              1, 3, 1, 3,
              1, 1,-1, 2,
              1, 2,-1, 2,
              1, 3,-1, 1), ncol = 4, byrow = TRUE)
z <- crossprod(xy)
z <- sweep.operator(z, k = 1:3)
```

```
cf <- z[1:3,4] # regression coefficients
RSS <- z[4,4] # residual sum of squares

# an example not that small
x <- matrix(rnorm(1000 * 100), ncol = 100)
xx <- crossprod(x)
z <- sweep.operator(xx, k = 1)
```

symm.info

Compact information to construct the symmetrizer matrix

Description

This function provides the information required to create the symmetrizer matrix.

Usage

```
symm.info(n = 1)
```

Arguments

n order of the symmetrizer matrix.

Details

This function returns a list containing vectors that represent an element of the symmetrizer matrix and is accessed by the indexes in vectors `row`, `col` and values contained in `val`. This information is used by function [symm.prod](#) to do some operations involving the symmetrizer matrix without forming it. This information also can be obtained using function [symmetrizer](#).

Value

A list containing the following elements:

row	vector of indexes, each entry represents the row index of the symmetrizer matrix.
col	vector of indexes, each entry represents the column index of the symmetrizer matrix.
val	vector of values, each entry represents the value of the symmetrizer matrix at element given by row and col indexes.
order	order of the symmetrizer matrix.

See Also

[symmetrizer](#), [symm.prod](#)

Examples

```
z <- symm.info(n = 3)
z # elements in symmetrizer matrix of order 3

N3 <- symmetrizer(n = 3, matrix = TRUE)
N3 # only recommended if n is very small
```

symm.prod

Matrix multiplication involving the symmetrizer matrix

Description

Given the order of a symmetrizer matrix N of order n and a conformable matrix X , performs one of the matrix-matrix operations:

- $Y = NX$, if side = "left", or
- $Y = XN$, if side = "right",

The main aim of symm.prod is to do this matrix multiplication **without forming** the symmetrizer matrix.

Usage

```
symm.prod(n = 1, x = NULL, side = "left")
```

Arguments

n	order of the symmetrizer matrix.
x	numeric matrix (or vector).
side	a string selecting if symmetrizer matrix is pre-multiplying X , that is side = "left" or post-multiplying X , by using side = "right".

Details

Underlying C code only uses information provided by [symm.info](#) to performs the matrix multiplication. The symmetrizer matrix is **never** created.

See Also

[symmetrizer](#)

Examples

```
N4 <- symmetrizer(n = 4, matrix = TRUE)
x <- matrix(1:32, ncol = 2)
y <- N4 %*% x

z <- symm.prod(n = 4, x) # N4 is not stored
all(z == y) # matrices y and z are equal!
```

symmetrizer	<i>Symmetrizer matrix</i>
-------------	---------------------------

Description

This function returns the symmetrizer matrix of order n which transforms, for every $n \times n$ matrix \mathbf{A} , $\text{vec}(\mathbf{A})$ into $\text{vec}((\mathbf{A} + \mathbf{A}^T)/2)$.

Usage

```
symmetrizer(n = 1, matrix = FALSE)
```

Arguments

<code>n</code>	order of the symmetrizer matrix.
<code>matrix</code>	a logical indicating whether the symmetrizer matrix will be returned.

Details

This function is a wrapper function for the function `symm.info`. This function provides the information required to create the symmetrizer matrix. If option `matrix = FALSE` the symmetrizer matrix is stored in three vectors containing the coordinate list of indexes for rows, columns and the values.

Warning: `matrix = TRUE` is **not** recommended, unless the order `n` be small. This matrix can require a huge amount of storage.

Value

Returns an n^2 by n^2 matrix (if requested).

References

Abadir, K.M., Magnus, J.R. (2005). *Matrix Algebra*. Cambridge University Press.

Magnus, J.R., Neudecker, H. (2007). *Matrix Differential Calculus with Applications in Statistics and Econometrics*, 3rd Edition. Wiley, New York.

See Also

[symm.info](#)

Examples

```
z <- symmetrizer(n = 100)
object.size(z) # 319 Kb of storage

N100 <- symmetrizer(n = 100, matrix = TRUE) # time: < 2 secs
object.size(N100) # 800 Mb of storage, do not request this matrix!

# a small example
```

```

N3 <- symmetrizer(n = 3, matrix = TRUE)
a <- matrix(rep(c(2,4,6), each = 3), ncol = 3)
a
b <- 0.5 * (a + t(a))
b
v <- N3 %**% vec(a)
all(vec(b) == as.vector(v)) # vectors are equal!

```

vec *Vectorization of a matrix*

Description

This function returns a vector obtained by stacking the columns of X .

Usage

```
vec(x)
```

Arguments

x a numeric matrix.

Value

Let X be a n by m matrix, then $\text{vec}(X)$ is a nm -dimensional vector.

Examples

```

x <- matrix(rep(1:10, each = 10), ncol = 10)
x
y <- vec(x)
y

```

vech *Vectorization the lower triangular part of a square matrix*

Description

This function returns a vector obtained by stacking the lower triangular part of a square matrix.

Usage

```
vech(x)
```

Arguments

x a square matrix.

Value

Let \mathbf{X} be a n by n matrix, then $\text{vech}(\mathbf{X})$ is a $n(n+1)/2$ -dimensional vector.

Examples

```
x <- matrix(rep(1:10, each = 10), ncol = 10)
x
y <- vech(x)
y
```

 WH.normal

Wilson-Hilferty transformation for chi-squared variates

Description

Returns the Wilson-Hilferty transformation of random variables with chi-squared distribution.

Usage

```
WH.normal(x)
```

Arguments

`x` vector or matrix of data with, say, p columns.

Details

Let $T = D^2/p$ be a random variable, where D^2 denotes the squared Mahalanobis distance defined as

$$D^2 = (\mathbf{x} - \boldsymbol{\mu})^T \boldsymbol{\Sigma}^{-1} (\mathbf{x} - \boldsymbol{\mu})$$

Thus the Wilson-Hilferty transformation is given by

$$z = \frac{T^{1/3} - (1 - \frac{2}{9p})}{(\frac{2}{9p})^{1/2}}$$

and z is approximately distributed as a standard normal distribution. This is useful, for instance, in the construction of QQ-plots.

References

Wilson, E.B., and Hilferty, M.M. (1931). The distribution of chi-square. *Proceedings of the National Academy of Sciences of the United States of America* **17**, 684-688.

See Also

[Mahalanobis](#)

Examples

```
x <- iris[,1:4]
z <- WH.normal(x)
par(pty = "s")
qqnorm(z, main = "Transformed distances QQ-plot")
abline(c(0,1), col = "red", lwd = 2, lty = 2)
```

whitening

*Whitening transformation***Description**

Applies the whitening transformation to a data matrix based on the Cholesky decomposition of the empirical covariance matrix.

Usage

```
whitening(x, Scatter = NULL)
```

Arguments

x vector or matrix of data with, say, p columns.
Scatter covariance (or scatter) matrix ($p \times p$) of the distribution, must be positive definite. If NULL, the covariance matrix is estimated from the data.

Value

Returns the whitened data matrix $Z = XW^T$, where

$$W^T W = S^{-1},$$

with S the empirical covariance matrix.

References

Kessy, A., Lewin, A., Strimmer, K. (2018). Optimal whitening and decorrelation. *The American Statistician* **72**, 309-314.

Examples

```
x <- iris[,1:4]
species <- iris[,5]
pairs(x, col = species) # plot of Iris

# whitened data
z <- whitening(x)
pairs(z, col = species) # plot of
```

wilson.hilferty	<i>Wilson-Hilferty transformation</i>
-----------------	---------------------------------------

Description

Returns the Wilson-Hilferty transformation of random variables with Gamma distribution.

Usage

```
wilson.hilferty(x, shape, rate = 1)
```

Arguments

`x` a numeric vector containing Gamma distributed deviates.
`shape, rate` shape and rate parameters. Must be positive.

Details

Let X be a random variable following a Gamma distribution with parameters $a = \text{shape}$ and $b = \text{rate}$ with density

$$f(x) = \frac{b^a}{\Gamma(a)} x^{a-1} \exp(-bx),$$

where $x \geq 0$, $a > 0$, $b > 0$ and consider the random variable $T = X/(a/b)$. Thus, the Wilson-Hilferty transformation

$$z = \frac{T^{1/3} - (1 - \frac{1}{9a})}{(\frac{1}{9a})^{1/2}}$$

is approximately distributed as a standard normal distribution. This is useful, for instance, in the construction of QQ-plots.

References

- Terrell, G.R. (2003). The Wilson-Hilferty transformation is locally saddlepoint. *Biometrika* **90**, 445-453.
- Wilson, E.B., and Hilferty, M.M. (1931). The distribution of chi-square. *Proceedings of the National Academy of Sciences of the United States of America* **17**, 684-688.

See Also

[WH.normal](#)

Examples

```
x <- rgamma(n = 300, shape = 2, rate = 1)
z <- wilson.hilferty(x, shape = 2, rate = 1)
par(pty = "s")
qqnorm(z, main = "Transformed Gamma QQ-plot")
abline(c(0,1), col = "red", lwd = 2, lty = 2)
```

Index

* algebra

- array.mult, 3
- bracket.prod, 6
- cg, 7
- cholupdate, 8
- circulant, 8
- comm.prod, 10
- commutation, 11
- dupl.cross, 15
- dupl.prod, 17
- duplication, 18
- equilibrate, 20
- frank, 20
- hadamard, 22
- helmert, 24
- jacobi, 26
- ldl, 31
- lu, 32
- lu-methods, 33
- lu2inv, 34
- mchol, 38
- power.method, 45
- scaled.condition, 51
- seidel, 52
- sherman.morrison, 53
- sweep.operator, 54
- symm.prod, 56
- symmetrizer, 57

* array

- array.mult, 3
- asSymmetric, 4
- bracket.prod, 6
- cg, 7
- cholupdate, 8
- circulant, 8
- comm.info, 9
- comm.prod, 10
- commutation, 11
- corAR1, 12

- corCS, 13
- dupl.cross, 15
- dupl.info, 16
- dupl.prod, 17
- duplication, 18
- equilibrate, 20
- frank, 20
- hadamard, 22
- helmert, 24
- is.lower.tri, 25
- jacobi, 26
- kroncker.prod, 28
- krylov, 29
- ldl, 31
- lu, 32
- lu-methods, 33
- lu2inv, 34
- matrix.inner, 36
- matrix.norm, 37
- mchol, 38
- ols.fit, 43
- ols.fit-methods, 44
- power.method, 45
- scaled.condition, 51
- seidel, 52
- sherman.morrison, 53
- sweep.operator, 54
- symm.info, 55
- symm.prod, 56
- symmetrizer, 57
- vec, 58
- vech, 58

* distribution

- rball, 46
- rmnorm, 49
- rsphere, 50

* htest

- harris.test, 23
- JarqueBera.test, 27

- * **math**
 - matrix.inner, 36
 - matrix.norm, 37
 - minkowski, 40
- * **models**
 - ridge, 47
- * **multivariate**
 - cov.MSSD, 13
 - cov.weighted, 14
 - kurtosis, 30
 - Mahalanobis, 35
 - mediancenter, 39
 - rball, 46
 - rmnorm, 49
 - rsphere, 50
 - WH.normal, 59
 - whitening, 60
- * **regression**
 - ols, 42
 - ols.fit, 43
 - ols.fit-methods, 44
- * **smooth**
 - bezier, 5
- * **univar**
 - geomean, 21
 - moments, 41
 - wilson.hilferty, 61
- array, 4, 6
- array.mult, 3, 6
- as.data.frame, 42, 47
- asSymmetric, 4
- bezier, 5
- bracket.prod, 4, 6
- cg, 7
- chol, 8, 31, 38
- cholupdate, 8
- circulant, 8
- class, 42
- comm.info, 9, 11, 12
- comm.prod, 9, 10, 10
- commutation, 9–11, 11
- constructX, 33
- constructX (lu-methods), 33
- corAR1, 12
- corCS, 13
- cov, 14, 15, 35
- cov.MSSD, 13
- cov.weighted, 14
- cov.wt, 15, 39
- det, 33
- dupl.cross, 15
- dupl.info, 16, 18, 19
- dupl.prod, 16, 17, 17
- duplication, 17, 18, 18
- eigen, 33, 46
- equilibrate, 20
- extractL, 33
- extractL (lu-methods), 33
- extractU, 33
- extractU (lu-methods), 33
- formula, 42, 47
- frank, 20
- geomean, 21
- hadamard, 22
- harris.test, 23
- helmert, 24
- inherits, 32
- is.lower.tri, 25
- is.lu (lu), 32
- is.upper.tri (is.lower.tri), 25
- jacobi, 7, 26, 53
- JarqueBera.test, 27
- kroncker, 28
- kroncker.prod, 28
- krylov, 29
- kurtosis, 30
- ldl, 31, 38
- list, 32, 44
- lm, 43, 45, 49
- lower.tri, 25
- lsfit, 43
- lu, 32, 33–35
- lu-methods, 33
- lu2inv, 33, 34
- Mahalanobis, 35, 59
- mahalanobis, 35

matrix, [4](#), [6](#)
matrix.inner, [36](#)
matrix.norm, [37](#)
mchol, [38](#)
mean, [22](#)
median, [22](#), [39](#)
mediancenter, [39](#)
minkowski, [40](#)
model.matrix.default, [42](#), [48](#)
moments, [41](#)

na.fail, [42](#), [47](#)

ols, [42](#), [45](#), [49](#)
ols.fit, [43](#), [43](#), [45](#)
ols.fit-methods, [44](#)
ols.fit.cg, [43](#), [44](#)
ols.fit.cg (ols.fit-methods), [44](#)
ols.fit.chol, [43](#), [44](#)
ols.fit.chol (ols.fit-methods), [44](#)
ols.fit.qr, [43](#), [44](#)
ols.fit.qr (ols.fit-methods), [44](#)
ols.fit.svd, [43](#), [44](#)
ols.fit.svd (ols.fit-methods), [44](#)
ols.fit.sweep, [43](#), [44](#)
ols.fit.sweep (ols.fit-methods), [44](#)
options, [42](#), [47](#)
outer, [28](#)

power.method, [45](#)

rball, [46](#)
ridge, [47](#)
rmnorm, [49](#)
rnorm, [50](#)
rsphere, [50](#)
runif, [46](#), [51](#)

scaled.condition, [51](#)
seidel, [7](#), [26](#), [52](#)
sherman.morrison, [53](#)
skewness (kurtosis), [30](#)
solve, [7](#), [32](#), [35](#)
solve.lu (lu), [32](#)
sweep.operator, [54](#)
symm.info, [55](#), [56](#), [57](#)
symm.prod, [55](#), [56](#)
symmetrizer, [55](#), [56](#), [57](#)

terms, [43](#), [48](#)

upper.tri, [25](#)

var, [14](#), [15](#), [41](#)
vec, [58](#)
vech, [58](#)

WH.normal, [59](#), [61](#)
whitening, [60](#)
wilson.hilferty, [61](#)