

# Package ‘OWEA’

January 20, 2025

**Type** Package

**Title** Optimal Weight Exchange Algorithm for Optimal Designs for Three Models

**Version** 0.1.2

**Maintainer** Shuai Hao <shuaih0303@gmail.com>

**Description** An implementation of optimal weight exchange algorithm Yang(2013) <doi:10.1080/01621459.2013.806268> for three models. They are Crossover model with subject dropout, crossover model with proportional first order residual effects and interference model. You can use it to find either A-opt or D-opt approximate designs. Exact designs can be automatically rounded from approximate designs and relative efficiency is provided as well.

**License** GPL-3

**Encoding** UTF-8

**Suggests** knitr, rmarkdown

**Imports** gtools (>= 3.9.3), MASS, methods, shiny (>= 1.7.2)

**RoxygenNote** 7.2.1

**NeedsCompilation** no

**Author** Shuai Hao [aut, cre],  
Min Yang [aut],  
Wei Zheng [aut]

**Repository** CRAN

**Date/Publication** 2022-09-17 18:56:01 UTC

## Contents

design . . . . .	2
design_app . . . . .	4
eff . . . . .	4
effLB . . . . .	5
infor_design . . . . .	6
OWEA . . . . .	6
summary.dropout . . . . .	7

---

design	<i>Design Generator for Three Models</i>
--------	--

---

**Description**

Construct optimal approximate designs as well as efficient exact designs for crossover model with subject dropout, crossover model with proportional residual effect, and interference model.

**Usage**

```
design(
  model = c("dropout", "proportional", "interference"),
  n,
  opt,
  t,
  p,
  ...,
  max_iter = 40
)
```

**Arguments**

model	an model indicator, must be one of 'dropout', 'proportional', or 'interference'.
n	Positive Integer, total number of observations needed.
opt	Integer. optimal criterion indicator, opt = 0 means D-opt, opt = 1 means A-opt
t	Positive interger,number or levels of treatment, the default coding is integer from 1 to t
p	Numeric, number of periods for crossover model or number of blocks for interference model
...	other necessary control parameters required by specific model For crossover with dropout, drop, a numeric vector of dropout mechanism For crossover proportional, lambda,value of proportion coefficient in proportional model and sigma, assumed covariance matrix. For interference model, sigma, assumed covariance matrix.
max_iter	a positive integer. Controls maximum iteration time of exchange. Default is 40.

**Value**

A S3 object of one of classes 'dropout', 'proportional' or 'interference'.

model	the model name
n	total number of observations of exact design
opt	optimal criterion
t	number of levels of treatments

p                    number of periods or plots in a block  
 ...                   other inputs  
 initial\_design    a randomly chosen design as a starting point for newton's method  
 exact\_design     an exact design rounded from approximate design  
 approx\_design    optimal approximate design  
 verify\_equivalence  
                     result of general equivalence theorem, the last entry is the value of directional  
                     derivative  
 time                computing time for approximate design

### See Also

[eff](#), [effLB](#), [summary](#)

### Examples

```

# NOTE: max_iter is usually set to 40.
# Here max_iter = 5 is for demenstration only.
# crossover dropout model
## D-optimal

example1 <- design('dropout',10,0,3,3,drop=c(0,0,0.5), max_iter = 5)
summary(example1)
eff(example1) # efficiency from rounding
effLB(example1) # obtain lower bound of efficiency

## A-optimal
design('dropout',10,1,3,3,drop=c(0,0,0.5), max_iter = 5)

# proportional model
## D-optimal
design('proportional',10,0,3,3, sigma = diag(1,3),tau = matrix(sqrt(1+3),
  nrow=3, ncol=1),lambda = 0.2, max_iter = 5)

## A-optimal
design('proportional',10,1,3,3, sigma = diag(1,3), tau = matrix(sqrt(1+3),
  nrow=3, ncol=1),lambda = 0.2, max_iter = 5)

# interference model
## D-optimal
design('interference',10,0,3,3, sigma = diag(1,3), max_iter = 5)

## A-optimal
design('interference',10,1,3,3, sigma = diag(1,3), max_iter = 5)

```

---

design_app	<i>Shiny App for design function</i>
------------	--------------------------------------

---

**Description**

A function to launch graphical interface to design function.

**Usage**

```
design_app()
```

**Examples**

```
## Not run:  
design_app() # launching the app.  
## End(Not run)
```

---

eff	<i>Efficiency generic function</i>
-----	------------------------------------

---

**Description**

A generic function that returns the efficiency for either exact designs to approximate designs or exact design to a given design

**Usage**

```
eff(exact_design, ex = NULL)  
  
## Default S3 method:  
eff(exact_design, ex = NULL)  
  
## S3 method for class 'dropout'  
eff(exact_design, ex = NULL)  
  
## S3 method for class 'proportional'  
eff(exact_design, ex = NULL)  
  
## S3 method for class 'interference'  
eff(exact_design, ex = NULL)
```

**Arguments**

exact_design	A S3 object returned by design function.
ex	Matrix. Design to be compared to. Default is NULL.

**Value**

Numeric. Relative Efficiency. If `ex` is given, return relative efficiency by  $\Phi_{example}/\Phi_{exact\_design}$ ;  
If `ex` is missing, return relative efficiency by  $\Phi_{approx\_design}/\Phi_{exact\_design}$ .

**See Also**

see examples in [design](#).

---

 effLB

*Lower Bound Efficiency for Crossover-Dropout Model*

---

**Description**

The function take S3 object of class 'dropout' as input and return its lower bound of efficiency of exact design.

**Usage**

```
effLB(exact_design)
```

**Arguments**

`exact_design` A object of class returned by design function.

**Value**

A list of relevant numerics.

`optimal` Optimal Criterion

`lower.bound` Lower Bound of the exact design

`optimal.value` The value of objective function at optimal approximate design

**See Also**

see examples in [design](#).

---

infor_design	<i>Generic function for information matrix.</i>
--------------	---

---

**Description**

Returns a information matrix for a given design

**Usage**

```
infor_design(design, t, ...)

## Default S3 method:
infor_design(design, t)

## S3 method for class 'dropout'
infor_design(design, t, ...)

## S3 method for class 'interference'
infor_design(design, t, ...)

## S3 method for class 'proportional'
infor_design(design, t, ...)
```

**Arguments**

design	Matrix. A design, each row is a design point with weight or repetition on the last entry.
t	Numeric. Number of levels of treatments.
...	Other control parameter to be passed to methods

**Value**

An information matrix.

---

OWEA	<i>OWEA: A package for optimal designs by implementing optimal weight exchange algorithm.</i>
------	---

---

**Description**

The OWEA package provides realizations for three models: crossover with subject dropout, crossover with proportional first order residual, and interference model

**Key functions**

[design](#), [design\\_app](#), [eff](#), [effLB](#), [summary](#)

---

summary.dropout	<i>Summary method for S3 object</i>
-----------------	-------------------------------------

---

**Description**

Return summary info for S3 object return by design function.

**Usage**

```
## S3 method for class 'dropout'  
summary(object, ...)  
  
## S3 method for class 'proportional'  
summary(object, ...)  
  
## S3 method for class 'interference'  
summary(object, ...)
```

**Arguments**

object	A S3 object of class 'dropout', 'proportional', or 'interference'.
...	other control parameters, but usually not necessary.

**Value**

A list of key info.

exact_design	exact design and its repetitions
approximate_design	approximate design and its weights
computing_time	computing time for approximate design

**See Also**

see examples in [design](#).

# Index

design, [2](#), [5–7](#)  
design\_app, [4](#), [6](#)

eff, [3](#), [4](#), [6](#)  
effLB, [3](#), [5](#), [6](#)

infor\_design, [6](#)

OWEA, [6](#)

summary, [3](#), [6](#)  
summary.dropout, [7](#)  
summary.interference (summary.dropout),  
[7](#)  
summary.proportional (summary.dropout),  
[7](#)