

Package ‘RGenetics’

January 20, 2025

Title R packages for genetics research

Description R packages for genetics research

Version 0.1

Date 2013-11-06

Author Felix Yanhui Fan <nolanfyh@gmail.com>

Maintainer Felix Yanhui Fan <nolanfyh@gmail.com>

License GPL (>= 2)

NeedsCompilation no

Repository CRAN

Date/Publication 2013-11-06 18:10:48

Contents

codonToAAone	1
codonToAAoneRNA	2
codonToAAtthree	3
codonToAAtthreeRNA	3
geneticCodeTable	4

Index	5
--------------	----------

codonToAAone	<i>Translating Codons to Amino Acids</i>
--------------	--

Description

Translate a DNA 3-character codon to an amino acid (one character)

Usage

codonToAAone(codon)

Arguments

codon a DNA 3-character codon

See Also

[codonToAAthree](#)

Examples

```
codonToAAone('AAA')
```

codonToAAoneRNA

Translating Codons to Amino Acids

Description

Translate a RNA 3-character codon to an amino acid (one character)

Usage

```
codonToAAoneRNA(codon)
```

Arguments

codon a RNA 3-character codon

See Also

[codonToAAthreeRNA](#)

Examples

```
codonToAAoneRNA('AAA')
```

codonToAAthree	<i>Translating Codons to Amino Acids</i>
----------------	--

Description

Translate a DNA 3-character codon to an amino acid (three character)

Usage

```
codonToAAthree(codon)
```

Arguments

codon a DNA 3-character codon

See Also

[codonToAAone](#)

Examples

```
codonToAAthree('AAA')
```

codonToAAthreeRNA	<i>Translating Codons to Amino Acids</i>
-------------------	--

Description

Translate a RNA 3-character codon to an amino acid (three character)

Usage

```
codonToAAthreeRNA(codon)
```

Arguments

codon a RNA 3-character codon

See Also

[codonToAAoneRNA](#)

Examples

```
codonToAAthreeRNA('AAA')
```

geneticCodeTable	<i>Genetic Code Table</i>
------------------	---------------------------

Description

DNA Genetic Code Table

Usage

```
geneticCodeTable(DNA = TRUE)
```

Arguments

DNA if 'TRUE', DNA code will be used, else, 'RNA' code will be used. Default is 'TRUE'

See Also

[codonToAAone](#)

[codonToAAthree](#)

[codonToAAoneRNA](#)

[codonToAAthreeRNA](#)

Examples

```
geneticCodeTable()  
geneticCodeTable(DNA=FALSE)
```

Index

`codonToAAone`, [1](#), [3](#), [4](#)
`codonToAAoneRNA`, [2](#), [3](#), [4](#)
`codonToAAthree`, [2](#), [3](#), [4](#)
`codonToAAthreeRNA`, [2](#), [3](#), [4](#)

`geneticCodeTable`, [4](#)