

Package ‘RcmdrPlugin.aRnova’

January 20, 2025

Type Package

Title R Commander Plug-in for Repeated-Measures ANOVA

Version 0.0.5

Date 2018-03-03

Author Arnaud Travert [aut, cre],
Jessica Mange [aut]

Maintainer Arnaud Travert <arnaud.travert@unicaen.fr>

Depends R (>= 3.2.0)

Imports Rcmdr

Suggests knitr

Description R Commander plug-in for repeated-measures and mixed-design ('split-plot') ANOVA.

It adds a new menu entry for repeated measures that allows to deal with up to three within-subject factors and optionally with one or several between-subject factors.

It also provides supplementary options to `oneWayAnova()` and `multiWayAnova()` functions, such as choice of ANOVA type, display of effect sizes and post hoc analysis for `multiWayAnova()`.

License GPL (>= 2)

LazyLoad yes

LazyData yes

NeedsCompilation no

RoxygenNote 6.0.1

VignetteBuilder knitr

Repository CRAN

Date/Publication 2018-03-03 12:30:33 UTC

Contents

generalizedLinearModel_	2
Moore	2
multiWayAnova_	3
OBrienKaiser	4
oneWayAnova_	5
Pottery	6
repMeasAnova	7
repMeasAnovaSetup	8
Index	9

generalizedLinearModel_
Generalized Linear Model

Description

This is a minor modification of [generalizedLinearModel](#) where size effects are computed and displayed for logistic regression

Usage

`generalizedLinearModel_()`

See Also

[generalizedLinearModel](#)

Moore *Status, Authoritarianism, and Conformity*

Description

The Moore data frame has 45 rows and 4 columns. The data are for subjects in a social-psychological experiment, who were faced with manipulated disagreement from a partner of either of low or high status. The subjects could either conform to the partner's judgment or stick with their own judgment.

Usage

Moore

Format

This data frame contains the following columns:

partner.status Partner's status. A factor with levels: high, low.

conformity Number of conforming responses in 40 critical trials.

fcategory F-Scale Categorized. A factor with levels (note levels out of order): high, low, medium.

fscore Authoritarianism: F-Scale score.

Source

Moore, J. C., Jr. and Krupat, E. (1971) Relationship between source status, authoritarianism and conformity in a social setting. *Sociometry* **34**, 122–134.

Personal communication from J. Moore, Department of Sociology, York University.

References

Fox, J. (2008) *Applied Regression Analysis and Generalized Linear Models*, Second Edition. Sage.

Fox, J. and Weisberg, S. (2011) *An R Companion to Applied Regression*, Second Edition, Sage.

multiWayAnova_	<i>Multiway ANOVA</i>
----------------	-----------------------

Description

This is a modification of `Rcmdr::multiWayAnova()` where supplementary options have been added.

Usage

```
multiWayAnova_()
```

Details

Options:

- 'SS type' type of sum of squared, default: type = 2. See Details in [Anova](#)
- 'Effect size' compute and prints effect size (partial eta squares)
- 'Summary statistics for groups' prints summary statistics for groups formed by all combinations of factors
- 'Pairwise comparisons of means' performs post-hoc Tukey's HSD test on significant ($p < .05$) or close to significant ($p < 0.1$) effects.

On OK, the following operations are carried out:

- Computes ANOVA using [Anova](#)
- Computes effect sizes (partial eta squared)

- Prints a summary of marginal statistics (count, min, max, mean, ds)
- runs post-hoc analysis on significant or close to significant effects
- Generates an 'extended' dataset (extension .ext) containing additional columns '<factorA.factorB:...>' that allows differentiate measures from groups or subjects with same factors levels. This 'extended' dataset is useful for plotting means and post-hoc analysis

Value

None

See Also

[Anova](#) for the computation of ANOVA

OBrienKaiser

O'Brien and Kaiser's Repeated-Measures Data

Description

These contrived repeated-measures data are taken from O'Brien and Kaiser (1985). The data are from an imaginary study in which 16 female and male subjects, who are divided into three treatments, are measured at a pretest, posttest, and a follow-up session; during each session, they are measured at five occasions at intervals of one hour. The design, therefore, has two between-subject and two within-subject factors.

The contrasts for the treatment factor are set to $-2, 1, 1$ and $0, -1, 1$. The contrasts for the gender factor are set to `contr.sum`.

Usage

OBrienKaiser

Format

A data frame with 16 observations on the following 17 variables.

treatment a factor with levels control A B

gender a factor with levels F M

pre.1 pretest, hour 1

pre.2 pretest, hour 2

pre.3 pretest, hour 3

pre.4 pretest, hour 4

pre.5 pretest, hour 5

post.1 posttest, hour 1

post.2 posttest, hour 2

```

post.3 posttest, hour 3
post.4 posttest, hour 4
post.5 posttest, hour 5
fup.1 follow-up, hour 1
fup.2 follow-up, hour 2
fup.3 follow-up, hour 3
fup.4 follow-up, hour 4
fup.5 follow-up, hour 5

```

Source

O'Brien, R. G., and Kaiser, M. K. (1985) MANOVA method for analyzing repeated measures designs: An extensive primer. *Psychological Bulletin* **97**, 316–333, Table 7.

Examples

```

OBrienKaiser
contrasts(OBrienKaiser$treatment)
contrasts(OBrienKaiser$gender)

```

oneWayAnova_

One way ANOVA

Description

This is a modification of `Rcmdr::oneWayAnova()` where supplementary options have been added.

Usage

```
oneWayAnova_()
```

Details

Options:

- 'Effect size' compute and prints effect size (partial eta squared)
- 'Summary statistics for groups' prints summary statistics for groups formed by the between subject factor
- 'Pairwise comparisons of means' performs post-hoc Tukey's HSD test.

On OK, the following operations are carried out:

- Computes ANOVA using `aov`
- Computes effect sizes (partial eta squared)
- Prints a summary of marginal statistics (count, min, max, mean, ds)
- runs post-hoc analysis

Value

None

See Also

[aov](#) for the computation of ANOVA

Pottery

Chemical Composition of Pottery

Description

The data give the chemical composition of ancient pottery found at four sites in Great Britain. They appear in Hand, et al. (1994), and are used to illustrate MANOVA in the SAS Manual. (Suggested by Michael Friendly.)

Usage

Pottery

Format

A data frame with 26 observations on the following 6 variables.

Site a factor with levels AshleyRails Caldicot IsleThorns Llanedyrn

Al Aluminum

Fe Iron

Mg Magnesium

Ca Calcium

Na Sodium

Source

Hand, D. J., Daly, F., Lunn, A. D., McConway, K. J., and E., O. (1994) *A Handbook of Small Data Sets*. Chapman and Hall.

Examples

Pottery

repMeasAnova	<i>Repeated measures ANOVA</i>
--------------	--------------------------------

Description

Dialog box to (i) select the within-subject variables corresponding to the factors defined in [repMeasAnovaSetup](#), (ii) select the between-subject factors, (iii) set options and (iv) launch the repeated measures anova.

Usage

```
repMeasAnova(.withinfactors, .withinlevels)
```

Arguments

`.withinfactors` list of within-subject factors
`.withinlevels` list of within-subject variables

Details

Options:

- 'SS type' type of sum of squares, default: type = 2. See Details in [Anova](#)
- 'Effect size' compute and prints effect size (partial eta squared)
- 'Summary statistics for groups' prints summary statistics for groups formed by all combinations of factors
- 'Pairwise comparisons of means' performs post-hoc Tukey's HSD test on significant ($p < .05$) or close to significant ($p < 0.1$) effects.

On OK, the following operations are carried out:

- Generates a dataset containing complete cases and converted from 'wide' to 'long' format (extension `.cplt.lg`), with the following columns added:
 - 'id' (factor) identifies the subjects.
 - 'DV' (numeric) the measure or dependent variable.
 - 'trial' (int) variable that differentiates multiple measures ('DV') from the same subject ('id').
 - '<factorA>' (factor) levels of the within-subject factor A (one column per within subject factor)
 - '<factorA.factorB:...>' (factor) factor that differentiates multiple measures from groups or subjects with same factors levels

This 'long' dataset is useful for plotting means and post-hoc analysis

- Computes repeated measure ANOVA using [Anova](#)
- Computes effect sizes (partial eta squared)
- Prints a summary of marginal statistics (count, min, max, mean, ds)
- runs post-hoc analysis on significant or close to significant effects

Value

None

Author(s)

Jessica Mange <jessica.mange@unicaen.fr>

Arnaud Travert <arnaud.travert@unicaen.fr>

See Also

[repMeasAnovaSetup](#) for the definition of within factors, [Anova](#) for the computation of ANOVA

repMeasAnovaSetup *Repeated measure ANOVA setup*

Description

Dialog box to enter the names and levels of within-factors.

Usage

```
repMeasAnovaSetup()
```

Details

Up to three factors can be entered. A valid within-factor entry must consist in a syntactically valid name (see [make.names](#)) and 2 levels or more.

On OK:

- The first valid entries are kept and stored in `.withinfactors` and `.withinlevels` for factor names and levels, respectively.
- The next dialog box (`repMeasAnova(.withinfactors, .withinlevels)`) is launched.

Author(s)

Jessica Mange <jessica.mange@unicaen.fr>

Arnaud Travert <arnaud.travert@unicaen.fr>

See Also

[repMeasAnova](#).

Index

* datasets

Moore, [2](#)

OBrienKaiser, [4](#)

Pottery, [6](#)

Anova, [3](#), [4](#), [7](#), [8](#)

aov, [5](#), [6](#)

generalizedLinearModel, [2](#)

generalizedLinearModel_, [2](#)

make.names, [8](#)

Moore, [2](#)

multiWayAnova_, [3](#)

OBrienKaiser, [4](#)

oneWayAnova_, [5](#)

Pottery, [6](#)

repMeasAnova, [7](#), [8](#)

repMeasAnovaSetup, [7](#), [8](#), [8](#)