

Package ‘distr’

January 13, 2025

Version 2.9.7

Date 2025-01-11

Title Object Oriented Implementation of Distributions

Description S4-classes and methods for distributions.

Depends R(>= 3.4), methods, graphics, startupmsg(>= 1.0.0), sfsmisc

Suggests distrEx, svUnit (>= 0.7-11), knitr, distrMod, ROptEst

Imports stats, grDevices, utils, MASS

Enhances RobAStBase

VignetteBuilder knitr

ByteCompile yes

Encoding UTF-8

License LGPL-3

URL <http://distr.r-forge.r-project.org/>

LastChangedDate {`$(LastChangedDate: 2024-11-05 21:59:54 +0100 (Di, 05 Nov 2024) $)`}

LastChangedRevision {`$(LastChangedRevision: 1482 $)`}

VCS/SVNRevision 1482

NeedsCompilation yes

Author Florian Camphausen [ctb] (contributed as student in the initial phase --2005),
Matthias Kohl [aut, cph],
Peter Ruckdeschel [cre, cph],
Thomas Stabla [ctb] (contributed as student in the initial phase --2005),
R Core Team [ctb, cph] (for source file `ks.c/` routines 'pKS2' and 'pKolmogorov2x')

Maintainer Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

Repository CRAN

Date/Publication 2025-01-12 23:30:02 UTC

Contents

distr-package	5
AbscontDistribution	11
AbscontDistribution-class	14
Arcsine-class	17
Beta-class	18
BetaParameter-class	20
Binom-class	21
BinomParameter-class	23
Cauchy-class	24
CauchyParameter-class	26
Chisq-class	27
ChisqParameter-class	29
CompoundDistribution	30
CompoundDistribution-class	31
convpow-methods	33
d-methods	35
decomposePM-methods	35
DExp-class	36
df-methods	38
df1-methods	38
df2-methods	39
dim-methods	39
dimension-methods	39
Dirac-class	40
DiracParameter-class	41
DiscreteDistribution	43
DiscreteDistribution-class	45
distr-defunct	48
distrARITH	49
Distribution-class	50
DistributionSymmetry-class	51
DistrList	52
DistrList-class	53
distrMASK	54
distoptions	55
DistrSymmList	57
DistrSymmList-class	58
EllipticalSymmetry	58
EllipticalSymmetry-class	59
EmpiricalDistribution	60
EuclideanSpace-class	61
Exp-class	63
ExpParameter-class	64
Fd-class	66
flat.LCD	68
flat.mix	69

FParameter-class	70
Gammad-class	71
GammaParameter-class	73
gaps-methods	74
Geom-class	75
getLabel	77
getLow,getUp	78
Huberize-methods	79
Hyper-class	80
HyperParameter-class	81
igamma	83
img-methods	83
k-methods	84
lambda-methods	84
Lattice-class	85
LatticeDistribution	86
LatticeDistribution-class	88
Length-methods	91
liesIn-methods	92
liesInSupport	92
Lnorm-class	94
LnormParameter-class	96
location-methods	97
Logis-class	98
LogisParameter-class	100
m-methods	101
makeAbscontDistribution	101
Math-methods	102
Max-methods	103
mean-methods	104
meanlog-methods	104
Min-methods	105
Minimum-methods	105
n-methods	107
name-methods	107
Naturals-class	108
Nbinom-class	109
NbinomParameter-class	111
ncp-methods	112
Norm-class	113
NormParameter-class	115
NoSymmetry	116
NoSymmetry-class	117
operators-methods	117
OptionalParameter-class	122
options	123
p-methods	124
p.l-methods	124

param-methods	125
Parameter-class	125
pivot-methods	126
plot-methods	126
Pois-class	132
PoisParameter-class	134
PosDefSymmMatrix	135
PosDefSymmMatrix-class	136
print-methods	137
prob-methods	137
q-methods	138
q.r-methods	139
qqbounds	139
qqplot	141
r-methods	145
rate-methods	145
Reals-class	146
rSpace-class	147
RtoDPQ	148
RtoDPQ.d	149
RtoDPQ.LC	151
scale-methods	152
sd-methods	153
sdlog-methods	154
shape-methods	154
shape1-methods	155
shape2-methods	155
simplifyD-methods	156
simplifyr-methods	157
size-methods	158
solve-methods	158
SphericalSymmetry	159
SphericalSymmetry-class	160
sqrt-methods	161
standardMethods	162
support-methods	162
Symmetry-class	163
Td-class	163
TParameter-class	165
Truncate-methods	166
Unif-class	168
UnifParameter-class	169
UniNormParameter-class	171
UnivarDistrList	172
UnivarDistrList-class	173
UnivariateDistribution-class	174
UnivarLebDecDistribution	176
UnivarLebDecDistribution-class	177

UnivarMixingDistribution	181
UnivarMixingDistribution-class	182
Version Management	184
Weibull-class	185
WeibullParameter-class	187
width-methods	188

Index	189
--------------	------------

distr-package	<i>distr – Object Oriented Implementation of Distributions</i>
---------------	--

Description

distr provides a conceptual treatment of distributions by means of S4 classes. A mother class `Distribution` is introduced with slots for a parameter and —most important— for the four constitutive methods `r`, `d`, `p`, and `q` for simulation respectively for evaluation of density / c.d.f.\ and quantile function of the corresponding distribution. Most distributions of package **stats** (like normal, Poisson, etc.) are implemented as subclasses of either `AbscontDistribution` or `DiscreteDistribution`, which themselves are again subclasses of `Distribution`. Up to arguments referring to a parameter of the distribution (like mean for the normal distribution), these function slots have the same arguments as those of package **stats**, i.e.; for a distribution object `X` we may call these functions as

- `r(X)(n)`
- `d(X)(x, log = FALSE)`
- `p(X)(q, lower.tail = TRUE, log.p = FALSE)`
- `q(X)(p, lower.tail = TRUE, log.p = FALSE)`

For the arguments of these function slots see e.g. `rnorm`. Note that, as usual, slots `d`, `p`, and `q` are vectorized in their first argument, but are not on the subsequent ones. In the environments of RStudio, see <https://posit.co> and Jupyter IRKernel, see <https://github.com/IRkernel/IRkernel>, calls to `q` are caught away from standard R evaluation and are treated in a non-standard way. This non-standard evaluation in particular throws errors at calls to our accessor methods `q` to slot `q` of the respective distribution object. To amend this, we provide function `q.l` as alias to our accessors `q`, so that our packages also become available in these environments. Arithmetics and unary mathematical transformations for distributions are available: For `Distribution` objects `X` and `Y` expressions like `3*X+sin(exp(-Y/4+3))` have their natural interpretation as corresponding image distributions.

Details

Package:	distr
Version:	2.9.7
Date:	2025-01-11
Depends:	R(>= 3.4), methods, graphics, startupmsg (>=1.0.0), sfsmisc
Suggests:	distrEx, svUnit (>= 0.7-11), knitr, distrMod, ROptEst
Imports:	stats, grDevices, utils, MASS

```

LazyLoad:          yes
License:           LGPL-3
URL:               https://distr.r-forge.r-project.org/
VCS/SVNRevision:  1482

```

Classes

Distribution classes have a slot `param` the class of which is specialized for the particular distributions. The parameter classes for the particular distributions have slots with names according to the corresponding `[rdpq]<name>` functions of package **base**. From version 1.9 on, `AbscontDistribution` and descendants have a slot `gaps` for gaps in the support. `DiscreteDistribution` and descendants have an additional slot `support`, which is again specialized to be a lattice for class `LatticeDistribution`. For saved objects from earlier versions, we provide the methods `isOldVersion`, and `conv2NewVersion` to check whether the object was generated by an older version of this package and to convert such an object to the new format, respectively. This applies to objects of subclasses of `AbscontDistribution` lacking a `gap`-slot as well as to objects of subclasses of `LatticeDistribution` lacking a `lattice`-slot.

To enhance accuracy, from version 1.9 on, we also provide subclasses `AffLinAbscontDistribution`, `AffLinDiscreteDistribution`, and `AffLinLatticeDistribution`, as well as the class union `AffLinDistribution`, so that in particular functionals like `E` from package **distrEx** can recur to exact formula more frequently: These classes have additional slots `a`, `b`, and `X0` to reflect the fact, that a distribution object of these classes has the same distribution as $a \cdot X_0 + b$.

For all particular distributions, as well as for classes `AbscontDistribution`, `DiscreteDistribution`, `LatticeDistribution`, `UnivarDistrList` and `DistrList` generating functions are provided, e.g. `X <- Norm(mean = 3, sd = 2)`. The same goes for the space classes. All slots should be inspected / modified by means of corresponding accessor- /replacement functions; e.g. `mean(X) <- 3` Again to enhance accuracy, from version 2.0 on, we also provide subclasses `UnivarMixingDistribution` to support mixing distributions, `UnivarLebDecDistribution`, to support Lebesgue decomposed distributions (with a discrete and an a.c. part) as well as `AffLinUnivarLebDecDistribution`, for corresponding affine linear transformations. Class `UnivarLebDecDistribution` is closed under arithmetical operations `+`, `/`, `*`, `^` for pairs of independent variables `+`, `-` for pairs of independent variables `+` affine linear transformations `+` truncation, huberization, `min`/`max` which are all now available analytically.

(see Parameter classes).

```

[*]: there is a generating function with the same name
#####
Distribution classes
#####
slots: [<name>(<class>)]
img(rSpace), param(OptionalParameter),
r(function), d(OptionalFunction), p(OptionalFunction), q(OptionalFunction),
.withSim(logical), .withArith(logical), .logExact(logical), .lowerExact(logical),
Symmetry(DistributionSymmetry)
"Distribution"

```

```

|>"UnivariateDistribution"
|>|>"UnivarMixingDistribution"          [*]
|>|>|>"UnivarLebDecDistribution"        [*]
|>|>|>|>"AffLinUnivarLebDecDistribution"
|>|>|>"CompoundDistribution"          [*]
|>|>"AbscontDistribution"              [*]
|>|>|>"AffLinAbscontDistribution"
|>|>|>"Arcsine"                        [*]
|>|>|>"Beta"                           [*]
|>|>|>"Cauchy"                          [*]
|>|>|>"ExpOrGammaOrChisq" (VIRTUAL)
|>|>|>|>"Exp"                           [*]
|>|>|>|>"Gammad"                        [*]
|>|>|>|>"Chisq"                         [*]
|>|>|>"Fd"                              [*]
|>|>|>"Lnorm"                           [*]
|>|>|>"Logis"                           [*]
|>|>|>"Norm"                            [*]
|>|>|>"Td"                              [*]
|>|>|>"Unif"                            [*]
|>|>|>"Weibull"                         [*]
|>|>|"DiscreteDistribution"             [*]
|>|>|>"AffLinDiscreteDistribution"
|>|>|>"LatticeDistribution"             [*]
|>|>|>|>"AffLinLatticeDistribution"
|>|>|>|>"Binom"                         [*]
|>|>|>|>"Dirac"                         [*]
|>|>|>|>"Hyper"                         [*]
|>|>|>|>"NBinom"                       [*]
|>|>|>|>|>"Geom"                       [*]
|>|>|>|>|>"Pois"                       [*]
"AffLinDistribution" = union ( "AffLinAbscontDistribution",
                               "AffLinDiscreteDistribution",
                               "AffLinUnivarLebDecDistribution" )

"DistrList"
|>"UnivarDistrList"                    [*]
"AcDcLc" = union ( "AbscontDistribution",
                  "DiscreteDistribution",
                  "UnivarLebDecDistribution" )

#####
Parameter classes
#####
"OptionalParameter"
|>"Parameter"
|>|>"BetaParameter"
|>|>"BinomParameter"
|>|>"CauchyParameter"
|>|>"ChisqParameter"

```

```

|>|>"DiracParameter"
|>|>"ExpParameter"
|>|>"FParameter"
|>|>"GammaParameter"
|>|>"GeomParameter"
|>|>"HyperParameter"
|>|>"LnormParameter"
|>|>"LogisParameter"
|>|>"NbinomParameter"
|>|>"NormParameter"
|>|>"UniNormParameter"
|>|>|"PoisParameter"
|>|>"TParameter"
|>|>"UnifParameter"
|>|>"WeibullParameter"
#####
Space classes
#####
"rSpace"
|>"EuclideanSpace"
|>|>"Reals"
|>"Lattice"
|>"Naturals"
#####
Symmetry classes
#####
slots:
type(character), SymmCenter(ANY)
"Symmetry"
|>"NoSymmetry"          [*]
|>"EllipticalSymmetry"  [*]
|>|>"SphericalSymmetry" [*]
|>"DistributionSymmetry"
|>"FunctionSymmetry"
|>|>"NonSymmetric"      [*]
|>|>"EvenSymmetric"     [*]
|>|>"OddSymmetric"      [*]
list thereof
"DistrSymmList"        [*]
"FunSymmList"          [*]
#####
Matrix classes
#####
slots:
none
"PosSemDefSymmMatrix" [*] is subclass of class "matrix" of package "base".
|>"PosDefSymmMatrix"  [*]
#####

```



```

Class unions
#####
"OptionalNumeric" = union("numeric", "NULL")
"OptionalMatrix" = union("matrix", "NULL")

```

Methods

The group `Math` of unary (see [Math](#)) as well as convolution are made available for distributions, see [operators-methods](#); in particular for convolution powers, we have method [convpow](#). Besides, there are plot and print-methods for distributions. For the space classes, we have `liesIn`, for the `DiscreteDistribution` class, we have `liesInSupport`, as well as a generating function. The "history" of distributions obtained by chaining operations may be shortened using `simplifyr`.

Functions

<code>RtoDPQ</code>	Default procedure to fill slots <code>d,p,q</code> given <code>r</code> for a.c. distributions
<code>RtoDPQ.d</code>	Default procedure to fill slots <code>d,p,q</code> given <code>r</code> for discrete distributions
<code>RtoDPQ.LC</code>	Default procedure to fill slots <code>d,p,q</code> given <code>r</code> for Lebesgue decomposed distributions
<code>decomposePM</code>	decomposes a distribution into positive and negative part and, if discrete, into part '0'
<code>simplifyD</code>	tries to reduce/simplify mixing distribution using that certain weights are 0
<code>flat.LCD</code>	makes a single <code>UnivarLebDecDistribution</code> out of a list of <code>UnivarLebDecDistribution</code> with corresp. weights
<code>flat.mix</code>	makes a single <code>UnivarLebDecDistribution</code> out of a list of a <code>UnivarMixingDistribution</code>
<code>distributions</code>	Functions to change the global variables of the package 'distr'
<code>standardMethods</code>	Utility to automatically generate accessor and replacement functions

Extension Packages in `distrXXX` family

Please note that there are extension packages of this packages available on CRAN,

distrDoc a documentation package providing joint documentation for all packages of the `distrXXX` family of packages in the form of vignette 'distr'; try `require(distrDoc); vignette("distr")`.

distrEx provides functionals (like `E`, `sd`, `mad`) operating on distributions, as well as distances between distributions and basic support for multivariate and conditional distributions.

distrSim for the standardized treatment of simulations, also under contaminations.

distrTEst with classes and methods for evaluations of statistical procedures on simulations generated by **distrSim**.

distrTeach embodies illustrations for basic stats courses using our distribution classes.

distrMod provides classes for parametric models and hence covers, in an object orientated way, estimation in statistical models.

distrEllipse provides classes for elliptically symmetric distributions.

Package versions

Note: The first two numbers of package versions do not necessarily reflect package-individual development, but rather are chosen for the distrXXX family as a whole in order to ease updating "depends" information.

Acknowledgement

We thank Martin Maechler, Josef Leydold, John Chambers, Duncan Murdoch, Gregory Warnes, Paul Gilbert, Kurt Hornik, Uwe Ligges, Torsten Hothorn, and Seth Falcon for their help in preparing this package.

Start-up-Banner

You may suppress the start-up banner/message completely by setting `options("StartupBanner"="off")` somewhere before loading this package by `library` or `require` in your R-code / R-session. If option "StartupBanner" is not defined (default) or setting `options("StartupBanner"=NULL)` or `options("StartupBanner"="complete")` the complete start-up banner is displayed. For any other value of option "StartupBanner" (i.e., not in `c(NULL, "off", "complete")`) only the version information is displayed. The same can be achieved by wrapping the `library` or `require` call into either `suppressStartupMessages()` or `onlytypeStartupMessages(. , atypes="version")`. As for general packageStartupMessage's, you may also suppress all the start-up banner by wrapping the `library` or `require` call into `suppressPackageStartupMessages()` from **startupmsg**-version 0.5 on.

Demos

Demos are available — see `demo(package="distr")`

Note

Arithmetics on distribution objects are understood as operations on corresponding (independent) r.v.'s and **not** on distribution functions or densities.

See also `distrARITH()`.

Some functions of package **stats** have intentionally been masked, but completely retain their functionality — see `distrMASK()`.

Accuracy of these arithmetics is controlled by global options which may be inspected / set by `distroptions()` and `getdistrOption()`, confer [distroptions](#) .

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
Thomas Stabla <statho3@web.de>,
Florian Camphausen <fcampi@gmx.de>,
Matthias Kohl <Matthias.Kohl@stamats.de>
Maintainer: Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

References

P. Ruckdeschel, M. Kohl, T. Stabla, F. Camphausen (2006): S4 Classes for Distributions, *R News*, 6(2), 2-6. https://CRAN.R-project.org/doc/Rnews/Rnews_2006-2.pdf P. Ruckdeschel and M. Kohl (2014): General purpose convolution algorithm for distributions in S4-Classes by means of FFT. *J. Statist. Softw.* **59**(4): 1-25. a vignette for packages **distr**, **distrSim**, **distrTEst**, and **distrEx** is included into the mere documentation package **distrDoc** and may be called by `require("distrDoc");vignette("distr")` a homepage to this package is available under <https://distr.r-forge.r-project.org/>

Examples

```
X <- Unif(2,3)
Y <- Pois(lambda = 3)
Z <- X+Y # generates Law of corresponding independent variables
p(Z)(0.2)
r(Z)(1000)
plot(Z+sin(Norm()))
```

AbscontDistribution *Generating function "AbscontDistribution"*

Description

Generates an object of class "AbscontDistribution"

Usage

```
AbscontDistribution(r = NULL, d = NULL, p = NULL, q = NULL,
  gaps = NULL, param = NULL, img = new("Reals"),
  .withSim = FALSE, .withArith = FALSE,
  .lowerExact = FALSE, .logExact = FALSE,
  withgaps = getdistrOption("withgaps"),
  low1 = NULL, up1 = NULL, low = -Inf, up = Inf,
  withStand = FALSE,
  ngrid = getdistrOption("DefaultNrGridPoints"),
  ep = getdistrOption("TruncQuantile"),
  e = getdistrOption("RtoDPQ.e"),
  Symmetry = NoSymmetry())
```

Arguments

r	slot r to be filled
d	slot d to be filled
p	slot p to be filled
q	slot q to be filled

gaps	slot gaps (of class "matrix" with two columns) to be filled (i.e. <code>t(gaps)</code> must be ordered if read as vector)
param	parameter (of class "OptionalParameter")
img	image range of the distribution (of class "rSpace")
low1	lower bound (to be the lower TruncQuantile-quantile of the distribution)
up1	upper bound (to be the upper TruncQuantile-quantile of the distribution)
low	lower bound (to be the 100-percent-quantile of the distribution)
up	upper bound (to be the 100-percent-quantile of the distribution)
withStand	logical: shall we standardize argument function <code>d</code> to integrate to 1 — default is no resp. FALSE
ngrid	number of gridpoints
ep	tolerance epsilon
e	exponent to base 10 to be used for simulations
withgaps	logical; shall gaps be reconstructed empirically?
.withArith	normally not set by the user, but if determining the entries <code>supp</code> , <code>prob</code> distributional arithmetics was involved, you may set this to TRUE.
.withSim	normally not set by the user, but if determining the entries <code>supp</code> , <code>prob</code> simulations were involved, you may set this to TRUE.
.lowerExact	normally not set by the user: whether the lower <code>.tail=FALSE</code> part is calculated exactly, avoing a "1-".
.logExact	normally not set by the user: whether in determining slots <code>d,p,q</code> , we make particular use of a logarithmic representation to enhance accuracy.
Symmetry	you may help <code>R</code> in calculations if you tell it whether the distribution is non-symmetric (default) or symmetric with respect to a center; in this case use <code>Symmetry=SphericalSymmetry(center)</code> .

Details

Typical usages are

```

AbscontDistribution(r)
AbscontDistribution(r = NULL, d)
AbscontDistribution(r = NULL, d = NULL, p)
AbscontDistribution(r = NULL, d = NULL, p = NULL, d)
AbscontDistribution(r, d, p, q)

```

Minimally, only one of the slots `r`, `d`, `p` or `q` needs to be given as argument. The other non-given slots are then reconstructed according to the following scheme:

r	d	p	q	proceeding
-	-	-	-	excluded
-	+	-	-	<code>p</code> by <code>.D2P</code> , <code>q</code> by <code>.P2Q</code> , <code>r</code> by <code>q(runif(n))</code>

```

- - + - d by .P2D, q by .P2Q, r by q(runif(n))
- + + - q by .P2Q, r by q(runif(n))
- - - + p by .Q2P, d by .P2D, r by q(runif(n))
- + - + p by .Q2P, r by q(runif(n))
- - + + d by .P2D, r by q(runif(n))
- + + + r by q(runif(n))
+ - - - call to RtoDPQ
+ + - - p by .D2P, q by .P2Q
+ - + - d by .P2D, q by .P2Q
+ + + - q by .P2Q
+ - - + p by .Q2P, d by .P2D
+ + - + p by .Q2P
+ - + + d by .P2D
+ + + + nothing

```

For this purpose, one may alternatively give arguments `low1` and `up1` (NULL each by default, and determined through slot `q`, resp. `p`, resp. `d`, resp. `r` in this order according to availability), for the (finite) range of values in the support of this distribution, as well as the possibly infinite theoretical range given by arguments `low` and `up` with default values `-Inf`, `Inf`, respectively. Of course all other slots may be specified as arguments.

Value

Object of class "AbscontDistribution"

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[AbscontDistribution-class](#), [DiscreteDistribution-class](#), [RtoDPQ](#)

Examples

```

plot(Norm())
plot(AbscontDistribution(r = rnorm))
plot(AbscontDistribution(d = dnorm))
plot(AbscontDistribution(p = pnorm))
plot(AbscontDistribution(q = qnorm))
plot(Ac <- AbscontDistribution(d = function(x, log = FALSE){
  d <- exp(-abs(x^3))
  ## unstandardized!!
  if(log) d <- log(d)
  return(d)},
  withStand = TRUE))

```

AbscontDistribution-class

Class "AbscontDistribution"

Description

The AbscontDistribution-class is the mother-class of the classes Beta, Cauchy, Chisq, Exp, F, Gammad, Lnorm, Logis, Norm, T, Unif and Weibull. Further absolutely continuous distributions can be defined either by declaration of own random number generator, density, cumulative distribution and quantile functions, or as result of a convolution of two absolutely continuous distributions or by application of a mathematical operator to an absolutely continuous distribution.

Objects from the Class

Objects can be created by calls of the form `new("AbscontDistribution", r, d, p, q)`. More comfortably, you may use the generating function `AbscontDistribution`. The result of these calls is an absolutely continuous distribution.

Slots

- `img` Object of class "Reals": the space of the image of this distribution which has dimension 1 and the name "Real Space"
- `param` Object of class "Parameter": the parameter of this distribution, having only the slot name "Parameter of an absolutely continuous distribution"
- `r` Object of class "function": generates random numbers
- `d` Object of class "function": density function
- `p` Object of class "function": cumulative distribution function
- `q` Object of class "function": quantile function
- `gaps` [from version 1.9 on] Object of class "OptionalMatrix", i.e.; an object which may either be NULL or a matrix. This slot, if non-NULL, contains left and right endpoints of intervals where the density of the object is 0. This slot may be inspected by the accessor `gaps()` and modified by a corresponding replacement method. It may also be filled automatically by `setgaps()`. For saved objects from earlier versions, we provide functions `isOldVersion` and `conv2NewVersion`.
- `.withArith` logical: used internally to issue warnings as to interpretation of arithmetics
- `.withSim` logical: used internally to issue warnings as to accuracy
- `.logExact` logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function
- `.lowerExact` logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function
- `Symmetry` object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "UnivariateDistribution", directly.

Class "Distribution", by class "UnivariateDistribution".

Methods

initialize signature(.Object = "AbscontDistribution"): initialize method

Math signature(x = "AbscontDistribution"): application of a mathematical function, e.g. sin or exp (does not work with log, sign!), to this absolutely continuous distribution

- abs: signature(x = "AbscontDistribution"): exact image distribution of abs(x).
- exp: signature(x = "AbscontDistribution"): exact image distribution of exp(x).
- sign: signature(x = "AbscontDistribution"): exact image distribution of sign(x).
- sqrt: signature(x = "AbscontDistribution"): exact image distribution of sqrt(x).
- log: signature(x = "AbscontDistribution"): (with optional further argument base, defaulting to exp(1)) exact image distribution of log(x).
- log10: signature(x = "AbscontDistribution"): exact image distribution of log10(x).
- gamma: signature(x = "AbscontDistribution"): exact image distribution of gamma(x).
- lgamma: signature(x = "AbscontDistribution"): exact image distribution of lgamma(x).
- digamma: signature(x = "AbscontDistribution"): exact image distribution of digamma(x).
- sqrt: signature(x = "AbscontDistribution"): exact image distribution of sqrt(x).

- signature(e1 = "AbscontDistribution"): application of '-' to this absolutely continuous distribution.

* signature(e1 = "AbscontDistribution", e2 = "numeric"): multiplication of this absolutely continuous distribution by an object of class "numeric"

/ signature(e1 = "AbscontDistribution", e2 = "numeric"): division of this absolutely continuous distribution by an object of class "numeric"

+ signature(e1 = "AbscontDistribution", e2 = "numeric"): addition of this absolutely continuous distribution to an object of class "numeric".

- signature(e1 = "AbscontDistribution", e2 = "numeric"): subtraction of an object of class "numeric" from this absolutely continuous distribution.

* signature(e1 = "numeric", e2 = "AbscontDistribution"): multiplication of this absolutely continuous distribution by an object of class "numeric".

+ signature(e1 = "numeric", e2 = "AbscontDistribution"): addition of this absolutely continuous distribution to an object of class "numeric".

- signature(e1 = "numeric", e2 = "AbscontDistribution"): subtraction of this absolutely continuous distribution from an object of class "numeric".

+ signature(e1 = "AbscontDistribution", e2 = "AbscontDistribution"): Convolution of two absolutely continuous distributions. The slots p, d and q are approximated by grids.

- signature(e1 = "AbscontDistribution", e2 = "AbscontDistribution"): Convolution of two absolutely continuous distributions. The slots p, d and q are approximated by grids.

plot signature(object = "AbscontDistribution"): plots density, cumulative distribution and quantile function.

Internal subclass "AffLinAbscontDistribution"

To enhance accuracy of several functionals on distributions, mainly from package **distrEx**, from version 1.9 of this package on, there is an internally used (but exported) subclass "AffLinAbscontDistribution" which has extra slots `a`, `b` (both of class "numeric"), and `X0` (of class "AbscontDistribution"), to capture the fact that the object has the same distribution as $a * X0 + b$. This is the class of the return value of methods

```
- signature(e1 = "AbscontDistribution")
* signature(e1 = "AbscontDistribution", e2 = "numeric")
/ signature(e1 = "AbscontDistribution", e2 = "numeric")
+ signature(e1 = "AbscontDistribution", e2 = "numeric")
- signature(e1 = "AbscontDistribution", e2 = "numeric")
* signature(e1 = "numeric", e2 = "AbscontDistribution")
+ signature(e1 = "numeric", e2 = "AbscontDistribution")
- signature(e1 = "numeric", e2 = "AbscontDistribution")
- signature(e1 = "AffLinAbscontDistribution")
* signature(e1 = "AffLinAbscontDistribution", e2 = "numeric")
/ signature(e1 = "AffLinAbscontDistribution", e2 = "numeric")
+ signature(e1 = "AffLinAbscontDistribution", e2 = "numeric")
- signature(e1 = "AffLinAbscontDistribution", e2 = "numeric")
* signature(e1 = "numeric", e2 = "AffLinAbscontDistribution")
+ signature(e1 = "numeric", e2 = "AffLinAbscontDistribution")
- signature(e1 = "numeric", e2 = "AffLinAbscontDistribution")
```

There also is a class union of "AffLinAbscontDistribution", "AffLinDiscreteDistribution", "AffLinUnivarLebDecDistribution" and called "AffLinDistribution" which is used for functionals.

Internal virtual superclass "AcDcLcDistribution"

As many operations should be valid no matter whether the operands are of class "AbscontDistribution", "DiscreteDistribution", or "UnivarLebDecDistribution", there is a class union of these classes called "AcDcLcDistribution"; in particular methods for "`*`", "`/`", "`^`" (see [operators-methods](#)) and methods `Minimum`, `Maximum`, `Truncate`, and `Huberize`, and `convpow` are defined for this class union.

Author(s)

Thomas Stabla <statho3@web.de>
 Florian Camphausen <fcampi@gmx.de>
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[AbscontDistributionParameter-class](#) [UnivariateDistribution-class](#) [Beta-class](#) [Cauchy-class](#) [Chisq-class](#) [Exp-class](#) [Fd-class](#) [Gammad-class](#) [Lnorm-class](#) [Logis-class](#) [Norm-class](#) [Td-class](#) [Unif-class](#) [Weibull-class](#) [DiscreteDistribution-class](#) [Reals-class](#) [RtoDPQ](#)

Examples

```
N <- Norm() # N is a normal distribution with mean=0 and sd=1.
E <- Exp() # E is an exponential distribution with rate=1.
A1 <- E+1 # a new absolutely continuous distributions with exact slots d, p, q
A2 <- A1*3 # a new absolutely continuous distributions with exact slots d, p, q
A3 <- N*0.9 + E*0.1 # a new absolutely continuous distribution with approximated slots d, p, q
r(A3)(1) # one random number generated from this distribution, e.g. -0.7150937
d(A3)(0) # The (approximated) density for x=0 is 0.43799.
p(A3)(0) # The (approximated) probability that x <= 0 is 0.45620.
q(A3)(.1) # The (approximated) 10 percent quantile is -1.06015.
## in RStudio or Jupyter IRKernel, use q.l(.) instead of q(.)
```

Arcsine-class

Class "Arcsine"

Description

The Arcsine distribution has density

$$f(x) = \frac{1}{\pi\sqrt{1-x^2}}$$

for $-1 < x < 1$.

Objects from the Class

Objects can be created by calls of the form `Arcsine()`. This object is an Arcsine distribution.

Slots

`img` Object of class "Reals": The space of the image of this distribution has got dimension 1 and the name "Real Space".

`r` Object of class "function": generates random numbers (calls function `rArcsine`)

`d` Object of class "function": density function (calls function `dArcsine`)

`p` Object of class "function": cumulative function (calls function `pArcsine`)

`q` Object of class "function": inverse of the cumulative function (calls function `qArcsine`)

`.withArith` logical: used internally to issue warnings as to interpretation of arithmetics

`.withSim` logical: used internally to issue warnings as to accuracy

`.logExact` logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

`.lowerExact` logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

`Symmetry` object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "AbscontDistribution", directly.

Class "UnivariateDistribution", by class "AbscontDistribution".

Class "Distribution", by class "AbscontDistribution".

Methods

initialize signature(.Object = "Arcsine"): initialize method

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[AbscontDistribution-class](#) [Reals-class](#)

Examples

```
A <- Arcsine()
# A is a Arcsine distribution with shape1 = 1 and shape2 = 1.
r(A)(3) # three random number generated from this distribution, e.g. 0.6979795
d(A)(c(-2,-1,-0.2,0,0.2,1,2)) # Density at x=c(-1,-0.2,0,0.2,1).
p(A)(c(-2,-1,-0.2,0,0.2,1,2)) # cdf at q=c(-1,-0.2,0,0.2,1).
q(A)(c(0,0.2,1,2)) # quantile function at at x=c(0,0.2,1).
## in RStudio or Jupyter IRKernel, use q.l(A)(c(0,0.2,1,2)) instead
```

Beta-class

Class "Beta"

Description

The Beta distribution with parameters $\text{shape1} = a$ and $\text{shape2} = b$ has density

$$f(x) = \frac{\Gamma(a+b)}{\Gamma(a)\Gamma(b)} x^{a-1} (1-x)^{b-1}$$

for $a > 0$, $b > 0$ and $0 \leq x \leq 1$ where the boundary values at $x = 0$ or $x = 1$ are defined as by continuity (as limits).

Ad hoc methods

For R Version <2.3.0 ad hoc methods are provided for slots `q`, `r` if `ncp!=0`; for R Version >=2.3.0 the methods from package **stats** are used.

Objects from the Class

Objects can be created by calls of the form `Beta(shape1, shape2)`. This object is a beta distribution.

Slots

`img` Object of class "Reals": The space of the image of this distribution has got dimension 1 and the name "Real Space".

`param` Object of class "BetaParameter": the parameter of this distribution (shape1 and shape2), declared at its instantiation

`r` Object of class "function": generates random numbers (calls function `rbeta`)

`d` Object of class "function": density function (calls function `dbeta`)

`p` Object of class "function": cumulative function (calls function `pbeta`)

`q` Object of class "function": inverse of the cumulative function (calls function `qbeta`)

`.withArith` logical: used internally to issue warnings as to interpretation of arithmetics

`.withSim` logical: used internally to issue warnings as to accuracy

`.logExact` logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

`.lowerExact` logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

`Symmetry` object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "AbscontDistribution", directly.

Class "UnivariateDistribution", by class "AbscontDistribution".

Class "Distribution", by class "AbscontDistribution".

Methods

initialize signature(`.Object` = "Beta"): initialize method

shape1 signature(`object` = "Beta"): returns the slot shape1 of the parameter of the distribution

shape1<- signature(`object` = "Beta"): modifies the slot shape1 of the parameter of the distribution

shape2 signature(`object` = "Beta"): returns the slot shape2 of the parameter of the distribution

shape2<- signature(`object` = "Beta"): modifies the slot shape2 of the parameter of the distribution

- signature(`e1` = "numeric", `e2` = "Beta") if `ncp(e2) == 0` and `e1 == 1`, an exact (central) `Beta(shape1 = shape2(e2), shape2 = shape1(e2))` is returned, else the default method is used; exact

Note

The non-central Beta distribution is defined (Johnson et al, 1995, pp. 502) as the distribution of $X/(X + Y)$ where $X \sim \chi_{2a}^2(\lambda)$ and $Y \sim \chi_{2b}^2$. C.f. `rbeta`

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[BetaParameter-class](#) [AbscontDistribution-class](#) [Reals-class](#) [rbeta](#)

Examples

```
B <- Beta(shape1 = 1, shape2 = 1)
# B is a beta distribution with shape1 = 1 and shape2 = 1.
r(B)(1) # one random number generated from this distribution, e.g. 0.6979795
d(B)(1) # Density of this distribution is 1 for x=1.
p(B)(1) # Probability that x < 1 is 1.
q(B)(.1) # Probability that x < 0.1 is 0.1.
shape1(B) # shape1 of this distribution is 1.
shape1(B) <- 2 # shape1 of this distribution is now 2.
Bn <- Beta(shape1 = 1, shape2 = 3, ncp = 5)
# Bn is a beta distribution with shape1 = 1 and shape2 = 3 and ncp = 5.
B0 <- Bn; ncp(B0) <- 0;
# B0 is just the same beta distribution as Bn but with ncp = 0
q(B0)(0.1) ##
q(Bn)(0.1) ## => from R 2.3.0 on ncp no longer ignored...
## in RStudio or Jupyter IRKernel, use q.l(.)(.) instead of q(.)(.)
```

BetaParameter-class *Class "BetaParameter"*

Description

The parameter of a beta distribution, used by Beta-class

Objects from the Class

Objects can be created by calls of the form `new("BetaParameter", shape1, shape2, ncp)`. Usually an object of this class is not needed on its own, it is generated automatically when an object of the class Beta is instantiated.

Slots

shape1 Object of class "numeric": the shape1 of a beta distribution
 shape2 Object of class "numeric": the shape2 of a beta distribution
 ncp Object of class "numeric": the noncentrality parameter of a beta distribution
 name Object of class "character": a name / comment for the parameters

Extends

Class "Parameter", directly.

Methods

initialize signature(.Object = "BetaParameter"): initialize method
shape1 signature(object = "BetaParameter"): returns the slot shape1 of the parameter of the distribution
shape1<- signature(object = "BetaParameter"): modifies the slot shape1 of the parameter of the distribution
shape2 signature(object = "BetaParameter"): returns the slot shape2 of the parameter of the distribution
shape2<- signature(object = "BetaParameter"): modifies the slot shape2 of the parameter of the distribution
ncp signature(object = "BetaParameter"): returns the slot ncp of the parameter of the distribution
ncp<- signature(object = "BetaParameter"): modifies the slot ncp of the parameter of the distribution

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Beta-class Parameter-class](#)

Examples

```
W <- new("BetaParameter", shape1 = 1, shape2 = 1, ncp = 0)
shape2(W) # shape2 of this distribution is 1.
shape2(W) <- 2 # shape2 of this distribution is now 2.
```

 Binom-class

 Class "Binom"

Description

The binomial distribution with size = n , by default = 1, and prob = p , by default = 0.5, has density

$$p(x) = \binom{n}{x} p^x (1-p)^{n-x}$$

for $x = 0, \dots, n$.

C.f. [rbinom](#)

Objects from the Class

Objects can be created by calls of the form `Binom(prob, size)`. This object is a binomial distribution.

Slots

`img` Object of class "Naturals": The space of the image of this distribution has got dimension 1 and the name "Natural Space".

`param` Object of class "BinomParameter": the parameter of this distribution (prob, size), declared at its instantiation

`r` Object of class "function": generates random numbers (calls function `rbinom`)

`d` Object of class "function": density function (calls function `dbinom`)

`p` Object of class "function": cumulative function (calls function `pbinom`)

`q` Object of class "function": inverse of the cumulative function (calls function `qbinom`). The quantile is defined as the smallest value x such that $F(x) \geq p$, where F is the cumulative function.

`support` Object of class "numeric": a (sorted) vector containing the support of the discrete density function

`.withArith` logical: used internally to issue warnings as to interpretation of arithmetics

`.withSim` logical: used internally to issue warnings as to accuracy

`.logExact` logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

`.lowerExact` logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

`Symmetry` object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "DiscreteDistribution", directly.
 Class "UnivariateDistribution", by class "DiscreteDistribution".
 Class "Distribution", by class "DiscreteDistribution".

Methods

`+` signature(`e1 = "Binom"`, `e2 = "Binom"`): For two binomial distributions with equal probabilities the exact convolution formula is implemented thereby improving the general numerical accuracy.

initialize signature(`.Object = "Binom"`): initialize method

prob signature(`object = "Binom"`): returns the slot `prob` of the parameter of the distribution

prob<- signature(`object = "Binom"`): modifies the slot `prob` of the parameter of the distribution

size signature(`object = "Binom"`): returns the slot `size` of the parameter of the distribution

size<- signature(`object = "Binom"`): modifies the slot `size` of the parameter of the distribution

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[BinomParameter-class](#) [DiscreteDistribution-class](#) [Naturals-class](#) [rbinom](#)

Examples

```
B <- Binom(prob=0.5,size=1) # B is a binomial distribution with prob=0.5 and size=1.
r(B)(1) # # one random number generated from this distribution, e.g. 1
d(B)(1) # Density of this distribution is 0.5 for x=1.
p(B)(0.4) # Probability that x<0.4 is 0.5.
q(B)(.1) # x=0 is the smallest value x such that p(B)(x)>=0.1.
## in RStudio or Jupyter IRKernel, use q.l(.) instead of q(.)
size(B) # size of this distribution is 1.
size(B) <- 2 # size of this distribution is now 2.
C <- Binom(prob = 0.5, size = 1) # C is a binomial distribution with prob=0.5 and size=1.
D <- Binom(prob = 0.6, size = 1) # D is a binomial distribution with prob=0.6 and size=1.
E <- B + C # E is a binomial distribution with prob=0.5 and size=3.
F <- B + D # F is an object of class LatticeDistribution.
G <- B + as(D,"DiscreteDistribution") ## DiscreteDistribution
```

BinomParameter-class *Class "BinomParameter"*

Description

The parameter of a binomial distribution, used by Binom-class

Objects from the Class

Objects can be created by calls of the form `new("BinomParameter", prob, size)`. Usually an object of this class is not needed on its own, it is generated automatically when an object of the class Binom is instantiated.

Slots

`prob` Object of class "numeric": the probability of a binomial distribution
`size` Object of class "numeric": the size of a binomial distribution
`name` Object of class "character": a name / comment for the parameters

Extends

Class "Parameter", directly.

Methods

initialize signature(.Object = "BinomParameter"): initialize method

prob signature(object = "BinomParameter"): returns the slot prob of the parameter of the distribution

prob<- signature(object = "BinomParameter"): modifies the slot prob of the parameter of the distribution

size signature(object = "BinomParameter"): returns the slot size of the parameter of the distribution

size<- signature(object = "BinomParameter"): modifies the slot size of the parameter of the distribution

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Binom-class Parameter-class](#)

Examples

```
W <- new("BinomParameter",prob=0.5,size=1)
size(W) # size of this distribution is 1.
size(W) <- 2 # size of this distribution is now 2.
```

Cauchy-class

Class "Cauchy"

Description

The Cauchy distribution with location l , by default = 0, and scale s , by default = 1, has density

$$f(x) = \frac{1}{\pi s} \left(1 + \left(\frac{x-l}{s} \right)^2 \right)^{-1}$$

for all x . C.f. [rcauchy](#)

Objects from the Class

Objects can be created by calls of the form `Cauchy(location, scale)`. This object is a Cauchy distribution.

Slots

img Object of class "Reals": The domain of this distribution has got dimension 1 and the name "Real Space".

param Object of class "CauchyParameter": the parameter of this distribution (location and scale), declared at its instantiation

r Object of class "function": generates random numbers (calls function rcauchy)

d Object of class "function": density function (calls function dcauchy)

p Object of class "function": cumulative function (calls function pcauchy)

q Object of class "function": inverse of the cumulative function (calls function qcauchy)

.withArith logical: used internally to issue warnings as to interpretation of arithmetics

.withSim logical: used internally to issue warnings as to accuracy

.logExact logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

.lowerExact logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

Symmetry object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "AbscontDistribution", directly.

Class "UnivariateDistribution", by class "AbscontDistribution".

Class "Distribution", by class "AbscontDistribution".

Is-Relations

By means of setIs, R "knows" that a distribution object obj of class "Cauchy" with location 0 and scale 1 also is a T distribution with parameters $df = 1$, $ncp = 0$.

Methods

initialize signature(.Object = "Cauchy"): initialize method

location signature(object = "Cauchy"): returns the slot location of the parameter of the distribution

location<- signature(object = "Cauchy"): modifies the slot location of the parameter of the distribution

scale signature(object = "Cauchy"): returns the slot scale of the parameter of the distribution

scale<- signature(object = "Cauchy"): modifies the slot scale of the parameter of the distribution

+ signature(e1 = "Cauchy", e2 = "Cauchy"): For the Cauchy distribution the exact convolution formula is implemented thereby improving the general numerical approximation.

***** signature(e1 = "Cauchy", e2 = "numeric")

+ signature(e1 = "Cauchy", e2 = "numeric"): For the Cauchy location scale family we use its closedness under affine linear transformations.

further arithmetic methods see [operators-methods](#)

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[CauchyParameter-class](#) [AbscontDistribution-class](#) [Reals-class](#) [rcauchy](#)

Examples

```
C <- Cauchy(location = 1, scale = 1) # C is a Cauchy distribution with location=1 and scale=1.
r(C)(1) # one random number generated from this distribution, e.g. 4.104603
d(C)(1) # Density of this distribution is 0.3183099 for x=1.
p(C)(1) # Probability that x<1 is 0.5.
q(C)(.1) # Probability that x<-2.077684 is 0.1.
## in RStudio or Jupyter IRKernel, use q.l(.) instead of q(.)
location(C) # location of this distribution is 1.
location(C) <- 2 # location of this distribution is now 2.
is(C,"Td") # no
C0 <- Cauchy() # standard, i.e. location = 0, scale = 1
is(C0,"Td") # yes
as(C0,"Td")
```

CauchyParameter-class *Class "CauchyParameter"*

Description

The parameter of a Cauchy distribution, used by Cauchy-class

Objects from the Class

Objects can be created by calls of the form `new("CauchyParameter", location, scale)`. Usually an object of this class is not needed on its own, it is generated automatically when an object of the class `Cauchy` is instantiated.

Slots

`location`: Object of class "numeric": the location of a Cauchy distribution
`scale`: Object of class "numeric": the scale of a Cauchy distribution
`name`: Object of class "character": a name / comment for the parameters

Extends

Class "Parameter", directly.

Methods

initialize signature(.Object = "CauchyParameter"): initialize method

scale signature(object = "CauchyParameter"): returns the slot scale of the parameter of the distribution

scale<- signature(object = "CauchyParameter"): modifies the slot scale of the parameter of the distribution

location signature(object = "CauchyParameter"): returns the slot location of the parameter of the distribution

location<- signature(object = "CauchyParameter"): modifies the slot location of the parameter of the distribution

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Cauchy-class Parameter-class](#)

Examples

```
W <- new("CauchyParameter", location=1, scale=1)
location(W) # location of this distribution is 1.
location(W) <- 2 # location of this distribution is now 2.
```

Chisq-class

Class "Chisq"

Description

The chi-squared distribution with $df = n$ degrees of freedom has density

$$f_n(x) = \frac{1}{2^{n/2} \Gamma(n/2)} x^{n/2-1} e^{-x/2}$$

for $x > 0$. The mean and variance are n and $2n$.

The non-central chi-squared distribution with $df = n$ degrees of freedom and non-centrality parameter $n\mu = \lambda$ has density

$$f(x) = e^{-\lambda/2} \sum_{r=0}^{\infty} \frac{(\lambda/2)^r}{r!} f_{n+2r}(x)$$

for $x \geq 0$. For integer n , this is the distribution of the sum of squares of n normals each with variance one, λ being the sum of squares of the normal means.

C.f. [rchisq](#)

Objects from the Class

Objects can be created by calls of the form `Chisq(df, ncp)`. This object is a chi-squared distribution.

Slots

`img` Object of class "Reals": The space of the image of this distribution has got dimension 1 and the name "Real Space".

`param` Object of class "ChisqParameter": the parameter of this distribution (df and ncp), declared at its instantiation

`r` Object of class "function": generates random numbers (calls function `rchisq`)

`d` Object of class "function": density function (calls function `dchisq`)

`p` Object of class "function": cumulative function (calls function `pchisq`)

`q` Object of class "function": inverse of the cumulative function (calls function `qchisq`)

`.withArith` logical: used internally to issue warnings as to interpretation of arithmetics

`.withSim` logical: used internally to issue warnings as to accuracy

`.logExact` logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

`.lowerExact` logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

`Symmetry` object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "ExpOrGammaOrChisq", directly.

Class "AbscontDistribution", by class "ExpOrGammaOrChisq".

Class "UnivariateDistribution", by class "AbscontDistribution".

Class "Distribution", by class "UnivariateDistribution".

Is-Relations

By means of `setIs`, R "knows" that a distribution object `obj` of class "Chisq" with non-centrality 0 also is a Gamma distribution with parameters `shape = df(obj)/2`, `scale = 2`.

Methods

initialize signature(`.Object = "Chisq"`): initialize method

df signature(`object = "Chisq"`): returns the slot `df` of the parameter of the distribution

df<- signature(`object = "Chisq"`): modifies the slot `df` of the parameter of the distribution

ncp signature(`object = "Chisq"`): returns the slot `ncp` of the parameter of the distribution

ncp<- signature(`object = "Chisq"`): modifies the slot `ncp` of the parameter of the distribution

+ signature(`e1 = "Chisq"`, `e2 = "Chisq"`): For the chi-squared distribution we use its closedness under convolutions.

Note

Warning: The code for pchisq and qchisq is unreliable for values of ncp above approximately 290.

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[ChisqParameter-class](#) [AbscontDistribution-class](#) [Reals-class](#) [rchisq](#)

Examples

```
C <- Chisq(df = 1, ncp = 1) # C is a chi-squared distribution with df=1 and ncp=1.
r(C)(1) # one random number generated from this distribution, e.g. 0.2557184
d(C)(1) # Density of this distribution is 0.2264666 for x = 1.
p(C)(1) # Probability that x < 1 is 0.4772499.
q(C)(.1) # Probability that x < 0.04270125 is 0.1.
## in RStudio or Jupyter IRKernel, use q.l(.) instead of q(.)
df(C) # df of this distribution is 1.
df(C) <- 2 # df of this distribution is now 2.
is(C, "Gammad") # no
C0 <- Chisq() # default: Chisq(df=1,ncp=0)
is(C0, "Gammad") # yes
as(C0, "Gammad")
```

ChisqParameter-class *Class "ChisqParameter"*

Description

The parameter of a chi-squared distribution, used by Chisq-class

Objects from the Class

Objects can be created by calls of the form `new("ChisqParameter", ncp, df)`. Usually an object of this class is not needed on its own, it is generated automatically when an object of the class `Chisq` is instantiated.

Slots

ncp Object of class "numeric": the ncp of a chi-squared distribution
 df Object of class "numeric": the df of a chi-squared distribution
 name Object of class "character": a name / comment for the parameters

Extends

Class "Parameter", directly.

Methods

initialize signature(.Object = "ChisqParameter"): initialize method

df signature(object = "ChisqParameter"): returns the slot df of the parameter of the distribution

df<- signature(object = "ChisqParameter"): modifies the slot df of the parameter of the distribution

ncp signature(object = "ChisqParameter"): returns the slot ncp of the parameter of the distribution

ncp<- signature(object = "ChisqParameter"): modifies the slot ncp of the parameter of the distribution

Author(s)

Thomas Stabla <statho3@web.de>
 Florian Camphausen <fcampi@gmx.de>
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Chisq-class Parameter-class](#)

Examples

```
W <- new("ChisqParameter",df=1,ncp=1)
ncp(W) # ncp of this distribution is 1.
ncp(W) <- 2 # ncp of this distribution is now 2.
```

CompoundDistribution *Generating function for Class "CompoundDistribution"*

Description

Generates an object of class "CompoundDistribution".

Usage

```
CompoundDistribution(NumbOfSummandsDistr, SummandsDistr, .withSim = FALSE,
                    withSimplify = FALSE)
```

Arguments

NumOfSummandsDistr	Object of class "DiscreteDistribution", the frequency distribution; it is checked that support is contained in 0,1,2,...
SummandsDistr	Object of class "UnivDistrListOrDistribution", that is, either of class "UnivarDistrList" (non i.i.d. case) or of class "UnivariateDistribution" (i.i.d. case); the summand distribution(s).
.withSim	logical; value of the corresponding slot.
withSimplify	"logical": shall the return value be piped through a call to simplifyD?

Value

Object of class "CompoundDistribution", or if argument withSimplify is TRUE the result of `simplifyD` applied to the compound distribution, i.e. an object of class "UnivarLebDecDistribution", or if degenerate, of class "AbscontDistribution" or "DiscreteDistribution".

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[CompoundDistribution-class](#), [simplifyD](#)

Examples

```
CP0 <- CompoundDistribution(Pois(), Norm())
CP0
CP1 <- CompoundDistribution(DiscreteDistribution(supp = c(1,5,9,11),
      prob = dbinom(0:3, size = 3, prob = 0.3)), Norm())
CP1
UL <- UnivarDistrList(Norm(), Binom(10,0.3), Chisq(df=4), Norm(),
      Binom(10,0.3), Chisq(df=4), Norm(), Binom(10,0.3),
      Chisq(df=4), Td(5), Td(10))
CP2 <- CompoundDistribution(DiscreteDistribution(supp = c(1,5,9,11),
      prob = dbinom(0:3, size = 3, prob = 0.3)), UL)
plot(CP2)
```

CompoundDistribution-class

Class "CompoundDistribution"

Description

CompoundDistribution-class is a class to formalize compound distributions; it is a subclass to class UnivarMixingDistribution.

Objects from the Class

Objects can be created by calls of the form `new("CompoundDistribution", ...)`. More frequently they are created via the generating function `CompoundDistribution`.

Slots

NumOfSummandsDistr Object of class "DiscreteDistribution", the frequency distribution.

SummandsDistr Object of class "UnivDistrListOrDistribution", that is, either of class "UnivarDistrList" (non i.i.d. case) or of class "UnivariateDistribution" (i.i.d. case); the summand distribution(s).

mixCoeff Object of class "numeric": a vector of probabilities for the mixing components.

mixDistr Object of class "UnivarDistrList": a list of univariate distributions containing the mixing components; must be of same length as **mixCoeff**.

img Object of class "Reals": the space of the image of this distribution which has dimension 1 and the name "Real Space"

param Object of class "Parameter": the parameter of this distribution, having only the slot name "Parameter of a discrete distribution"

r Object of class "function": generates random numbers

d fixed to NULL

p Object of class "function": cumulative distribution function

q Object of class "function": quantile function

.withArith logical: used internally to issue warnings as to interpretation of arithmetics

.withSim logical: used internally to issue warnings as to accuracy

.logExact logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

.lowerExact logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

Symmetry object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "UnivarMixingDistribution" class "UnivarDistribution" by class "UnivarMixingDistribution", class "Distribution" by class "UnivariateDistribution".

Methods

show signature(object = "CompoundDistribution") prints the object

SummandsDistr signature(object = "CompoundDistribution") returns the corresponding slot

NumOfSummandsDistr signature(object = "CompoundDistribution") returns the corresponding slot

setAs relations

There is a coerce method to coerce objects of class "CompoundDistribution" to class UnivarLebDecDistribution; this is done by a simple call to simplifyD.

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[Parameter-class](#), [UnivariateDistribution-class](#), [LatticeDistribution-class](#), [AbscontDistribution-class](#), [simplifyD](#), [flat.mix](#)

Examples

```
CP <- CompoundDistribution(Pois(),Norm())
CP
p(CP)(0.3)
plot(CP)
```

convpow-methods

Distribution of the sum of univariate i.i.d r.v's

Description

Method convpow determines the distribution of the sum of N univariate i.i.d r.v's by means of DFT

Usage

```
convpow(D1,...)
## S4 method for signature 'AbscontDistribution'
convpow(D1,N)
## S4 method for signature 'LatticeDistribution'
convpow(D1,N,
        ep = getdistrOption("TruncQuantile"))
## S4 method for signature 'DiscreteDistribution'
convpow(D1,N)
## S4 method for signature 'AcDcLcDistribution'
convpow(D1,N,
        ep = getdistrOption("TruncQuantile"))
```

Arguments

D1	an object of (a sub)class (of) "AbscontDistribution" or "LatticeDistribution" or of "UnivarLebDecDistribution"
...	not yet used; meanwhile takes up N
N	an integer or 0 (for 0 returns Dirac(0), for 1 D1)

ep numeric of length 1 in (0,1) — for "LatticeDistribution": support points will be cancelled if their probability is less than ep; for "UnivarLebDecDistribution": if (acWeight(object)<ep) we work with the discrete parts only, and, similarly, if (discreteWeight(object)<ep) we with the absolutely continuous parts only.

Details

in the methods implemented a second argument N is obligatory; the general methods use a general purpose convolution algorithm for distributions by means of D/FFT. In case of an argument of class "UnivarLebDecDistribution", the result will in generally be again of class "UnivarLebDecDistribution". However, if acWeight(D1) is positive, discreteWeight(convpow(D1,N)) will decay exponentially in N, hence from some (small) N_0 on, the result will be of class "AbscontDistribution". This is used algorithmically, too, as then only the a.c. part needs to be convolved. In case of an argument D1 of class "DiscreteDistribution", for N equal to 0,1 we return the obvious solutions, and for N==2 the return value is D1+D1. For N>2, we split up N into N=N1+N2, N1=floor(N/2) and recursively return convpow(D1,N1)+convpow(D1,N2).

Value

Object of class "AbscontDistribution", "DiscreteDistribution", "LatticeDistribution" resp. "AcDcLcDistribution"

further S4-Methods

There are particular methods for the following classes, using explicit convolution formulae:

signature(D1="Norm") returns class "Norm"
signature(D1="Nbinom") returns class "Nbinom"
signature(D1="Binom") returns class "Binom"
signature(D1="Cauchy") returns class "Cauchy"
signature(D1="ExpOrGammaOrChisq") returns class "Gammad" —if D1 may be coerced to Gammad
signature(D1="Pois") returns class "Pois"
signature(D1="Dirac") returns class "Dirac"

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>
Matthias Kohl <matthias.kohl@stamats.de> Thomas Stabla <statho3@web.de>

References

Kohl, M., Ruckdeschel, P., (2014): General purpose convolution algorithm for distributions in S4-Classes by means of FFT. *J. Statist. Softw.* **59**(4): 1-25.

See Also

[operators](#), [distrARITH\(\)](#)

Examples

```
convpow(Exp()+Pois(),4)
```

d-methods

Methods for Function d in Package 'distr'

Description

d-methods

Methods

d signature(object = "Distribution"): returns the density function

See Also

[Distribution-class](#)

decomposePM-methods

Methods for function decomposePM in Package 'distr'

Description

decomposePM-methods

Usage

```
decomposePM(object)
```

Arguments

object Abscont-/Discrete-/UnivarLebDec-Distribution object

Details

There are particular return types for the following classes

"AbscontDistribution" a list with components "neg" and "pos" for the respective negative and positive part; each of these parts in its turn is a list with components D for the distribution (in this case of class "AbscontDistribution" again) and w for the weight of the respective part; if the weight of the negative part is 0, the corresponding distribution is set to `-abs(Norm())`, and respectively, if the weight of the positive part is 0, the corresponding distribution is set to `abs(Norm())`.

"DiscreteDistribution" a list with components "neg", "pos" and "0" for the respective negative, positive and zero part; each of these parts in its turn is a list with components D for the distribution (in this case of class "DiscreteDistribution" again) and w for the weight of the respective part; while the distribution of the zero part is always $\text{Dirac}(0)$, if the weight of the negative part is 0, the corresponding distribution is set to $\text{Dirac}(-1)$, and respectively, if the weight of the positive part is 0, the corresponding distribution is set to $\text{Dirac}(1)$.

"UnivarLebDecDistribution" a list with components "neg", "pos" and "0" for the respective negative, positive and zero part; each of these parts in its turn is a list with components D for the distribution (in case of components "neg", "pos" of class "UnivarLebDecDistribution" again, while the distribution of the zero part is always $\text{Dirac}(0)$) and w for the weight of the respective part; it is build up by calling `decomposePM` for `acPart(object)` and `discretePart(object)` separately, hence if weights of some parts are zero the corresponding procedure mentioned for these methods applies.

Method `decomposePM` is used by our multiplication, division and exponentiation ("*", "/" "^") - methods.

Value

the positive and negative part of the distribution together with corresponding weights as a list.

See Also

[AbscontDistribution-class](#), [DiscreteDistribution-class](#), [UnivarLebDecDistribution-class](#), [operators-methods](#)

Examples

```
decomposePM(Norm())
decomposePM(Binom(2,0.3)-Binom(5,.4))
decomposePM(UnivarLebDecDistribution(Norm(),Binom(2,0.3)-Binom(5,.4),
    acWeight = 0.3))
```

DExp-class

Class "DExp"

Description

The double exponential or Laplace distribution with rate λ has density

$$f(x) = \frac{1}{2} \lambda e^{-\lambda|x|}$$

C.f. [Exp-class](#), [rexp](#)

Objects from the Class

Objects can be created by calls of the form `DExp(rate)`. This object is a double exponential (or Laplace) distribution.

Slots

img Object of class "Reals": The space of the image of this distribution has got dimension 1 and the name "Real Space".

param Object of class "ExpParameter": the parameter of this distribution (rate), declared at its instantiation

r Object of class "function": generates random numbers (calls function `rexp`)

d Object of class "function": density function (calls function `dexp`)

p Object of class "function": cumulative function (calls function `pexp`)

q Object of class "function": inverse of the cumulative function (calls function `qexp`)

.withArith logical: used internally to issue warnings as to interpretation of arithmetics

.withSim logical: used internally to issue warnings as to accuracy

.logExact logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

.lowerExact logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

Symmetry object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "AbscontDistribution", directly.
 Class "UnivariateDistribution", by class "AbscontDistribution". Class "Distribution", by class "AbscontDistribution".

Methods

initialize signature(.Object = "DExp"): initialize method

rate signature(object = "DExp"): returns the slot rate of the parameter of the distribution

rate<- signature(object = "DExp"): modifies the slot rate of the parameter of the distribution

***** signature(e1 = "DExp", e2 = "numeric"): For the Laplace distribution we use its closedness under scaling transformations.

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[Exp-class](#) [ExpParameter-class](#) [AbscontDistribution-class](#) [Reals-class](#) [rexp](#)

Examples

```

D <- DExp(rate = 1) # D is a Laplace distribution with rate = 1.
r(D)(1) # one random number generated from this distribution, e.g. 0.4190765
d(D)(1) # Density of this distribution is 0.1839397 for x = 1.
p(D)(1) # Probability that x < 1 is 0.8160603.
q(D)(.1) # Probability that x < -1.609438 is 0.1.
## in RStudio or Jupyter IRKernel, use q.l(.) instead of q(.)
rate(D) # rate of this distribution is 1.
rate(D) <- 2 # rate of this distribution is now 2.
3*D ### still a DExp -distribution

```

df-methods

*Methods for Function df in Package 'distr'***Description**

df-methods

Methods

df signature(object = "TParameter"): returns the slot df of the parameter of the distribution

df<- signature(object = "TParameter"): modifies the slot df of the parameter of the distribution

df signature(object = "Td"): returns the slot df of the parameter of the distribution

df<- signature(object = "Td"): modifies the slot df of the parameter of the distribution

df signature(object = "ChisqParameter"): returns the slot df of the parameter of the distribution

df<- signature(object = "ChisqParameter"): modifies the slot df of the parameter of the distribution

df signature(object = "Chisq"): returns the slot df of the parameter of the distribution

df<- signature(object = "Chisq"): modifies the slot df of the parameter of the distribution

df1-methods

*Methods for Function df1 in Package 'distr'***Description**

df-methods

Methods

df1 signature(object = "FParameter"): returns the slot df1 of the parameter of an F-distribution

df1<- signature(object = "FParameter"): modifies the slot df1 of the parameter of an F-distribution

df1 signature(object = "Fd"): returns the slot df1 of the slot param of the distribution

df1<- signature(object = "Fd"): modifies the slot df1 of the slot param of the distribution

df2-methods

Methods for Function df2 in Package 'distr'

Description

df-methods

Methods**df2** signature(object = "FParameter"): returns the slot df2 of the parameter of an F-distribution**df2<-** signature(object = "FParameter"): modifies the slot df2 of the parameter of an F-distribution**df2** signature(object = "Fd"): returns the slot df2 of the slot param of the distribution**df2<-** signature(object = "Fd"): modifies the slot df2 of the slot param of the distribution

dim-methods

Methods for Function dim in Package 'distr'

Description

dim-methods

Methods**dim** signature(object = "UnivariateDistribution"): returns the dimension of the distribution**See Also**[UnivariateDistribution-class](#)

dimension-methods

Methods for Function dimension in Package 'distr'

Description

dimension-methods

Methods**dimension** signature(object = "EuclideanSpace"): returns the dimension of the space**dimension<-** signature(object = "EuclideanSpace"): modifies the dimension of the space

Dirac-class

Class "Dirac"

Description

The Dirac distribution with location l , by default = 0, has density $d(x) = 1$ for $x = l$, 0 else.

Objects from the Class

Objects can be created by calls of the form `Dirac(location)`. This object is a Dirac distribution.

Slots

`img` Object of class "Naturals": The space of the image of this distribution has got dimension 1 and the name "Real Space".

`param` Object of class "DiracParameter": the parameter of this distribution (location), declared at its instantiation

`r` Object of class "function": generates random numbers

`d` Object of class "function": density function

`p` Object of class "function": cumulative function

`q` Object of class "function": inverse of the cumulative function

`support` Object of class "numeric": a (sorted) vector containing the support of the discrete density function

`.withArith` logical: used internally to issue warnings as to interpretation of arithmetics

`.withSim` logical: used internally to issue warnings as to accuracy

`.logExact` logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

`.lowerExact` logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

`Symmetry` object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "DiscreteDistribution", directly.

Class "UnivariateDistribution", by class "DiscreteDistribution".

Class "Distribution", by class "DiscreteDistribution".

Methods

- signature(e1 = "Dirac", e2 = "Dirac")

+ signature(e1 = "Dirac", e2 = "Dirac")

* signature(e1 = "Dirac", e2 = "Dirac")

/ signature(e1 = "Dirac", e2 = "Dirac"): For the Dirac distribution these operations are trivial.

initialize signature(.Object = "Dirac"): initialize method

location signature(object = "Dirac"): returns the slot location of the parameter of the distribution

location<- signature(object = "Dirac"): modifies the slot location of the parameter of the distribution

log signature(object = "Dirac"): returns an object of class "Dirac" distribution with log-transformed location parameter.

Math signature(object = "Dirac"): given a "Math" group generic fun an object of class "Dirac" distribution with fun-transformed location parameter is returned.

further arithmetic methods see [operators-methods](#)

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[DiracParameter-class](#) [DiscreteDistribution-class](#) [Naturals-class](#)

Examples

```
D <- Dirac(location = 0) # D is a Dirac distribution with location=0.
r(D)(1)
# r(D)(1) generates a pseudo-random-number according to a Dirac
# distribution with location = 0,
# which of course will take 0 as value almost surely.
d(D)(0) # Density of this distribution is 1 for x = 0.
p(D)(1) # Probability that x < 1 is 1.
q(D)(.1) # q(D)(x) is always 0 (= location).
## in RStudio or Jupyter IRKernel, use q.l(.)(.) instead of q(.)(.)
location(D) # location of this distribution is 0.
location(D) <- 2 # location of this distribution is now 2.
```

DiracParameter-class *Class "DiracParameter"*

Description

The parameter of a Dirac distribution, used by Dirac-class

Objects from the Class

Objects can be created by calls of the form `new("DiracParameter", location)`. Usually an object of this class is not needed on its own, it is generated automatically when an object of the class `Dirac` is instantiated.

Slots

`location` Object of class "numeric": the location of a Dirac distribution

`name` Object of class "character": a name / comment for the parameters

Extends

Class "Parameter", directly.

Methods

initialize signature(`.Object` = "DiracParameter"): initialize method

location signature(`object` = "DiracParameter"): returns the slot location of the parameter of the distribution

location<- signature(`object` = "DiracParameter"): modifies the slot location of the parameter of the distribution

Author(s)

Thomas Stabla <statho3@web.de>,
Florian Camphausen <fcampi@gmx.de>,
Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Dirac-class Parameter-class](#)

Examples

```
W <- new("DiracParameter",location=1)
location(W) # location of this distribution is 1.
location(W) <- 2 # location of this distribution is now 2.
```

 DiscreteDistribution *Generating function "DiscreteDistribution"*

Description

Generates an object of class "DiscreteDistribution"

Usage

```
DiscreteDistribution(supp, prob, .withArith=FALSE, .withSim=FALSE,
                    .lowerExact = TRUE, .logExact = FALSE,
                    .DistrCollapse = getdistrOption("DistrCollapse"),
                    .DistrCollapse.Unique.Warn =
                      getdistrOption("DistrCollapse.Unique.Warn"),
                    .DistrResolution = getdistrOption("DistrResolution"),
                    Symmetry = NoSymmetry())
```

Arguments

supp	numeric vector which forms the support of the discrete distribution.
prob	vector of probability weights for the elements of supp.
.withArith	normally not set by the user, but if determining the entries supp, prob distributional arithmetics was involved, you may set this to TRUE.
.withSim	normally not set by the user, but if determining the entries supp, prob simulations were involved, you may set this to TRUE.
.lowerExact	normally not set by the user: whether the lower .tail=FALSE part is calculated exactly, avoing a "1-."
.logExact	normally not set by the user: whether in determining slots d,p,q, we make particular use of a logarithmic representation to enhance accuracy.
.DistrCollapse	controls whether in generating a new discrete distribution, support points closer together than .DistrResolution are collapsed.
.DistrCollapse.Unique.Warn	controls whether there is a warning whenever collapsing occurs or when two points are collapsed by a call to unique() (default behaviour if .DistrCollapse is FALSE)
.DistrResolution	minimal spacing between two mass points in a discrete distribution
Symmetry	you may help R in calculations if you tell it whether the distribution is non-symmetric (default) or symmetric with respect to a center; in this case use Symmetry=SphericalSymmetry(center).

Details

If prob is missing, all elements in supp are equally weighted.

Typical usages are

```
DiscreteDistribution(supp, prob)
DiscreteDistribution(supp)
```

Value

Object of class "DiscreteDistribution"

Note

Working with a computer, we use a finite interval as support which carries at least mass $1 - \text{getdistrOption}(\text{"TruncQuantile"})$.

Also, we require that support points have distance at least `.DistrResolution`, if this condition fails, upon a suggestion by Jacob van Etten, <jacobvanetten@yahoo.com>, we use the global option `.DistrCollapse` to decide whether we use collapsing or not. If we do so, we collapse support points if they are too close to each other, taking the (left most) median among them as new support point which accumulates all the mass of the collapsed points. With `.DistrCollapse==FALSE`, we at least collapse points according to the result of `unique()`, and if after this collapsing, the minimal distance is less than `.DistrResolution`, we throw an error. By `.DistrCollapse.Unique.Warn`, we control, whether we throw a warning upon collapsing or not.

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[DiscreteDistribution-class](#) [AbscontDistribution-class](#) [RtoDPQ.d](#)

Examples

```
# Dirac-measure at 0
D1 <- DiscreteDistribution(supp = 0)
D1
# simple discrete distribution
D2 <- DiscreteDistribution(supp = c(1:5), prob = c(0.1, 0.2, 0.3, 0.2, 0.2))
D2

plot(D2)
```

DiscreteDistribution-class
Class "DiscreteDistribution"

Description

The DiscreteDistribution-class is the mother-class of the class LatticeDistribution.

Objects from the Class

Objects can be created by calls to `new("DiscreteDistribution", ...)`, but more easily is the use of the generating function "DiscreteDistribution". This generating function, from version 1.9 on, has been moved to this package from package **distrEx**.

Slots

`img` Object of class "Reals": the space of the image of this distribution which has dimension 1 and the name "Real Space"

`param` Object of class "Parameter": the parameter of this distribution, having only the slot name "Parameter of a discrete distribution"

`r` Object of class "function": generates random numbers

`d` Object of class "function": density/probability function

`p` Object of class "function": cumulative distribution function

`q` Object of class "function": quantile function

`.withArith` logical: used internally to issue warnings as to interpretation of arithmetics

`.withSim` logical: used internally to issue warnings as to accuracy

`.logExact` logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

`.lowerExact` logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

`.finSupport` logical: used internally to check whether the true support is finite; in case `img` is one-dimensional, it is of length 2 (left and right end).

`Symmetry` object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "UnivariateDistribution", directly.
 Class "Distribution", by class "UnivariateDistribution".

Methods

- initialize** signature(.Object = "DiscreteDistribution"): initialize method
- coerce** signature(from = "DiscreteDistribution", to = "LatticeDistribution"): coerce method to class "LatticeDistribution" (checks if support is a lattice)
- Math** signature(x = "DiscreteDistribution"): application of a mathematical function, e.g. sin or tan to this discrete distribution
- abs: signature(x = "DiscreteDistribution"): exact image distribution of abs(x).
 - exp: signature(x = "DiscreteDistribution"): exact image distribution of exp(x).
 - sign: signature(x = "DiscreteDistribution"): exact image distribution of sign(x).
 - sqrt: signature(x = "DiscreteDistribution"): exact image distribution of sqrt(x).
 - log: signature(x = "DiscreteDistribution"): (with optional further argument base, defaulting to exp(1)) exact image distribution of log(x).
 - log10: signature(x = "DiscreteDistribution"): exact image distribution of log10(x).
 - gamma: signature(x = "DiscreteDistribution"): exact image distribution of gamma(x).
 - lgamma: signature(x = "DiscreteDistribution"): exact image distribution of lgamma(x).
 - digamma: signature(x = "DiscreteDistribution"): exact image distribution of digamma(x).
- signature(e1 = "DiscreteDistribution"): application of '-' to this discrete distribution
- * signature(e1 = "DiscreteDistribution", e2 = "numeric"): multiplication of this discrete distribution by an object of class 'numeric'
- / signature(e1 = "DiscreteDistribution", e2 = "numeric"): division of this discrete distribution by an object of class 'numeric'
- + signature(e1 = "DiscreteDistribution", e2 = "numeric"): addition of this discrete distribution to an object of class 'numeric'
- signature(e1 = "DiscreteDistribution", e2 = "numeric"): subtraction of an object of class 'numeric' from this discrete distribution
- * signature(e1 = "numeric", e2 = "DiscreteDistribution"): multiplication of this discrete distribution by an object of class 'numeric'
- + signature(e1 = "numeric", e2 = "DiscreteDistribution"): addition of this discrete distribution to an object of class 'numeric'
- signature(e1 = "numeric", e2 = "DiscreteDistribution"): subtraction of this discrete distribution from an object of class 'numeric'
- + signature(e1 = "DiscreteDistribution", e2 = "DiscreteDistribution"): Convolution of two discrete distributions. The slots p, d and q are approximated on a common grid.
- signature(e1 = "DiscreteDistribution", e2 = "DiscreteDistribution"): Convolution of two discrete distributions. The slots p, d and q are approximated on a common grid.
- support** signature(object = "DiscreteDistribution"): returns the support
- p.l** signature(object = "DiscreteDistribution"): returns the left continuous cumulative distribution function, i.e.; $p.l(t) = P(\text{object} < t)$
- q.r** signature(object = "DiscreteDistribution"): returns the right-continuous quantile function, i.e.; $q.r(s) = \sup\{t \mid P(\text{object} \geq t) \leq s\}$
- plot** signature(object = "DiscreteDistribution"): plots density, cumulative distribution and quantile function

Internal subclass "AffLinDiscreteDistribution"

To enhance accuracy of several functionals on distributions, mainly from package **distrEx**, from version 1.9 of this package on, there is an internally used (but exported) subclass "AffLinDiscreteDistribution" which has extra slots a, b (both of class "numeric"), and X0 (of class "DiscreteDistribution"), to capture the fact that the object has the same distribution as $a * X0 + b$. This is the class of the return value of methods

```
- signature(e1 = "DiscreteDistribution")
* signature(e1 = "DiscreteDistribution", e2 = "numeric")
/ signature(e1 = "DiscreteDistribution", e2 = "numeric")
+ signature(e1 = "DiscreteDistribution", e2 = "numeric")
- signature(e1 = "DiscreteDistribution", e2 = "numeric")
* signature(e1 = "numeric", e2 = "DiscreteDistribution")
+ signature(e1 = "numeric", e2 = "DiscreteDistribution")
- signature(e1 = "numeric", e2 = "DiscreteDistribution")
- signature(e1 = "AffLinDiscreteDistribution")
* signature(e1 = "AffLinDiscreteDistribution", e2 = "numeric")
/ signature(e1 = "AffLinDiscreteDistribution", e2 = "numeric")
+ signature(e1 = "AffLinDiscreteDistribution", e2 = "numeric")
- signature(e1 = "AffLinDiscreteDistribution", e2 = "numeric")
* signature(e1 = "numeric", e2 = "AffLinDiscreteDistribution")
+ signature(e1 = "numeric", e2 = "AffLinDiscreteDistribution")
- signature(e1 = "numeric", e2 = "AffLinDiscreteDistribution")
```

There also is a class union of "AffLinAbscontDistribution", "AffLinDiscreteDistribution", "AffLinUnivarLebDecDistribution" and called "AffLinDistribution" which is used for functionals.

Internal virtual superclass "AcDcLcDistribution"

As many operations should be valid no matter whether the operands are of class "AbscontDistribution", "DiscreteDistribution", or "UnivarLebDecDistribution", there is a class union of these classes called "AcDcLcDistribution"; in particular methods for "*", "/", "^" (see [operators-methods](#)) and methods [Minimum](#), [Maximum](#), [Truncate](#), and [Huberize](#), and [convpow](#) are defined for this class union.

Note

Working with a computer, we use a finite interval as support which carries at least mass $1 - \text{getdistrOption}(\text{"TruncQuantile"})$.

Also, we require that support points have distance at least $\text{getdistrOption}(\text{"DistrResolution"})$, if this condition fails, upon a suggestion by Jacob van Etten, <jacobvanetten@yahoo.com>, we use the global option $\text{getdistrOption}(\text{"DistrCollapse"})$ to decide whether we use collapsing or not. If we do so, we collapse support points if they are too close to each other, taking

the (left most) median among them as new support point which accumulates all the mass of the collapsed points. With `getdistrOption("DistrCollapse")==FALSE`, we at least collapse points according to the result of `unique()`, and if after this collapsing, the minimal distance is less than `getdistrOption("DistrResolution")`, we throw an error. By `getdistrOption("DistrCollapse.Unique.Warn")`, we control, whether we throw a warning upon collapsing or not.

Author(s)

Thomas Stabla <statho3@web.de>
 Florian Camphausen <fcampi@gmx.de>
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Parameter-class UnivariateDistribution-class LatticeDistribution-class AbscontDistribution-class Reals-class RtoDPQ.d](#)

Examples

```
# Dirac-measure at 0
D1 <- DiscreteDistribution(supp = 0)
support(D1)

# simple discrete distribution
D2 <- DiscreteDistribution(supp = c(1:5), prob = c(0.1, 0.2, 0.3, 0.2, 0.2))
plot(D2)
(pp <- p(D2)(support(D2)))
p(D2)(support(D2)-1e-5)
p(D2)(support(D2)+1e-5)
p.l(D2)(support(D2))
p.l(D2)(support(D2)-1e-5)
p.l(D2)(support(D2)+1e-5)
q(D2)(pp)
q(D2)(pp-1e-5)
q(D2)(pp+1e-5)
## in RStudio or Jupyter IRKernel, use q.l(.) instead of q(.)
q.r(D2)(pp)
q.r(D2)(pp-1e-5)
q.r(D2)(pp+1e-5)
```

distr-defunct

Class "GeomParameter"

Description

The parameter of a geometric distribution, used by Geom-class

Objects from the Class

Objects were created by calls of the form `new("GeomParameter", prob)`. Usually an object of this class was not needed on its own, it was generated automatically when an object of the class `Geom` is instantiated.

Slots

`prob` Object of class "numeric": the probability of a geometric distribution
`name` Object of class "character": a name / comment for the parameters

Extends

Class "Parameter", directly.

Methods

initialize signature(.Object = "GeomParameter"): initialize method
prob signature(object = "GeomParameter"): returns the slot `prob` of the parameter of the distribution
prob<- signature(object = "GeomParameter"): modifies the slot `prob` of the parameter of the distribution

Defunct

The use of class `GeomParameter` is defunct as of version 2.8.0; it is to be replaced by a corresponding use of class `NbinomParameter` with slot `size = 1` which may be generated, e.g. by `new("NbinomParameter", prob, size = 1, name = "Parameter of a Geometric distribution")`

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[Defunct](#)

distrARITH

Arithmetics on Distributions

Description

Provides information on the interpretation of arithmetics operating on Distributions in package **distr**

Usage

`distrARITH(library = NULL)`

Arguments

`library` a character vector with path names of R libraries, or NULL. The default value of NULL corresponds to all libraries currently known. If the default is used, the loaded packages are searched before the libraries

Value

no value is returned

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

Examples

```
## IGNORE_RDIFF_BEGIN
distrARITH()
## IGNORE_RDIFF_END
```

Distribution-class *Class "Distribution"*

Description

The Distribution-class is the mother-class of class UnivariateDistribution.

Objects from the Class

Objects can be created by calls of the form `new("Distribution")`.

Slots

`img` Object of class "rSpace": the space of the image
`param` Object of class "OptionalParameter": the parameter
`r` Object of class "function": generates random numbers
`d` Object of class "OptionalFunction": density function
`p` Object of class "OptionalFunction": cumulative distribution function
`q` Object of class "OptionalFunction": quantile function
`.withArith` logical: used internally to issue warnings as to interpretation of arithmetics
`.withSim` logical: used internally to issue warnings as to accuracy
`.logExact` logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function
`.lowerExact` logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function
`Symmetry` object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Methods

- img** signature(object = "Distribution"): returns the space of the image
- param** signature(object = "Distribution"): returns the parameter
- r** signature(object = "Distribution"): returns the random number generator
- d** signature(object = "Distribution"): returns the density function
- p** signature(object = "Distribution"): returns the cumulative distribution function
- q** signature(object = "Distribution"): returns the quantile function
- .logExact** signature(object = "Distribution"): returns slot .logExact if existing; else tries to convert the object to a newer version of its class by [conv2NewVersion](#) and returns the corresponding slot of the converted object.
- .lowerExact** signature(object = "Distribution"): returns slot .lowerExact if existing; else tries to convert the object to a newer version of its class by [conv2NewVersion](#) and returns the corresponding slot of the converted object.
- Symmetry:** returns slot Symmetry if existing; else tries to convert the object to a newer version of its class by [conv2NewVersion](#) and returns the corresponding slot of the converted object.

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[UnivariateDistribution-class](#) [Parameter-class](#)

DistributionSymmetry-class

Class of Symmetries for Distributions

Description

Class of symmetries for distributions.

Objects from the Class

A virtual Class: No objects may be created from it.

Slots

type Object of class "character": describes type of symmetry.
 SymmCenter Object of class "OptionalNumeric": center of symmetry.

Extends

Class "Symmetry", directly.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Symmetry-class](#), [Distribution-class](#), [OptionalNumeric-class](#)

DistrList

Generating function for DistrList-class

Description

Generates an object of class "DistrList".

Usage

```
DistrList(..., Dlist)
```

Arguments

...	Objects of class "Distribution" (or subclasses)
Dlist	an optional list or object of class "DistrList"; if not missing it is appended to argument ...; this way DistrList may also be called with a list (or "DistrList"-object) as argument as suggested in an e-mail by Krunoslav Sever (thank you!)

Value

Object of class "DistrList"

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[DistrList-class](#), [UnivarDistrList-class](#), [UnivarDistrList](#)

Examples

```
(DL <- DistrList(Norm(), Exp(), Pois()))
plot(DL)
as(Norm(), "DistrList")

## The function is currently defined as
function(...){
  new("DistrList", list(...))
}
```

DistrList-class *List of distributions*

Description

Create a list of distributions

Objects from the Class

Objects can be created by calls of the form `new("DistrList", ...)`. More frequently they are created via the generating function `DistrList`.

Slots

`.Data` Object of class "list". A list of distributions.

Extends

Class "list", from data part.
Class "vector", by class "list".

Methods

show signature(object = "DistrList")
plot signature(object = "DistrList")
coerce signature(from = "Distribution", to = "DistrList"): create a "DistrList" object from a "Distribution" object

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[DistrList](#), [Distribution-class](#)

Examples

```
(DL <- new("DistrList", list(Norm(), Exp())))  
plot(DL)  
as(Norm(), "DistrList")
```

distrMASK

Masking of/by other functions in package "distr"

Description

Provides information on the (intended) masking of and (non-intended) masking by other other functions in package **distr**

Usage

```
distrMASK(library = NULL)
```

Arguments

library a character vector with path names of R libraries, or NULL. The default value of NULL corresponds to all libraries currently known. If the default is used, the loaded packages are searched before the libraries

Value

no value is returned

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

Examples

```
## IGNORE_RDIFF_BEGIN  
distrMASK()  
## IGNORE_RDIFF_END
```

distrOptions *functions to change the global variables of the package 'distr'*

Description

With `distrOptions` and `getDistrOption` you may inspect and change the global variables used by package **distr**.

Usage

```
distrOptions(...)
getDistrOption(x)
```

Arguments

... any options can be defined, using `name = value` or by passing a list of such tagged values.

x a character string holding an option name.

Details

Invoking `distrOptions()` with no arguments returns a list with the current values of the options. To access the value of a single option, one should use `getDistrOption("WarningSim")`, e.g., rather than `distrOptions("WarningSim")` which is a *list* of length one.

Value

`distrOptions()` returns a list of the global options of **distr**.
`distrOptions("RtoDPQ.e")` returns the global option `RtoDPQ.e` as a list of length 1.
`distrOptions("RtoDPQ.e" = 3)` sets the value of the global option `RtoDPQ.e` to 3. `getDistrOption("RtoDPQ.e")` the current value set for option `RtoDPQ.e`.

Currently available options

`DefaultNrGridPoints` default number of grid points in integration, default value: 2^{12}

`DistrResolution` minimal spacing between two mass points in a discrete distribution, default value: $1e-6$

`DistrCollapse` logical; in discrete distributions, shall support points with distance smaller than `DistrResolution` be collapsed; default value: TRUE

`TruncQuantile` argument for q-slot at which to truncate; also, for discrete distributions, support is restricted to $[q(\text{TruncQuantile}), q(1-\text{TruncQuantile})]$, default value: $1e-5$

`DefaultNrFFTGridPointsExponent` by default, for $e = \text{DefaultNrFFTGridPointsExponent}$, FFT uses 2^e gridpoints; default value: 12

`RtoDPQ.e` by default, for reconstructing the d-,p-,q-slots out of simulations by slot `r`, `RtoDPQ` resp. `RtoDPQ.d` use 10^e simulations, where $e = \text{RtoDPQ.e}$, default value: 5

`WarningSim` if `WarningSim==TRUE`, print/show issue a warning as to the precision of d-,p-,q-slots when these are obtained by `RtoDPQ` resp. `RtoDPQ.d`, default value: `TRUE`

`WarningArith` if `WarningArith==TRUE`, print/show issue a warning as to the interpretation of arithmetics operating on distributions, when the corresponding distribution to be plotted/shown is obtained by such an operation; keep in mind that arithmetics in fact operate on random variables distributed according to the given distributions and **not** on corresponding cdf's or densities; default value: `TRUE`

`withSweave` is code run in Sweave (then no new graphic devices are opened), default value: `FALSE`

`withgaps` controls whether in the return value of arithmetic operations the slot gaps of an the `AbscontDistribution` part is filled automatically based on empirical evaluations via `setgaps` —default `TRUE`

`simplifyD` controls whether in the return value of arithmetic operations there is a call to `simplifyD` or not —default `TRUE`

use.generalized.inverse.by.default logical; decides whether by default (i.e., if argument `generalized` of `solve` is not explicitly set), `solve` is to use generalized inverses if the original `solve`-method from package **base** fails; if the option is `FALSE`, in case of failure, and unless argument `generalized` is not explicitly set to `TRUE`, `solve` will throw an error as is the **base**-method behavior. The default value is `TRUE`.

`DistrCollapse.Unique.Warn` controls whether there is a warning whenever collapsing occurs or when two points are collapsed by a call to `unique()` (default behaviour if `DistrCollapse` is `FALSE`); —default `FALSE`

`warn.makeDNew` controls whether a warning is issued once in internal utility `.makeDNew` standard integration with `integrate` throws an error—default `TRUE`

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[options](#), [getOption](#)

Examples

```
distributions("RtoDPQ.e") # returns the value of RtoDPQ.e, by default = 5
currentDistrOptions <- distributions()
distributions(RtoDPQ.e = 6)
distributions("RtoDPQ.e")
getdistrOption("RtoDPQ.e")
distributions(c("WarningSim", "WarningArith"))
getdistrOption("WarningSim")
distributions("WarningSim" = FALSE)
  # switches off warnings as to (In)accuracy due to simulations
distributions("WarningArith" = FALSE)
  # switches off warnings as to arithmetics
distributions(currentDistrOptions)
```

DistrSymmList	<i>Generating function for DistrSymmList-class</i>
---------------	--

Description

Generates an object of class "DistrSymmList".

Usage

```
DistrSymmList(...)
```

Arguments

... Objects of class "DistributionSymmetry" which shall form the list of symmetry types.

Value

Object of class "DistrSymmList"

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[DistrSymmList-class](#)

Examples

```
DistrSymmList(NoSymmetry(), SphericalSymmetry(SymmCenter = 1),  
              EllipticalSymmetry(SymmCenter = 2))  
  
## The function is currently defined as  
function (...){  
  new("DistrSymmList", list(...))  
}
```

DistrSymmList-class *List of Symmetries for a List of Distributions*

Description

Create a list of symmetries for a list of distributions

Objects from the Class

Objects can be created by calls of the form `new("DistrSymmList", ...)`. More frequently they are created via the generating function `DistrSymmList`.

Slots

.Data Object of class "list". A list of objects of class "DistributionSymmetry".

Extends

Class "list", from data part.
Class "vector", by class "list".

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[DistributionSymmetry-class](#)

Examples

```
new("DistrSymmList", list(NoSymmetry(), SphericalSymmetry(SymmCenter = 1),  
                          EllipticalSymmetry(SymmCenter = 2)))
```

EllipticalSymmetry *Generating function for EllipticalSymmetry-class*

Description

Generates an object of class "EllipticalSymmetry".

Usage

```
EllipticalSymmetry(SymmCenter = 0)
```

Arguments

SymmCenter numeric: center of symmetry

Value

Object of class "EllipticalSymmetry"

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[EllipticalSymmetry-class](#), [DistributionSymmetry-class](#)

Examples

```
EllipticalSymmetry()  
  
## The function is currently defined as  
function(SymmCenter = 0){  
  new("EllipticalSymmetry", SymmCenter = SymmCenter)  
}
```

EllipticalSymmetry-class

Class for Elliptically Symmetric Distributions

Description

Class for elliptically symmetric distributions.

Objects from the Class

Objects can be created by calls of the form `new("EllipticalSymmetry")`. More frequently they are created via the generating function `EllipticalSymmetry`. Elliptical symmetry for instance leads to a simplification for the computation of optimally robust influence curves.

Slots

type Object of class "character": contains "elliptical symmetric distribution"
SymmCenter Object of class "numeric": center of symmetry

Extends

Class "DistributionSymmetry", directly.
Class "Symmetry", by class "DistributionSymmetry".

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[EllipticalSymmetry](#), [DistributionSymmetry-class](#)

Examples

```
new("EllipticalSymmetry")
```

EmpiricalDistribution *Generating function "EmpiricalDistribution"*

Description

Generates an object of class "DiscreteDistribution"

Usage

```
EmpiricalDistribution(data, .withArith=FALSE, .withSim=FALSE,
  .lowerExact = TRUE, .logExact = FALSE,
  .DistrCollapse = getdistrOption("DistrCollapse"),
  .DistrCollapse.Unique.Warn =
    getdistrOption("DistrCollapse.Unique.Warn"),
  .DistrResolution = getdistrOption("DistrResolution"),
  Symmetry = NoSymmetry())
```

Arguments

data	numeric vector with data.
.withArith	normally not set by the user, but if determining the entries supp, prob distributonal arithmetics was involved, you may set this to TRUE.
.withSim	normally not set by the user, but if determining the entries supp, prob simulations were involved, you may set this to TRUE.
.lowerExact	normally not set by the user: whether the lower .tail=FALSE part is calculated exactly, avoing a "1-.".
.logExact	normally not set by the user: whether in determining slots d,p,q, we make particular use of a logarithmic representation to enhance accuracy.
.DistrCollapse	controls whether in generating a new discrete distribution, support points closer together than .DistrResolution are collapsed.
.DistrCollapse.Unique.Warn	controls whether there is a warning whenever collapsing occurs or when two points are collapsed by a call to unique() (default behaviour if .DistrCollapse is FALSE)

`.DistrResolution` minimal spacing between two mass points in a discrete distribution

`Symmetry` you may help **R** in calculations if you tell it whether the distribution is non-symmetric (default) or symmetric with respect to a center; in this case use `Symmetry=SphericalSymmetry(center)`.

Details

The function is a simple utility function providing a wrapper to the generating function [DiscreteDistribution](#). Typical usage is

```
EmpiricalDistribution(data)
```

Value

Object of class "DiscreteDistribution"

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[DiscreteDistribution](#) [DiscreteDistribution-class](#)

Examples

```
x <- rnorm(20)
D1 <- EmpiricalDistribution(data = x)
D1

plot(D1)
```

EuclideanSpace-class *Class "EuclideanSpace"*

Description

The distribution-classes contain a slot where the sample space is stored. One typical sample space is the Euclidean Space in dimension k .

Usage

```
EuclideanSpace(dimension = 1)
```

Arguments

`dimension` positive integer: dimension of the Euclidean space (default =1)

Objects from the Class

Objects could theoretically be created by calls of the form `new("EuclideanSpace", dimension, name)`. Usually an object of this class is not needed on its own. `EuclideanSpace` is the mother-class of the class `Reals`, which is generated automatically when a univariate absolutely continuous distribution is instantiated.

Slots

`dimension` Object of class "numeric": the dimension of the space, by default = 1

`name` Object of class "character": the name of the space, by default = "Euclidean Space"

Extends

Class "rSpace", directly.

Methods

initialize signature(.Object = "EuclideanSpace"): initialize method

liesIn signature(object = "EuclideanSpace", x = "numeric"): Does a particular vector lie in this space or not?

dimension signature(object = "EuclideanSpace"): returns the dimension of the space

dimension<- signature(object = "EuclideanSpace"): modifies the dimension of the space

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[rSpace-class](#) [Reals-class](#) [Distribution-class](#) [liesIn-methods](#)

Examples

```
E <- EuclideanSpace(dimension = 2)
dimension(E) # The dimension of this space is 2.
dimension(E) <- 3 # The dimension of this space is now 3.
liesIn(E,c(0,0,0)) # TRUE
liesIn(E,c(0,0)) # FALSE
```

Exp-class

Class "Exp"

Description

The exponential distribution with rate λ has density

$$f(x) = \lambda e^{-\lambda x}$$

for $x \geq 0$.

C.f. [rexp](#)

Objects from the Class

Objects can be created by calls of the form `Exp(rate)`. This object is an exponential distribution.

Slots

`img` Object of class "Reals": The space of the image of this distribution has got dimension 1 and the name "Real Space".

`param` Object of class "ExpParameter": the parameter of this distribution (rate), declared at its instantiation

`r` Object of class "function": generates random numbers (calls function `rexp`)

`d` Object of class "function": density function (calls function `dexp`)

`p` Object of class "function": cumulative function (calls function `pexp`)

`q` Object of class "function": inverse of the cumulative function (calls function `qexp`)

`.withArith` logical: used internally to issue warnings as to interpretation of arithmetics

`.withSim` logical: used internally to issue warnings as to accuracy

`.logExact` logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

`.lowerExact` logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

`Symmetry` object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "ExpOrGammaOrChisq", directly.

Class "AbscontDistribution", by class "ExpOrGammaOrChisq".

Class "UnivariateDistribution", by class "AbscontDistribution". Class "Distribution", by class "AbscontDistribution".

Is-Relations

By means of setIs, R “knows” that a distribution object obj of class “Exp” also is a Gamma distribution with parameters shape = 1, scale = 1/rate(obj) and a Weibull distribution with parameters shape = 1, scale = 1/rate(obj)

Methods

initialize signature(.Object = "Exp"): initialize method
rate signature(object = "Exp"): returns the slot rate of the parameter of the distribution
rate<- signature(object = "Exp"): modifies the slot rate of the parameter of the distribution
 * signature(e1 = "Exp", e2 = "numeric"): For the exponential distribution we use its closedness under positive scaling transformations.

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[ExpParameter-class](#) [AbscontDistribution-class](#) [Reals-class](#) [rexp](#)

Examples

```
E <- Exp(rate = 1) # E is a exp distribution with rate = 1.
r(E)(1) # one random number generated from this distribution, e.g. 0.4190765
d(E)(1) # Density of this distribution is 0.3678794 for x = 1.
p(E)(1) # Probability that x < 1 is 0.6321206.
q(E)(.1) # Probability that x < 0.1053605 is 0.1.
## in RStudio or Jupyter IRKernel, use q.l(.) instead of q(.)
rate(E) # rate of this distribution is 1.
rate(E) <- 2 # rate of this distribution is now 2.
is(E, "Gammad") # yes
as(E, "Gammad")
is(E, "Weibull")
E+E+E ### a Gammad -distribution
2*E+Gammad(scale=1)
```

ExpParameter-class *Class "ExpParameter"*

Description

The parameter of an exponential distribution, used by Exp-class and DExp-class

Objects from the Class

Objects can be created by calls of the form `new("ExpParameter", rate)`. Usually an object of this class is not needed on its own, it is generated automatically when an object of the class `Exp` is instantiated.

Slots

`rate` Object of class "numeric": the rate of an exponential distribution

`name` Object of class "character": a name / comment for the parameters

Extends

Class "Parameter", directly.

Methods

initialize signature(.Object = "ExpParameter"): initialize method

rate signature(object = "ExpParameter"): returns the slot rate of the parameter of the distribution

rate<- signature(object = "ExpParameter"): modifies the slot rate of the parameter of the distribution

Author(s)

Thomas Stabla <statho3@web.de>,
Florian Camphausen <fcampi@gmx.de>,
Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Exp-class](#) [DExp-class](#) [Parameter-class](#)

Examples

```
W <- new("ExpParameter", rate = 1)
rate(W) # rate of this distribution is 1.
rate(W) <- 2 # rate of this distribution is now 2.
```

Fd-class

Class "Fd"

Description

The F distribution with $df1 = n_1$, by default = 1, and $df2 = n_2$, by default = 1, degrees of freedom has density

$$d(x) = \frac{\Gamma(n_1/2 + n_2/2)}{\Gamma(n_1/2)\Gamma(n_2/2)} \left(\frac{n_1}{n_2}\right)^{n_1/2} x^{n_1/2-1} \left(1 + \frac{n_1x}{n_2}\right)^{-(n_1+n_2)/2}$$

for $x > 0$.

C.f. [rf](#)

Objects from the Class

Objects can be created by calls of the form `Fd(df1, df2)`. This object is a F distribution.

Slots

`img` Object of class "Reals": The space of the image of this distribution has got dimension 1 and the name "Real Space".

`param` Object of class "FParameter": the parameter of this distribution (`df1` and `df2`), declared at its instantiation

`r` Object of class "function": generates random numbers (calls function `rf`)

`d` Object of class "function": density function (calls function `df`)

`p` Object of class "function": cumulative function (calls function `pf`)

`q` Object of class "function": inverse of the cumulative function (calls function `qf`)

`.withArith` logical: used internally to issue warnings as to interpretation of arithmetics

`.withSim` logical: used internally to issue warnings as to accuracy

`.logExact` logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

`.lowerExact` logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

`Symmetry` object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "AbscontDistribution", directly.

Class "UnivariateDistribution", by class "AbscontDistribution".

Class "Distribution", by class "AbscontDistribution".

Methods

initialize signature(.Object = "Fd"): initialize method
df1 signature(object = "Fd"): returns the slot df1 of the parameter of the distribution
df1<- signature(object = "Fd"): modifies the slot df1 of the parameter of the distribution
df2 signature(object = "Fd"): returns the slot df2 of the parameter of the distribution
df2<- signature(object = "Fd"): modifies the slot df2 of the parameter of the distribution

Ad hoc methods

- An ad hoc method is provided for slot d if ncp!=0.
- For R Version <2.3.0 ad hoc methods are provided for slots q, r if ncp!=0; for R Version >=2.3.0 the methods from package **stats** are used.

Note

It is the distribution of the ratio of the mean squares of n1 and n2 independent standard normals, and hence of the ratio of two independent chi-squared variates each divided by its degrees of freedom. Since the ratio of a normal and the root mean-square of m independent normals has a Student's t_m distribution, the square of a t_m variate has a F distribution on 1 and m degrees of freedom.

The non-central F distribution is again the ratio of mean squares of independent normals of unit variance, but those in the numerator are allowed to have non-zero means and ncp is the sum of squares of the means.

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[FParameter-class](#) [AbscontDistribution-class](#) [Reals-class](#) [rf](#)

Examples

```
F <- Fd(df1 = 1, df2 = 1) # F is a F distribution with df=1 and df2=1.
r(F)(1) # one random number generated from this distribution, e.g. 29.37863
d(F)(1) # Density of this distribution is 0.1591549 for x=1 .
p(F)(1) # Probability that x<1 is 0.5.
q(F)(.1) # Probability that x<0.02508563 is 0.1.
## in RStudio or Jupyter IRKernel, use q.l(.) instead of q(.)
df1(F) # df1 of this distribution is 1.
df1(F) <- 2 # df1 of this distribution is now 2.
Fn <- Fd(df1 = 1, df2 = 1, ncp = 0.5)
# Fn is a F distribution with df=1, df2=1 and ncp =0.5.
d(Fn)(1) ## from R 2.3.0 on ncp no longer ignored...
```

flat.LCD	<i>Flattening a list of Lebesgue decomposed distributions</i>
----------	---

Description

flattens a list of Lebesgue decomposed distributions endowed with weights to give one Lebesgue decomposed distribution

Usage

```
flat.LCD(..., mixCoeff = NULL, withgaps = getdistrOption("withgaps"))
```

Arguments

...	list of Lebesgue decomposed distributions
mixCoeff	Object of class "numeric" of the same length as ...: a vector of probabilities for the mixing components.
withgaps	logical; shall gaps be detected empirically?

Details

flat.LCD flattens a list of Lebesgue decomposed distributions given through ..., i.e., it takes all list elements and mixing coefficients and builds up the mixed distribution (forgetting about the components); the result will be one distribution of class UnivarLebDecDistribution. If mixCoeff is missing, all list elements are equally weighted. It is used internally in our methods for "*", "/", "^" (see [operators-methods](#)), [Minimum](#), and [convpow](#), as well in method [flat.mix](#).

Value

flat.LCD returns an object of class UnivarLebDecDistribution.

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[UnivarLebDecDistribution-class](#), [operators-methods](#)

Examples

```
D1 <- as(Norm(),"UnivarLebDecDistribution")
D2 <- as(Pois(1),"UnivarLebDecDistribution")
D3 <- as(Binom(1,.4),"UnivarLebDecDistribution")
flat.LCD(D1,D2,D3, mixCoeff = c(0.4,0.5,0.1))
```

flat.mix	<i>Default procedure to fill slots d,p,q given r for Lebesgue decomposed distributions</i>
----------	--

Description

function to do get empirical density, cumulative distribution and quantile function from random numbers

Usage

```
flat.mix(object)
```

Arguments

object object of class UnivariateMixingDistribution

Details

flat.mix generates 10^e random numbers, by default

$$e = RtoDPQ.e$$

. Replicates are assumed to be part of the discrete part, unique values to be part of the a.c. part of the distribution. For the replicated ones, we generate a discrete distribution by a call to [DiscreteDistribution](#). The a.c. density is formed on the basis of n points using approxfun and density (applied to the unique values), by default

$$n = DefaultNrGridPoints$$

. The cumulative distribution function is based on all random variables, and, as well as the quantile function, is also created on the basis of n points using approxfun and ecdf. Of course, the results are usually not exact as they rely on random numbers.

Value

flat.mix returns an object of class UnivarLebDecDistribution.

Note

Use RtoDPQ for absolutely continuous and RtoDPQ.d for discrete distributions.

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[UnivariateDistribution-class](#), [density](#), [approxfun](#), [ecdf](#)

Examples

```

D1 <- Norm()
D2 <- Pois(1)
D3 <- Binom(1,.4)
D4 <- UnivarMixingDistribution(D1,D2,D3, mixCoeff = c(0.4,0.5,0.1),
  withSimplify = FALSE)
D <- UnivarMixingDistribution(D1,D4,D1,D2, mixCoeff = c(0.4,0.3,0.1,0.2),
  withSimplify = FALSE)
D
D0<-flat.mix(D)
D0
plot(D0)

```

FParameter-class

Class "FParameter"

Description

The parameter of a F distribution, used by Fd-class

Objects from the Class

Objects can be created by calls of the form `new("FParameter", df1, df2, ncp)`. Usually an object of this class is not needed on its own, it is generated automatically when an object of the class `Fd` is instantiated.

Slots

`df1` Object of class "numeric": the degrees of freedom of the nominator of an F distribution
`df2` Object of class "numeric": the degrees of freedom of the denominator of an F distribution
`ncp` Object of class "numeric": the noncentrality parameter of an F distribution
`name` Object of class "character": a name / comment for the parameters

Extends

Class "Parameter", directly.

Methods

initialize signature(.Object = "FParameter"): initialize method
df1 signature(object = "FParameter"): returns the slot `df1` of the parameter of the distribution
df1<- signature(object = "FParameter"): modifies the slot `df1` of the parameter of the distribution
df2 signature(object = "FParameter"): returns the slot `df2` of the parameter of the distribution
df2<- signature(object = "FParameter"): modifies the slot `df2` of the parameter of the distribution

ncp signature(object = "FParameter"): returns the slot ncp of the parameter of the distribution
ncp<- signature(object = "FParameter"): modifies the slot ncp of the parameter of the distribution

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Fd-class Parameter-class](#)

Examples

```
W <- new("FParameter", df1 = 1, df2 = 1, ncp = 0)
df2(W) # df2 of this distribution is 1.
df2(W) <- 2 # df2 of this distribution is now 2.
```

 Gammad-class

 Class "Gammad"

Description

The Gammad distribution with parameters shape = α , by default = 1, and scale = σ , by default = 1, has density

$$d(x) = \frac{1}{\sigma^\alpha \Gamma(\alpha)} x^{\alpha-1} e^{-x/\sigma}$$

for $x > 0$, $\alpha > 0$ and $\sigma > 0$. The mean and variance are $E(X) = \alpha\sigma$ and $Var(X) = \alpha\sigma^2$. C.f. [rgamma](#)

Objects from the Class

Objects can be created by calls of the form `Gammad(scale, shape)`. This object is a gamma distribution.

Slots

img Object of class "Reals": The space of the image of this distribution has got dimension 1 and the name "Real Space".

param Object of class "GammaParameter": the parameter of this distribution (scale and shape), declared at its instantiation

r Object of class "function": generates random numbers (calls function `rgamma`)

d Object of class "function": density function (calls function `dgamma`)

p Object of class "function": cumulative function (calls function pgamma)

q Object of class "function": inverse of the cumulative function (calls function qgamma)

.withArith logical: used internally to issue warnings as to interpretation of arithmetics

.withSim logical: used internally to issue warnings as to accuracy

.logExact logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

.lowerExact logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

Symmetry object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "ExpOrGammaOrChisq", directly.

Class "AbscontDistribution", by class "ExpOrGammaOrChisq".

Class "UnivariateDistribution", by class "AbscontDistribution".

Class "Distribution", by class "UnivariateDistribution".

Methods

initialize signature(.Object = "Gammad"): initialize method

scale signature(object = "Gammad"): returns the slot scale of the parameter of the distribution

scale<- signature(object = "Gammad"): modifies the slot scale of the parameter of the distribution

shape signature(object = "Gammad"): returns the slot shape of the parameter of the distribution

shape<- signature(object = "Gammad"): modifies the slot shape of the parameter of the distribution

+ signature(e1 = "Gammad", e2 = "Gammad"): For the Gamma distribution we use its closedness under convolutions.

* signature(e1 = "Gammad", e2 = "numeric"): For the Gamma distribution we use its closedness under positive scaling transformations.

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[GammaParameter-class](#) [AbscontDistribution-class](#) [Reals-class](#) [rgamma](#)

Examples

```
G <- Gammad(scale=1,shape=1) # G is a gamma distribution with scale=1 and shape=1.
r(G)(1) # one random number generated from this distribution, e.g. 0.1304441
d(G)(1) # Density of this distribution is 0.3678794 for x=1.
p(G)(1) # Probability that x<1 is 0.6321206.
q(G)(.1) # Probability that x<0.1053605 is 0.1.
## in RStudio or Jupyter IRKernel, use q.l(.)(.) instead of q(.)(.)
scale(G) # scale of this distribution is 1.
scale(G) <- 2 # scale of this distribution is now 2.
```

GammaParameter-class *Class "GammaParameter"*

Description

The parameter of a gamma distribution, used by Gammad-class

Objects from the Class

Objects can be created by calls of the form `new("GammaParameter", shape, scale)`. Usually an object of this class is not needed on its own, it is generated automatically when an object of the class `Gammad` is instantiated.

Slots

`shape` Object of class "numeric": the shape of a Gamma distribution
`scale` Object of class "numeric": the scale of a Gamma distribution
`name` Object of class "character": a name / comment for the parameters

Extends

Class "Parameter", directly.

Methods

initialize signature(.Object = "GammaParameter"): initialize method
scale signature(object = "GammaParameter"): returns the slot scale of a parameter of a Gamma distribution
scale<- signature(object = "GammaParameter"): modifies the slot scale of a parameter of a Gamma distribution
shape signature(object = "GammaParameter"): returns the slot shape of a parameter of a Gamma distribution
shape<- signature(object = "GammaParameter"): modifies the slot shape of a parameter of a Gamma distribution

Author(s)

Thomas Stabla <statho3@web.de>
 Florian Camphausen <fcampi@gmx.de>
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Gammad-class Parameter-class](#)

Examples

```
W <- new("GammaParameter", scale=1, shape=1)
shape(W) # shape of this distribution is 1.
shape(W) <- 2 # shape of this distribution is now 2.
```

gaps-methods

Methods for Functions gaps and setgaps in Package 'distr'

Description

[set]gaps-methods

Usage

```
gaps(object)
gaps(object)
gaps(object) <- value
setgaps(object, ...)
## S4 method for signature 'AbscontDistribution'
gaps(object)
## S4 method for signature 'AbscontDistribution'
setgaps(object, exactq = 6,
        ngrid = 50000, ...)
```

Arguments

object	object of class "AbscontDistribution" (or subclasses)
...	further arguments to be passed to setgaps; not yet used.
value	$n \times 2$ matrix m of numerics where $c(t(m))$ is an ordered vector; value to be assigned to slot gaps
exactq	density values smaller than $10^{-\text{exactq}}$ are considered as 0.
ngrid	number of gridpoints at which the density is evaluated.

Methods

- gaps** signature(object = "AbscontDistribution"): returns slot gaps of an absolutely continuous distribution
- setgaps** signature(object = "AbscontDistribution"): tries to find out the gaps (where $d(\text{object})$ is approximately 0) and fills slot gaps of object correspondingly
- setgaps** signature(object = "UnivarMixingDistribution"): for each mixing component, if it has a slot gaps, tries to find out the gaps and fills slot gaps of the component correspondingly, and, subsequently merges all found gap-slots of the components to a gap-slot for the object, using internal function `.mergegaps2`.
- gaps<-** signature(object = "AbscontDistribution"): modifies slot gaps of an absolutely continuous distribution

Geom-class

Class "Geom"

Description

The geometric distribution with $\text{prob} = p$ has density

$$p(x) = p(1 - p)^x$$

for $x = 0, 1, 2, \dots$

C.f. `rgeom`

Objects from the Class

Objects can be created by calls of the form `Geom(prob)`. This object is a geometric distribution.

Slots

- img** Object of class "Naturals": The space of the image of this distribution has got dimension 1 and the name "Natural Space".
- param** Object of class "NbinomParameter": the parameter of this distribution (`prob`), declared at its instantiation (`size=1`)
- r** Object of class "function": generates random numbers (calls function `rgeom`)
- d** Object of class "function": density function (calls function `dgeom`)
- p** Object of class "function": cumulative function (calls function `pgeom`)
- q** Object of class "function": inverse of the cumulative function (calls function `qgeom`). The quantile is defined as the smallest value x such that $F(x) \geq p$, where F is the distribution function.
- support** Object of class "numeric": a (sorted) vector containing the support of the discrete density function
- .withArith** logical: used internally to issue warnings as to interpretation of arithmetics

.withSim logical: used internally to issue warnings as to accuracy

.logExact logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

.lowerExact logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

Symmetry object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "DiscreteDistribution", directly.

Class "Nbinom", directly.

Class "UnivariateDistribution", by class "DiscreteDistribution".

Class "Distribution", by class "DiscreteDistribution".

Contains-Relations

By means of a contains argument in the class declaration, R "knows" that a distribution object obj of class "Geom" also is a negative Binomial distribution with parameters size = 1, prob = prob(obj)

Methods

initialize signature(.Object = "Geom"): initialize method

prob signature(object = "Geom"): returns the slot prob of the parameter of the distribution

prob<- signature(object = "Geom"): modifies the slot prob of the parameter of the distribution

Note

Working with a computer, we use a finite interval as support which carries at least mass $1 - \text{getdistrOption}(\text{"TruncQuantile"})$

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Nbinom-class](#) [GeomParameter-class](#) [DiscreteDistribution-class](#) [Naturals-class](#) [rgeom](#)

Examples

```
G <- Geom(prob = 0.5) # G is a geometric distribution with prob = 0.5.
r(G)(1) # one random number generated from this distribution, e.g. 0
d(G)(1) # Density of this distribution is 0.25 for x = 1.
p(G)(1) # Probability that x<1 is 0.75.
q(G)(.1) # x = 0 is the smallest value x such that p(G)(x) >= 0.1.
```

```
## in RStudio or Jupyter IRKernel, use q.l(.) instead of q(.)
prob(G) # prob of this distribution is 0.5.
prob(G) <- 0.6 # prob of this distribution is now 0.6.
as(G, "Nbinom")
G+G+G
```

getLabel *Labels for distribution objects*

Description

a help function to get reasonable labels for distribution objects

Usage

```
getLabel(x, withnames = TRUE)
```

Arguments

x a distribution object
withnames logical: are the parameters (if any) of x to be displayed with names?

Remark

The need for this helper function (external to our plot methods) was brought to our attention in a mail by Kouros Owzar <owzar001@mc.duke.edu>.

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[plot-methods](#)

Examples

```
## example due to Kouros Owzar:
foo<- function(law,n, withnames = TRUE)
{
  data.frame(muhat=mean(r(law)(n)),n=n,law= getLabel(law,withnames))
}
### a function that groups certain informations on
## created with distribution objects
do.call("rbind",lapply(list(Exp(1),Norm(0,1),Weibull(1,1)),foo,n=100))
do.call("rbind",lapply(list(Exp(1),Norm(0,1),Weibull(1,1)),foo,n=100,FALSE))
```

getLow, getUp

getLow, getUp functions of package distr

Description

getLow, getUp return lower and upper endpoint of a distribution — truncated to lower/upper TruncQuantile if infinite; in case of an object of class "LatticeDistribution" with infinite lattice length, we search for the smallest/largest point in the lattice which is returned by successive halving of $x=0.5$ in `q(object)(x, lower.tail)` for `lower.tail` TRUE resp. false.

Usage

```
## S4 method for signature 'AbscontDistribution'
getUp(object,
        eps = getdistrOption("TruncQuantile"))
## S4 method for signature 'DiscreteDistribution'
getUp(object, ...)
## S4 method for signature 'LatticeDistribution'
getUp(object, ...)
## S4 method for signature 'UnivarLebDecDistribution'
getUp(object,
        eps = getdistrOption("TruncQuantile"))
## S4 method for signature 'UnivarMixingDistribution'
getUp(object,
        eps = getdistrOption("TruncQuantile"))
## S4 method for signature 'AbscontDistribution'
getLow(object,
        eps = getdistrOption("TruncQuantile"))
## S4 method for signature 'DiscreteDistribution'
getLow(object, ...)
## S4 method for signature 'LatticeDistribution'
getLow(object, ...)
## S4 method for signature 'UnivarLebDecDistribution'
getLow(object,
        eps = getdistrOption("TruncQuantile"))
## S4 method for signature 'UnivarMixingDistribution'
getLow(object,
        eps = getdistrOption("TruncQuantile"))
```

Arguments

object	a distribution object
eps	truncation point (numeric)
...	for convenience only; makes it possible to call getLow, getUp with argument eps no matter of the class of object; is ignored in these functions.

Value

getLow, getUp a numeric of length 1

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

Huberize-methods *Methods for function Huberize in Package 'distr'*

Description

Huberize-methods

Usage

```
Huberize(object, ...)
## S4 method for signature 'AcDcLcDistribution'
Huberize(object, lower, upper,
         withSimplify = getdistrOption("simplifyD"))
```

Arguments

object	distribution object
...	further arguments for Huberize; takes up lower, upper, withSimplify.
lower	numeric; lower truncation point
upper	numeric; upper truncation point
withSimplify	logical; is result to be piped through a call to simplifyD?

Value

the corresponding distribution of the truncated random variable

Methods

Huberize signature(object = "AcDcLcDistribution"): returns the unconditioned distribution of $\min(\text{upper}, \max(X, \text{lower}))$, if X is distributed according to object; the result is of class "UnivarLebDecDistribution" in general.

See Also

[Truncate](#)

Examples

```
Hub <- Huberize(Norm(), lower=-1, upper=2)
Hub
plot(Hub)
```

Hyper-class

Class "Hyper"

Description

The hypergeometric distribution is used for sampling *without* replacement. The density of this distribution with parameters m , n and k (named Np , $N - Np$, and n , respectively in the reference below) is given by

$$p(x) = \binom{m}{x} \binom{n}{k-x} / \binom{m+n}{k}$$

for $x = 0, \dots, k$. C.f. [rhyper](#)

Objects from the Class

Objects can be created by calls of the form `Hyper(m, n, k)`. This object is a hypergeometric distribution.

Slots

`img` Object of class "Naturals": The space of the image of this distribution has got dimension 1 and the name "Natural Space".

`param` Object of class "HyperParameter": the parameter of this distribution (m , n , k), declared at its instantiation

`r` Object of class "function": generates random numbers (calls function `rhyper`)

`d` Object of class "function": density function (calls function `dhyper`)

`p` Object of class "function": cumulative function (calls function `phyper`)

`q` Object of class "function": inverse of the cumulative function (calls function `qhyper`). The α -quantile is defined as the smallest value x such that $p(x) \geq \alpha$, where p is the cumulative function.

`support`: Object of class "numeric": a (sorted) vector containing the support of the discrete density function

`.withArith` logical: used internally to issue warnings as to interpretation of arithmetics

`.withSim` logical: used internally to issue warnings as to accuracy

`.logExact` logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

`.lowerExact` logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

`Symmetry` object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "DiscreteDistribution", directly.

Class "UnivariateDistribution", by class "DiscreteDistribution".

Class "Distribution", by class "DiscreteDistribution".

Methods

initialize signature(.Object = "Hyper"): initialize method

m signature(object = "Hyper"): returns the slot m of the parameter of the distribution

m<- signature(object = "Hyper"): modifies the slot m of the parameter of the distribution

n signature(object = "Hyper"): returns the slot n of the parameter of the distribution

n<- signature(object = "Hyper"): modifies the slot n of the parameter of the distribution

k signature(object = "Hyper"): returns the slot k of the parameter of the distribution

k<- signature(object = "Hyper"): modifies the slot k of the parameter of the distribution

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[HyperParameter-class](#) [DiscreteDistribution-class](#) [Naturals-class](#) [rhyper](#)

Examples

```
H <- Hyper(m=3,n=3,k=3) # H is a hypergeometric distribution with m=3,n=3,k=3.
r(H)(1) # one random number generated from this distribution, e.g. 2
d(H)(1) # Density of this distribution is 0.45 for x=1.
p(H)(1) # Probability that x<1 is 0.5.
q(H)(.1) # x=1 is the smallest value x such that p(H)(x)>=0.1.
## in RStudio or Jupyter IRKernel, use q.l(.) instead of q(.)
m(H) # m of this distribution is 3.
m(H) <- 2 # m of this distribution is now 2.
```

HyperParameter-class *Class "HyperParameter"*

Description

The parameter of a hypergeometric distribution, used by Hyper-class

Objects from the Class

Objects can be created by calls of the form `new("HyperParameter", k, m, n)`. Usually an object of this class is not needed on its own, it is generated automatically when an object of the class Hyper is instantiated.

Slots

k Object of class "numeric": k of a hypergeometric distribution
m Object of class "numeric": m of a hypergeometric distribution
n Object of class "numeric": n of a hypergeometric distribution
name Object of class "character": a name / comment for the parameters

Extends

Class "Parameter", directly.

Methods

initialize signature(.Object = "HyperParameter"): initialize method
k signature(object = "HyperParameter"): returns the slot k of the parameter of the distribution
k<- signature(object = "HyperParameter"): modifies the slot k of the parameter of the distribution
m signature(object = "HyperParameter"): returns the slot m of the parameter of the distribution
m<- signature(object = "HyperParameter"): modifies the slot m of the parameter of the distribution
n signature(object = "HyperParameter"): returns the slot n of the parameter of the distribution
n<- signature(object = "HyperParameter"): modifies the slot n of the parameter of the distribution

Author(s)

Thomas Stabla <statho3@web.de>,
Florian Camphausen <fcampi@gmx.de>,
Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Hyper-class Parameter-class](#)

Examples

```
W <- new("HyperParameter",k=3, m=3, n=3)
m(W) # m of this distribution is 3.
m(W) <- 2 # m of this distribution is now 2.
```

igamma *Inverse of the digamma function*

Description

Function igamma is a numerical inverse of digamma.

Usage

```
igamma(v)
```

Arguments

v a numeric in the range [-100000,18]

Details

igamma is vectorized; it is won by spline inversion of a grid; it works well for range [digamma(1e-5);digamma(1e8)] or [-100000,18].

Value

igamma(x) is a value u such that digamma(u) is approximately x.

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

digamma

Examples

```
igamma(digamma(c(1e-4,1,20,1e8)))
```

img-methods *Methods for Function img in Package 'distr'*

Description

img-methods

Methods

img signature(object = "Distribution"): returns the image space / domain of the distribution

k-methods

Methods for Function k in Package 'distr'

Description

k-methods

Methods**k** signature(object = "HyperParameter"): returns the slot k of the parameter of the distribution**k<-** signature(object = "HyperParameter"): modifies the slot k of the parameter of the distribution**k** signature(object = "Hyper"): returns the slot k of the parameter of the distribution**k<-** signature(object = "Hyper"): modifies the slot k of the parameter of the distribution

lambda-methods

Methods for Function lambda in Package 'distr'

Description

lambda-methods

Methods**lambda** signature(object = "PoisParameter"): returns the slot lambda of the parameter of the distribution**lambda<-** signature(object = "PoisParameter"): modifies the slot lambda of the parameter of the distribution**lambda** signature(object = "Pois"): returns the slot lambda of the parameter of the distribution**lambda<-** signature(object = "Pois"): modifies the slot lambda of the parameter of the distribution

Lattice-class *Class "Lattice"*

Description

Class Lattice formalizes an affine linearly generated grid of (support) points $\text{pivot} + (0:(\text{Length}-1)) * \text{width}$; this is used for subclass LatticeDistribution of class DiscreteDistribution which in addition to the latter contains a slot lattice of class Lattice.

Usage

```
Lattice(pivot = 0, width = 1, Length = 2, name = "a lattice")
```

Arguments

pivot	the (finite) utmost left or right value of the lattice
width	the (finite) grid-width; if negative the lattice is expanded to the left, else to the right
Length	the (possibly infinite) length of the lattice
name	the (possibly empty) name of the lattice (inherited from class rSpace)

Objects from the Class

Objects may be generated by calling the generating function Lattice.

Slots

pivot	Object of class "numeric": — the pivot of the lattice; must be of length 1
width	Object of class "numeric": — the width of the lattice; must be of length 1 and must not be 0
Length	Object of class "numeric": — the width of the lattice; must be an integer > 0 of length 1
name	Object of class "character": the name of the space, by default = "a lattice"

Extends

Class "rSpace", directly.

Methods

pivot	signature(.Object = "Lattice"): returns the 'pivot' slot
pivot<-	signature(.Object = "Lattice"): modifies the 'pivot' slot
width	signature(.Object = "Lattice"): returns the 'width' slot
width<-	signature(.Object = "Lattice"): modifies the 'width' slot
Length	signature(.Object = "Lattice"): returns the 'Length' slot
Length<-	signature(.Object = "Lattice"): modifies the 'Length' slot

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[rSpace-class LatticeDistribution-class](#)

Examples

```
L <- Lattice(pivot = 0, width = 1, Length = Inf, name = "the Naturals")
name(L)
pivot(L) <- 1 ### now starting from 1
```

LatticeDistribution *Class "LatticeDistribution"*

Description

The LatticeDistribution-class is the mother-class of the classes Binom, Dirac, Geom, Hyper, Nbinom and Poisson. It formalizes a distribution on a regular affine linear lattice.

Usage

```
LatticeDistribution(lattice = NULL, supp = NULL, prob = NULL,
  .withArith = FALSE, .withSim = FALSE,
  DiscreteDistribution = NULL, check = TRUE,
  Symmetry = NoSymmetry())
```

Arguments

DiscreteDistribution	an object of class DiscreteDistribution or AffLinDiscreteDistribution to be coerced to LatticeDistribution or AffLinLatticeDistribution, respectively
lattice	lattice (of class Lattice) which determines the support of the discrete distribution.
supp	numeric vector which forms the support of the discrete distribution.
prob	vector of probability weights for the elements of supp.
.withArith	normally not set by the user, but if determining the entries supp, prob distributional arithmetics was involved, you may set this to TRUE.
.withSim	normally not set by the user, but if determining the entries supp, prob simulations were involved, you may set this to TRUE.
check	logical: if TRUE, LatticeDistribution() throws an error if argument lattice and other arguments are inconsistent or if there is no way to automatically generate a lattice argument. If check == FALSE, LatticeDistribution() returns an object of DiscreteDistribution, ignoring argument lattice

Symmetry you may help \mathbb{R} in calculations if you tell it whether the distribution is non-symmetric (default) or symmetric with respect to a center; in this case use `Symmetry=SphericalSymmetry(center)`.

Details

Typical usages are

```
LatticeDistribution(DiscreteDistribution)
LatticeDistribution(lattice, DiscreteDistribution)
LatticeDistribution(lattice, supp, prob, .withArith, .withSim, check = FALSE)
LatticeDistribution(lattice, supp, prob)
LatticeDistribution(supp)
```

For the generating function `LatticeDistribution()`, the arguments are processed in the following order:

Arguments `.withSim` and `.withArith` are used in any case.

If there is an argument `DiscreteDistribution` (of the respective class), all its slots (except for `.withSim` and `.withArith`) will be used for filling the slots of the object of class `LatticeDistribution()/AffLinLatticeD`

If in addition, there is an argument `lattice` of class `Lattice`, it will be checked for consistency with argument `DiscreteDistribution` and if oK will be used for slot `lattice` of the object of class `LatticeDistribution()/AffLinLatticeDistribution()`. In case there is no `lattice` argument, slot `lattice` will be constructed from slot `support` from argument `DiscreteDistribution`.

If there is no argument `DiscreteDistribution`, but there are arguments `supp` and `lattice` (the latter of class `Lattice`) then these are checked for consistency and if oK, generating function `DiscreteDistribution()` is called with arguments `supp`, `prob`, `.withArith`, and `.withSim` to produce an object of class `DiscreteDistribution` the slots of which will be used for the filling the slots of the object of class `LatticeDistribution()/AffLinLatticeDistribution()`. If in this case, argument `prob` is not given explicitly, all elements in `supp` are equally weighted.

If there is no argument `DiscreteDistribution`, but there is an argument `lattice` of class `Lattice` (but no argument `slot`) then if `Length(lattice)` is finite, a corresponding support vector `supp` is generated from argument `lattice` and generating function `DiscreteDistribution()` is called with arguments `supp`, `prob`, `.withArith`, and `.withSim` to produce an object of class `DiscreteDistribution` the slots of which will be used for the filling the slots of the object of class `LatticeDistribution()`.

If in the same situation `Length(lattice)` is not finite, a finite length for the support vector is extracted from argument `prob` and after generating `supp` one proceeds as in the finite `Length(lattice)` case.

If there is no argument `DiscreteDistribution` and no argument `lattice` of class `Lattice` but an argument `supp` then it will be checked if `supp` makes for a lattice, and if so, `DiscreteDistribution()` is called with arguments `supp`, `prob`, `.withArith`, and `.withSim` to produce an object of class `DiscreteDistribution` the slots of which will be used for the filling the slots of the object of class `LatticeDistribution()`. The corresponding `lattice`-slot will be filled with information from argument `supp`.

The price for this flexibility of arguments, `LatticeDistribution()` may be called with, is that you should call `LatticeDistribution()` with *named arguments* only.

Note that internally we suppress lattice points from the support where the probability is 0.

Objects from the Class

The usual way to generate objects of class `LatticeDistribution` is to call the generating function `LatticeDistribution()` (see details).

Somewhat more flexible, but also prone to inconsistencies is a call to `new("LatticeDistribution")`, where you may explicitly specify random number generator, (counting) density, cumulative distribution and quantile functions. For convenience, in this call to `new("LatticeDistribution")`, an additional possibility is to only specify the random number generator. The function `RtoDPQ.d` then approximates the three remaining slots `d`, `p` and `q` by random sampling.

Note

Working with a computer, we use a finite interval as support which carries at least mass `1-getdistrOption("TruncQuantile")`.

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[Parameter-class](#) [Lattice-class](#) [LatticeDistribution-class](#) [Reals-class](#) [RtoDPQ.d](#)

Examples

```
LatticeDistribution(DiscreteDistribution = DiscreteDistribution(supp =
  c(4,3,2), prob=c(0.3,0.1,0.6)))
LatticeDistribution(supp = c(4,3,2))
```

LatticeDistribution-class

Class "LatticeDistribution"

Description

The `LatticeDistribution-class` is the mother-class of the classes `Binom`, `Dirac`, `Geom`, `Hyper`, `Nbinom` and `Poisson`. It formalizes a distribution on a regular affine linear lattice.

Objects from the Class

The usual way to generate objects of class `LatticeDistribution` is to call the generating function [LatticeDistribution](#).

Somewhat more flexible, but also prone to inconsistencies is a call to `new("LatticeDistribution")`, where you may explicitly specify random number generator, (counting) density, cumulative distribution and quantile functions. For convenience, in this call to `new("LatticeDistribution")`, an additional possibility is to only specify the random number generator. The function `RtoDPQ.d` then approximates the three remaining slots `d`, `p` and `q` by random sampling.

Slots

- img Object of class "Reals": the space of the image of this distribution which has dimension 1 and the name "Real Space"
- param Object of class "Parameter": the parameter of this distribution, having only the slot name "Parameter of a discrete distribution"
- r Object of class "function": generates random numbers
- d Object of class "function": (counting) density/probability function
- p Object of class "function": cumulative distribution function
- q Object of class "function": quantile function
- support Object of class "numeric": a (sorted) vector containing the support of the discrete density function
- lattice Object of class "Lattice": the lattice generating the support.
- .withArith logical: used internally to issue warnings as to interpretation of arithmetics
- .withSim logical: used internally to issue warnings as to accuracy
- .logExact logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function
- .lowerExact logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function
- Symmetry object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

- Class "UnivariateDistribution", directly.
- Class "Distribution", by class "UnivariateDistribution".

Methods

- initialize signature(.Object = "LatticeDistribution"): initialize method
- signature(e1 = "LatticeDistribution"): application of '-' to this lattice distribution
- * signature(e1 = "LatticeDistribution", e2 = "numeric"): multiplication of this lattice distribution by an object of class 'numeric'
- / signature(e1 = "LatticeDistribution", e2 = "numeric"): division of this lattice distribution by an object of class 'numeric'
- + signature(e1 = "LatticeDistribution", e2 = "numeric"): addition of this lattice distribution to an object of class 'numeric'
- signature(e1 = "LatticeDistribution", e2 = "numeric"): subtraction of an object of class 'numeric' from this lattice distribution
- * signature(e1 = "numeric", e2 = "LatticeDistribution"): multiplication of this lattice distribution by an object of class 'numeric'
- + signature(e1 = "numeric", e2 = "LatticeDistribution"): addition of this lattice distribution to an object of class 'numeric'

- signature(e1 = "numeric", e2 = "LatticeDistribution"): subtraction of this lattice distribution from an object of class 'numeric'
- + signature(e1 = "LatticeDistribution", e2 = "LatticeDistribution"): Convolution of two lattice distributions. Slots p, d and q are approximated by grids.
- signature(e1 = "LatticeDistribution", e2 = "LatticeDistribution"): Convolution of two lattice distributions. The slots p, d and q are approximated by grids.
- sqrt signature(x = "LatticeDistribution"): exact image distribution of sqrt(x).
- lattice accessor method to the corresponding slot.
- coerce signature(from = "LatticeDistribution", to = "DiscreteDistribution"): coerces an object from "LatticeDistribution" to "DiscreteDistribution" thereby cancelling out support points with probability 0.

Internal subclass "AffLinLatticeDistribution"

To enhance accuracy of several functionals on distributions, mainly from package **distrEx**, there is an internally used (but exported) subclass "AffLinLatticeDistribution" which has extra slots a, b (both of class "numeric"), and X0 (of class "LatticeDistribution"), to capture the fact that the object has the same distribution as $a * X0 + b$. This is the class of the return value of methods

- signature(e1 = "LatticeDistribution")
- * signature(e1 = "LatticeDistribution", e2 = "numeric")
- / signature(e1 = "LatticeDistribution", e2 = "numeric")
- + signature(e1 = "LatticeDistribution", e2 = "numeric")
- signature(e1 = "LatticeDistribution", e2 = "numeric")
- * signature(e1 = "numeric", e2 = "LatticeDistribution")
- + signature(e1 = "numeric", e2 = "LatticeDistribution")
- signature(e1 = "numeric", e2 = "LatticeDistribution")
- signature(e1 = "AffLinLatticeDistribution")
- * signature(e1 = "AffLinLatticeDistribution", e2 = "numeric")
- / signature(e1 = "AffLinLatticeDistribution", e2 = "numeric")
- + signature(e1 = "AffLinLatticeDistribution", e2 = "numeric")
- signature(e1 = "AffLinLatticeDistribution", e2 = "numeric")
- * signature(e1 = "numeric", e2 = "AffLinLatticeDistribution")
- + signature(e1 = "numeric", e2 = "AffLinLatticeDistribution")
- signature(e1 = "numeric", e2 = "AffLinLatticeDistribution")

There is also an explicit coerce-method from class "AffLinLatticeDistribution" to class "AffLinDiscreteDistribution" which cancels out support points with probability 0.

Note

Working with a computer, we use a finite interval as support which carries at least mass $1 - \text{getdistrOption}(\text{"TruncQuantile"})$

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[LatticeDistribution](#) [Parameter-class](#) [Lattice-class](#) [UnivariateDistribution-class](#) [DiscreteDistribution-class](#) [Binom-class](#) [Dirac-class](#) [Geom-class](#) [Hyper-class](#) [Nbinom-class](#) [Pois-class](#) [AbscontDistribution-class](#) [Reals-class](#) [RtoDPQ.d](#)

Examples

```
B <- Binom(prob = 0.1,size = 10) # B is a Binomial distribution w/ prob=0.1 and size=10.
P <- Pois(lambda = 1) # P is a Poisson distribution with lambda = 1.
D1 <- B+1 # a new Lattice distributions with exact slots d, p, q
D2 <- D1*3 # a new Lattice distributions with exact slots d, p, q
D3 <- B+P # a new Lattice distributions with approximated slots d, p, q
D4 <- D1+P # a new Lattice distributions with approximated slots d, p, q
support(D4) # the (approximated) support of this distribution is 1, 2, ..., 21
r(D4)(1) # one random number generated from this distribution, e.g. 4
d(D4)(1) # The (approximated) density for x=1 is 0.1282716.
p(D4)(1) # The (approximated) probability that x<=1 is 0.1282716.
q(D4)(.5) # The (approximated) 50 percent quantile is 3.
## in RStudio or Jupyter IRKernel, use q.l(.) instead of q(.)
```

Length-methods

Methods for Function Length in Package 'distr'

Description

Length-methods

Methods

Length signature(object = "Lattice"): returns the slot Length of the lattice

Length<- signature(object = "Lattice"): modifies the slot Length of the lattice

Length signature(object = "LatticeDistribution"): returns the slot Length of the lattice slot of the distribution

Length<- signature(object = "LatticeDistribution"): modifies the slot Length of the lattice slot of the distribution

liesIn-methods *Methods for Function liesIn in Package 'distr'*

Description

liesIn-methods

Methods

liesIn signature(object = "EuclideanSpace", x = "numeric"):

Does a particular vector lie in this space or not?

liesIn signature(object = "Naturals", x = "numeric"):

Does a particular vector only contain naturals?

liesInSupport *Generic Function for Testing the Support of a Distribution*

Description

The function tests if x lies in the support of the distribution object.

Usage

```
liesInSupport(object, x, ...)
## S4 method for signature 'UnivarLebDecDistribution,numeric'
liesInSupport(object,x, checkFin = FALSE)
## S4 method for signature 'UnivarMixingDistribution,numeric'
liesInSupport(object,x, checkFin = FALSE)
## S4 method for signature 'LatticeDistribution,numeric'
liesInSupport(object,x, checkFin = FALSE)
## S4 method for signature 'DiscreteDistribution,numeric'
liesInSupport(object,x, checkFin = FALSE)
## S4 method for signature 'AbscontDistribution,numeric'
liesInSupport(object,x, checkFin = FALSE)
## S4 method for signature 'Distribution,matrix'
liesInSupport(object,x, checkFin = FALSE)
## S4 method for signature 'ExpOrGammaOrChisq,numeric'
liesInSupport(object,x, checkFin = TRUE)
## S4 method for signature 'Lnorm,numeric'
liesInSupport(object,x, checkFin = TRUE)
## S4 method for signature 'Fd,numeric'
liesInSupport(object,x, checkFin = TRUE)
## S4 method for signature 'Norm,numeric'
liesInSupport(object,x, checkFin = TRUE)
```

```
## S4 method for signature 'DExp,numeric'
liesInSupport(object,x, checkFin = TRUE)
## S4 method for signature 'Cauchy,numeric'
liesInSupport(object,x, checkFin = TRUE)
## S4 method for signature 'Td,numeric'
liesInSupport(object,x, checkFin = TRUE)
## S4 method for signature 'Logis,numeric'
liesInSupport(object,x, checkFin = TRUE)
## S4 method for signature 'Weibull,numeric'
liesInSupport(object,x, checkFin = TRUE)
## S4 method for signature 'Unif,numeric'
liesInSupport(object,x, checkFin = TRUE)
## S4 method for signature 'Beta,numeric'
liesInSupport(object,x, checkFin = TRUE)
```

Arguments

object	object of class "Distribution"
x	numeric vector or matrix
checkFin	logical: in case FALSE, we simply check whether x lies in the <i>numerical</i> (i.e., possibly cut to relevant quantile range) support; in case TRUE we try to check this by more exact techniques (e.g. in case of lattice distributions) and by using slot <code>.finSupport</code> / the return values of <code>q.l(object)</code> in 0 and 1. This is only used on discrete (parts of) distributions).
...	used for specific arguments to particular methods.

Value

logical vector

Methods

object = "DiscreteDistribution", x = "numeric": We return a logical vector of the same length as x with TRUE when x lies in the support of object. As support we use the value of `support(object)`, so this is possibly cut to relevant quantile ranges. In case `checkFin` is TRUE, in addition, we flag those coordinates to TRUE where $x < \min(\text{support}(\text{object}))$ if `is.na(object@.finSupport[1])` or `object@.finSupport[1]==FALSE` or `q.l(object)(0)==-Inf`, and similarly, where $x > \max(\text{support}(\text{object}))$ if `is.na(object@.finSupport[2])` or `object@.finSupport[2]==Inf` or `q.l(object)(1)==Inf`. In addition we flag those coordinates to TRUE where $q.l(\text{object})(0) \leq x < \min(\text{support}(\text{object}))$ if `object@.finSupport[1]==TRUE` and, similarly, where $q.l(\text{object})(1) \geq x > \max(\text{support}(\text{object}))$ if `object@.finSupport[2]==TRUE`.

object = "Distribution", x = "matrix": Argument x is cast to vector and then the respective `liesInSupport` method for vectors is called. The method throws an error when the dispatch mechanism does not find a suitable, applicable respective vector-method.

object = "AbscontDistribution", x = "numeric": We return a logical vector of the same length as x with TRUE where $q.l(\text{object})(0) \leq x \leq q.l(\text{object})(1)$ (and replace the boundary values by $q.l(\text{object})(10 * \text{Machine\$double.eps})$ resp. $q.l(\text{object})(1 - 10 * \text{Machine\$double.eps})$) once the return values for 0 or 1 return are NaN.

object = "LatticeDistribution", x = "numeric": We return a logical vector of the same length as x with TRUE when x lies in the support of object. As support we use the value of support(object), so this is possibly cut to relevant quantile ranges. In case checkFin is TRUE, we instead use the lattice information: We check whether all values (x-pivot(lattice(object))/width(lattice(object))) are non-negative integers and are non larger than Length(lattice(object))-1. In addition, we flag those coordinates to TRUE where $x < \min(\text{support}(\text{object}))$ if `is.na(object@.finSupport[1])` or `object@.finSupport[1]==FALSE`, and similarly, where $x > \max(\text{support}(\text{object}))$ if `is.na(object@.finSupport[2])` or `object@.finSupport[2]==FALSE`.

object = "UnivarLebDecDistribution", x = "numeric": We split up object into discrete and absolutely continuous part and for each of them apply liesInSupport separately; the two return values are combined by a componentwise logical |.

object = "UnivarMixingDistribution", x = "numeric": We first cast object to UnivarLebDecDistribution by `flat.mix` and then apply the respective method.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de> and Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[Distribution-class](#)

Examples

```
liesInSupport(Exp(1), rnorm(10))

# note
x <- rpois(10, lambda = 10)
liesInSupport(Pois(1), x)
# better
liesInSupport(Pois(1), x, checkFin = TRUE)
liesInSupport(Pois(1), 1000*x, checkFin = TRUE)
liesInSupport(-10*Pois(1), -10*x+1, checkFin = TRUE)

xs = c(1000*x,runif(10))
D <- UnivarMixingDistribution(Pois(1),Unif())
liesInSupport(D, xs)
```

Lnorm-class

Class "Lnorm"

Description

The log normal distribution has density

$$d(x) = \frac{1}{\sqrt{2\pi\sigma x}} e^{-(\log(x)-\mu)^2/2\sigma^2}$$

where μ , by default = 0, and σ , by default = 1, are the mean and standard deviation of the logarithm. C.f. [rlnorm](#)

Objects from the Class

Objects can be created by calls of the form `Lnorm(meanlog, sdlog)`. This object is a log normal distribution.

Slots

`img` Object of class "Reals": The space of the image of this distribution has got dimension 1 and the name "Real Space".

`param` Object of class "LnormParameter": the parameter of this distribution (meanlog and sdlog), declared at its instantiation

`r` Object of class "function": generates random numbers (calls function `rlnorm`)

`d` Object of class "function": density function (calls function `dlnorm`)

`p` Object of class "function": cumulative function (calls function `plnorm`)

`q` Object of class "function": inverse of the cumulative function (calls function `qlnorm`)

`.withArith` logical: used internally to issue warnings as to interpretation of arithmetics

`.withSim` logical: used internally to issue warnings as to accuracy

`.logExact` logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

`.lowerExact` logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

`Symmetry` object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "AbscontDistribution", directly.
 Class "UnivariateDistribution", by class "AbscontDistribution".
 Class "Distribution", by class "AbscontDistribution".

Methods

initialize signature(.Object = "Lnorm"): initialize method

meanlog signature(object = "Lnorm"): returns the slot meanlog of the parameter of the distribution

meanlog<- signature(object = "Lnorm"): modifies the slot meanlog of the parameter of the distribution

sdlog signature(object = "Lnorm"): returns the slot sdlog of the parameter of the distribution

sdlog<- signature(object = "Lnorm"): modifies the slot sdlog of the parameter of the distribution

* signature(e1 = "Lnorm", e2 = "numeric"): For the Lognormal distribution we use its closedness under positive scaling transformations.

Note

The mean is $E(X) = \exp(\mu + 1/2\sigma^2)$, and the variance $Var(X) = \exp(2\mu + \sigma^2)(\exp(\sigma^2) - 1)$ and hence the coefficient of variation is $\sqrt{\exp(\sigma^2) - 1}$ which is approximately σ when that is small (e.g., $\sigma < 1/2$).

Author(s)

Thomas Stabla <statho3@web.de>
 Florian Camphausen <fcampi@gmx.de>
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[LnormParameter-class](#) [AbscontDistribution-class](#) [Reals-class](#) [rlnorm](#)

Examples

```
L <- Lnorm(meanlog=1,sdlog=1) # L is a lnorm distribution with mean=1 and sd=1.
r(L)(1) # one random number generated from this distribution, e.g. 3.608011
d(L)(1) # Density of this distribution is 0.2419707 for x=1.
p(L)(1) # Probability that x<1 is 0.1586553.
q(L)(.1) # Probability that x<0.754612 is 0.1.
## in RStudio or Jupyter IRKernel, use q.l(.) instead of q(.)
meanlog(L) # meanlog of this distribution is 1.
meanlog(L) <- 2 # meanlog of this distribution is now 2.
```

LnormParameter-class *Class "LnormParameter"*

Description

The parameter of a log normal distribution, used by Lnorm-class

Objects from the Class

Objects can be created by calls of the form `new("LnormParameter", meanlog, sdlog)`. Usually an object of this class is not needed on its own, it is generated automatically when an object of the class Lnorm is instantiated.

Slots

meanlog Object of class "numeric": the mean of a log normal distribution
 sdlog Object of class "numeric": the sd of a log normal distribution
 name Object of class "character": a name / comment for the parameters

Extends

Class "Parameter", directly.

Methods

initialize signature(.Object = "LnormParameter"): initialize method

sdlog signature(object = "LnormParameter"): returns the slot sdlog of the parameter of the distribution

sdlog<- signature(object = "LnormParameter"): modifies the slot sdlog of the parameter of the distribution

meanlog signature(object = "LnormParameter"): returns the slot meanlog of the parameter of the distribution

meanlog<- signature(object = "LnormParameter"): modifies the slot meanlog of the parameter of the distribution

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Lnorm-class Parameter-class](#)

Examples

```
W <- new("LnormParameter",sdlog=1,meanlog=0)
meanlog(W) # meanlog of this distribution is 0.
meanlog(W) <- 2 # meanlog of this distribution is now 2.
```

 location-methods

Methods for Function location in Package 'distr'

Description

location-methods

Methods

location signature(object = "LogisParameter"): returns the slot location of the parameter of the distribution

location<- signature(object = "LogisParameter"): modifies the slot location of the parameter of the distribution

- location** signature(object = "Logis"): returns the slot location of the parameter of the distribution
- location<-** signature(object = "Logis"): modifies the slot location of the parameter of the distribution
- location** signature(object = "CauchyParameter"): returns the slot location of the parameter of the distribution
- location<-** signature(object = "CauchyParameter"): modifies the slot location of the parameter of the distribution
- location** signature(object = "Cauchy"): returns the slot location of the parameter of the distribution
- location<-** signature(object = "Cauchy"): modifies the slot location of the parameter of the distribution
- location** signature(object = "DiracParameter"): returns the slot location of the parameter of the distribution
- location<-** signature(object = "DiracParameter"): modifies the slot location of the parameter of the distribution
- location** signature(object = "Dirac"): returns the slot location of the parameter of the distribution
- location<-** signature(object = "Dirac"): modifies the slot location of the parameter of the distribution

 Logis-class

 Class "Logis"

Description

The Logistic distribution with location = μ , by default = \emptyset , and scale = σ , by default = 1, has distribution function

$$p(x) = \frac{1}{1 + e^{-(x-\mu)/\sigma}}$$

and density

$$d(x) = \frac{1}{\sigma} \frac{e^{(x-\mu)/\sigma}}{(1 + e^{(x-\mu)/\sigma})^2}$$

It is a long-tailed distribution with mean μ and variance $\pi^2/3\sigma^2$. C.f. [rlogis](#)

Objects from the Class

Objects can be created by calls of the form `Logis(location, scale)`. This object is a logistic distribution.

Slots

img Object of class "Reals": The space of the image of this distribution has got dimension 1 and the name "Real Space".

param Object of class "LogisParameter": the parameter of this distribution (location and scale), declared at its instantiation

r Object of class "function": generates random numbers (calls function rlogis)

d Object of class "function": density function (calls function dlogis)

p Object of class "function": cumulative function (calls function plogis)

q Object of class "function": inverse of the cumulative function (calls function qlogis)

.withArith logical: used internally to issue warnings as to interpretation of arithmetics

.withSim logical: used internally to issue warnings as to accuracy

.logExact logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

.lowerExact logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

Symmetry object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "AbscontDistribution", directly.

Class "UnivariateDistribution", by class "AbscontDistribution".

Class "Distribution", by class "AbscontDistribution".

Methods

initialize signature(.Object = "Logis"): initialize method

location signature(object = "Logis"): returns the slot location of the parameter of the distribution

location<- signature(object = "Logis"): modifies the slot location of the parameter of the distribution

scale signature(object = "Logis"): returns the slot scale of the parameter of the distribution

scale<- signature(object = "Logis"): modifies the slot scale of the parameter of the distribution

***** signature(e1 = "Logis", e2 = "numeric")

+ signature(e1 = "Logis", e2 = "numeric"): For the logistic location scale family we use its closedness under affine linear transformations.

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[LogisParameter-class](#) [AbscontDistribution-class](#) [Reals-class](#) [rlogis](#)

Examples

```
L <- Logis(location = 1,scale = 1)
# L is a logistic distribution with location = 1 and scale = 1.
r(L)(1) # one random number generated from this distribution, e.g. 5.87557
d(L)(1) # Density of this distribution is 0.25 for x = 1.
p(L)(1) # Probability that x < 1 is 0.5.
q(L)(.1) # Probability that x < -1.197225 is 0.1.
## in RStudio or Jupyter IRKernel, use q.l(.)(.) instead of q(.)(.)
location(L) # location of this distribution is 1.
location(L) <- 2 # location of this distribution is now 2.
```

LogisParameter-class *Class "LogisParameter"*

Description

The parameter of a logistic distribution, used by Logis-class

Objects from the Class

Objects can be created by calls of the form `new("LogisParameter", scale, location)`. Usually an object of this class is not needed on its own, it is generated automatically when an object of the class `Logis` is instantiated.

Slots

`scale` Object of class "numeric": the scale of a logistic distribution
`location` Object of class "numeric": the location of a logistic distribution
`name` Object of class "character": a name / comment for the parameters

Extends

Class "Parameter", directly.

Methods

initialize signature(.Object = "LogisParameter"): initialize method
location signature(object = "LogisParameter"): returns the slot location of the parameter of the distribution
location<- signature(object = "LogisParameter"): modifies the slot location of the parameter of the distribution
scale signature(object = "LogisParameter"): returns the slot scale of the parameter of the distribution
scale<- signature(object = "LogisParameter"): modifies the slot scale of the parameter of the distribution

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Logis-class Parameter-class](#)

Examples

```
W <- new("LogisParameter",location=0,scale=1)
scale(W) # scale of this distribution is 1.
scale(W) <- 2 # scale of this distribution is now 2.
```

m-methods

Methods for Function m in Package 'distr'

Description

m-methods

Methods

m signature(object = "HyperParameter"): returns the slot m of the parameter of the distribution

m<- signature(object = "HyperParameter"): modifies the slot m of the parameter of the distribution

m signature(object = "Hyper"): returns the slot m of the parameter of the distribution

m<- signature(object = "Hyper"): modifies the slot m of the parameter of the distribution

makeAbscontDistribution

"makeAbscontDistribution"

Description

Transforms an object of "UnivariateDistribution" to an object of class "makeAbscontDistribution".

Usage

```
makeAbscontDistribution(object, gaps = NULL,
  param = NULL, img = NULL,
  withgaps = getdistrOption("withgaps"),
  ngrid = getdistrOption("DefaultNrGridPoints"),
  ep = getdistrOption("TruncQuantile"))
```

Arguments

object	Objects of class "UnivariateDistribution" (or subclasses)
gaps	slot gaps (of class "matrix" with two columns) to be filled (i.e. <code>t(gaps)</code> must be ordered if read as vector)
param	parameter (of class "OptionalParameter")
img	image range of the distribution (of class "rSpace")
withgaps	logical; shall gaps be reconstructed empirically?
ngrid	number of gridpoints
ep	tolerance epsilon

Details

takes slot `p` of object and then generates an "AbscontDistribution" object using generating function [AbscontDistribution](#).

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

Examples

```
Hu <- Huberize(Norm(), -2,1)
Hu
plot(Hu)
Hu0 <- makeAbscontDistribution(Hu)
Hu0
plot(Hu0)
```

Math-methods

Methods for Functions from group 'Math' in Package 'distr'

Description

Math-methods provide automatical generation of image distributions for random variables transformed by functions from group [Math](#)

Methods

Math signature(`x = "AbscontDistribution"`): application of a mathematical function from group [Math](#), e.g. `sin` or `exp` (including `log`, `log10`, `gamma`, `lgamma`, `digamma`), to this absolutely continuous distribution

Math signature(`x = "DiscreteDistribution"`): application of a mathematical function, e.g. `sin` or `exp` (including `log`, `log10`, `gamma`, `lgamma`, `digamma`), to this discrete distribution

Math signature(`x = "UnivarLebDecDistribution"`): application of a mathematical function from group [Math](#), e.g. `sin` or `exp` (including `log`, `log10`, `gamma`, `lgamma`), to this Lebesgue decomposed distribution

- Math** signature(x = "UnivarLebDecDistribution"): application of a mathematical function from group **Math**, e.g. sin or exp (including log, log10, gamma, lgamma), to this distribution of class "AcDcLcDistribution"
- abs** signature(x = "AbscontDistribution"): application of function abs to this absolutely continuous distribution; (exactly)
- abs** signature(x = "DiscreteDistribution"): application of function abs to this discrete distribution; (exactly)
- sign** signature(x = "AbscontDistribution"): application of function abs to this absolutely continuous distribution; (exactly)
- sign** signature(x = "DiscreteDistribution"): application of function abs to this discrete continuous distribution; (exactly)
- exp** signature(x = "AbscontDistribution"): application of function exp to this absolutely continuous distribution; (exactly)
- exp** signature(x = "DiscreteDistribution"): application of function exp to this discrete distribution; (exactly)
- log** signature(x = "AbscontDistribution"): application of function log to this absolutely continuous distribution; (exactly for R-version >2.5.1)
- log** signature(x = "DiscreteDistribution"): application of function log to this discrete distribution; (exactly for R-version >2.5.1)

 Max-methods

Methods for Function Max in Package 'distr'

Description

Max-methods

Methods

- Max** signature(object = "UnifParameter"): returns the slot Max of the parameter of the distribution
- Max<-** signature(object = "UnifParameter"): modifies the slot Max of the parameter of the distribution
- Max** signature(object = "Unif"): returns the slot Max of the parameter of the distribution
- Max<-** signature(object = "Unif"): modifies the slot Max of the parameter of the distribution

 mean-methods

Methods for Function mean in Package 'distr'

Description

mean-methods

Methods

mean signature(object = "NormParameter"): returns the slot mean of the parameter of the distribution

mean<- signature(object = "NormParameter"): modifies the slot mean of the parameter of the distribution

mean signature(object = "Norm"): returns the slot mean of the parameter of the distribution

mean<- signature(object = "Norm"): modifies the slot mean of the parameter of the distribution

 meanlog-methods

Methods for Function meanlog in Package 'distr'

Description

meanlog-methods

Methods

meanlog signature(object = "LnormParameter"): returns the slot meanlog of the parameter of the distribution

meanlog<- signature(object = "LnormParameter"): modifies the slot meanlog of the parameter of the distribution

meanlog signature(object = "Lnorm"): returns the slot meanlog of the parameter of the distribution

meanlog<- signature(object = "Lnorm"): modifies the slot meanlog of the parameter of the distribution

 Min-methods

Methods for Function Min in Package 'distr'

Description

Min-methods

Methods

Min signature(object = "UnifParameter"): returns the slot Min of the parameter of the distribution

Min<- signature(object = "UnifParameter"): modifies the slot Min of the parameter of the distribution

Min signature(object = "Unif"): returns the slot Min of the parameter of the distribution

Min<- signature(object = "Unif"): modifies the slot Min of the parameter of the distribution

 Minimum-methods

Methods for functions Minimum and Maximum in Package 'distr'

Description

Minimum and Maximum-methods

Usage

```

Minimum(e1, e2, ...)
Maximum(e1, e2, ...)
## S4 method for signature 'AbscontDistribution,AbscontDistribution'
Minimum(e1,e2, ...)
## S4 method for signature 'DiscreteDistribution,DiscreteDistribution'
Minimum(e1,e2, ...)
## S4 method for signature 'AbscontDistribution,Dirac'
Minimum(e1,e2,
        withSimplify = getdistrOption("simplifyD"))
## S4 method for signature 'AcDcLcDistribution,AcDcLcDistribution'
Minimum(e1,e2,
        withSimplify = getdistrOption("simplifyD"))
## S4 method for signature 'AcDcLcDistribution,AcDcLcDistribution'
Maximum(e1,e2,
        withSimplify = getdistrOption("simplifyD"))
## S4 method for signature 'AbscontDistribution,numeric'
Minimum(e1,e2, ...)
## S4 method for signature 'DiscreteDistribution,numeric'
Minimum(e1,e2, ...)

```

```

## S4 method for signature 'AcDcLcDistribution,numeric'
Minimum(e1,e2,
        withSimplify = getdistrOption("simplifyD"))
## S4 method for signature 'AcDcLcDistribution,numeric'
Maximum(e1,e2,
        withSimplify = getdistrOption("simplifyD"))

```

Arguments

e1 distribution object
e2 distribution object or numeric
... further arguments (to be able to call various methods with the same arguments)
withSimplify logical; is result to be piped through a call to [simplifyD](#)?

Value

the corresponding distribution of the minimum / maximum

Methods

Minimum signature(*e1* = "AbscontDistribution", *e2* = "AbscontDistribution"): returns the distribution of $\min(X_1, X_2)$, if X_1, X_2 are independent and distributed according to *e1* and *e2* respectively; the result is again of class "AbscontDistribution"

Minimum signature(*e1* = "DiscreteDistribution", *e2* = "DiscreteDistribution"): returns the distribution of $\min(X_1, X_2)$, if X_1, X_2 are independent and distributed according to *e1* and *e2* respectively; the result is again of class "DiscreteDistribution"

Minimum signature(*e1* = "AbscontDistribution", *e2* = "Dirac"): returns the distribution of $\min(X_1, X_2)$, if X_1, X_2 are distributed according to *e1* and *e2* respectively; the result is of class "UnivarLebDecDistribution"

Minimum signature(*e1* = "AcDcLcDistribution", *e2* = "AcDcLcDistribution"): returns the distribution of $\min(X_1, X_2)$, if X_1, X_2 are distributed according to *e1* and *e2* respectively; the result is of class "UnivarLebDecDistribution"

Minimum signature(*e1* = "AcDcLcDistribution", *e2* = "numeric"): if $e_2 = n$, returns the distribution of $\min(X_1, X_2, \dots, X_n)$, if X_1, X_2, \dots, X_n are i.i.d. according to *e1*; the result is of class "UnivarLebDecDistribution"

Maximum signature(*e1* = "AcDcLcDistribution", *e2* = "AcDcLcDistribution"): returns the distribution of $\max(X_1, X_2)$, if X_1, X_2 are distributed according to *e1* and *e2* respectively; translates into $-\text{Minimum}(-e_1, -e_2)$; the result is of class "UnivarLebDecDistribution"

Maximum signature(*e1* = "AcDcLcDistribution", *e2* = "numeric"): if $e_2 = n$, returns the distribution of $\max(X_1, X_2, \dots, X_n)$, if X_1, X_2, \dots, X_n are i.i.d. according to *e1*; translates into $-\text{Minimum}(-e_1, e_2)$; the result is of class "UnivarLebDecDistribution"

See Also

[Huberize](#), [Truncate](#)

Examples

```
## IGNORE_RDIFF_BEGIN
plot(Maximum(Unif(0,1), Minimum(Unif(0,1), Unif(0,1))))
plot(Minimum(Exp(4),4))
## IGNORE_RDIFF_END
```

```
## a sometimes lengthy example...
plot(Minimum(Norm(),Pois()))
```

n-methods

Methods for Function n in Package 'distr'

Description

n-methods

Methods

n signature(object = "HyperParameter"): returns the slot n of the parameter of the distribution

n<- signature(object = "HyperParameter"): modifies the slot n of the parameter of the distribution

n signature(object = "Hyper"): returns the slot n of the parameter of the distribution

n<- signature(object = "Hyper"): modifies the slot n of the parameter of the distribution

name-methods

Methods for Function name in Package 'distr'

Description

name-methods

Methods

name signature(object = "Parameter"): returns the slot name of the parameter

name<- signature(object = "Parameter"): modifies the slot name of the parameter

name signature(object = "rSpace"): returns the slot name of the space

name<- signature(object = "rSpace"): modifies the slot name of the space

Naturals-class	Class "Naturals"
----------------	------------------

Description

The distribution-classes contain a slot where the sample space is stored. Typically, discrete random variables take naturals as values.

Usage

```
Naturals()
```

Objects from the Class

Objects could theoretically be created by calls of the form `new("Naturals", dimension, name)`. Usually an object of this class is not needed on its own. It is generated automatically when a univariate discrete distribution is instantiated.

Slots

`dimension` Object of class "character": the dimension of the space, by default = 1

`name` Object of class "character": the name of the space, by default = "Natural Space"

Extends

Class "Reals", directly.

Class "EuclideanSpace", by class "Reals".

Class "rSpace", by class "Reals".

Methods

initialize signature(.Object = "Naturals"): initialize method

liesIn signature(object = "Naturals", x = "numeric"): Does a particular vector only contain naturals?

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Reals-class](#) [DiscreteDistribution-class](#)

Examples

```
N <- Naturals()
liesIn(N,1) # TRUE
liesIn(N,c(0,1)) # FALSE
liesIn(N,0.1) # FALSE
```

Nbinom-class

Class "Nbinom"

Description

The negative binomial distribution with size = n , by default = 1, and prob = p , by default = 0.5, has density

$$d(x) = \frac{\Gamma(x+n)}{\Gamma(n)x!} p^n (1-p)^x$$

for $x = 0, 1, 2, \dots$

This represents the number of failures which occur in a sequence of Bernoulli trials before a target number of successes is reached. C.f. [rnbinom](#)

Objects from the Class

Objects can be created by calls of the form `Nbinom(prob, size)`. This object is a negative binomial distribution.

Slots

- img Object of class "Naturals": The space of the image of this distribution has got dimension 1 and the name "Natural Space".
- param Object of class "NbinomParameter": the parameter of this distribution (prob, size), declared at its instantiation
- r Object of class "function": generates random numbers (calls function `rnbinom`)
- d Object of class "function": density function (calls function `dnbinom`)
- p Object of class "function": cumulative function (calls function `pnbinom`)
- q Object of class "function": inverse of the cumulative function (calls function `qnbinom`). The quantile is defined as the smallest value x such that $F(x) \geq p$, where F is the distribution function.
- support Object of class "numeric": a (sorted) vector containing the support of the discrete density function
- .withArith logical: used internally to issue warnings as to interpretation of arithmetics
- .withSim logical: used internally to issue warnings as to accuracy
- .logExact logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function
- .lowerExact logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function
- Symmetry object of class "DistributionSymmetry": used internally to avoid unnecessary calculations.

Extends

Class "DiscreteDistribution", directly.
 Class "UnivariateDistribution", by class "DiscreteDistribution".
 Class "Distribution", by class "DiscreteDistribution".

Methods

initialize signature(.Object = "Nbinom"): initialize method

prob signature(object = "Nbinom"): returns the slot prob of the parameter of the distribution

prob<- signature(object = "Nbinom"): modifies the slot prob of the parameter of the distribution

size signature(object = "Nbinom"): returns the slot size of the parameter of the distribution

size<- signature(object = "Nbinom"): modifies the slot size of the parameter of the distribution

+ signature(e1 = "Nbinom", e2 = "Nbinom"): For the negative binomial distribution we use its closedness under convolutions.

Note

Working with a computer, we use a finite interval as support which carries at least mass $1 - \text{getdistrOption}(\text{"TruncQuantile"})$.

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[NbinomParameter-class](#) [Geom-class](#) [DiscreteDistribution-class](#) [Naturals-class](#) [rnbino](#)

Examples

```
N <- Nbinom(prob = 0.5, size = 1) # N is a binomial distribution with prob=0.5 and size=1.
r(N)(1) # one random number generated from this distribution, e.g. 3
d(N)(1) # Density of this distribution is 0.25 for x=1.
p(N)(0.4) # Probability that x<0.4 is 0.5.
q(N)(.1) # x=0 is the smallest value x such that p(B)(x)>=0.1.
## in RStudio or Jupyter IRKernel, use q.l(.) instead of q(.)
size(N) # size of this distribution is 1.
size(N) <- 2 # size of this distribution is now 2.
```

NbinomParameter-class *Class "NbinomParameter"*

Description

The parameter of a negative binomial distribution, used by Nbinom-class

Objects from the Class

Objects can be created by calls of the form `new("NbinomParameter", prob, size)`. Usually an object of this class is not needed on its own, it is generated automatically when an object of the class Nbinom is prepared.

Slots

`prob` Object of class "numeric": the probability of a negative binomial distribution

`size` Object of class "numeric": the size of a negative binomial distribution

`name` Object of class "character": a name / comment for the parameters

Extends

Class "Parameter", directly.

Methods

initialize signature(.Object = "NbinomParameter"): initialize method

prob signature(object = "NbinomParameter"): returns the slot prob of the parameter of the distribution

prob<- signature(object = "NbinomParameter"): modifies the slot prob of the parameter of the distribution

size signature(object = "NbinomParameter"): returns the slot size of the parameter of the distribution

size<- signature(object = "NbinomParameter"): modifies the slot size of the parameter of the distribution

Author(s)

Thomas Stabla <statho3@web.de>,
Florian Camphausen <fcampi@gmx.de>,
Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Nbinom-class](#) [Parameter-class](#)

Examples

```
W <- new("NbinomParameter",prob=0.5,size=1)
size(W) # size of this distribution is 1.
size(W) <- 2 # size of this distribution is now 2.
```

ncp-methods

*Methods for Function ncp in Package 'distr'***Description**

ncp-methods

Methods

ncp signature(object = "BetaParameter"): returns the slot ncp of the parameter of the distribution

ncp<- signature(object = "BetaParameter"): modifies the slot ncp of the parameter of the distribution

ncp signature(object = "Beta"): returns the slot ncp of the parameter of the distribution

ncp<- signature(object = "Beta"): modifies the slot ncp of the parameter of the distribution

ncp signature(object = "ChisqParameter"): returns the slot ncp of the parameter of the distribution

ncp<- signature(object = "ChisqParameter"): modifies the slot ncp of the parameter of the distribution

ncp signature(object = "Chisq"): returns the slot ncp of the parameter of the distribution

ncp<- signature(object = "Chisq"): modifies the slot ncp of the parameter of the distribution

ncp signature(object = "FParameter"): returns the slot ncp of the parameter of the distribution

ncp<- signature(object = "FParameter"): modifies the slot ncp of the parameter of the distribution

ncp signature(object = "Fd"): returns the slot ncp of the parameter of the distribution

ncp<- signature(object = "Fd"): modifies the slot ncp of the parameter of the distribution

ncp signature(object = "TParameter"): returns the slot ncp of the parameter of the distribution

ncp<- signature(object = "TParameter"): modifies the slot ncp of the parameter of the distribution

ncp signature(object = "Td"): returns the slot ncp of the parameter of the distribution

ncp<- signature(object = "Td"): modifies the slot ncp of the parameter of the distribution

 Norm-class

 Class "Norm"

Description

The normal distribution has density

$$f(x) = \frac{1}{\sqrt{2\pi}\sigma} e^{-(x-\mu)^2/2\sigma^2}$$

where μ is the mean of the distribution and σ the standard deviation. C.f. [rnorm](#)

Objects from the Class

Objects can be created by calls of the form `Norm(mean, sd)`. This object is a normal distribution.

Slots

`img` Object of class "Reals": The domain of this distribution has got dimension 1 and the name "Real Space".

`param` Object of class "UniNormParameter": the parameter of this distribution (mean and sd), declared at its instantiation

`r` Object of class "function": generates random numbers (calls function `rnorm`)

`d` Object of class "function": density function (calls function `dnorm`)

`p` Object of class "function": cumulative function (calls function `pnorm`)

`q` Object of class "function": inverse of the cumulative function (calls function `qnorm`)

`.withArith` logical: used internally to issue warnings as to interpretation of arithmetics

`.withSim` logical: used internally to issue warnings as to accuracy

`.logExact` logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

`.lowerExact` logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

`Symmetry` object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "AbscontDistribution", directly.

Class "UnivariateDistribution", by class "AbscontDistribution".

Class "Distribution", by class "AbscontDistribution".

Methods

- signature(e1 = "Norm", e2 = "Norm")

+ signature(e1 = "Norm", e2 = "Norm"): For the normal distribution the exact convolution formulas are implemented thereby improving the general numerical approximation.

* signature(e1 = "Norm", e2 = "numeric")

+ signature(e1 = "Norm", e2 = "numeric"): For the normal distribution we use its closedness under affine linear transformations.

initialize signature(.Object = "Norm"): initialize method

mean signature(object = "Norm"): returns the slot mean of the parameter of the distribution

mean<- signature(object = "Norm"): modifies the slot mean of the parameter of the distribution

sd signature(object = "Norm"): returns the slot sd of the parameter of the distribution

sd<- signature(object = "Norm"): modifies the slot sd of the parameter of the distribution

further arithmetic methods see [operators-methods](#)

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[UniNormParameter-class](#) [AbscontDistribution-class](#) [Reals-class](#) [rnorm](#)

Examples

```
N <- Norm(mean=1,sd=1) # N is a normal distribution with mean=1 and sd=1.
r(N)(1) # one random number generated from this distribution, e.g. 2.257783
d(N)(1) # Density of this distribution is 0.3989423 for x=1.
p(N)(1) # Probability that x<1 is 0.5.
q(N)(.1) # Probability that x<-0.2815516 is 0.1.
## in RStudio or Jupyter IRKernel, use q.l(.) instead of q(.)
mean(N) # mean of this distribution is 1.
sd(N) <- 2 # sd of this distribution is now 2.
M <- Norm() # M is a normal distribution with mean=0 and sd=1.
O <- M+N # O is a normal distribution with mean=1 (=1+0) and sd=sqrt(5) (=sqrt(2^2+1^2)).
```

NormParameter-class *Class "NormParameter"*

Description

The parameter of a normal distribution, used by Norm-class

Objects from the Class

Objects can be created by calls of the form `new("NormParameter", sd, mean)`. Usually an object of this class is not needed on its own. It is the mother-class of the class `UniNormParameter`, which is generated automatically when such a distribution is instantiated.

Slots

`sd` Object of class "numeric": the sd of a normal distribution
`mean` Object of class "numeric": the mean of a normal distribution
`name` Object of class "character": a name / comment for the parameters

Extends

Class "Parameter", directly.

Methods

initialize signature(.Object = "NormParameter"): initialize method
mean signature(object = "NormParameter"): returns the slot mean of the parameter of the distribution
mean<- signature(object = "NormParameter"): modifies the slot mean of the parameter of the distribution
sd signature(object = "NormParameter"): returns the slot sd of the parameter of the distribution
sd<- signature(object = "NormParameter"): modifies the slot sd of the parameter of the distribution

Author(s)

Thomas Stabla <statho3@web.de>,
Florian Camphausen <fcampi@gmx.de>,
Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Norm-class Parameter-class](#)

Examples

```
W <- new("NormParameter", mean = 0, sd = 1)
sd(W) # sd of this distribution is 1.
sd(W) <- 2 # sd of this distribution is now 2.
```

NoSymmetry

Generating function for NoSymmetry-class

Description

Generates an object of class "NoSymmetry".

Usage

```
NoSymmetry()
```

Value

Object of class "NoSymmetry"

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[NoSymmetry-class](#), [DistributionSymmetry-class](#)

Examples

```
NoSymmetry()

## The function is currently defined as
function(){ new("NoSymmetry") }
```

NoSymmetry-class *Class for Non-symmetric Distributions*

Description

Class for non-symmetric distributions.

Objects from the Class

Objects can be created by calls of the form `new("NoSymmetry")`. More frequently they are created via the generating function `NoSymmetry`.

Slots

type Object of class "character": contains "non-symmetric distribution"
SymmCenter Object of class "NULL"

Extends

Class "DistributionSymmetry", directly.
Class "Symmetry", by class "DistributionSymmetry".

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[NoSymmetry](#), [Distribution-class](#)

Examples

```
new("NoSymmetry")
```

operators-methods *Methods for operators +,-,*,/,... in Package distr*

Description

Arithmetics and unary mathematical transformations for distributions

Arguments

e1, e2 objects of class "UnivariateDistribution" (or subclasses) or "numeric"

Details

Arithmetics as well as all functions from group `Math`, see [Math](#) are provided for distributions; whenever possible exact expressions are used; else random variables are generated according to this transformation and subsequently the remaining slots filled by [RtoDPQ](#), [RtoDPQ.d](#)

Methods

- signature(e1 = "UnivariateDistribution", e2 = "missing") unary operator; result again of class "UnivariateDistribution"; exact
- signature(e1 = "Norm", e2 = "missing") unary operator; result again of "Norm"; exact
- + signature(e1 = "UnivariateDistribution", e2 = "numeric") result again of class "UnivariateDistribution"; exact
- + signature(e1 = "AbscontDistribution", e2 = "numeric") result of class "AffLinAbscontDistribution"; exact
- + signature(e1 = "DiscreteDistribution", e2 = "numeric") result of class "AffLinDiscreteDistribution"; exact
- + signature(e1 = "LatticeDistribution", e2 = "numeric") result of class "AffLinLatticeDistribution"; exact
- + signature(e1 = "UnivarLebDecDistribution", e2 = "numeric") result of class "AffLinUnivarLebDecDistribution"; exact
- + signature(e1 = "CompoundDistribution", e2 = "numeric") result of class "AffLinUnivarLebDecDistribution"; exact
- + signature(e1 = "AffLinAbscontDistribution", e2 = "numeric") result again of class "AffLinAbscontDistribution"; exact
- + signature(e1 = "AffLinDiscreteDistribution", e2 = "numeric") result again of class "AffLinDiscreteDistribution"; exact
- + signature(e1 = "AffLinLatticeDistribution", e2 = "numeric") result again of class "AffLinLatticeDistribution"; exact
- + signature(e1 = "AffLinUnivarLebDecDistribution", e2 = "numeric") result of class "AffLinUnivarLebDecDistribution"; exact
- + signature(e1 = "Cauchy", e2 = "numeric") result again of class "Cauchy"; exact
- + signature(e1 = "Dirac", e2 = "numeric") result again of class "Dirac"; exact
- + signature(e1 = "Norm", e2 = "numeric") result again of class "Norm"; exact
- + signature(e1 = "Unif", e2 = "numeric") result again of class "Unif"; exact
- + signature(e1 = "Logis", e2 = "numeric") result again of class "Logis"; exact
- + signature(e1 = "numeric", e2 = "UnivariateDistribution") is translated to signature(e1 = "UnivariateDistribution", e2 = "numeric"); exact
- signature(e1 = "UnivariateDistribution", e2 = "ANY"); exact
- signature(e1 = "UnivariateDistribution", e2 = "numeric") is translated to $e1 + (-e2)$; exact
- signature(e1 = "numeric", e2 = "UnivariateDistribution") is translated to $(-e1) + e2$; exact

- signature(e1 = "numeric", e2 = "Beta") if $\text{ncp}(e2) == 0$ and $e1 == 1$, an exact (central) Beta(shape1 = shape2(e2), shape2 = shape1(e2)) is returned, else the default method is used; exact
- * signature(e1 = "UnivariateDistribution", e2 = "numeric") result again of class "UnivariateDistribution"; exact
- * signature(e1 = "AbscontDistribution", e2 = "numeric") result of class "AffLinAbscontDistribution"; exact
- * signature(e1 = "DiscreteDistribution", e2 = "numeric") result of class "AffLinDiscreteDistribution"; exact
- * signature(e1 = "LatticeDistribution", e2 = "numeric") result of class "AffLinLatticeDistribution"; exact
- * signature(e1 = "UnivarLebDecDistribution", e2 = "numeric") result of class "AffLinUnivarLebDecDistribution"; exact
- * signature(e1 = "CompoundDistribution", e2 = "numeric") result of class "AffLinUnivarLebDecDistribution"; exact
- * signature(e1 = "AffLinAbscontDistribution", e2 = "numeric") result again of class "AffLinAbscontDistribution"; exact
- * signature(e1 = "AffLinDiscreteDistribution", e2 = "numeric") result again of class "AffLinDiscreteDistribution"; exact
- * signature(e1 = "AffLinLatticeDistribution", e2 = "numeric") result again of class "AffLinLatticeDistribution"; exact
- * signature(e1 = "AffLinUnivarLebDecDistribution", e2 = "numeric") result of class "AffLinUnivarLebDecDistribution"; exact
- * signature(e1 = "DExp", e2 = "numeric") if $\text{abs}(e2) > 0$ result again of class "DExp"; exact
- * signature(e1 = "Exp", e2 = "numeric") if $e2 > 0$ result again of class "Exp"; exact
- * signature(e1 = "ExpOrGammaOrChisq", e2 = "numeric") if e1 is a Gamma distribution and $e2 > 0$ result of class "Gammad"; exact
- * signature(e1 = "Weibull", e2 = "numeric") if $e2 > 0$ result of class "Weibull"; exact
- * signature(e1 = "Cauchy", e2 = "numeric") if $\text{abs}(e2) > 0$ result again of class "Cauchy"; exact
- * signature(e1 = "Dirac", e2 = "numeric") result again of class "Dirac"; exact
- * signature(e1 = "Norm", e2 = "numeric") if $\text{abs}(e2) > 0$ result again of class "Norm"; exact
- * signature(e1 = "Unif", e2 = "numeric") if $\text{abs}(e2) > 0$ result again of class "Unif"; exact
- * signature(e1 = "Logis", e2 = "numeric") if $e2 > 0$ result again of class "Logis"; exact
- * signature(e1 = "Lnorm", e2 = "numeric") if $e2 > 0$ result again of class "Lnorm"; exact
- * signature(e1 = "numeric", e2 = "UnivariateDistribution") is translated to signature(e1 = "UnivariateDistribution", e2 = "numeric"); exact
- / signature(e1 = "UnivariateDistribution", e2 = "numeric") is translated to $e1 * (1/e2)$; exact
- + signature(e1 = "UnivariateDistribution", e2 = "UnivariateDistribution") result again of class "UnivariateDistribution"; is generated by simulations

- signature(e1 = "UnivariateDistribution", e2 = "UnivariateDistribution") is translated to $(-e1) + (-e2)$; result again of class "UnivariateDistribution"; is generated by simulations
- signature(e1 = "AcDcLcDistribution", e2 = "AcDcLcDistribution"): both operands are coerced to class "UnivarLebDecDistribution" and the corresponding method is used.
- + signature(e1 = "AbscontDistribution", e2 = "AbscontDistribution") assumes e1, e2 independent; result again of class "AbscontDistribution"; is generated by FFT
- + signature(e1 = "AbscontDistribution", e2 = "DiscreteDistribution") assumes e1, e2 independent; result again of class "AbscontDistribution"; is generated by FFT
- + signature(e1 = "DiscreteDistribution", e2 = "AbscontDistribution") assumes e1, e2 independent; result again of class "AbscontDistribution"; is generated by FFT
- + signature(e1 = "LatticeDistribution", e2 = "LatticeDistribution") assumes e1, e2 independent; if the larger lattice-width is an integer multiple of the smaller(in abs. value) one: result again of class "LatticeDistribution"; is generated by D/FFT
- + signature(e1 = "DiscreteDistribution", e2 = "DiscreteDistribution") assumes e1, e2 independent; result again of class "DiscreteDistribution"; is generated by explicite convolution
- + signature(e1 = "LatticeDistribution", e2 = "DiscreteDistribution") assumes e1, e2 independent; result again of class "DiscreteDistribution"; is generated by explicite convolution
- + signature(e1 = "UnivarLebDecDistribution", e2 = "UnivarLebDecDistribution") assumes e1, e2 independent; result again of class "UnivarLebDecDistribution"; is generated by separate explicite convolution of a.c. and discrete parts of e1 and e2 and subsequent flattening with `flat.LCD`; if `getdistrOption("withSimplify")` is TRUE, result is piped through a call to `simplifyD`
- + signature(e1 = "AcDcLcDistribution", e2 = "AcDcLcDistribution"): both operands are coerced to class "UnivarLebDecDistribution" and the corresponding method is used.
- + signature(e1 = "Binom", e2 = "Binom") assumes e1, e2 independent; if `prob(e1)==prob(e2)`, result again of class "Binom"; uses the convolution formula for binomial distributions; exact
- + signature(e1 = "Cauchy", e2 = "Cauchy") assumes e1, e2 independent; result again of class "Cauchy"; uses the convolution formula for Cauchy distributions; exact
- + signature(e1 = "Chisq", e2 = "Chisq") assumes e1, e2 independent; result again of class "Chisq"; uses the convolution formula for Chisq distributions; exact
- + signature(e1 = "Dirac", e2 = "Dirac") result again of class "Dirac"; exact
- + signature(e1 = "ExpOrGammaOrChisq", e2 = "ExpOrGammaOrChisq") assumes e1, e2 independent; if e1, e2 are Gamma distributions, result is of class "Gammad"; uses the convolution formula for Gamma distributions; exact
- + signature(e1 = "Pois", e2 = "Pois") assumes e1, e2 independent; result again of class "Pois"; uses the convolution formula for Poisson distributions; exact
- + signature(e1 = "Nbinom", e2 = "Nbinom") assumes e1, e2 independent; if `prob(e1)==prob(e2)`, result again of class "Nbinom"; uses the convolution formula for negative binomial distributions; exact
- + signature(e1 = "Norm", e2 = "Norm") assumes e1, e2 independent; result again of class "Norm"; uses the convolution formula for normal distributions; exact


```

+ signature(e1 = "UnivariateDistribution", e2 = "Dirac") translated to e1 + location(e2);
  result again of class "Dirac"; exact
+ signature(e1 = "Dirac", e2 = "UnivariateDistribution") translated to e2 + location(e1);
  result again of class "Dirac"; exact
+ signature(e1 = "Dirac", e2 = "DiscreteDistribution") translated to e2 + location(e1);
  result again of class "Dirac"; exact
- signature(e1 = "Dirac", e2 = "Dirac") result again of class "Dirac"; exact
* signature(e1 = "Dirac", e2 = "Dirac") result again of class "Dirac"; exact
* signature(e1 = "UnivariateDistribution", e2 = "Dirac") translated to e1 * location(e2);
  result again of class "Dirac"; exact
* signature(e1 = "Dirac", e2 = "UnivariateDistribution") translated to e2 * location(e1);
  result again of class "Dirac"; exact
* signature(e1 = "AcDcLcDistribution", e2 = "AcDcLcDistribution"): by means of decomposePM
  e1 and e2 are decomposed into positive and negative parts; of these, convolutions of the cor-
  responding logarithms are computed separately and finally exp is applied to them, again sepa-
  rately; the resulting mixing components are then "flattened" to one object of class UnivarLebDecDistribution
  by flat.LCD which according to getdistrOption\(withSimplify\) gets piped through a call
  to simplifyD.
/ signature(e1 = "Dirac", e2 = "Dirac") result again of class "Dirac"; exact
/ signature(e1 = "numeric", e2 = "Dirac") result again of class "Dirac"; exact
/ signature(e1 = "numeric", e2 = "AcDcLcDistribution"): if d.discrete(e2)(0)*discreteWeight(e2)>0
  throws an error (would give division by 0 with positive probability); else by means of decomposePM
  e2 is decomposed into positive and negative parts; then, similarly the result obtains as for
  "*" (signature(e1 = "AcDcLcDistribution", e2 = "AcDcLcDistribution")) by the exp-
  log trick and is "flattened" to one object of class UnivarLebDecDistribution by flat.LCD
  and according to getdistrOption\(withSimplify\) is piped through a call to simplifyD;
  exact..
/ signature(e1 = "AcDcLcDistribution", e2 = "AcDcLcDistribution"): translated to e1 * (1/e2).
^ signature(e1 = "AcDcLcDistribution", e2 = "Integer"): if e2=0 returns Dirac(1); if e2=1
  returns e1; if e2<0 translated to (1/e1)^(-e2); exact.
^ signature(e1 = "AcDcLcDistribution", e2 = "numeric"): if e2 is integer uses preceding
  item; else if e1<0 with positive probability, throughs an error; else the result obtains simi-
  larly to "*" (signature(e1 = "AcDcLcDistribution", e2 = "AcDcLcDistribution")) by
  the exp-log trick and is "flattened" to one object of class UnivarLebDecDistribution by
  flat.LCD and according to getdistrOption\(withSimplify\) is piped through a call to simplifyD;
  exact.
^ signature(e1 = "AcDcLcDistribution", e2 = "AcDcLcDistribution"): if e1 is negative with
  positive probability, throws an error if e2 is non-integer with positive probability; if e1 is
  0 with positive probability throws an error if e2 is non-integer with positive probability.
  if e2 is integer with probability 1 uses DiscreteDistribution(supp=e1^(Dirac(x)) for
  each x in support(e2), builds up a corresponding mixing distribution; the latter is "flat-
  tened" to one object of class UnivarLebDecDistribution by flat.LCD and according to
  getdistrOption\(withSimplify\) is piped through a call to simplifyD. Else the result ob-
  tains similarly to "*" (signature(e1 = "AcDcLcDistribution", e2 = "AcDcLcDistribution"))

```

by the exp-log trick and is “flattened” to one object of class `UnivarLebDecDistribution` by `flat.LCD` and according to `getdistrOption(withSimplify)` is piped through a call to `simplifyD`; exact.

`^ signature(e1 = "numeric", e2 = "AcDcLcDistribution")`: if `e1` is negative, throws an error if `e2` is non-integer with positive probability; if `e1` is 0 throws an error if `e2` is non-integer with positive probability. if `e2` is integer with probability 1 uses `DiscreteDistribution(supp=e1^support(e2), prob=discrete.d(supp))` else the result obtains similarly to `"*"` (`signature(e1 = "AcDcLcDistribution", e2 = "AcDcLcDistribution")`) by the exp-log trick and is “flattened” to one object of class `UnivarLebDecDistribution` by `flat.LCD` and according to `getdistrOption(withSimplify)` is piped through a call to `simplifyD`; exact.

References

Ruckdeschel, P., Kohl, M.(2014): General purpose convolution algorithm for distributions in S4-Classes by means of FFT. *J. Statist. Softw.* **59**(4): 1-25.

See Also

[UnivariateDistribution-class](#) [AbscontDistribution-class](#)
[DiscreteDistribution-class](#) [LatticeDistribution-class](#)
[Norm-class](#) [Binom-class](#) [Pois-class](#) [Dirac-class](#)
[Cauchy-class](#) [Gammad-class](#) [Logis-class](#) [Lnorm-class](#)
[Exp-class](#) [Weibull-class](#) [Nbinom-class](#)

Examples

```
N <- Norm(0,3)
P <- Pois(4)
a <- 3
N + a
N + P
N - a
a * N
a * P
N / a + sin( a * P - N)
N * P
N / N

## takes a little time
N ^ P

1.2 ^ N
abs(N) ^ 1.3
```

OptionalParameter-class

Classes "OptionalParameter", "OptionalMatrix"

Description

auxiliary classes; may contain either a Parameter or NULL, resp. a matrix or NULL cf. J. Chambers, "green book".

Objects from the Class

"OptionalParameter" is a virtual Class: No objects may be created from it; "OptionalMatrix" is a class generated by `setClassUnion()` so may contain NULL or any matrix

Methods

No methods defined with class "OptionalParameter" in the signature.

Author(s)

Thomas Stabla <statho3@web.de>,
Florian Camphausen <fcampi@gmx.de>,
Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Parameter-class](#), [AbscontDistribution-class](#)

options

additional options in package 'distr'

Description

In package **distr**, we add an extra option "newDevice"; it is inspected and manipulated as usual.

Details

We do not change the behaviour of `options` or `getOption`; for the general documentation to these two functions, confer [options](#), [getOption](#). Here we only document added options.

Additionally available options in package 'distr'

"newDevice" logical; controls behaviour when generating several plots within one function; if TRUE, before each call to call to [plot.new](#), a call to [devNew](#) is inserted; if FALSE, we reproduce the usual behaviour in **graphics**, i.e.; we do not call [devNew](#). Defaults to FALSE.

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[options](#), [getOption](#)

Examples

```
getOption("newDevice")
options("newDevice"=TRUE)
```

p-methods

Methods for Function p in Package 'distr'

Description

p-methods

Methods

p signature(object = "Distribution"): returns the cumulative distribution function (c.d.f.), i.e.; $p(t) = P(\text{object} \leq t)$

p.r signature(object = "Distribution"): from distr-2.6 onwards, we provide this as a synonym for method p; this synonym more explicitly states that we are dealing with the right-continuous variant of a c.d.f.

See Also

[Distribution-class](#), [p.l](#)

Examples

```
require(distr)
N <- Norm()
p(N)(0.3)
p.r(N)(0.3)
```

p.l-methods

Methods for Function p.l in Package 'distr'

Description

p-methods

Methods

return the left continuous cumulative distribution function, i.e.; $p.l(t) = P(object < t)$

p.l signature(object = "AbscontDistribution")

p.l signature(object = "DiscreteDistribution")

p.l signature(object = "UnivarLebDecDistribution")

p.l signature(object = "UnivarMixingDistribution")

See Also

[DiscreteDistribution-class](#) [UnivarLebDecDistribution-class](#)

param-methods

Methods for Function param in Package 'distr'

Description

param-methods

Methods

param signature(object = "Distribution"): returns the parameter

Parameter-class

Class "Parameter"

Description

Parameter is the mother-class of all Parameter classes.

Objects from the Class

Objects can be created by calls of the form new("Parameter").

Slots

name Object of class "character": a name / comment for the parameters

Methods

name signature(object = "Parameter"): returns the name of the parameter

name<- signature(object = "Parameter"): modifies the name of the parameter

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Distribution-class](#)

pivot-methods

Methods for Function pivot in Package 'distr'

Description

pivot-methods

Methods

pivot signature(object = "Lattice"): returns the slot pivot of the lattice

pivot<- signature(object = "Lattice"): modifies the slot pivot of the lattice

pivot signature(object = "LatticeDistribution"): returns the slot pivot of the lattice slot of the distribution

pivot<- signature(object = "LatticeDistribution"): modifies the slot pivot of the lattice slot of the distribution

plot-methods

Methods for Function plot in Package 'distr'

Description

plot-methods

Usage

```
plot(x, y, ...)
## S4 method for signature 'AbscontDistribution,missing'
plot(x, width = 10, height = 5.5,
     withSweave = getdistrOption("withSweave"), xlim = NULL, ylim = NULL,
     ngrid = 1000, verticals = TRUE, do.points = TRUE, main = FALSE,
     inner = TRUE, sub = FALSE, bmar = par("mar")[1], tmar = par("mar")[3], ...,
     cex.main = par("cex.main"), cex.inner = 1.2, cex.sub = par("cex.sub"),
     col.points = par("col"), col.vert = par("col"), col.main = par("col.main"),
     col.inner = par("col.main"), col.sub = par("col.sub"), cex.points = 2.0,
```

```

    pch.u = 21, pch.a = 16, mfColRow = TRUE,
    to.draw.arg = NULL, withSubst = TRUE)
## S4 method for signature 'DiscreteDistribution,missing'
plot(x, width = 10, height = 5.5,
     withSweave = getdistrOption("withSweave"), xlim = NULL, ylim = NULL,
     verticals = TRUE, do.points = TRUE, main = FALSE, inner = TRUE, sub = FALSE,
     bmar = par("mar")[1], tmar = par("mar")[3], ...,
     cex.main = par("cex.main"), cex.inner = 1.2, cex.sub = par("cex.sub"),
     col.points = par("col"), col.hor = par("col"), col.vert = par("col"),
     col.main = par("col.main"), col.inner = par("col.main"),
     col.sub = par("col.sub"), cex.points = 2.0, pch.u = 21, pch.a = 16,
     mfColRow = TRUE, to.draw.arg = NULL, withSubst = TRUE)
## S4 method for signature 'AffLinUnivarLebDecDistribution,missing'
plot(x, width = 10,
     height = 5.5, withSweave = getdistrOption("withSweave"), xlim = NULL,
     ylim = NULL, ngrid = 1000, verticals = TRUE, do.points = TRUE, main = FALSE,
     inner = TRUE, sub = FALSE, bmar = par("mar")[1], tmar = par("mar")[3], ...,
     cex.main = par("cex.main"), cex.inner = 1.2, cex.sub = par("cex.sub"),
     col.points = par("col"), col.hor = par("col"), col.vert = par("col"),
     col.main = par("col.main"), col.inner = par("col.main"),
     col.sub = par("col.sub"), cex.points = 2.0, pch.u = 21, pch.a = 16,
     mfColRow = TRUE, to.draw.arg = NULL, withSubst = TRUE)
## S4 method for signature 'UnivarLebDecDistribution,missing'
plot(x, width = 10,
     height = 14.5, withSweave = getdistrOption("withSweave"), xlim = NULL,
     ylim = NULL, ngrid = 1000, verticals = TRUE, do.points = TRUE, main = FALSE,
     inner = TRUE, sub = FALSE, bmar = par("mar")[1], tmar = par("mar")[3], ...,
     cex.main = par("cex.main"), cex.inner = 0.9, cex.sub = par("cex.sub"),
     col.points = par("col"), col.hor = par("col"), col.vert = par("col"),
     col.main = par("col.main"), col.inner = par("col.main"),
     col.sub = par("col.sub"), cex.points = 2.0, pch.u = 21, pch.a = 16,
     mfColRow = TRUE, to.draw.arg = NULL, withSubst = TRUE)
## S4 method for signature 'DistrList,missing'
plot(x, y, ...)
## S4 method for signature 'CompoundDistribution,missing'
plot(x, y, ...)

```

Arguments

<code>x</code>	object of class "AffLinUnivarLebDecDistribution" or class "UnivarLebDecDistribution" or class "AbscontDistribution" or class "DiscreteDistribution" or class "DistrList": (list of) distribution(s) to be plotted
<code>y</code>	missing
<code>xlim</code>	the x limits (<code>x1</code> , <code>x2</code>) of the plot. Note that <code>x1 > x2</code> is allowed and leads to a "reversed axis". As in <code>plot.default</code> .
<code>ylim</code>	the y limits of the plot. Either as in <code>plot.default</code> (i.e. a vector of length 2) or a vector of length 4, where the first two elements are the values for <code>ylim</code> in panel

	"d", and the last two elements are the values for ylim resp. xlim in panels "p", and "q".
width	width (in inches) of the graphics device opened
height	height (in inches) of the graphics device opened
withSweave	logical: if TRUE (for working with Sweave) no extra device is opened and height/width are not set
ngrid	integer: number of grid points used for plots of absolutely continuous distributions
main	logical: is a main title to be used? or just as argument main in plot.default .
inner	logical: do panels for density/probability function - cdf - quantile function have their own titles? or list which is filled to length 3 (resp. 8 for class UnivarLebDecDistribution) if necessary (possibly using recycling rules): titles for density/probability function - cdf - quantile function (each of the same form as argument main in plot.default)
sub	logical: is a sub-title to be used? or just as argument sub in plot.default .
tmar	top margin – useful for non-standard main title sizes
bmar	bottom margin – useful for non-standard sub title sizes
verticals	logical: if TRUE, draw vertical lines at steps; as in plot.stepfun
do.points	logical: if TRUE, draw also draw points at the (xlim restricted) knot locations; as in plot.stepfun
cex.points	numeric; character expansion factor; as in plot.stepfun
col.points	character or integer code; color of points; as in plot.stepfun
col.hor	character or integer code; color of horizontal lines; as in plot.stepfun
col.vert	character or integer code; color of vertical lines; as in plot.stepfun
cex.main	magnification to be used for main titles relative to the current setting of cex; as in par
cex.inner	magnification to be used for inner titles relative to the current setting of cex; as in par
cex.sub	magnification to be used for sub titles relative to the current setting of cex; as in par
col.main	character or integer code; color for the main title
col.inner	character or integer code; color for the inner title
col.sub	character or integer code; color for the sub title
pch.u	character or integer code; plotting characters or symbols for unattained value; see points
pch.a	character or integer code; plotting characters or symbols for attained value; see points
mfColRow	shall default partition in panels be used — defaults to TRUE

<code>to.draw.arg</code>	Either NULL (default; everything is plotted) or a vector of either integers (the indices of the subplots to be drawn) or characters — the names of the subplots to be drawn: in case of an object <code>x</code> of class "DiscreteDistribution" or "AbscontDistribution" <code>c("d","p","q")</code> for density, c.d.f. and quantile function; in case of <code>x</code> a proper "UnivarLebDecDistribution" (with pos. weights for both discrete and abs. continuous part) names are <code>c("p","q","d.c","p.c","q.c","d.d","p.d","q.d")</code> for c.d.f. and quantile function of the composed distribution and the respective three panels for the absolutely continuous and the discrete part, respectively;
<code>withSubst</code>	logical; if TRUE (default) pattern substitution for titles and labels is used; otherwise no substitution is used.
<code>...</code>	additional arguments for <code>plot</code> — see plot , plot.default , plot.stepfun

Details

- plot** signature(`x = "AffLinUnivarLebDecDistribution"`, `y = "missing"`): plots cumulative distribution function and the quantile function
- plot** signature(`x = "UnivarLebDecDistribution"`, `y = "missing"`): plots a set of eight plots: in the first row, it plots the cumulative distribution function and the quantile function; in the second row the absolutely continuous part (with density, cdf and quantile fct.), and in the last row the discrete part (with prob.fct., cdf and quantile fct.).
- plot** signature(`x = "CompoundDistribution"`, `y = "missing"`): coerces `x` to "UnivarLebDecDistribution" and uses the corresponding method.
- plot** signature(`x = "AbscontDistribution"`, `y = "missing"`): plots density, cumulative distribution function and the quantile function
- plot** signature(`x = "DiscreteDistribution"`, `y = "missing"`): plots probability function, cumulative distribution function and the quantile function
- plot** signature(`x = "DistrList"`, `y = "missing"`): plots a list of distributions

Any parameters of `plot.default` may be passed on to this particular plot method.

For main-, inner, and subtitles given as arguments `main`, `inner`, and `sub`, top and bottom margins are enlarged to 5 resp. 6 by default but may also be specified by `tmar` / `bmar` arguments. If `main` / `inner` / `sub` are logical then if the respective argument is FALSE nothing is done/plotted, but if it is TRUE, we use a default main title taking up the calling argument `x` in case of `main`, default inner titles taking up the class and (named) parameter slots of argument `x` in case of `inner`, and a "generated on <data>"-tag in case of `sub`. Of course, if `main` / `inner` / `sub` are character, this is used for the title; in case of `inner` it is then checked whether it has length 3. In all title and axis label arguments, if `withSubst` is TRUE, the following patterns are substituted:

- "%C" class of argument `x`
- "%P" parameters of `x` in form of a comma-separated list of <value>'s coerced to character
- "%Q" parameters of `x` in form of a comma-separated list of <value>'s coerced to character and in parenthesis — unless empty; then ""
- "%N" parameters of `x` in form of a comma-separated list <name> = <value> coerced to character
- "%A" deparsed argument `x`
- "%D" time/date-string when the plot was generated

If not explicitly set, `col.points`, `col.vert`, `col.hor`, `col.main`, `col.inner`, `col.sub` are set to `col` if this arg is given and else to `par("col")` resp. for the titles `par("col.main")`, `par("col.main")`, `par("col.sub")`.

If not explicitly set, `pch.a`, `pch.u` are set to `pch` if this arg is given and else to 16, 21, respectively.

If not explicitly set, `cex` is set to 1. If not explicitly set, `cex.points` is set to 2.0 cex (if `cex` is given) and to 2.0 else.

If general plot arguments `xlab`, `ylab` are not specified, they are set to "x", "q", "p" for `xlab` and to "d(x)", "p(q)", "q(p)" for `ylab` for density, cdf and quantile function respectively. Otherwise, according to the respective content of `to.draw.arg`, it is supposed to be a list with one entry for each selected panel, i.e., in case `x` is an object of class `DiscreteDistribution` or `AbscontDistribution` a list of maximal length maximally 3, respectively, in case `x` is an object of class `UnivarLebDecDistribution` In these label arguments, the same pattern substitutions are made as for titles. If no character substitutions and mathematical expressions are needed, character vectors of respective length instead of lists are also allowed for arguments `xlab`, `ylab`.

In addition, argument `...` may contain arguments `panel.first`, `panel.last`, i.e., hook expressions to be evaluated at the very beginning and at the very end of each panel (within the then valid coordinates). To be able to use these hooks for each panel individually, they may also be lists of expressions (of the same length as the number of panels and run through in the same order as the panels).

Value

An S3 object of class `c("plotInfo", "DiagnInfo")`, i.e., a list containing the information needed to produce the respective plot, which at a later stage could be used by different graphic engines (like, e.g. `ggplot`) to produce the plot in a different framework. A more detailed description will follow in a subsequent version.

See Also

[plot](#), [plot.default](#), [plot.stepfun](#), [par](#)

Examples

```
plot(Binom(size = 4, prob = 0.3))
plot(Binom(size = 4, prob = 0.3), do.points = FALSE)
plot(Binom(size = 4, prob = 0.3), verticals = FALSE)
plot(Binom(size = 4, prob = 0.3), main = TRUE)
plot(Binom(size = 4, prob = 0.3), main = FALSE)
plot(Binom(size = 4, prob = 0.3), cex.points = 1.2, pch = 20)
plot(Binom(size = 4, prob = 0.3), xlab = list("a1", "a2", "a3"),
      ylab=list("p"="U", "q"="V", "d"="W"))
B <- Binom(size = 4, prob = 0.3)
plot(B, col = "red", col.points = "green", main = TRUE, col.main = "blue",
      col.sub = "orange", sub = TRUE, cex.sub = 0.6, col.inner = "brown")
plot(Nbinom(size = 4, prob = 0.3), cex.points = 1.2, col = "red",
      col.points = "green")
plot(Nbinom(size = 4, prob = 0.3), cex.points = 1.2, pch.u = 20, pch.a = 10)
plot(Norm(), main = TRUE, cex.main = 3, tmar = 6)
plot(Norm(), inner = FALSE, main = TRUE, cex.main = 3, tmar = 6)
```

```

plot(Norm(), lwd = 3, col = "red", ngrid = 200, lty = 3, las = 2)
plot(Norm(), main = "my Distribution: %A",
      inner = list(expression(paste(lambda,"-density of %C(%P)")), "CDF",
                    "Pseudo-inverse with param's %N"),
      sub = "this plot was correctly generated on %D",
      cex.inner = 0.9, cex.sub = 0.8)

plot(Norm(),panel.first=grid(4,4))
## does not (yet) work as desired:
plot(Norm(),panel.first=list(grid(5,5),grid(3,3),grid(4,4)))
li <- list(substitute(grid(5,5)),substitute(grid(3,3)),substitute(grid(4,4)))
plot(Norm(),panel.first=li)

plot(Cauchy())
plot(Cauchy(), xlim = c(-4,4))
plot(Chisq())
### the next ylab argument is just for illustration purposes
plot(Chisq(),mfColRow = FALSE,to.draw.arg="d",
      xlab="x",ylab=list(expression(paste(lambda,"-density of %C(%P)"))))
## substitution can be switched off
plot(Chisq(),mfColRow = FALSE,to.draw.arg="d",
      xlab="x",ylab=list(expression(paste(lambda,"-density of %C(%P)"))), withSubst=FALSE)
plot(Chisq(), log = "xy", ngrid = 100)
Ch <- Chisq(); setgaps(Ch); plot(Ch, do.points = FALSE)
setgaps(Ch, exactq = 3); plot(Ch, verticals = FALSE)
plot(Ch, cex = 1.2, pch.u = 20, pch.a = 10, col.points = "green",
      col.vert = "red")

## Not run: # to save time
## some distribution with gaps
wg <- flat.mix(UnivarMixingDistribution(Unif(0,1),Unif(4,5),
                                       withSimplify=FALSE))
# some Lebesgue decomposed distribution
mymix <- UnivarLebDecDistribution(acPart = wg, discretePart = Binom(4,.4),
                                acWeight = 0.4)
plot(mymix)
#
## selection of subpanels for plotting
N <- Norm()
par(mfrow=c(1,2))
plot(N, mfColRow = FALSE, to.draw.arg=c("d","q"))
plot(N, mfColRow = FALSE, to.draw.arg=c(2,3))
par(mfrow=c(1,1))

wg <- flat.mix(UnivarMixingDistribution(Unif(0,1),Unif(4,5),
                                       withSimplify=FALSE))
myLC <- UnivarLebDecDistribution(discretePart=Binom(3,.3), acPart = wg,
                                discreteWeight=.2)
layout(matrix(c(rep(1,6),2,2,3,3,4,4,5,5,5,6,6,6),
              nrow=3, byrow=TRUE))
plot(myLC,mfColRow = FALSE,
      to.draw.arg=c("p","d.c","p.c","q.c", "p.d","q.d"))

```

```

P <- Pois(2)
plot(as(P,"UnivarLebDecDistribution"),mfColRow = FALSE,to.draw.arg=c("d.d"))
### the next ylab argument is just for illustration purposes
plot(as(P,"UnivarLebDecDistribution"),mfColRow = FALSE,to.draw.arg=c("d.d"),
      xlab="x",ylab=list(expression(paste(lambda,"-density of %C(%P)"))))

## End(Not run)

```

Pois-class

Class "Pois"

Description

The Poisson distribution has density

$$p(x) = \frac{\lambda^x e^{-\lambda}}{x!}$$

for $x = 0, 1, 2, \dots$. The mean and variance are $E(X) = Var(X) = \lambda$.

C.f. [rpois](#)

Objects from the Class

Objects can be created by calls of the form `Pois(lambda)`. This object is a Poisson distribution.

Slots

`img` Object of class "Naturals": The space of the image of this distribution has got dimension 1 and the name "Natural Space".

`param` Object of class "PoisParameter": the parameter of this distribution (lambda), declared at its instantiation

`r` Object of class "function": generates random numbers (calls function `rpois`)

`d` Object of class "function": density function (calls function `dpois`)

`p` Object of class "function": cumulative function (calls function `ppois`)

`q` Object of class "function": inverse of the cumulative function (calls function `qpois`). The quantile is defined as the smallest value x such that $F(x) \geq p$, where F is the distribution function.

`support` Object of class "numeric": a (sorted) vector containing the support of the discrete density function

`.withArith` logical: used internally to issue warnings as to interpretation of arithmetics

`.withSim` logical: used internally to issue warnings as to accuracy

`.logExact` logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

`.lowerExact` logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

`Symmetry` object of class "DistributionSymmetry": used internally to avoid unnecessary calculations.

Extends

Class "DiscreteDistribution", directly. Class "UnivariateDistribution", by class "DiscreteDistribution".
Class "Distribution", by class "DiscreteDistribution".

Methods

+ signature(e1 = "Pois", e2 = "Pois"): For the Poisson distribution the exact convolution formula is implemented thereby improving the general numerical approximation.

initialize signature(.Object = "Pois"): initialize method

lambda signature(object = "Pois"): returns the slot lambda of the parameter of the distribution

lambda<- signature(object = "Pois"): modifies the slot lambda of the parameter of the distribution

Note

Working with a computer, we use a finite interval as support which carries at least mass $1 - \text{getdistrOption}(\text{"TruncQuantile"})$.

Author(s)

Thomas Stabla <statho3@web.de>,
Florian Camphausen <fcampi@gmx.de>,
Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[PoisParameter-class](#) [DiscreteDistribution-class](#) [Naturals-class](#) [rpois](#)

Examples

```
P <- Pois(lambda = 1) # P is a Poisson distribution with lambda = 1.
r(P)(1) # one random number generated from this distribution, e.g. 1
d(P)(1) # Density of this distribution is 0.3678794 for x = 1.
p(P)(0.4) # Probability that x < 0.4 is 0.3678794.
q(P)(.1) # x = 0 is the smallest value x such that p(B)(x) >= 0.1.
## in RStudio or Jupyter IRKernel, use q.l(.) instead of q(.)
lambda(P) # lambda of this distribution is 1.
lambda(P) <- 2 # lambda of this distribution is now 2.
R <- Pois(lambda = 3) # R is a Poisson distribution with lambda = 2.
S <- P + R # R is a Poisson distribution with lambda = 5(=2+3).
```

PoisParameter-class *Class "PoisParameter"*

Description

The parameter of a Poisson distribution, used by Pois-class

Objects from the Class

Objects can be created by calls of the form `new("PoisParameter", lambda)`. Usually an object of this class is not needed on its own, it is generated automatically when an object of the class `Pois` is prepared.

Slots

`lambda` Object of class "numeric": the lambda of a Poisson distribution

`name` Object of class "character": a name / comment for the parameters

Extends

Class "Parameter", directly.

Methods

initialize signature(.Object = "PoisParameter"): initialize method

lambda signature(object = "PoisParameter"): returns the slot lambda of the parameter of the distribution

lambda<- signature(object = "PoisParameter"): modifies the slot lambda of the parameter of the distribution

Author(s)

Thomas Stabla <statho3@web.de>,
Florian Camphausen <fcampi@gmx.de>,
Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Pois-class Parameter-class](#)

Examples

```
W <- new("PoisParameter", lambda = 1)
lambda(W) # lambda of this distribution is 1.
lambda(W) <- 2 # lambda of this distribution is now 2.
```

PosDefSymmMatrix	<i>Generating functions for PosSemDefSymmMatrix-class resp. PosDefSymmMatrix-class</i>
------------------	--

Description

Generates an object of class "PosSemDefSymmMatrix" resp. of class "PosDefSymmMatrix".

Usage

```
PosSemDefSymmMatrix(mat)
PosDefSymmMatrix(mat)
```

Arguments

mat A numeric positive-[semi-]definite, symmetric matrix with finite entries.

Details

If mat is no matrix, as.matrix is applied.

Value

Object of class "PosSemDefSymmMatrix" resp. of class "PosDefSymmMatrix"

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>, Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[PosDefSymmMatrix-class](#)

Examples

```
PosSemDefSymmMatrix(1)
PosSemDefSymmMatrix(diag(2))
PosDefSymmMatrix(1)
PosDefSymmMatrix(diag(2))
```

PosDefSymmMatrix-class

Positive-[Semi-]definite, symmetric matrices

Description

The class of positive-[semi-]definite, symmetric matrices.

Objects from the Class

Objects can be created by calls of the form `new("PosSemDefSymmMatrix", ...)` resp. `new("PosDefSymmMatrix", ...)`. More frequently they are created via the generating functions `PosSemDefSymmMatrix` resp. `PosDefSymmMatrix`.

Slots

`.Data` Object of class "matrix". A numeric matrix with finite entries.

Extends

[Class "PosSemDefSymmMatrix", directly] Class "matrix", from data part.
Class "structure", by class "matrix".
Class "array", by class "matrix".
Class "vector", by class "matrix", with explicit coerce.
Class "vector", by class "matrix", with explicit coerce.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>, Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[PosDefSymmMatrix](#), [matrix-class](#)

Examples

```
new("PosDefSymmMatrix", diag(2))
```

 print-methods

Methods for Functions print/show in Package 'distr'

Description

print/show-methods

Methods

print signature(x = "UnivariateDistribution"): returns the class of the object and its parameters

show signature(x = "UnivariateDistribution"): returns the class of the object and its parameters

prob-methods

Methods for Function prob in Package 'distr'

Description

prob-methods

Methods

prob signature(object = "BinomParameter"): returns the slot prop of the parameter of the distribution

prob<- signature(object = "BinomParameter"): modifies the slot prob of the parameter of the distribution

prob signature(object = "Binom"): returns the slot prop of the parameter of the distribution

prob<- signature(object = "Binom"): modifies the slot prob of the parameter of the distribution

prob signature(object = "NbinomParameter"): returns the slot prop of the parameter of the distribution

prob<- signature(object = "NbinomParameter"): modifies the slot prob of the parameter of the distribution

prob signature(object = "Nbinom"): returns the slot prop of the parameter of the distribution

prob<- signature(object = "Nbinom"): modifies the slot prob of the parameter of the distribution

prob signature(object = "GeomParameter"): returns the slot prop of the parameter of the distribution (deprecated from 1.9 on)

prob<- signature(object = "GeomParameter"): modifies the slot prob of the parameter of the distribution (deprecated from 1.9 on)

prob signature(object = "Geom"): returns the slot prop of the parameter of the distribution

- prob<-** signature(object = "Geom"): modifies the slot prob of the parameter of the distribution
- prob** signature(object = "DiscreteDistribution"): returns the (named) vector of probabilities for the support points of the distribution.
- prob<-** signature(object = "DiscreteDistribution"): generates a new object of class "DiscreteDistribution" with the same support as object as well as the same .withSim, .withArith, .lowerExact, .logExact slots.
- prob** signature(object = "UnivarLebDecDistribution"): returns a $2 \times n$ matrix where n is the length of the support of the discrete part of the distribution; the first row named "cond" gives the vector of probabilities for the support points of the discrete part of the distribution (i.e.; conditional on being in the discrete part), the second row named "abs" is like the first one but multiplied with discreteWeight of the distribution, hence gives the absolute probabilities of the support points; the columns are named by the support values.

q-methods

Methods for Function q in Package 'distr'

Description

q-methods

Methods

- q** signature(save = "Distribution"): returns the (left-continuous) quantile function, i.e.; $q(s) = \inf\{t \mid P(\text{object} \leq t) \geq s\}$
- q.l** signature(object = "Distribution"): from distr-2.6 onwards, we provide this as a synonym for method q; this synonym more explicitly states that we are dealing with the left-continuous variant of a quantile function. It is useful in particular when used from the console in RStudio, as RStudio catches calls to q() and treats them separately from usual R evaluation. The developers of RStudio have been asked to fix this and comply with standard R evaluation which explicitly allows overloading q() as we do it in this package, but so far have refused to do so, as they claim overloading q() was insane.

See Also

[Distribution-class](#), [q.r](#)

Examples

```
require(distr)
N <- Norm()
q(N)(0.3)
## in RStudio or Jupyter IRKernel, use q.l(.) instead of q(.)
q.l(N)(0.3)
```

q.r-methods

*Methods for Function q.r in Package 'distr'***Description**

q.r-methods

Methods

return the right-continuous quantile function, i.e.; $q.r(s) = \sup\{t \mid P(\text{object} \leq t) \leq s\}$

q.r signature(object = "DiscreteDistribution")

q.r signature(object = "AbscontDistribution")

q.r signature(object = "UnivarLebDecDistribution")

q.r signature(object = "UnivarMixingDistribution")

See Also

[DiscreteDistribution-class](#) [UnivarLebDecDistribution-class](#)

qqbounds

*Computation of confidence intervals for qqplot***Description**

We compute confidence intervals for QQ plots. These can be simultaneous (to check whether the whole data set is compatible) or pointwise (to check whether each (single) data point is compatible);

Usage

```
qqbounds(x,D,alpha,n,withConf.pw, withConf.sim,
         exact.sCI=(n<100),exact.pCI=(n<100),
         nosym.pCI = FALSE, debug = FALSE)
```

Arguments

x	data to be checked for compatibility with distribution D.
D	object of class "UnivariateDistribution", the assumed data distribution.
alpha	confidence level
n	sample size
withConf.pw	logical; shall pointwise confidence lines be computed?
withConf.sim	logical; shall simultaneous confidence lines be computed?

<code>exact.pCI</code>	logical; shall pointwise CIs be determined with exact Binomial distribution?
<code>exact.sCI</code>	logical; shall simultaneous CIs be determined with exact kolmogorov distribution?
<code>nosym.pCI</code>	logical; shall we use (shortest) asymmetric CIs?
<code>debug</code>	logical; if TRUE additional output to debug confidence bounds.

Details

Both simultaneous and pointwise confidence intervals come in a finite-sample and an asymptotic version; the finite sample versions will get quite slow for large data sets x , so in these cases the asymptotic version will be preferable.

For simultaneous intervals, the finite sample version is based on C function "pkolmogorov2x" from package **stats**, while the asymptotic one uses R function `pkstwo` again from package **stats**, both taken from the code to [ks.test](#).

Both finite sample and asymptotic versions use the fact, that the distribution of the supremal distance between the empirical distribution \hat{F}_n and the corresponding theoretical one F (assuming data from F) does not depend on F for continuous distribution F and leads to the Kolmogorov distribution (compare, e.g. Durbin(1973)). In case of F with jumps, the corresponding Kolmogorov distribution is used to produce conservative intervals.

For pointwise intervals, the finite sample version is based on corresponding binomial distributions, (compare e.g., Fisz(1963)), while the asymptotic one uses a CLT approximation for this binomial distribution. In fact, this approximation is only valid for distributions with strictly positive density at the evaluation quantiles.

In the finite sample version, the binomial distributions will in general not be symmetric, so that, by setting `nosym.pCI` to TRUE we may produce shortest asymmetric confidence intervals (albeit with a considerable computational effort).

The symmetric intervals returned by default will be conservative (which also applies to distributions with jumps in this case).

For distributions with jumps or with density (nearly) equal to 0 at the corresponding quantile, we use the approximation of $(D-E(D))/sd(D)$ by the standard normal at these points; this latter approximation is only available if package **distrEx** is installed; otherwise the corresponding columns will be filled with NA.

Value

A list with components `crit` — a matrix with the lower and upper confidence bounds, and `err` a logical vector of length 2.

Component `crit` is a matrix with `length(x)` rows and four columns `c("sim.left", "sim.right", "pw.left", "pw.right")`. Entries will be set to NA if the corresponding `x` component is not in `support(D)` or if the computation method returned an error or if the corresponding parts have not been required (if `withConf.pw` or `withConf.sim` is FALSE).

`err` has components `pw` —do we have a non-error return value for the computation of pointwise CI's (FALSE if `withConf.pw` is FALSE)— and `sim` —do we have a non-error return value for the computation of simultaneous CI's (FALSE if `withConf.sim` is FALSE).

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

References

Durbin, J. (1973) *Distribution theory for tests based on the sample distribution function*. SIAM.
 Fisz, M. (1963). *Probability Theory and Mathematical Statistics*. 3rd ed. Wiley, New York.

See Also

`qqplot` from package **stats** – the standard QQ plot function, `ks.test` again from package **stats** for the implementation of the Kolmogorov distributions; `qqplot` from package **distr** for comparisons of distributions, and `qqplot` from package **distrMod** for comparisons of data with models, as well as `RobASTBase::qqplot` from package **RobASTBase** for checking of corresponding robust estimators.

Examples

```
qqplot(Norm(15,sqrt(30)), Chisq(df=15))
## uses:
old.digits <- getOption("digits")
on.exit(options(digits = old.digits))
options(digits = 6)
set.seed(20230508)
## IGNORE_RDIFF_BEGIN
qqbounds(x = rnorm(30), Norm(), alpha = 0.95, n = 30,
         withConf.pw = TRUE, withConf.sim = TRUE,
         exact.sCI = TRUE, exact.pCI = TRUE,
         nosym.pCI = FALSE)
## other calls:
qqbounds(x = rchisq(30,df=4), Chisq(df=4), alpha = 0.95, n = 30,
         withConf.pw = TRUE, withConf.sim = TRUE,
         exact.sCI = FALSE, exact.pCI = FALSE,
         nosym.pCI = FALSE)
qqbounds(x = rchisq(30,df=4), Chisq(df=4), alpha = 0.95, n = 30,
         withConf.pw = TRUE, withConf.sim = TRUE,
         exact.sCI = TRUE, exact.pCI= TRUE,
         nosym.pCI = TRUE)
## IGNORE_RDIFF_END
options(digits = old.digits)
```

qqplot

Methods for Function qqplot in Package 'distr'

Description

We generalize function `qqplot` from package **stats** to be applicable to distribution objects. In this context, `qqplot` produces a QQ plot of two distributions, i.e.; argument `x` is the distribution to be checked for compatibility, and `y` is the model (H_0 -)distribution. Graphical parameters may be given

as arguments to qqplot. The **stats** function is just the method for signature `x=ANY,y=ANY`. In all title and axis label arguments, if `withSubst` is `TRUE`, the following patterns are substituted:

```
"%C" class of argument x
"%A" deparsed argument x
"%D" time/date-string when the plot was generated
```

Usage

```
qqplot(x, y, ...)
## S4 method for signature 'UnivariateDistribution,UnivariateDistribution'
qqplot(x, y,
       n = 30, withIdLine = TRUE, withConf = TRUE,
       withConf.pw = withConf, withConf.sim = withConf,
       plot.it = TRUE, xlab = deparse(substitute(x)),
       ylab = deparse(substitute(y)), ...,
       width = 10, height = 5.5, withSweave = getdistrOption("withSweave"),
       mfColRow = TRUE, n.CI = n, col.IdL = "red", lty.IdL = 2, lwd.IdL = 2,
       alpha.CI = .95, exact.pCI = (n<100), exact.sCI = (n<100), nosym.pCI = FALSE,
       col.pCI = "orange", lty.pCI = 3, lwd.pCI = 2, pch.pCI = par("pch"),
       cex.pCI = par("cex"),
       col.sCI = "tomato2", lty.sCI = 4, lwd.sCI = 2, pch.sCI = par("pch"),
       cex.sCI = par("cex"),
       cex.pch = par("cex"), col.pch = par("col"),
       jit.fac = 0, check.NotInSupport = TRUE,
       col.NotInSupport = "red", with.legend = TRUE, legend.bg = "white",
       legend.pos = "topleft", legend.cex = 0.8, legend.pref = "",
       legend.postf = "", legend.alpha = alpha.CI, debug = FALSE, withSubst = TRUE)
## S4 method for signature 'ANY,ANY'
qqplot(x, y,
       plot.it = TRUE, xlab = deparse(substitute(x)),
       ylab = deparse(substitute(y)), ...)
```

Arguments

<code>x</code>	object of class "ANY" (stats -method) or of code "UnivariateDistribution"; to be compared to <code>y</code> .
<code>y</code>	object of class "ANY" (stats -method) or of class "UnivariateDistribution".
<code>n</code>	numeric; number of quantiles at which to do the comparison.
<code>withIdLine</code>	logical; shall line $y = x$ be plotted in?
<code>withConf</code>	logical; shall confidence lines be plotted?
<code>withConf.pw</code>	logical; shall pointwise confidence lines be plotted?
<code>withConf.sim</code>	logical; shall simultaneous confidence lines be plotted?
<code>plot.it</code>	logical; shall be plotted at all (inherited from <code>qqplot</code>)?
<code>xlab</code>	x-label
<code>ylab</code>	y-label

...	further parameters for function plot
width	width (in inches) of the graphics device opened
height	height (in inches) of the graphics device opened
withSweave	logical: if TRUE (for working with Sweave) no extra device is opened and height/width are not set
mfColRow	shall default partition in panels be used — defaults to TRUE
n.CI	numeric; number of points to be used for confidence interval
col.IdL	color for the identity line
lty.IdL	line type for the identity line
lwd.IdL	line width for the identity line
alpha.CI	confidence level
exact.pCI	logical; shall pointwise CIs be determined with exact Binomial distribution?
exact.sCI	logical; shall simultaneous CIs be determined with exact kolmogorov distribution?
nosym.pCI	logical; shall we use (shortest) asymmetric CIs?
col.pCI	color for the pointwise CI
lty.pCI	line type for the pointwise CI
lwd.pCI	line width for the pointwise CI
pch.pCI	symbol for points (for discrete mass points) in pointwise CI
cex.pCI	magnification factor for points (for discrete mass points) in pointwise CI
col.sCI	color for the simultaneous CI
lty.sCI	line type for the simultaneous CI
lwd.sCI	line width for the simultaneous CI
pch.sCI	symbol for points (for discrete mass points) in simultaneous CI
cex.sCI	magnification factor for points (for discrete mass points) in simultaneous CI
cex.pch	magnification factor for the plotted symbols
col.pch	color for the plotted symbols
jit.fac	jittering factor used for discrete distributions
check.NotInSupport	logical; shall we check if all x-quantiles lie in support(y)?
col.NotInSupport	logical; if preceding check TRUE color of x-quantiles if not in support(y)
with.legend	logical; shall a legend be plotted?
legend.bg	background color for the legend
legend.pos	position for the legend
legend.cex	magnification factor for the legend
legend.pref	character to be prepended to legend text
legend.postf	character to be appended to legend text
legend.alpha	nominal coverage probability
debug	logical; if TRUE additional output to debug confidence bounds.
withSubst	logical; if TRUE (default) pattern substitution for titles and lables is used; otherwise no substitution is used.

Details

qqplot signature(x = "ANY", y = "ANY"): function qqplot from package **stats**.

qqplot signature(x = "UnivariateDistribution", y = "UnivariateDistribution"): produces a QQ plot for two univariate distributions.

Value

A list of elements containing the information needed to compute the respective QQ plot, in particular it extends the elements of the return value of function [qqplot](#) from package **stats**, i.e., a list with components `x` and `y` for `x` and `y` coordinates of the plotted points; more specifically it contains

<code>x</code>	The <code>x</code> coordinates of the points that were/would be plotted
<code>y</code>	The corresponding quantiles of the second distribution, <i>including NAs</i> .
<code>crit</code>	A matrix with the lower and upper confidence bounds (computed by qqbounds).
<code>err</code>	logical vector of length 2.

(elements `crit` and `err` are taken from the return value(s) of [qqbounds](#)). The return value allows to recover all information used to produce the plot for later use in enhanced graphics (e.g. with [ggplot](#)).

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

References

Becker, R. A., Chambers, J. M. and Wilks, A. R. (1988) *The New S Language*. Wadsworth & Brooks/Cole.

See Also

[qqplot](#) from package **stats** – the standard QQ plot function and [qqbounds](#), used by [qqplot](#) to produce confidence intervals.

Examples

```
## IGNORE_RDIFF_BEGIN
qqplot(Norm(15,sqrt(30)), Chisq(df=15))
## some discrete Distributions:
P <- Pois(5)
B <- Binom(size=2000,prob=5/2000)
qqplot(B,P)
## IGNORE_RDIFF_END

## takes too much time for R CMD check --as-cran
qqplot(B,P, nosym.pCI=TRUE)

## some Lebesgue-Decomposed distributions:
mylist <- UnivarLebDecDistribution(discretePart=Binom(3,.3), acPart=Norm(2,2),
                                acWeight=11/20)
```



```

mylist2 <- mylist+0.1

## IGNORE_RDIFF_BEGIN
qqplot(mylist,mylist2)
qqplot(mylist,mylist2,exact.pCI=FALSE,exact.sCI=FALSE)
## IGNORE_RDIFF_END

## takes too much time for R CMD check --as-cran
qqplot(mylist,mylist2,nosym.pCI=TRUE)
## some ac. distribution with a gap
mylist3 <- UnivarMixingDistribution(Unif(0,0.3),Unif(0.6,1),mixCoeff=c(0.8,0.2))
gaps(mylist3)
mylist4 <- UnivarMixingDistribution(Unif(0,0.3),Unif(0.6,1),mixCoeff=c(0.6,0.4))
qqplot(mylist3,mylist4)
qqplot(mylist3,mylist4,nosym.pCI=TRUE)

```

r-methods

Methods for Function r in Package 'distr'

Description

r-methods

Methods

r signature(object = "Distribution"): generates random deviates according to the distribution

See Also

[Distribution-class](#)

rate-methods

Methods for Function rate in Package 'distr'

Description

rate-methods

Methods

rate signature(object = "ExpParameter"): returns the slot rate of the parameter of the distribution

rate<- signature(object = "ExpParameter"): modifies the slot rate of the parameter of the distribution

rate signature(object = "Exp"): returns the slot rate of the parameter of the distribution

rate<- signature(object = "Exp"): modifies the slot rate of the parameter of the distribution

rate signature(object = "DExp"): returns the slot rate of the parameter of the distribution

rate<- signature(object = "DExp"): modifies the slot rate of the parameter of the distribution

 Reals-class

 Class "Reals"

Description

Particular case of a one-dimensional Euclidean Space

Usage

Reals()

Objects from the Class

Objects could theoretically be created by calls of the form `new("Reals", dimension, name)`. Usually an object of this class is not needed on its own. It is generated automatically when a univariate absolutely continuous distribution is instantiated.

Slots

`dimension` Object of class "character": the dimension of the space, by default = 1

`name` Object of class "character": the name of the space, by default = "Real Space"

Extends

Class "EuclideanSpace", directly.

Class "rSpace", by class "EuclideanSpace".

Methods

initialize signature(.Object = "Reals"): initialize method

Author(s)

Thomas Stabla <statho3@web.de>,

Florian Camphausen <fcampi@gmx.de>,

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[EuclideanSpace-class](#) [Naturals-class](#) [AbscontDistribution-class](#)

Examples

```
R <- Reals()
liesIn(R,c(0,0)) # FALSE
```

rSpace-class	<i>Class "rSpace"</i>
--------------	-----------------------

Description

The distribution-classes contain a slot where the sample space is stored. Typically, discrete random variables take naturals as values. rSpace is the mother-class of the class EuclideanSpace.

Objects from the Class

A virtual Class: No objects may be created from it.

Slots

name Object of class "character": the name of the space

Methods

name signature(object = "rSpace"): returns the name of the space

name<- signature(object = "rSpace"): changes the name of the space

Author(s)

Thomas Stabla <statho3@web.de>,
Florian Camphausen <fcampi@gmx.de>,
Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Lattice-class](#) [Naturals-class](#) [EuclideanSpace-class](#) [Distribution-class](#)

RtoDPQ

Default procedure to fill slots d,p,q given r for a.c. distributions

Description

function to do get empirical density, cumulative distribution and quantile function from random numbers

Usage

```
RtoDPQ(r, e = getdistrOption("RtoDPQ.e"),
       n = getdistrOption("DefaultNrGridPoints"), y = NULL)
```

Arguments

r	the random number generator
e	10^e numbers are generated, a higher number leads to a better result.
n	The number of grid points used to create the approximated functions, a higher number leads to a better result.
y	a (numeric) vector or NULL

Details

RtoDPQ generates 10^e random numbers, by default

$$e = RtoDPQ.e$$

. Instead of using simulated grid points, we have an optional parameter y for using N. Horbenko's quantile trick: i.e.; on an equally spaced grid `x.grid` on $[0,1]$, apply `f(q(x)(x.grid))` and write the result to y and produce density and cdf from this value y given to RtoDPQ as argument (instead of simulating grid points).

The density is formed on the basis of n points using `approxfun` and `density`, by default

$$n = DefaultNrGridPoints$$

. The cumulative distribution function and the quantile function are also created on the basis of n points using `approxfun` and `ecdf`. Of course, the results are usually not exact as they rely on random numbers.

Value

RtoDPQ returns a list of functions.

dfun	density
pfun	cumulative distribution function
qfun	quantile function

Note

Use RtoDPQ for absolutely continuous and RtoDPQ.d for discrete distributions.

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[UnivariateDistribution-class](#), [density](#), [approxfun](#), [ecdf](#)

Examples

```
set.seed(20230508)
rn2 <- function(n){rnorm(n)^2}
x <- RtoDPQ(r = rn2, e = 4, n = 512)
# returns density, cumulative distribution and quantile function of
# squared standard normal distribution
## IGNORE_RDIFF_BEGIN
x$dfun(4)
RtoDPQ(r = rn2, e = 5, n = 1024) # for a better result
## IGNORE_RDIFF_END
rp2 <- function(n){rpois(n, lambda = 1)^2}
x <- RtoDPQ.d(r = rp2, e = 5)
# returns density, cumulative distribution and quantile function of
# squared Poisson distribution with parameter lambda=1
```

RtoDPQ.d

Default procedure to fill slots d,p,q given r for discrete distributions

Description

function to do get empirical density, cumulative distribution and quantile function from random numbers

Usage

```
RtoDPQ.d(r, e = getdistrOption("RtoDPQ.e"))
```

Arguments

r the random number generator
 e 10^e numbers are generated, a higher number leads to a better result.

Details

RtoDPQ.d generates 10^e random numbers, by default $e = \text{RtoDPQ.e}$ which are used to produce a density, cdf and quantile function. Of course, the results are usually not exact as they rely on random numbers.

Value

RtoDPQ returns a list of functions.

dfun	density
pfun	cumulative distribution function
qfun	quantile function

Note

Use RtoDPQ for absolutely continuous and RtoDPQ.d for discrete distributions.

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[UnivariateDistribution-class](#), [density](#), [approxfun](#), [ecdf](#)

Examples

```
set.seed(20230508)
rn2 <- function(n){rnorm(n)^2}
x <- RtoDPQ(r = rn2, e = 4, n = 512)
# returns density, cumulative distribution and quantile function of
# squared standard normal distribution
## IGNORE_RDIFF_BEGIN
x$dfun(4)
RtoDPQ(r = rn2, e = 5, n = 1024) # for a better result
## IGNORE_RDIFF_END
rp2 <- function(n){rpois(n, lambda = 1)^2}
x <- RtoDPQ.d(r = rp2, e = 5)
# returns density, cumulative distribution and quantile function of
# squared Poisson distribution with parameter lambda=1
```

RtoDPQ.LC	<i>Default procedure to fill slots d,p,q given r for Lebesgue decomposed distributions</i>
-----------	--

Description

function to do get empirical density, cumulative distribution and quantile function from random numbers

Usage

```
RtoDPQ.LC(r, e = getdistrOption("RtoDPQ.e"),
          n = getdistrOption("DefaultNrGridPoints"), y = NULL)
```

Arguments

r	the random number generator
e	10^e numbers are generated, a higher number leads to a better result.
n	The number of grid points used to create the approximated functions, a higher number leads to a better result.
y	a (numeric) vector or NULL

Details

RtoDPQ.LC generates 10^e random numbers, by default

$$e = RtoDPQ.e$$

. Replicates are assumed to be part of the discrete part, unique values to be part of the a.c. part of the distribution. For the replicated ones, we generate a discrete distribution by a call to [DiscreteDistribution](#).

For the a.c. part, similarly to [RtoDPQ](#) we have an optional parameter y for using N. Horbenko's quantile trick: i.e.; on an equally spaced grid $x.grid$ on $[0,1]$, apply $f(q(x)(x.grid))$, write the result to y and use these values instead of simulated ones.

The a.c. density is formed on the basis of n points using `approxfun` and `density` (applied to the unique values), by default

$$n = DefaultNrGridPoints$$

. The cumulative distribution function is based on all random variables, and, as well as the quantile function, is also created on the basis of n points using `approxfun` and `ecdf`. Of course, the results are usually not exact as they rely on random numbers.

Value

RtoDPQ.LC returns an object of class `UnivarLebDecDistribution`.

Note

Use `RtoDPQ` for absolutely continuous and `RtoDPQ.d` for discrete distributions.

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[UnivariateDistribution-class](#), [density](#), [approxfun](#), [ecdf](#)

Examples

```
set.seed(20230508)
rn2 <- function(n)ifelse(rbinom(n,1,0.3),rnorm(n)^2,rbinom(n,4,.3))
x <- RtoDPQ.LC(r = rn2, e = 4, n = 512)
plot(x)
# returns density, cumulative distribution and quantile function of
# squared standard normal distribution
## IGNORE_RDIFF_BEGIN
d.discrete(x)(4)
## IGNORE_RDIFF_END
x2 <- RtoDPQ.LC(r = rn2, e = 5, n = 1024) # for a better result
plot(x2)
```

scale-methods

Methods for Function scale in Package 'distr'

Description

scale-methods

Methods

scale signature(object = "GammaParameter"): returns the slot scale of the parameter of the distribution

scale<- signature(object = "GammaParameter"): modifies the slot scale of the parameter of the distribution

scale signature(object = "Gammad"): returns the slot scale of the parameter of the distribution

scale<- signature(object = "Gammad"): modifies the slot scale of the parameter of the distribution

scale signature(object = "LogisParameter"): returns the slot scale of the parameter of the distribution

scale<- signature(object = "LogisParameter"): modifies the slot scale of the parameter of the distribution

scale signature(object = "Logis"): returns the slot scale of the parameter of the distribution

scale<- signature(object = "Logis"): modifies the slot scale of the parameter of the distribution

scale signature(object = "WeibullParameter"): returns the slot scale of the parameter of the distribution

scale<- signature(object = "WeibullParameter"): modifies the slot scale of the parameter of the distribution

scale signature(object = "Weibull"): returns the slot scale of the parameter of the distribution

scale<- signature(object = "Weibull"): modifies the slot scale of the parameter of the distribution

scale signature(object = "CauchyParameter"): returns the slot scale of the parameter of the distribution

scale<- signature(object = "CauchyParameter"): modifies the slot scale of the parameter of the distribution

scale signature(object = "Cauchy"): returns the slot scale of the parameter of the distribution

scale<- signature(object = "Cauchy"): modifies the slot scale of the parameter of the distribution

scale signature(object = "Chisq"): if ncp(object) is 0, a Chi-squared distribution is also a Gamma distribution; in this case, scale returns 2 else an error;

sd-methods

Methods for Function sd in Package 'distr'

Description

sd-methods

Methods

sd signature(x = "Any"): see [sd](#)

sd signature(x = "NormParameter"): returns the slot sd of the parameter of the distribution

sd<- signature(object = "NormParameter"): modifies the slot sd of the parameter of the distribution

sd signature(x = "Norm"): returns the slot sd of the parameter of the distribution

sd<- signature(object = "Norm"): modifies the slot sd of the parameter of the distribution

See Also

[sd](#)

 sdlog-methods

Methods for Function sdlog in Package 'distr'

Description

sdlog-methods

Methods

sdlog signature(object = "LnormParameter"): returns the slot sdlog of the parameter of the distribution

sdlog<- signature(object = "LnormParameter"): modifies the slot sdlog of the parameter of the distribution

sdlog signature(object = "Lnorm"): returns the slot sdlog of the parameter of the distribution

sdlog<- signature(object = "Lnorm"): modifies the slot sdlog of the parameter of the distribution

 shape-methods

Methods for Function shape in Package 'distr'

Description

shape-methods

Methods

shape signature(object = "GammaParameter"): returns the slot shape of a parameter of a Gamma distribution

shape<- signature(object = "GammaParameter"): modifies the slot shape of a parameter of a Gamma distribution

shape signature(object = "Gammad"): returns the slot shape of the parameter slot of a Gamma distribution

shape<- signature(object = "Gammad"): modifies the slot shape of the parameter slot of a Gamma distribution

shape signature(object = "WeibullParameter"): returns the slot shape of a parameter of a Weibull distribution

shape<- signature(object = "WeibullParameter"): modifies the slot shape of a parameter of a Weibull distribution

shape signature(object = "Weibull"): returns the slot shape of the parameter slot of the distribution

shape<- signature(object = "Weibull"): modifies the slot shape of the parameter slot of the distribution

shape signature(object = "Chisq"): if ncp(object) is 0, a Chi-squared distribution is also a Gamma distribution; in this case, shape returns df(object)/2 else an error;

shape signature(object = "Exp"): returns the slot shape of the parameter slot of the Exp distribution (=1)

shape1-methods

*Methods for Function shape1 in Package 'distr'***Description**

shape-methods

Methods

shape1 signature(object = "BetaParameter"): returns the slot shape1 of the parameter of the distribution

shape1<- signature(object = "BetaParameter"): modifies the slot shape1 of the parameter of the distribution

shape1 signature(object = "Beta"): returns the slot shape1 of the parameter of the distribution

shape1<- signature(object = "Beta"): modifies the slot shape1 of the parameter of the distribution

shape2-methods

*Methods for Function shape2 in Package 'distr'***Description**

shape-methods

Methods

shape2 signature(object = "BetaParameter"): returns the slot shape2 of the parameter of the distribution

shape2<- signature(object = "BetaParameter"): modifies the slot shape2 of the parameter of the distribution

shape2 signature(object = "Beta"): returns the slot shape2 of the parameter of the distribution

shape2<- signature(object = "Beta"): modifies the slot shape2 of the parameter of the distribution

simplifyD-methods *Methods for function simplifyD in Package 'distr'*

Description

simplifyD-methods

Usage

```
simplifyD(object)
```

Arguments

object distribution object

Details

generating functions [UnivarMixingDistribution](#), [Minimum](#), [Maximum](#), [Truncate](#), and [Huberize](#) have an argument `withSimplify` which decides whether the respective result is filtered by/piped through a call to `simplifyD`. By default this argument is set to the `distr`-option `getdistrOption("simplifyD")` (for the inspection and modification of such global options see [distrOptions](#)). Depending on whether or not this option is `TRUE`, also arithmetic operations `"+"`, `"*"`, `"/"`, `"^"` and group `Math` give results filtered by/piped through a call to `simplifyD`.

Value

the corresponding, possibly simplified distribution

Methods

simplifyD signature(object = "AbscontDistribution"): returns object unchanged

simplifyD signature(object = "DiscreteDistribution"): returns object unchanged

simplifyD signature(object = "UnivarLebDecDistribution"): checks whether `acWeight` or `discreteWeight` is approximately (i.e.; up to `getdistrOption("TruncQuantile")`) zero and if so, accordingly returns `discretePart(object)` or `acPart(object)`, respectively.

simplifyD signature(object = "UnivarMixingDistribution"): returns the flattened version of object (using `flat.mix`). before doing so, it checks whether any component carries weight approximately (i.e.; up to `getdistrOption("TruncQuantile")`) one (in slot `mixCoeff`) and if so, returns this component; else, if not all weights are below `getdistrOption("TruncQuantile")`, it filters out those components with weight less than `getdistrOption("TruncQuantile")`.

See Also

[Huberize](#), [Minimum](#)

Examples

```

set.seed(123)
Mix1 <- UnivarMixingDistribution(Norm(), Binom(2, .3),
  UnivarLebDecDistribution(acPart = Chisq(df = 2), discretePart = Nbinom(3, .09),
    acWeight = 0.3),
  Norm()-Chisq(df=3), mixCoeff=c(0,0,0.2,0.8), withSimplify = FALSE)
Mix2 <- UnivarMixingDistribution(Norm(), Mix1, DExp(2),
  mixCoeff = c(0,0.2,0.8), withSimplify = FALSE)
Mix2
simplifyD(Mix2)

```

simplifyr-methods

Methods for Function simplifyr in Package 'distr'

Description

simplifyr-methods

Methods

simplifyr signature(.Object = "UnivariateDistribution"): After several transformations of a given distribution it may take quite a long time to generate random numbers from the resulting distribution. `simplifyr` generates a certain number, by default 10^5 , of random numbers once. This pool of random numbers forms the basis for further uses of the `r`-method. That is, random numbers are generated by sampling with replacement out of this pool.

Note

If you want to generate many random numbers, you should use `simplifyr` with a big size to be sure, that your numbers are really random.

See Also

[Distribution-class](#)

Examples

```

F <- ( Norm() + Binom() + Pois() + Exp() ) * 2 - 10
## IGNORE_RDIFF_BEGIN
system.time(r(F)(10^6))
## IGNORE_RDIFF_END
simplifyr(F, size = 10^6)
## IGNORE_RDIFF_BEGIN
system.time(r(F)(10^6))
## IGNORE_RDIFF_END

```

size-methods

*Methods for Function size in Package 'distr'***Description**

size-methods

Methods

size signature(object = "BinomParameter"): returns the slot size of the parameter of the distribution

size<- signature(object = "BinomParameter"): modifies the slot size of the parameter of the distribution

size signature(object = "Binom"): returns the slot size of the parameter of the distribution

size<- signature(object = "Binom"): modifies the slot size of the parameter of the distribution

size signature(object = "NbinomParameter"): returns the slot size of the parameter of the distribution

size<- signature(object = "NbinomParameter"): modifies the slot size of the parameter of the distribution

size signature(object = "Nbinom"): returns the slot size of the parameter of the distribution

size<- signature(object = "Nbinom"): modifies the slot size of the parameter of the distribution

size signature(object = "Geom"): returns the slot size of the parameter of the distribution

solve-methods

*Methods for Function solve in Package 'distr'***Description**

solve-methods using generalized inverses for various types of matrices

Usage

```

solve(a,b, ...)
## S4 method for signature 'ANY,ANY'
solve(a, b, generalized =
getdistrOption("use.generalized.inverse.by.default"), tol = 1e-10)
## S4 method for signature 'PosSemDefSymmMatrix,ANY'
solve(a, b, generalized =
getdistrOption("use.generalized.inverse.by.default"), tol = 1e-10)
## S4 method for signature 'PosDefSymmMatrix,ANY'
solve(a, b, tol = 1e-10)

```

Arguments

a	matrix to be inverted / to be solved for RHS.
b	a numeric or complex vector or matrix giving the right-hand side(s) of the linear system. If missing, b is taken to be an identity matrix and solve will return the inverse of a.
...	further arguments to be passed to specific methods (see solve).
generalized	logical: should generalized / Moore-Penrose inverses be used? By default uses the corresponding global option to be set by distributions .
tol	the tolerance for detecting linear dependencies in the columns of a. Default is <code>.Machine\$double.eps</code> .

Details

The method for the Moore-Penrose inverse for signature(a = "PosSemDefSymmMatrix", b = "ANY") uses `eigen` to find the eigenvalue decomposition of a and then simply "pseudo-inverts" the corresponding diagonal matrix built from `eigen(a)$values`, while for signature(a = "ANY", b = "ANY") it uses the svd decomposition of a and then simply "pseudo-inverts" the corresponding diagonal matrix built from `svd(a)$d`.

Methods

- solve** signature(a = "ANY", b = "ANY"): tries to evaluate `solve.default` method from **base** in classical way; if this gives an error, this one is returned if `generalized` is TRUE, else it will then return $a^{-1}b$ where a^{-1} is the pseudo or Moore-Penrose inverse of a.
- solve** signature(a = "PosSemDefSymmMatrix", b = "ANY"): evaluates $a^{-1}b$ where a^{-1} is the pseudo or Moore-Penrose inverse of a.
- solve** signature(a = "PosDefSymmMatrix", b = "ANY"): evaluates `solve` method from **base** in classical way.

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[solve](#) for the default method, [eigen](#) and [svd](#) for the pseudo inversion

SphericalSymmetry

Generating function for SphericalSymmetry-class

Description

Generates an object of class "SphericalSymmetry".

Usage

```
SphericalSymmetry(SymmCenter = 0)
```

Arguments

SymmCenter numeric: center of symmetry

Value

Object of class "SphericalSymmetry"

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[SphericalSymmetry-class](#), [DistributionSymmetry-class](#)

Examples

```
SphericalSymmetry()

## The function is currently defined as
function(SymmCenter = 0){
  new("SphericalSymmetry", SymmCenter = SymmCenter)
}
```

SphericalSymmetry-class

Class for Spherical Symmetric Distributions

Description

Class for spherical symmetric distributions.

Objects from the Class

Objects can be created by calls of the form `new("SphericalSymmetry")`. More frequently they are created via the generating function `SphericalSymmetry`. Spherical symmetry for instance leads to a simplification for the computation of optimally robust influence curves.

Slots

type Object of class "character": contains "spherical symmetric distribution"
 SymmCenter Object of class "numeric": center of symmetry

Extends

Class "EllipticalSymmetry", directly.

Class "DistributionSymmetry", by class "EllipticalSymmetry".

Class "Symmetry", by class "EllipticalSymmetry".

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[SphericalSymmetry](#), [DistributionSymmetry-class](#)

Examples

```
new("SphericalSymmetry")
```

sqrt-methods

Methods for Function sqrt in Package 'distr'

Description

sqrt-methods using generalized inverses for p.s.d. matrices

Usage

```
## S4 method for signature 'PosSemDefSymmMatrix'  
sqrt(x)
```

Arguments

x a p.s.d. matrix (of class PosSemDefSymmMatrix)

Methods

sqrt signature(x = "PosSemDefSymmMatrix"): produces a symmetric, p.s.d. matrix y such that $x = y^2$.

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[solve](#)

standardMethods	<i>Utility to automatically generate accessor and replacement functions</i>
-----------------	---

Description

Creates definitions for accessor and replacement functions of an given class.

Usage

```
standardMethods(class, writetofile = FALSE, directory)
```

Arguments

class	the class for which accessor and replacement functions are to be produced, given as a string
writetofile	logical value, indicating wheter output is to be written to a file
directory	if writetofile = TRUE, the output is written to a file in the given directory, the name of the file starting with "classname" and ending with "StandardMethods.txt"

Value

no value is returned

Author(s)

Thomas Stabla <statho@web.de>

Examples

```
setClass("testclass", representation(a = "numeric", b = "character"))
standardMethods("testclass")
```

support-methods	<i>Methods for Function support in Package 'distr'</i>
-----------------	--

Description

support-methods

Methods

support signature(object = "DiscreteDistribution"): returns the support

Symmetry-class

*Class of Symmetries***Description**

Class of symmetries of various objects.

Objects from the Class

A virtual Class: No objects may be created from it.

Slots

`type` Object of class "character": describes type of symmetry.

`SymmCenter` Object of class "ANY": center of symmetry.

Methods

type signature(object = "Symmetry"): accessor function for slot `type`

SymmCenter signature(object = "Symmetry"): accessor function for slot `SymmCenter`

show signature(object = "Symmetry")

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[DistributionSymmetry-class](#), [OptionalNumeric-class](#)

Td-class

*Class "Td"***Description**

The t distribution with $df = \nu$ degrees of freedom has density

$$f(x) = \frac{\Gamma((\nu + 1)/2)}{\sqrt{\pi\nu}\Gamma(\nu/2)} (1 + x^2/\nu)^{-(\nu+1)/2}$$

for all real x . It has mean 0 (for $\nu > 1$) and variance $\frac{\nu}{\nu-2}$ (for $\nu > 2$). C.f. [rt](#)

Objects from the Class

Objects can be created by calls of the form `Td(df)`. This object is a t distribution.

Slots

img Object of class "Reals": The domain of this distribution has got dimension 1 and the name "Real Space".

param Object of class "TParameter": the parameter of this distribution (df), declared at its instantiation

r Object of class "function": generates random numbers (calls function `rt`)

d Object of class "function": density function (calls function `dt`)

p Object of class "function": cumulative function (calls function `pt`)

q Object of class "function": inverse of the cumulative function (calls function `qt`)

.withArith logical: used internally to issue warnings as to interpretation of arithmetics

.withSim logical: used internally to issue warnings as to accuracy

.logExact logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

.lowerExact logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

Symmetry object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "AbscontDistribution", directly.

Class "UnivariateDistribution", by class "AbscontDistribution".

Class "Distribution", by class "AbscontDistribution".

Methods

initialize signature(`.Object = "Td"`): initialize method

df signature(`object = "Td"`): returns the slot `df` of the parameter of the distribution

df<- signature(`object = "Td"`): modifies the slot `df` of the parameter of the distribution

ncp signature(`object = "Td"`): returns the slot `ncp` of the parameter of the distribution

ncp<- signature(`object = "Td"`): modifies the slot `ncp` of the parameter of the distribution

Ad hoc methods

For R Version <2.3.0 ad hoc methods are provided for slots `q`, `r` if `ncp!=0`; for R Version >=2.3.0 the methods from package **stats** are used.

Note

The general *non-central t* with parameters $(\nu, \delta) = (\text{df}, \text{ncp})$ is defined as a the distribution of $T_\nu(\delta) := \frac{U+\delta}{\chi_\nu/\sqrt{\nu}}$ where U and χ_ν are independent random variables, $U \sim \mathcal{N}(0, 1)$, and χ_ν^2 is chi-squared, see [rchisq](#).

The most used applications are power calculations for *t*-tests:

Let $T = \frac{\bar{X} - \mu_0}{S/\sqrt{n}}$ where \bar{X} is the **mean** and S the sample standard deviation (**sd**) of X_1, X_2, \dots, X_n which are i.i.d. $N(\mu, \sigma^2)$. Then T is distributed as non-centrally *t* with `df = n - 1` degrees of freedom and **non-centrality parameter** `ncp = $(\mu - \mu_0)\sqrt{n}/\sigma$` .

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[TParameter-class](#), [AbscontDistribution-class](#), [Reals-class](#), [rt](#)

Examples

```
T <- Td(df = 1) # T is a t distribution with df = 1.
r(T)(1) # one random number generated from this distribution, e.g. -0.09697573
d(T)(1) # Density of this distribution is 0.1591549 for x = 1.
p(T)(1) # Probability that x < 1 is 0.75.
q(T)(.1) # Probability that x < -3.077684 is 0.1.
## in RStudio or Jupyter IRKernel, use q.l(.) instead of q(.)
df(T) # df of this distribution is 1.
df(T) <- 2 # df of this distribution is now 2.
Tn <- Td(df = 1, ncp = 5)
# T is a noncentral t distribution with df = 1 and ncp = 5.
d(Tn)(1) ## from R 2.3.0 on ncp no longer ignored...
```

TParameter-class	Class "TParameter"
------------------	--------------------

Description

The parameter of a t distribution, used by Td-class

Objects from the Class

Objects can be created by calls of the form `new("TParameter", df, ncp)`. Usually an object of this class is not needed on its own, it is generated automatically when an object of the class Td is instantiated.

Slots

`df` Object of class "numeric": the degrees of freedom of a T distribution
`ncp` Object of class "numeric": the noncentrality parameter of a T distribution
`name` Object of class "character": a name / comment for the parameters

Extends

Class "Parameter", directly.

Methods

initialize signature(.Object = "TParameter"): initialize method

df signature(object = "TParameter"): returns the slot df of the parameter of the distribution

df<- signature(object = "TParameter"): modifies the slot df of the parameter of the distribution

ncp signature(object = "TParameter"): returns the slot ncp of the parameter of the distribution

ncp<- signature(object = "TParameter"): modifies the slot ncp of the parameter of the distribution

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Td-class Parameter-class](#)

Examples

```
W <- new("TParameter",df=1, ncp = 0)
df(W) # df of this distribution is 1.
df(W) <- 2 # df of this distribution is now 2.
```

Truncate-methods

Methods for function Truncate in Package 'distr'

Description

Truncate-methods

Usage

```
Truncate(object, ...)
## S4 method for signature 'AbscontDistribution'
Truncate(object, lower = -Inf, upper = Inf)
## S4 method for signature 'DiscreteDistribution'
Truncate(object, lower= -Inf, upper = Inf)
## S4 method for signature 'LatticeDistribution'
Truncate(object, lower= -Inf, upper = Inf)
## S4 method for signature 'UnivarLebDecDistribution'
Truncate(object, lower = -Inf, upper = Inf,
          withSimplify = getdistrOption("simplifyD"))
```

Arguments

object	distribution object
...	not yet used; takes up lower, upper, withSimplify.
lower	numeric; lower truncation point
upper	numeric; upper truncation point
withSimplify	logical; is result to be piped through a call to simplifyD?

Value

the corresponding distribution of the truncated random variable

Methods

Truncate signature(object = "AbscontDistribution"): returns the distribution of $\min(\text{upper}, \max(X, \text{lower}))$ conditioned to $\text{lower} \leq X \leq \text{upper}$, if X is distributed according to object; if slot `.logExact` of argument object is TRUE and if either there is only one-sided truncation or both truncation points lie on the same side of the median, we use this representation to enhance the range of applicability, in particular, for slot `r`, we profit from Peter Dalgaard's clever log-tricks as indicated in <https://stat.ethz.ch/pipermail/r-help/2008-September/174321.html>. To this end we use the internal functions (i.e.; non exported to namespace) `.trunc.up` and `.trunc.low` which provide functional slots `r`, `d`, `p`, `q` for one-sided truncation. In case of two sided truncation, we simply use one-sided truncation successively — first left and then right in case we are right of the median, and the other way round else; the result is again of class "AbscontDistribution";

Truncate signature(object = "DiscreteDistribution"): returns the distribution of $\min(\text{upper}, \max(X, \text{lower}))$ conditioned to $\text{lower} \leq X \leq \text{upper}$, if X is distributed according to object; the result is again of class "DiscreteDistribution"

Truncate signature(object = "LatticeDistribution"): if length of the corresp. lattice is infinite and slot `.logExact` of argument object is TRUE, we proceed similarly as in case of AbscontDistribution, also using internal functions `.trunc.up` and `.trunc.low`; else we use the corresponding "DiscreteDistribution" method; the result is again of class "LatticeDistribution"

Truncate signature(object = "UnivarLebDecDistribution"): returns the distribution of $\min(\text{upper}, \max(X, \text{lower}))$ conditioned to $\text{lower} \leq X \leq \text{upper}$, if X is distributed according to object; the result is again of class "UnivarLebDecDistribution"

See Also

[Huberize](#), [Minimum](#)

Examples

```
plot(Truncate(Norm(),lower=-1,upper=2))
TN <- Truncate(Norm(),lower=15,upper=15.7) ### remarkably right!
plot(TN)
r(TN)(30)
TNG <- Truncate(Geom(prob=0.05),lower=325,upper=329) ### remarkably right!
plot(TNG)
```

Unif-class

Class "Unif"

Description

The uniform distribution has density

$$d(x) = \frac{1}{max - min}$$

for min , by default = 0, $\leq x \leq max$, by default = 1. C.f. [runif](#)

Objects from the Class

Objects can be created by calls of the form `Unif(Min, Max)`. This object is a uniform distribution.

Slots

`img` Object of class "Reals": The space of the image of this distribution has got dimension 1 and the name "Real Space".

`param` Object of class "UnifParameter": the parameter of this distribution (Min and Max), declared at its instantiation

`r` Object of class "function": generates random numbers (calls function `runif`)

`d` Object of class "function": density function (calls function `dunif`)

`p` Object of class "function": cumulative function (calls function `punif`)

`q` Object of class "function": inverse of the cumulative function (calls function `qunif`)

`.withArith` logical: used internally to issue warnings as to interpretation of arithmetics

`.withSim` logical: used internally to issue warnings as to accuracy

`.logExact` logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

`.lowerExact` logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

`Symmetry` object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "AbscontDistribution", directly.

Class "UnivariateDistribution", by class "AbscontDistribution".

Class "Distribution", by class "AbscontDistribution".

Is-Relations

By means of `setIs`, R "knows" that a distribution object `obj` of class "Unif" with `Min 0` and `Max 1` also is a Beta distribution with parameters `shape1 = 1`, `shape2 = 1`, `ncp = 0`.

Methods

initialize signature(.Object = "Unif"): initialize method

Min signature(object = "Unif"): returns the slot Min of the parameter of the distribution

Min<- signature(object = "Unif"): modifies the slot Min of the parameter of the distribution

Max signature(object = "Unif"): returns the slot Max of the parameter of the distribution

Max<- signature(object = "Unif"): modifies the slot Max of the parameter of the distribution

***** signature(e1 = "Unif", e2 = "numeric"): multiplication of this uniform distribution by an object of class 'numeric'

+ signature(e1 = "Unif", e2 = "numeric"): addition of this uniform distribution to an object of class 'numeric'

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[UnifParameter-class](#) [AbscontDistribution-class](#) [Reals-class](#) [runif](#)

Examples

```
U <- Unif(Min=0,Max=2) # U is a uniform distribution with Min=0 and Max=2.
r(U)(1) # one random number generated from this distribution, e.g. 1.984357
d(U)(1) # Density of this distribution is 0.5 for x=1.
p(U)(1) # Probability that x<1 is 0.5.
q(U)(.1) # Probability that x<0.2 is 0.1.
## in RStudio or Jupyter IRKernel, use q.l(.) instead of q(.)
Min(U) # Min of this distribution is 0.
Min(U) <- 1 # Min of this distribution is now 1.
Min(U) # Min of this distribution is 1.
Min(U) <- 0
is(U/2,"Beta") # yes
V <- U/2; as(V,"Beta")
```

UnifParameter-class *Class "UnifParameter"*

Description

The parameter of a uniform distribution, used by Unif-class

Objects from the Class

Objects can be created by calls of the form `new("UnifParameter", Max, Min)`. Usually an object of this class is not needed on its own, it is generated automatically when an object of the class `Unif` is instantiated.

Slots

`Max` Object of class "numeric": the Max of a uniform distribution
`Min` Object of class "numeric": the Min of a uniform distribution
`name` Object of class "character": a name / comment for the parameters

Extends

Class "Parameter", directly.

Methods

initialize signature(.Object = "UnifParameter"): initialize method
Min signature(object = "UnifParameter"): returns the slot Min of the parameter of the distribution
Min<- signature(object = "UnifParameter"): modifies the slot Min of the parameter of the distribution
Max signature(object = "UnifParameter"): returns the slot Max of the parameter of the distribution
Max<- signature(object = "UnifParameter"): modifies the slot Max of the parameter of the distribution

Author(s)

Thomas Stabla <statho3@web.de>,
Florian Camphausen <fcampi@gmx.de>,
Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Unif-class Parameter-class](#)

Examples

```
W <- new("UnifParameter",Min=0,Max=1)
Max(W) # Max of this distribution is 1.
Max(W) <- 2 # Max of this distribution is now 2.
```

UniNormParameter-class

Class "UniNormParameter"

Description

The parameter of a univariate normal distribution, used by Norm-class

Objects from the Class

Objects can be created by calls of the form `new("NormParameter", sd, mean)`. Usually an object of this class is not needed on its own, it is generated automatically when an object of the class Norm is instantiated.

Slots

`sd` Object of class "numeric": the sd of a univariate normal distribution

`mean` Object of class "numeric": the mean of a univariate normal distribution

`name` Object of class "character": a name / comment for the parameters

Extends

Class "NormParameter", directly. Class "Parameter", by class "NormParameter".

Methods

initialize signature(.Object = "UniNormParameter"): initialize method

mean signature(object = "UniNormParameter"): returns the slot mean of the parameter of the distribution

mean<- signature(object = "UniNormParameter"): modifies the slot mean of the parameter of the distribution

sd signature(object = "UniNormParameter"): returns the slot sd of the parameter of the distribution

sd<- signature(object = "UniNormParameter"): modifies the slot sd of the parameter of the distribution

Author(s)

Thomas Stabla <statho3@web.de>,
Florian Camphausen <fcampi@gmx.de>,
Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Norm-class NormParameter-class Parameter-class](#)

Examples

```
W <- new("UniNormParameter", mean = 0, sd = 1)
sd(W) # sd of this distribution is 1
sd(W) <- 2 # sd of this distribution is now 2
```

UnivarDistrList *Generating function for UnivarDistrList-class*

Description

Generates an object of class "UnivarDistrList".

Usage

```
UnivarDistrList(..., Dlist)
```

Arguments

... Objects of class "UnivariateDistribution" (or subclasses)
Dlist an optional list or object of class "UnivarDistrList"; if not missing it is appended to argument ...; this way UnivarMixingDistribution may also be called with a list (or "UnivarDistrList"-object) as argument as suggested in an e-mail by Krunoslav Sever (thank you!)

Value

Object of class "UnivarDistrList"

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[DistrList-class](#), [UnivarDistrList-class](#), [UnivarDistrList](#)

Examples

```
(DL <- UnivarDistrList(Norm(), Exp(), Pois()))
plot(DL)
as(Norm(), "UnivarDistrList")

## The function is currently defined as
function(...){
  new("UnivarDistrList", list(...))
}
```

UnivarDistrList-class *List of univariate distributions*

Description

Create a list of univariate distributions

Objects from the Class

Objects can be created by calls of the form `new("UnivarDistrList", ...)`. More frequently they are created via the generating function [DistrList](#).

Slots

`.Data` Object of class "list". A list of univariate distributions.

Extends

Class "DistrList", directly.
Class "list", by class "DistrList".
Class "vector", by class "DistrList".

Methods

coerce signature(from = "UnivariateDistribution", to = "UnivarDistrList"): create a UnivarDistrList object from a univariate distribution

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[UnivarDistrList](#), [DistrList-class](#), [UnivariateDistribution-class](#)

Examples

```
(DL <- new("UnivarDistrList", list(Norm(), Exp())))  
plot(DL)  
as(Norm(), "UnivarDistrList")
```

UnivariateDistribution-class
Class "UnivariateDistribution"

Description

The UnivariateDistribution-class is the mother-class of the classes AbscontDistribution and DiscreteDistribution.

Objects from the Class

Objects can be created by calls of the form `new("UnivariateDistribution")`.

Slots

`img` Object of class "Reals": the space of the image of this distribution which has dimension 1 and the name "Real Space"

`param` Object of class "Parameter": the parameter of this distribution

`r` Object of class "function": generates random numbers

`d` Object of class "function": density function

`p` Object of class "function": cumulative distribution function

`q` Object of class "function": quantile function

`.withArith` logical: used internally to issue warnings as to interpretation of arithmetics

`.withSim` logical: used internally to issue warnings as to accuracy

`.logExact` logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

`.lowerExact` logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

`Symmetry` object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "Distribution", directly.

Methods

initialize signature(.Object = "UnivariateDistribution"):
 initialize method

dim signature(x = "UnivariateDistribution"):
 returns the dimension of the support of the distribution

- signature(e1 = "UnivariateDistribution"):
 application of '-' to this univariate distribution

```

* signature(e1 = "UnivariateDistribution", e2 = "numeric"):
    multiplication of this univariate distribution by an object of class 'numeric'
/ signature(e1 = "UnivariateDistribution", e2 = "numeric"):
    division of this univariate distribution by an object of class 'numeric'
+ signature(e1 = "UnivariateDistribution", e2 = "numeric"):
    addition of this univariate distribution to an object of class 'numeric'
- signature(e1 = "UnivariateDistribution", e2 = "numeric"):
    subtraction of an object of class 'numeric' from this univariate distribution
* signature(e1 = "numeric", e2 = "UnivariateDistribution"):
    multiplication of this univariate distribution by an object of class 'numeric'
+ signature(e1 = "numeric", e2 = "UnivariateDistribution"):
    addition of this univariate distribution to an object of class 'numeric'
- signature(e1 = "numeric", e2 = "UnivariateDistribution"):
    subtraction of this univariate distribution from an object of class 'numeric'
+ signature(e1 = "UnivariateDistribution", e2 = "UnivariateDistribution"):
    Convolution of two univariate distributions. The slots p, d and q are approximated by grids.
- signature(e1 = "UnivariateDistribution", e2 = "UnivariateDistribution"):
    Convolution of two univariate distributions. The slots p, d and q are approximated by grids.
simplifyr signature(object = "UnivariateDistribution"):
    simplifies the r-method of a distribution, see there for further information
print signature(object = "UnivariateDistribution"):
    returns the class of the object and its parameters
show signature(object = "UnivariateDistribution"): as print

```

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Parameter-class Distribution-class AbscontDistribution-class](#)
[DiscreteDistribution-class Reals-class RtoDPQ simplifyr-methods](#)

 UnivarLebDecDistribution

Generating function for Class "UnivarLebDecDistribution"

Description

Generates an object of class "UnivarLebDecDistribution".

Usage

```
UnivarLebDecDistribution(acPart, discretePart, acWeight, discreteWeight,
                        r = NULL, e = NULL, n = NULL, y = NULL)
```

Arguments

acPart	Object of class "AbscontDistribution" (or subclasses); a.c. part of the distribution
discretePart	Object of class "AbscontDistribution" (or subclasses); discrete part of the distribution
acWeight	Object of class "numeric"; weight of the a.c. part of the distribution
discreteWeight	Object of class "numeric"; weight of the discrete part of the distribution
r	optional argument; if given, this is a random number generator as function $r \leftarrow \text{function}(n)\{\dots\}$ to produce r.v.'s distributed according to the distribution; used in a call to RtoDPQ.LC if acPart and discretePart are missing.
e	optional argument; if argument r is given, this is the number of r.v.'s drawn to fill the empty slots of this object; if missing filled with <code>getdistrOption("RtoDPQ.e")</code> .
n	optional argument; if argument r is given, this is the number gridpoints used in filling the empty p,d,q slots of this object; if missing filled with <code>getdistrOption("DefaultNrGridPoint")</code> .
y	a (numeric) vector or NULL

Details

At least one of arguments discretePart, acPart, or r must be given; if the first two are missing, slots are filled by a call to [RtoDPQ.LC](#). For this purpose argument r is used together with arguments e and n. If the latter are missing they are filled with `getdistrOption("RtoDPQ.e")` and `getdistrOption("DefaultNrGridPoints")`, respectively. For the a.c. part, similarly to [RtoDPQ](#) we have an optional parameter y for using N. Horbenko's quantile trick: i.e.; on an equally spaced grid `x.grid` on [0,1], apply $f(q(x)(x.grid))$, write the result to y and use these values instead of simulated ones.

If argument discretePart is missing but acPart is not, discreteWeight is set to 0 and discretePart is set to `Dirac(0)`. If argument acPart is missing but discretePart is not, acWeight is set to 0 and discretePart is set to `Norm()`. If both arguments acPart and discretePart are given, at least one of arguments discreteWeight and acWeight must be given and lie in [0,1], else an error is thrown. If only one argument acWeight or discreteWeight is given the other one is gotten as $1 - [\text{ac/discrete}]Weight$. Else if both are given, they must sum up to 1. If a weight is smaller than `getdistrOption("TruncQuantile")`, it is set to 0.

Value

Object of class "UnivarLebDecDistribution".

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[UnivarLebDecDistribution-class](#), [simplifyD](#)

Examples

```
mylist <- UnivarLebDecDistribution(discretePart=Binom(3,.3), acPart=Norm(2,2),
                                acWeight=11/20)
mylist
```

UnivarLebDecDistribution-class

Class "UnivarLebDecDistribution"

Description

UnivarLebDecDistribution-class is a class to formalize a Lebesgue decomposed distribution with a discrete and an absolutely continuous part; it is a subclass to class UnivarMixingDistribution.

Objects from the Class

Objects can be created by calls of the form `new("UnivarLebDecDistribution", ...)`. More frequently they are created via the generating function [UnivarLebDecDistribution](#).

Slots

`mixCoeff` Object of class "numeric": a vector of length 2 of probabilities for the respective a.c. and discrete part of the object

`mixDistr` Object of class "UnivarDistrList": a list of univariate distributions containing the a.c. and discrete components; must be of length 2; the first component must be of class "AbscontDistribution", the second of class "DiscreteDistribution".

`img` Object of class "Reals": the space of the image of this distribution which has dimension 1 and the name "Real Space"

`param` Object of class "Parameter": the parameter of this distribution, having only the slot name "Parameter of a discrete distribution"

`r` Object of class "function": generates random numbers

`d` fixed to NULL

`p` Object of class "function": cumulative distribution function

q Object of class "function": quantile function

.withArith logical: used internally to issue warnings as to interpretation of arithmetics

.withSim logical: used internally to issue warnings as to accuracy

.logExact logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

.lowerExact logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

Symmetry object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

support numeric vector — the support slot of the discrete part

gaps (numeric) matrix or NULL; — the gaps slot of the absolutely continuous part

Extends

Class "UnivarMixingDistribution", directly; class "UnivariateDistribution" by class "UnivarMixingDistribution" class "Distribution" by class "UnivariateDistribution".

Methods

show signature(object = "UnivarLebDecDistribution")

plot signature(object = "UnivarLebDecDistribution")

acPart signature(object = "UnivarLebDecDistribution")

acPart<- signature(object = "UnivarLebDecDistribution")

discretePart signature(object = "UnivarLebDecDistribution")

discretePart<- signature(object = "UnivarLebDecDistribution")

acWeight signature(object = "UnivarLebDecDistribution")

acWeight<- signature(object = "UnivarLebDecDistribution")

discreteWeight signature(object = "UnivarLebDecDistribution")

discreteWeight<- signature(object = "UnivarLebDecDistribution")

p.ac signature(object = "UnivarLebDecDistribution") accessor to slot p of acPart(object), possibly weighted by acWeight(object); it has an extra argument CondOrAbs with default value "cond" which if it does not partially match (by [pmatch](#)) "abs", returns exactly slot p of acPart(object) else weighted by acWeight(object).

d.ac signature(object = "UnivarLebDecDistribution") accessor to slot d of the absolutely continuous part of the distribution, possibly weighted by acWeight(object); it has an extra argument CondOrAbs which acts as the one in p.ac.

q.ac signature(object = "UnivarLebDecDistribution") accessor to slot q of acPart(object).

r.ac signature(object = "UnivarLebDecDistribution") accessor to slot r of acPart(object).

p.discrete signature(object = "UnivarLebDecDistribution") accessor to slot p of discretePart(object), possibly weighted by discreteWeight(object); it has an extra argument CondOrAbs which acts as the one in p.ac.

- d.discrete** signature(object = "UnivarLebDecDistribution") accessor to slot d of discretePart(object), possibly weighted by discreteWeight(object); it has an extra argument CondOrAbs which acts as the one in p. ac.
- q.discrete** signature(object = "UnivarLebDecDistribution") accessor to slot q of discretePart(object).
- r.discrete** signature(object = "UnivarLebDecDistribution") accessor to slot r of discretePart(object).
- coerce** signature(from = "AffLinUnivarLebDecDistribution", to = "UnivarLebDecDistribution"): create a "UnivarLebDecDistribution" object from a "AffLinUnivarLebDecDistribution" object
- coerce** signature(from = "AbscontDistribution", to = "UnivarLebDecDistribution"): create a "UnivarLebDecDistribution" object from a "AbscontDistribution" object
- coerce** signature(from = "DiscreteDistribution", to = "UnivarLebDecDistribution"): create a "UnivarLebDecDistribution" object from a "DiscreteDistribution" object
- Math** signature(x = "UnivarLebDecDistribution"): application of a mathematical function, e.g. sin or tan to this discrete distribution
- abs: signature(x = "UnivarLebDecDistribution"): exact image distribution of abs(x).
 - exp: signature(x = "UnivarLebDecDistribution"): exact image distribution of exp(x).
 - sign: signature(x = "UnivarLebDecDistribution"): exact image distribution of sign(x).
 - sign: signature(x = "AcDcLcDistribution"): exact image distribution of sign(x).
 - sqrt: signature(x = "AcDcLcDistribution"): exact image distribution of sqrt(x).
 - log: signature(x = "UnivarLebDecDistribution"): (with optional further argument base, defaulting to exp(1)) exact image distribution of log(x).
 - log10: signature(x = "UnivarLebDecDistribution"): exact image distribution of log₁₀(x).
 - sqrt: signature(x = "UnivarLebDecDistribution"): exact image distribution of sqrt(x).
 - sqrt: signature(x = "AcDcLcDistribution"): exact image distribution of sqrt(x).
- signature(e1 = "UnivarLebDecDistribution"): application of '-' to this distribution
- * signature(e1 = "UnivarLebDecDistribution", e2 = "numeric"): multiplication of this distribution by an object of class 'numeric'
- / signature(e1 = "UnivarLebDecDistribution", e2 = "numeric"): division of this distribution by an object of class 'numeric'
- + signature(e1 = "UnivarLebDecDistribution", e2 = "numeric"): addition of this distribution to an object of class 'numeric'
- signature(e1 = "UnivarLebDecDistribution", e2 = "numeric"): subtraction of an object of class 'numeric' from this distribution
- * signature(e1 = "numeric", e2 = "UnivarLebDecDistribution"): multiplication of this distribution by an object of class 'numeric'
- + signature(e1 = "numeric", e2 = "UnivarLebDecDistribution"): addition of this distribution to an object of class 'numeric'
- signature(e1 = "numeric", e2 = "UnivarLebDecDistribution"): subtraction of this distribution from an object of class 'numeric'
- + signature(e1 = "UnivarLebDecDistribution", e2 = "UnivarLebDecDistribution"): Convolution of two Lebesgue decomposed distributions. Result is again of class "UnivarLebDecDistribution", but if option getdistrOption("withSimplify") is TRUE it is piped through a call to [simplifyD](#), hence may also be of class AbscontDistribution or DiscreteDistribution.

- signature(e1 = "UnivarLebDecDistribution", e2 = "UnivarLebDecDistribution"): Convolution of two Lebesgue decomposed distributions. The same applies as for the preceding item.

Internal subclass "AffLinUnivarLebDecDistribution"

To enhance accuracy of several functionals on distributions, mainly from package **distrEx**, there is an internally used (but exported) subclass "AffLinUnivarLebDecDistribution" which has extra slots a, b (both of class "numeric"), and X_0 (of class "UnivarLebDecDistribution"), to capture the fact that the object has the same distribution as $a * X_0 + b$. This is the class of the return value of methods

```
- signature(e1 = "UnivarLebDecDistribution")
* signature(e1 = "UnivarLebDecDistribution", e2 = "numeric")
/ signature(e1 = "UnivarLebDecDistribution", e2 = "numeric")
+ signature(e1 = "UnivarLebDecDistribution", e2 = "numeric")
- signature(e1 = "UnivarLebDecDistribution", e2 = "numeric")
* signature(e1 = "numeric", e2 = "UnivarLebDecDistribution")
+ signature(e1 = "numeric", e2 = "UnivarLebDecDistribution")
- signature(e1 = "numeric", e2 = "UnivarLebDecDistribution")
- signature(e1 = "AffLinUnivarLebDecDistribution")
* signature(e1 = "AffLinUnivarLebDecDistribution", e2 = "numeric")
/ signature(e1 = "AffLinUnivarLebDecDistribution", e2 = "numeric")
+ signature(e1 = "AffLinUnivarLebDecDistribution", e2 = "numeric")
- signature(e1 = "AffLinUnivarLebDecDistribution", e2 = "numeric")
* signature(e1 = "numeric", e2 = "AffLinUnivarLebDecDistribution")
+ signature(e1 = "numeric", e2 = "AffLinUnivarLebDecDistribution")
- signature(e1 = "numeric", e2 = "AffLinUnivarLebDecDistribution")
```

There also is a class union of "AffLinAbscontDistribution", "AffLinDiscreteDistribution", "AffLinUnivarLebDecDistribution" and called "AffLinDistribution" which is used for functionals.

Internal virtual superclass "AcDcLcDistribution"

As many operations should be valid no matter whether the operands are of class "AbscontDistribution", "DiscreteDistribution", or "UnivarLebDecDistribution", there is a class union of these classes called "AcDcLcDistribution"; in particular methods for "*", "/", "^" (see [operators-methods](#)) and methods [Minimum](#), [Maximum](#), [Truncate](#), and [Huberize](#), and [convpow](#) are defined for this class union.

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[Parameter-class UnivarMixingDistribution-class DiscreteDistribution-class AbscontDistribution-class simplifyD flat.LCD](#)

Examples

```

wg <- flat.mix(UnivarMixingDistribution(Unif(0,1),Unif(4,5),
  withSimplify=FALSE))
myLC <- UnivarLebDecDistribution(discretePart=Binom(3,.3), acPart = wg,
  discreteWeight=.2)
myLC
p(myLC)(0.3)
r(myLC)(30)
q(myLC)(0.9)
## in RStudio or Jupyter IRKernel, use q.l(.) instead of q(.)
acPart(myLC)
plot(myLC)
d.discrete(myLC)(2)
p.ac(myLC)(0)
acWeight(myLC)
plot(acPart(myLC))
plot(discretePart(myLC))
gaps(myLC)
support(myLC)
plot(as(Norm(), "UnivarLebDecDistribution"))

```

UnivarMixingDistribution

Generating function for Class "UnivarMixingDistribution"

Description

Generates an object of class "UnivarMixingDistribution".

Usage

```

UnivarMixingDistribution(..., Dlist, mixCoeff,
  withSimplify = getdistrOption("simplifyD"))

```

Arguments

...	Objects of class "UnivariateDistribution" (or subclasses)
Dlist	an optional list or object of class "UnivarDistrList"; if not missing it is appended to argument ...; this way UnivarMixingDistribution may also be called with a list (or "UnivarDistrList"-object) as argument as suggested in an e-mail by Krunoslav Sever (thank you!)
mixCoeff	Objects of class "numeric" : a vector of probabilities for the mixing components (must be of same length as arguments in ...).
withSimplify	"logical": shall the return value be piped through a call to simplifyD?

Details

If `mixCoeff` is missing, all elements in ... are equally weighted.

Value

Object of class "UnivarMixingDistribution", or if argument `withSimplify` is TRUE and the resulting object would have one mixing component with probability (almost) 1, `UnivarMixingDistribution` will return this component.

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[UnivarMixingDistribution-class](#), [simplifyD](#)

Examples

```
mylist <- UnivarMixingDistribution(Binom(3,.3), Dirac(2), Norm(),
  mixCoeff=c(1/4,1/5,11/20))
```

UnivarMixingDistribution-class

Class "UnivarMixingDistribution"

Description

`UnivarMixingDistribution-class` is a class to formalize univariate mixing distributions; it is a subclass to class `UnivariateDistribution`.

Objects from the Class

Objects can be created by calls of the form `new("UnivarMixingDistribution", ...)`. More frequently they are created via the generating function [UnivarMixingDistribution](#).

Slots

`mixCoeff` Object of class "numeric": a vector of probabilities for the mixing components.

`mixDistr` Object of class "UnivarDistrList": a list of univariate distributions containing the mixing components; must be of same length as `mixCoeff`.

`img` Object of class "Reals": the space of the image of this distribution which has dimension 1 and the name "Real Space"

`param` Object of class "Parameter": the parameter of this distribution, having only the slot name "Parameter of a discrete distribution"

`r` Object of class "function": generates random numbers

d fixed to NULL
p Object of class "function": cumulative distribution function
q Object of class "function": quantile function
support numeric vector — the union of all support slots of components, if existing
gaps (numeric) matrix or NULL; the merged gaps slots of all components, if existing (else NULL)
.withArith logical: used internally to issue warnings as to interpretation of arithmetics
.withSim logical: used internally to issue warnings as to accuracy
.logExact logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function
.lowerExact logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function
Symmetry object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "UnivariateDistribution" class "Distribution" by class "UnivariateDistribution".

Methods

show signature(object = "UnivarMixingDistribution") prints the object
mixCoeff<- signature(object = "UnivarMixingDistribution") replaces the corresponding slot
mixCoeff signature(object = "UnivarMixingDistribution") returns the corresponding slot
mixDistr<- signature(object = "UnivarMixingDistribution") replaces the corresponding slot
mixDistr signature(object = "UnivarMixingDistribution") returns the corresponding slot
support signature(object = "UnivarMixingDistribution") returns the corresponding slot
gaps signature(object = "UnivarMixingDistribution") returns the corresponding slot
.logExact signature(object = "Distribution"): returns slot .logExact if existing; else tries to convert the object to a newer version of its class by [conv2NewVersion](#) and returns the corresponding slot of the converted object.
.lowerExact signature(object = "Distribution"): returns slot .lowerExact if existing; else tries to convert the object to a newer version of its class by [conv2NewVersion](#) and returns the corresponding slot of the converted object.
Symmetry returns slot Symmetry if existing; else tries to convert the object to a newer version of its class by [conv2NewVersion](#) and returns the corresponding slot of the converted object.

Author(s)

Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>

See Also

[Parameter-class](#), [UnivariateDistribution-class](#), [LatticeDistribution-class](#), [AbscontDistribution-class](#), [simplifyD](#), [flat.mix](#)

Examples

```
mylist <- UnivarMixingDistribution(Binom(3,.3), Dirac(2), Norm(),
  mixCoeff=c(1/4,1/5,11/20))
mylist2 <- UnivarMixingDistribution(Binom(3,.3), mylist,
  mixCoeff=c(.3,.7))
mylist2
p(mylist)(0.3)
mixDistr(mylist2)
```

Version Management

*Methods for Version Management in Package 'distr'***Description**

Version-Management-methods

Usage

```
isOldVersion(object)
conv2NewVersion(object)
## S4 method for signature 'ANY'
isOldVersion(object)
## S4 method for signature 'ANY'
conv2NewVersion(object)
## S4 method for signature 'LatticeDistribution'
conv2NewVersion(object)
```

Arguments

object object of class "ANY" (or subclasses)

Details

From version 1.9 of this package on, class "AbscontDistribution" has an extra slot gaps. As the addition of new slots will probably happen again in the future development of our packages, we provide the following two help functions `isOldVersion` and `conv2NewVersion` to check whether the object was generated by an older version of this package and to convert such an object to the new format, respectively. Also, the intermediate class "LatticeDistribution" is introduced at version 1.9 so that all subclasses of "DiscreteDistribution" like "Binom", "Nbinom" etc, now have an extra slot lattice. `conv2NewVersion` takes this up and provides a particular method for signature "LatticeDistribution" which fills slot lattice accordingly.

isOldVersion signature(object = "ANY"): throws an error if `isClass(class(object))` is FALSE, i.e.; if the class of object is no formal (S4) class. Else it checks whether all slots of the actual class definition may be accessed and if so returns FALSE and else TRUE and issues a warning.

conv2NewVersion signature(object = "ANY"): Generates a valid copy of object (according to the actual class definition), using the slots of object where possible and for the slots which are not yet present in object (because it was generated by an older version of the class definition), it generates a prototype object of the class of object with new(class(object)) and uses the slot values of this prototype to fill the missing slots.

conv2NewVersion signature(object = "LatticeDistribution"): Generates a valid copy of object (according to the actual class definition, i.e.; with a corresponding lattice-slot), by generating a new instance of this object by new(class(object), <list-of-parameters>).

 Weibull-class

 Class "Weibull"

Description

The Weibull distribution with shape parameter a , by default = 1, and scale parameter σ has density given by, by default = 1,

$$d(x) = (a/\sigma)(x/\sigma)^{a-1} \exp(-(x/\sigma)^a)$$

for $x > 0$.

C.f. [rweibull](#)

Objects from the Class

Objects can be created by calls of the form Weibull(shape, scale). This object is a Weibull distribution.

Slots

img Object of class "Reals": The space of the image of this distribution has got dimension 1 and the name "Real Space".

param Object of class "WeibullParameter": the parameter of this distribution (shape and scale), declared at its instantiation

r Object of class "function": generates random numbers (calls function rweibull)

d Object of class "function": density function (calls function dweibull)

p Object of class "function": cumulative function (calls function pweibull)

q Object of class "function": inverse of the cumulative function (calls function qweibull)

.withArith logical: used internally to issue warnings as to interpretation of arithmetics

.withSim logical: used internally to issue warnings as to accuracy

.logExact logical: used internally to flag the case where there are explicit formulae for the log version of density, cdf, and quantile function

.lowerExact logical: used internally to flag the case where there are explicit formulae for the lower tail version of cdf and quantile function

Symmetry object of class "DistributionSymmetry"; used internally to avoid unnecessary calculations.

Extends

Class "AbscontDistribution", directly.
 Class "UnivariateDistribution", by class "AbscontDistribution".
 Class "Distribution", by class "AbscontDistribution".

Methods

initialize signature(.Object = "Weibull"): initialize method
scale signature(object = "Weibull"): returns the slot scale of the parameter of the distribution
scale<- signature(object = "Weibull"): modifies the slot scale of the parameter of the distribution
shape signature(object = "Weibull"): returns the slot shape of the parameter of the distribution
shape<- signature(object = "Weibull"): modifies the slot shape of the parameter of the distribution
 * signature(e1 = "Weibull", e2 = "numeric"): For the Weibull distribution we use its closedness under positive scaling transformations.

Note

The density is $d(x) = 0$ for $x < 0$.
 The cumulative is $p(x) = 1 - \exp(-(x/\sigma)^a)$,
 the mean is $E(X) = \sigma\Gamma(1 + 1/a)$,
 and the $Var(X) = \sigma^2(\Gamma(1 + 2/a) - (\Gamma(1 + 1/a))^2)$.

Author(s)

Thomas Stabla <statho3@web.de>,
 Florian Camphausen <fcampi@gmx.de>,
 Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
 Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[WeibullParameter-class](#) [AbscontDistribution-class](#) [Reals-class](#) [rweibull](#)

Examples

```
W <- Weibull(shape=1,scale=1) # W is a Weibull distribution with shape=1 and scale=1.
r(W)(1) # one random number generated from this distribution, e.g. 0.5204105
d(W)(1) # Density of this distribution is 0.3678794 for x=1.
p(W)(1) # Probability that x<1 is 0.6321206.
q(W)(.1) # Probability that x<0.1053605 is 0.1.
## in RStudio or Jupyter IRKernel, use q.l(.) instead of q(.)
shape(W) # shape of this distribution is 1.
shape(W) <- 2 # shape of this distribution is now 2.
```

WeibullParameter-class

Class "WeibullParameter"

Description

The parameter of a Weibull distribution, used by Weibull-class

Objects from the Class

Objects can be created by calls of the form `new("WeibullParameter", shape, scale)`. Usually an object of this class is not needed on its own, it is generated automatically when an object of the class `Weibull` is instantiated.

Slots

`shape` Object of class "numeric": the shape of a Weibull distribution

`scale` Object of class "numeric": the scale of a Weibull distribution

`name` Object of class "character": a name / comment for the parameters

Extends

Class "Parameter", directly.

Methods

initialize signature(.Object = "WeibullParameter"): initialize method

scale signature(object = "WeibullParameter"): returns the slot scale of a parameter of a Weibull distribution

scale<- signature(object = "WeibullParameter"): modifies the slot scale of a parameter of a Weibull distribution

shape signature(object = "WeibullParameter"): returns the slot shape of a parameter of a Weibull distribution

shape<- signature(object = "WeibullParameter"): modifies the slot shape of a parameter of a Weibull distribution

Author(s)

Thomas Stabla <statho3@web.de>,
Florian Camphausen <fcampi@gmx.de>,
Peter Ruckdeschel <peter.ruckdeschel@uni-oldenburg.de>,
Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[Weibull-class Parameter-class](#)

Examples

```
W <- new("WeibullParameter",shape=1,scale=1)
shape(W) # shape of this distribution is 1.
shape(W) <- 2 # shape of this distribution is now 2.
```

width-methods

Methods for Function width in Package 'distr'

Description

width-methods

Methods

width signature(object = "Lattice"): returns the slot width of the lattice

width<- signature(object = "Lattice"): modifies the slot width of the lattice

width signature(object = "LatticeDistribution"): returns the slot width of the lattice slot of the distribution

width<- signature(object = "LatticeDistribution"): modifies the slot width of the lattice slot of the distribution

Index

- * **Arcsine distribution**
 - Arcsine-class, 17
- * **Beta distribution**
 - Beta-class, 18
 - BetaParameter-class, 20
 - shape1-methods, 155
 - shape2-methods, 155
- * **Binomial distribution**
 - Binom-class, 21
 - BinomParameter-class, 23
 - prob-methods, 137
 - size-methods, 158
- * **Binomial family**
 - Binom-class, 21
- * **CDF**
 - p-methods, 124
 - p.l-methods, 124
- * **Cauchy distribution**
 - Cauchy-class, 24
 - CauchyParameter-class, 26
 - location-methods, 97
 - scale-methods, 152
- * **Chi Square distribution**
 - scale-methods, 152
- * **Chi square distribution**
 - Chisq-class, 27
 - ChisqParameter-class, 29
 - df-methods, 38
 - ncp-methods, 112
 - shape-methods, 154
- * **DFT**
 - convpow-methods, 33
- * **Dirac distribution**
 - Dirac-class, 40
 - DiracParameter-class, 41
 - location-methods, 97
- * **Double Exponential distribution**
 - rate-methods, 145
- * **Double exponential distribution**
 - DExp-class, 36
- * **Exp distribution**
 - ExpParameter-class, 64
 - shape-methods, 154
- * **Exponential distribution**
 - Exp-class, 63
 - rate-methods, 145
- * **F distribution**
 - df1-methods, 38
 - df2-methods, 39
 - Fd-class, 66
 - FParameter-class, 70
 - ncp-methods, 112
- * **FFT**
 - convpow-methods, 33
 - operators-methods, 117
- * **Gamma distribution**
 - Gammad-class, 71
 - GammaParameter-class, 73
 - scale-methods, 152
 - shape-methods, 154
- * **Gaussian distribution**
 - mean-methods, 104
 - Norm-class, 113
 - NormParameter-class, 115
 - sd-methods, 153
- * **Geometric distribution**
 - Geom-class, 75
 - prob-methods, 137
 - size-methods, 158
- * **Hypergeometric distribution**
 - Hyper-class, 80
 - HyperParameter-class, 81
 - k-methods, 84
 - m-methods, 101
 - n-methods, 107
- * **Laplace distribution**
 - DExp-class, 36
 - rate-methods, 145

- * **Lebesgue decomposed distribution**
 - flat.LCD, 68
 - UnivarLebDecDistribution-class, 177
- * **Log-Normal distribution**
 - Lnorm-class, 94
 - LnormParameter-class, 96
 - meanlog-methods, 104
 - sdlog-methods, 154
- * **Logistic distribution**
 - Logis-class, 98
 - LogisParameter-class, 100
 - scale-methods, 152
- * **Negative Binomial distribution**
 - Geom-class, 75
 - Nbinom-class, 109
 - NbinomParameter-class, 111
 - prob-methods, 137
 - size-methods, 158
- * **Normal distribution**
 - mean-methods, 104
 - Norm-class, 113
 - NormParameter-class, 115
 - sd-methods, 153
- * **Poisson distribution**
 - lambda-methods, 84
 - Pois-class, 132
 - PoisParameter-class, 134
- * **RNG**
 - r-methods, 145
- * **S4 classes**
 - distr-package, 5
- * **S4 distribution class**
 - Norm-class, 113
- * **S4 distribution class**
 - AbscontDistribution-class, 14
 - Arcsine-class, 17
 - Beta-class, 18
 - Binom-class, 21
 - Cauchy-class, 24
 - Chisq-class, 27
 - CompoundDistribution, 30
 - CompoundDistribution-class, 31
 - DExp-class, 36
 - DiscreteDistribution-class, 45
 - distr-package, 5
 - Distribution-class, 50
 - DistrList, 52
 - DistrList-class, 53
 - Exp-class, 63
 - Fd-class, 66
 - Gammad-class, 71
 - LatticeDistribution, 86
 - LatticeDistribution-class, 88
 - Lnorm-class, 94
 - Logis-class, 98
 - makeAbscontDistribution, 101
 - support-methods, 162
 - Td-class, 163
 - Unif-class, 168
 - UnivarDistrList, 172
 - UnivarDistrList-class, 173
 - UnivariateDistribution-class, 174
 - UnivarLebDecDistribution, 176
 - UnivarLebDecDistribution-class, 177
 - UnivarMixingDistribution, 181
 - UnivarMixingDistribution-class, 182
 - Weibull-class, 185
- * **S4 parameter class**
 - BetaParameter-class, 20
 - BinomParameter-class, 23
 - CauchyParameter-class, 26
 - ChisqParameter-class, 29
 - Dirac-class, 40
 - DiracParameter-class, 41
 - distr-package, 5
 - ExpParameter-class, 64
 - FParameter-class, 70
 - GammaParameter-class, 73
 - Geom-class, 75
 - Hyper-class, 80
 - HyperParameter-class, 81
 - k-methods, 84
 - lambda-methods, 84
 - LnormParameter-class, 96
 - location-methods, 97
 - LogisParameter-class, 100
 - m-methods, 101
 - Max-methods, 103
 - mean-methods, 104
 - meanlog-methods, 104
 - Min-methods, 105
 - n-methods, 107
 - name-methods, 107

- Nbinom-class, 109
- NbinomParameter-class, 111
- ncp-methods, 112
- NormParameter-class, 115
- OptionalParameter-class, 122
- param-methods, 125
- Parameter-class, 125
- Pois-class, 132
- PoisParameter-class, 134
- prob-methods, 137
- rate-methods, 145
- scale-methods, 152
- sd-methods, 153
- sdlog-methods, 154
- size-methods, 158
- TParameter-class, 165
- UnifParameter-class, 169
- UniNormParameter-class, 171
- WeibullParameter-class, 187
- * **S4 space class**
 - dimension-methods, 39
 - distr-package, 5
 - EuclideanSpace-class, 61
 - Lattice-class, 85
 - Length-methods, 91
 - liesIn-methods, 92
 - liesInSupport, 92
 - name-methods, 107
 - Naturals-class, 108
 - pivot-methods, 126
 - Reals-class, 146
 - rSpace-class, 147
 - width-methods, 188
- * **T distribution**
 - df-methods, 38
 - ncp-methods, 112
 - Td-class, 163
 - TParameter-class, 165
- * **T(1) distribution**
 - Cauchy-class, 24
- * **Uniform distribution**
 - Max-methods, 103
 - Min-methods, 105
 - Unif-class, 168
 - UnifParameter-class, 169
- * **Univariate normal / Gaussian distribution**
 - UniNormParameter-class, 171
- * **Weibull distribution**
 - scale-methods, 152
 - shape-methods, 154
 - Weibull-class, 185
 - WeibullParameter-class, 187
- * **absolutely continuous distribution**
 - AbscontDistribution, 11
 - AbscontDistribution-class, 14
 - Arcsine-class, 17
 - Beta-class, 18
 - Cauchy-class, 24
 - Chisq-class, 27
 - DExp-class, 36
 - distr-package, 5
 - Distribution-class, 50
 - Exp-class, 63
 - Fd-class, 66
 - flat.mix, 69
 - Gammad-class, 71
 - gaps-methods, 74
 - Lnorm-class, 94
 - Logis-class, 98
 - Norm-class, 113
 - RtoDPQ, 148
 - RtoDPQ.LC, 151
 - Td-class, 163
 - Unif-class, 168
 - UnivarLebDecDistribution-class, 177
 - Weibull-class, 185
- * **accessor function**
 - d-methods, 35
 - df-methods, 38
 - df1-methods, 38
 - df2-methods, 39
 - dim-methods, 39
 - dimension-methods, 39
 - gaps-methods, 74
 - img-methods, 83
 - k-methods, 84
 - lambda-methods, 84
 - Length-methods, 91
 - location-methods, 97
 - m-methods, 101
 - Max-methods, 103
 - mean-methods, 104
 - meanlog-methods, 104
 - Min-methods, 105
 - n-methods, 107

- name-methods, 107
- ncp-methods, 112
- p-methods, 124
- param-methods, 125
- pivot-methods, 126
- prob-methods, 137
- q-methods, 138
- r-methods, 145
- rate-methods, 145
- scale-methods, 152
- sd-methods, 153
- sdlog-methods, 154
- shape-methods, 154
- shape1-methods, 155
- shape2-methods, 155
- size-methods, 158
- support-methods, 162
- width-methods, 188
- * **affine linear lattice**
 - Length-methods, 91
 - pivot-methods, 126
 - width-methods, 188
- * **affine linear**
 - operators-methods, 117
- * **algebra**
 - solve-methods, 158
 - sqrt-methods, 161
- * **anamorphosis**
 - r-methods, 145
- * **arithmetics for distributions**
 - convpow-methods, 33
 - distr-package, 5
 - distrARITH, 49
- * **arith**
 - distrARITH, 49
 - flat.LCD, 68
 - flat.mix, 69
 - Math-methods, 102
 - operators-methods, 117
 - RtoDPQ, 148
 - RtoDPQ.d, 149
 - RtoDPQ.LC, 151
 - simplifyr-methods, 157
- * **array**
 - PosDefSymmMatrix, 135
 - PosDefSymmMatrix-class, 136
 - solve-methods, 158
 - sqrt-methods, 161
- * **beta distribution**
 - ncp-methods, 112
- * **class union**
 - OptionalParameter-class, 122
- * **classes**
 - DistributionSymmetry-class, 51
 - DistrSymmList-class, 58
 - EllipticalSymmetry-class, 59
 - NoSymmetry-class, 117
 - PosDefSymmMatrix-class, 136
 - SphericalSymmetry-class, 160
 - Symmetry-class, 163
- * **compound distribution**
 - CompoundDistribution, 30
 - CompoundDistribution-class, 31
- * **conditional distribution**
 - Distribution-class, 50
- * **convolution for distributions**
 - convpow-methods, 33
- * **convolution**
 - operators-methods, 117
- * **cumulative distribution function**
 - p-methods, 124
 - p.l-methods, 124
- * **degree of freedom**
 - df-methods, 38
 - df1-methods, 38
 - df2-methods, 39
- * **density**
 - d-methods, 35
- * **dimension**
 - dim-methods, 39
 - dimension-methods, 39
- * **discrete distribution**
 - Binom-class, 21
 - Dirac-class, 40
 - DiscreteDistribution, 43
 - DiscreteDistribution-class, 45
 - distr-package, 5
 - Distribution-class, 50
 - Geom-class, 75
 - Hyper-class, 80
 - LatticeDistribution-class, 88
 - Nbinom-class, 109
 - Pois-class, 132
 - RtoDPQ.d, 149
 - support-methods, 162
 - UnivarLebDecDistribution-class,

- 177
- UnivarMixingDistribution-class, 182
- * **distribution**
 - AbscontDistribution, 11
 - AbscontDistribution-class, 14
 - Arcsine-class, 17
 - Beta-class, 18
 - BetaParameter-class, 20
 - Binom-class, 21
 - BinomParameter-class, 23
 - Cauchy-class, 24
 - CauchyParameter-class, 26
 - Chisq-class, 27
 - ChisqParameter-class, 29
 - CompoundDistribution, 30
 - CompoundDistribution-class, 31
 - convpow-methods, 33
 - d-methods, 35
 - decomposePM-methods, 35
 - DExp-class, 36
 - df-methods, 38
 - df1-methods, 38
 - df2-methods, 39
 - Dirac-class, 40
 - DiracParameter-class, 41
 - DiscreteDistribution, 43
 - DiscreteDistribution-class, 45
 - distr-package, 5
 - distrARITH, 49
 - Distribution-class, 50
 - DistributionSymmetry-class, 51
 - DistrList, 52
 - DistrList-class, 53
 - distrMASK, 54
 - distroptions, 55
 - DistrSymmList, 57
 - DistrSymmList-class, 58
 - EllipticalSymmetry, 58
 - EllipticalSymmetry-class, 59
 - EmpiricalDistribution, 60
 - EuclideanSpace-class, 61
 - Exp-class, 63
 - ExpParameter-class, 64
 - Fd-class, 66
 - flat.LCD, 68
 - flat.mix, 69
 - FParameter-class, 70
 - Gammad-class, 71
 - GammaParameter-class, 73
 - gaps-methods, 74
 - Geom-class, 75
 - getLabel, 77
 - getLow, getUp, 78
 - Huberize-methods, 79
 - Hyper-class, 80
 - HyperParameter-class, 81
 - img-methods, 83
 - k-methods, 84
 - lambda-methods, 84
 - Lattice-class, 85
 - LatticeDistribution, 86
 - LatticeDistribution-class, 88
 - Length-methods, 91
 - liesIn-methods, 92
 - liesInSupport, 92
 - Lnorm-class, 94
 - LnormParameter-class, 96
 - location-methods, 97
 - Logis-class, 98
 - LogisParameter-class, 100
 - m-methods, 101
 - makeAbscontDistribution, 101
 - Math-methods, 102
 - Max-methods, 103
 - mean-methods, 104
 - meanlog-methods, 104
 - Min-methods, 105
 - Minimum-methods, 105
 - n-methods, 107
 - name-methods, 107
 - Naturals-class, 108
 - Nbinom-class, 109
 - NbinomParameter-class, 111
 - ncp-methods, 112
 - Norm-class, 113
 - NormParameter-class, 115
 - NoSymmetry, 116
 - NoSymmetry-class, 117
 - operators-methods, 117
 - OptionalParameter-class, 122
 - p-methods, 124
 - p.l-methods, 124
 - param-methods, 125
 - Parameter-class, 125
 - pivot-methods, 126

- plot-methods, 126
- Pois-class, 132
- PoisParameter-class, 134
- print-methods, 137
- prob-methods, 137
- q-methods, 138
- q.r-methods, 139
- qqbounds, 139
- qqplot, 141
- r-methods, 145
- rate-methods, 145
- Reals-class, 146
- rSpace-class, 147
- RtoDPQ, 148
- RtoDPQ.d, 149
- RtoDPQ.LC, 151
- scale-methods, 152
- sd-methods, 153
- sdlog-methods, 154
- shape-methods, 154
- shape1-methods, 155
- shape2-methods, 155
- simplifyD-methods, 156
- simplifyr-methods, 157
- size-methods, 158
- SphericalSymmetry, 159
- SphericalSymmetry-class, 160
- support-methods, 162
- Td-class, 163
- TParameter-class, 165
- Truncate-methods, 166
- Unif-class, 168
- UnifParameter-class, 169
- UniNormParameter-class, 171
- UnivarDistrList, 172
- UnivarDistrList-class, 173
- UnivariateDistribution-class, 174
- UnivarLebDecDistribution, 176
- UnivarLebDecDistribution-class, 177
- UnivarMixingDistribution, 181
- UnivarMixingDistribution-class, 182
- Weibull-class, 185
- WeibullParameter-class, 187
- width-methods, 188
- * **documentation**
 - distrARITH, 49
 - distrMASK, 54
- * **dplot**
 - options, 123
- * **eigenvalue decomposition**
 - solve-methods, 158
 - sqrt-methods, 161
- * **elliptical symmetry**
 - EllipticalSymmetry, 58
 - EllipticalSymmetry-class, 59
- * **empirical distribution**
 - EmpiricalDistribution, 60
- * **environment**
 - options, 123
- * **generating function**
 - AbscontDistribution, 11
 - Arcsine-class, 17
 - Beta-class, 18
 - Binom-class, 21
 - Cauchy-class, 24
 - Chisq-class, 27
 - CompoundDistribution, 30
 - CompoundDistribution-class, 31
 - DExp-class, 36
 - DiscreteDistribution, 43
 - DistrList, 52
 - EmpiricalDistribution, 60
 - Exp-class, 63
 - Fd-class, 66
 - Gammad-class, 71
 - Geom-class, 75
 - Hyper-class, 80
 - LatticeDistribution, 86
 - LatticeDistribution-class, 88
 - Nbinom-class, 109
 - Pois-class, 132
 - Td-class, 163
 - Unif-class, 168
 - UnivarLebDecDistribution, 176
 - UnivarMixingDistribution, 181
 - UnivarMixingDistribution-class, 182
 - Weibull-class, 185
- * **global options**
 - distroptions, 55
 - options, 123
- * **hplot**
 - plot-methods, 126
 - qqbounds, 139

- qqplot, 141
- * **image distribution**
 - flat.mix, 69
 - Math-methods, 102
 - operators-methods, 117
 - RtoDPQ, 148
 - RtoDPQ.d, 149
 - RtoDPQ.LC, 151
 - simplifyr-methods, 157
- * **info file**
 - convpow-methods, 33
 - distrARITH, 49
 - distrMASK, 54
- * **inverse**
 - solve-methods, 158
 - sqrtd-methods, 161
- * **iplot**
 - options, 123
- * **lattice distribution**
 - Binom-class, 21
 - CompoundDistribution-class, 31
 - Dirac-class, 40
 - DiscreteDistribution-class, 45
 - distr-package, 5
 - Distribution-class, 50
 - Geom-class, 75
 - Hyper-class, 80
 - LatticeDistribution, 86
 - LatticeDistribution-class, 88
 - Nbinom-class, 109
 - Pois-class, 132
 - UnivarMixingDistribution-class, 182
- * **lattice of a distribution**
 - LatticeDistribution, 86
 - LatticeDistribution-class, 88
- * **lattice**
 - Length-methods, 91
 - pivot-methods, 126
 - width-methods, 188
- * **left-continuous**
 - p.l-methods, 124
 - q-methods, 138
 - q.r-methods, 139
- * **list**
 - CompoundDistribution, 30
 - DistrList, 52
 - DistrList-class, 53
 - UnivarDistrList, 172
 - UnivarDistrList-class, 173
 - UnivarLebDecDistribution, 176
 - UnivarMixingDistribution, 181
- * **location family**
 - Dirac-class, 40
- * **location parameter**
 - DiracParameter-class, 41
 - location-methods, 97
 - mean-methods, 104
- * **location scale family**
 - CauchyParameter-class, 26
 - location-methods, 97
 - Logis-class, 98
 - LogisParameter-class, 100
 - mean-methods, 104
 - Norm-class, 113
 - NormParameter-class, 115
 - scale-methods, 152
 - sd-methods, 153
- * **masking**
 - distrMASK, 54
- * **math**
 - distrARITH, 49
 - flat.LCD, 68
 - igamma, 83
 - operators-methods, 117
 - RtoDPQ, 148
 - RtoDPQ.d, 149
 - RtoDPQ.LC, 151
 - simplifyr-methods, 157
- * **maximum**
 - Minimum-methods, 105
- * **memoryless distribution**
 - Exp-class, 63
- * **methods**
 - d-methods, 35
 - decomposePM-methods, 35
 - df-methods, 38
 - df1-methods, 38
 - df2-methods, 39
 - dim-methods, 39
 - dimension-methods, 39
 - gaps-methods, 74
 - getLow, getUp, 78
 - Huberize-methods, 79
 - img-methods, 83
 - k-methods, 84

- lambda-methods, 84
- Length-methods, 91
- liesIn-methods, 92
- liesInSupport, 92
- location-methods, 97
- m-methods, 101
- Max-methods, 103
- mean-methods, 104
- meanlog-methods, 104
- Min-methods, 105
- Minimum-methods, 105
- n-methods, 107
- name-methods, 107
- ncp-methods, 112
- OptionalParameter-class, 122
- p-methods, 124
- p.l-methods, 124
- param-methods, 125
- Parameter-class, 125
- pivot-methods, 126
- plot-methods, 126
- print-methods, 137
- q-methods, 138
- q.r-methods, 139
- r-methods, 145
- rate-methods, 145
- scale-methods, 152
- sd-methods, 153
- sdlog-methods, 154
- shape-methods, 154
- shape1-methods, 155
- shape2-methods, 155
- simplifyD-methods, 156
- support-methods, 162
- Truncate-methods, 166
- width-methods, 188
- * **minimum**
 - Minimum-methods, 105
- * **misc**
 - distr-defunct, 48
- * **multivariate distribution**
 - Distribution-class, 50
 - DistrList, 52
 - DistrList-class, 53
 - UnivarDistrList-class, 173
 - UnivarLebDecDistribution, 176
 - UnivarMixingDistribution, 181
- * **naturals**
 - Naturals-class, 108
- * **non centrality parameter**
 - ncp-methods, 112
- * **options**
 - distroptions, 55
 - options, 123
- * **package**
 - distr-package, 5
- * **parameter**
 - BetaParameter-class, 20
 - BinomParameter-class, 23
 - CauchyParameter-class, 26
 - ChisqParameter-class, 29
 - df-methods, 38
 - df1-methods, 38
 - df2-methods, 39
 - DiracParameter-class, 41
 - ExpParameter-class, 64
 - FParameter-class, 70
 - GammaParameter-class, 73
 - HyperParameter-class, 81
 - k-methods, 84
 - lambda-methods, 84
 - LnormParameter-class, 96
 - location-methods, 97
 - LogisParameter-class, 100
 - m-methods, 101
 - Max-methods, 103
 - mean-methods, 104
 - meanlog-methods, 104
 - Min-methods, 105
 - n-methods, 107
 - NbinomParameter-class, 111
 - ncp-methods, 112
 - NormParameter-class, 115
 - OptionalParameter-class, 122
 - param-methods, 125
 - Parameter-class, 125
 - PoisParameter-class, 134
 - prob-methods, 137
 - rate-methods, 145
 - scale-methods, 152
 - sd-methods, 153
 - sdlog-methods, 154
 - shape-methods, 154
 - shape1-methods, 155
 - shape2-methods, 155
 - size-methods, 158

- TParameter-class, 165
 - UnifParameter-class, 169
 - UniNormParameter-class, 171
 - WeibullParameter-class, 187
- * **positive-definite matrix**
 - PosDefSymmMatrix, 135
 - PosDefSymmMatrix-class, 136
- * **positive-semi-definite matrix**
 - PosDefSymmMatrix, 135
 - PosDefSymmMatrix-class, 136
- * **print**
 - print-methods, 137
- * **probability function**
 - d-methods, 35
- * **programming**
 - distrMASK, 54
 - standardMethods, 162
- * **pseudo inverse**
 - solve-methods, 158
 - sqrt-methods, 161
- * **pseudo random number**
 - r-methods, 145
- * **pseudo-inverse distribution function**
 - q-methods, 138
 - q.r-methods, 139
- * **quantile function**
 - q-methods, 138
 - q.r-methods, 139
- * **random number generator**
 - r-methods, 145
- * **random sample**
 - flat.mix, 69
 - RtoDPQ, 148
 - RtoDPQ.d, 149
 - RtoDPQ.LC, 151
 - simplifyr-methods, 157
- * **range space of a distribution**
 - img-methods, 83
- * **replacement function**
 - df-methods, 38
 - df1-methods, 38
 - df2-methods, 39
 - dimension-methods, 39
 - gaps-methods, 74
 - k-methods, 84
 - lambda-methods, 84
 - Length-methods, 91
 - location-methods, 97
 - m-methods, 101
 - Max-methods, 103
 - mean-methods, 104
 - meanlog-methods, 104
 - Min-methods, 105
 - n-methods, 107
 - name-methods, 107
 - ncp-methods, 112
 - pivot-methods, 126
 - prob-methods, 137
 - rate-methods, 145
 - scale-methods, 152
 - sd-methods, 153
 - sdlog-methods, 154
 - shape-methods, 154
 - shape1-methods, 155
 - shape2-methods, 155
 - size-methods, 158
 - width-methods, 188
- * **right-continuous**
 - p-methods, 124
 - q.r-methods, 139
- * **scale parameter**
 - scale-methods, 152
 - sd-methods, 153
- * **set**
 - EuclideanSpace-class, 61
 - Lattice-class, 85
 - liesIn-methods, 92
 - Naturals-class, 108
 - Reals-class, 146
 - rSpace-class, 147
- * **shape**
 - shape-methods, 154
 - shape1-methods, 155
 - shape2-methods, 155
- * **space**
 - dim-methods, 39
 - dimension-methods, 39
 - EuclideanSpace-class, 61
 - img-methods, 83
 - Lattice-class, 85
 - Length-methods, 91
 - liesIn-methods, 92
 - liesInSupport, 92
 - Naturals-class, 108
 - pivot-methods, 126
 - Reals-class, 146

- rSpace-class, [147](#)
- width-methods, [188](#)
- * **spherical symmetry**
 - SphericalSymmetry, [159](#)
 - SphericalSymmetry-class, [160](#)
- * **support of a distribution**
 - CompoundDistribution-class, [31](#)
 - DiscreteDistribution-class, [45](#)
 - UnivarMixingDistribution-class, [182](#)
- * **support**
 - getLow, getUp, [78](#)
 - liesInSupport, [92](#)
 - support-methods, [162](#)
- * **svd**
 - solve-methods, [158](#)
 - sqrt-methods, [161](#)
- * **symmetric matrix**
 - PosDefSymmMatrix, [135](#)
 - PosDefSymmMatrix-class, [136](#)
- * **symmetry**
 - DistributionSymmetry-class, [51](#)
 - DistrSymmList, [57](#)
 - DistrSymmList-class, [58](#)
 - EllipticalSymmetry, [58](#)
 - EllipticalSymmetry-class, [59](#)
 - NoSymmetry, [116](#)
 - NoSymmetry-class, [117](#)
 - Symmetry-class, [163](#)
- * **truncation**
 - decomposePM-methods, [35](#)
 - Huberize-methods, [79](#)
 - simplifyD-methods, [156](#)
 - Truncate-methods, [166](#)
- * **univariate distribution**
 - Distribution-class, [50](#)
 - UnivarDistrList, [172](#)
 - UnivariateDistribution-class, [174](#)
- * **utilities**
 - getLow, getUp, [78](#)
 - standardMethods, [162](#)
 - Version Management, [184](#)
- * **utility**
 - flat.LCD, [68](#)
 - flat.mix, [69](#)
 - getLabel, [77](#)
 - RtoDPQ, [148](#)
 - RtoDPQ.d, [149](#)
 - RtoDPQ.LC, [151](#)
 - simplifyr-methods, [157](#)
- * **version management**
 - Version Management, [184](#)
- * **virtual class**
 - OptionalParameter-class, [122](#)
- *, AbscontDistribution, numeric-method (operators-methods), [117](#)
- *, AcDcLcDistribution, AcDcLcDistribution-method (operators-methods), [117](#)
- *, AffLinAbscontDistribution, numeric-method (operators-methods), [117](#)
- *, AffLinDiscreteDistribution, numeric-method (operators-methods), [117](#)
- *, AffLinLatticeDistribution, numeric-method (operators-methods), [117](#)
- *, AffLinUnivarLebDecDistribution, numeric-method (operators-methods), [117](#)
- *, Cauchy, numeric-method (operators-methods), [117](#)
- *, CompoundDistribution, numeric-method (operators-methods), [117](#)
- *, DExp, numeric-method (operators-methods), [117](#)
- *, Dirac, Dirac-method (operators-methods), [117](#)
- *, Dirac, UnivariateDistribution-method (operators-methods), [117](#)
- *, Dirac, numeric-method (operators-methods), [117](#)
- *, DiscreteDistribution, numeric-method (operators-methods), [117](#)
- *, Exp, numeric-method (operators-methods), [117](#)
- *, ExpOrGammaOrChisq, numeric-method (operators-methods), [117](#)
- *, LatticeDistribution, numeric-method (operators-methods), [117](#)
- *, Lnorm, numeric-method (operators-methods), [117](#)
- *, Logis, numeric-method (operators-methods), [117](#)
- *, Norm, numeric-method (operators-methods), [117](#)
- *, Unif, numeric-method (operators-methods), [117](#)
- *, UnivarLebDecDistribution, numeric-method (operators-methods), [117](#)

- * ,UnivariateDistribution,Dirac-method
(operators-methods), 117
- * ,UnivariateDistribution,numeric-method
(operators-methods), 117
- * ,Weibull,numeric-method
(operators-methods), 117
- * ,numeric,LatticeDistribution-method
(operators-methods), 117
- * ,numeric,UnivariateDistribution-method
(operators-methods), 117
- + ,AbscontDistribution,AbscontDistribution-method
(operators-methods), 117
- + ,AbscontDistribution,DiscreteDistribution-method
(operators-methods), 117
- + ,AbscontDistribution,numeric-method
(operators-methods), 117
- + ,AcDcLcDistribution,AcDcLcDistribution-method
(operators-methods), 117
- + ,AffLinAbscontDistribution,numeric-method
(operators-methods), 117
- + ,AffLinDiscreteDistribution,numeric-method
(operators-methods), 117
- + ,AffLinLatticeDistribution,numeric-method
(operators-methods), 117
- + ,AffLinUnivarLebDecDistribution,numeric-method
(operators-methods), 117
- + ,Binom,Binom-method
(operators-methods), 117
- + ,Cauchy,Cauchy-method
(operators-methods), 117
- + ,Cauchy,numeric-method
(operators-methods), 117
- + ,Chisq,Chisq-method
(operators-methods), 117
- + ,CompoundDistribution,numeric-method
(operators-methods), 117
- + ,Dirac,Dirac-method
(operators-methods), 117
- + ,Dirac,DiscreteDistribution-method
(operators-methods), 117
- + ,Dirac,UnivariateDistribution-method
(operators-methods), 117
- + ,Dirac,numeric-method
(operators-methods), 117
- + ,DiscreteDistribution,AbscontDistribution-method
(operators-methods), 117
- + ,DiscreteDistribution,DiscreteDistribution-method
(operators-methods), 117
- + ,DiscreteDistribution,numeric-method
(operators-methods), 117
- + ,ExpOrGammaOrChisq,ExpOrGammaOrChisq-method
(operators-methods), 117
- + ,LatticeDistribution,DiscreteDistribution-method
(operators-methods), 117
- + ,LatticeDistribution,LatticeDistribution-method
(operators-methods), 117
- + ,LatticeDistribution,numeric-method
(operators-methods), 117
- + ,Logis,numeric-method
(operators-methods), 117
- + ,Nbinom,Nbinom-method
(operators-methods), 117
- + ,Norm,Norm-method (operators-methods),
117
- + ,Norm,numeric-method
(operators-methods), 117
- + ,Pois,Pois-method (operators-methods),
117
- + ,Unif,numeric-method
(operators-methods), 117
- + ,UnivarLebDecDistribution,UnivarLebDecDistribution-method
(operators-methods), 117
- + ,UnivarLebDecDistribution,numeric-method
(operators-methods), 117
- + ,UnivariateDistribution,Dirac-method
(operators-methods), 117
- + ,UnivariateDistribution,UnivariateDistribution-method
(operators-methods), 117
- + ,UnivariateDistribution,numeric-method
(operators-methods), 117
- + ,numeric,LatticeDistribution-method
(operators-methods), 117
- + ,numeric,UnivariateDistribution-method
(operators-methods), 117
- ,AcDcLcDistribution,AcDcLcDistribution-method
(operators-methods), 117
- ,Dirac,Dirac-method
(operators-methods), 117
- ,LatticeDistribution,LatticeDistribution-method
(operators-methods), 117
- ,LatticeDistribution,UnivariateDistribution-method
(operators-methods), 117
- ,LatticeDistribution,missing-method
(operators-methods), 117
- ,LatticeDistribution,numeric-method
(operators-methods), 117

- , Norm, missing-method (operators-methods), 117
- , UnivariateDistribution, LatticeDistribution-method (operators-methods), 117
- , UnivariateDistribution, UnivariateDistribution-method (operators-methods), 117
- , UnivariateDistribution, missing-method (operators-methods), 117
- , UnivariateDistribution, numeric-method (operators-methods), 117
- , numeric, Beta-method (operators-methods), 117
- , numeric, LatticeDistribution-method (operators-methods), 117
- , numeric, UnivariateDistribution-method (operators-methods), 117
- .logExact (Distribution-class), 50
- .logExact, Distribution-method (Distribution-class), 50
- .logExact, UnivarMixingDistribution-method (UnivarMixingDistribution-class), 182
- .logExact-methods (Distribution-class), 50
- .lowerExact (Distribution-class), 50
- .lowerExact, Distribution-method (Distribution-class), 50
- .lowerExact, UnivarMixingDistribution-method (UnivarMixingDistribution-class), 182
- .lowerExact-methods (Distribution-class), 50
- .mergegaps2, 75
- .trunc.low, 167
- .trunc.up, 167
- / , AcDcLcDistribution, AcDcLcDistribution-method (operators-methods), 117
- / , Dirac, Dirac-method (operators-methods), 117
- / , LatticeDistribution, numeric-method (operators-methods), 117
- / , UnivariateDistribution, numeric-method (operators-methods), 117
- / , numeric, AcDcLcDistribution-method (operators-methods), 117
- / , numeric, Dirac-method (operators-methods), 117
- ^ , AcDcLcDistribution, AcDcLcDistribution-method (operators-methods), 117
- ^ , AcDcLcDistribution, Dirac-method (UnivarLebDecDistribution-class), 177
- ^ , AcDcLcDistribution, Integer-method (operators-methods), 117
- ^ , AcDcLcDistribution, numeric-method (operators-methods), 117
- ^ , numeric, AcDcLcDistribution-method (operators-methods), 117
- abs, AbscontDistribution-method (Math-methods), 102
- abs, DiscreteDistribution-method (Math-methods), 102
- abs, UnivarLebDecDistribution-method (UnivarLebDecDistribution-class), 177
- AbscontDistribution, 11, 14, 17, 102
- AbscontDistribution-class, 14
- AcDcLcDistribution-class (UnivarLebDecDistribution-class), 177
- acPart (UnivarLebDecDistribution-class), 177
- acPart, UnivarLebDecDistribution-method (UnivarLebDecDistribution-class), 177
- acPart-methods (UnivarLebDecDistribution-class), 177
- acPart<- (UnivarLebDecDistribution-class), 177
- acPart<-, UnivarLebDecDistribution-method (UnivarLebDecDistribution-class), 177
- acPart<--methods (UnivarLebDecDistribution-class), 177
- acWeight (UnivarLebDecDistribution-class), 177
- acWeight, UnivarLebDecDistribution-method (UnivarLebDecDistribution-class), 177
- acWeight-methods (UnivarLebDecDistribution-class), 177

- 177
acWeight<-
(UnivarLebDecDistribution-class),
177
acWeight<- ,UnivarLebDecDistribution-method
(UnivarLebDecDistribution-class),
177
acWeight<--methods
(UnivarLebDecDistribution-class),
177
AffLinAbscontDistribution-class
(AbscontDistribution-class), 14
AffLinDiscreteDistribution-class
(DiscreteDistribution-class),
45
AffLinDistribution-class
(AbscontDistribution-class), 14
AffLinLatticeDistribution-class
(LatticeDistribution-class), 88
AffLinUnivarLebDecDistribution-class
(UnivarLebDecDistribution-class),
177
approxfun, 69, 149, 150, 152
Arcsine (Arcsine-class), 17
Arcsine-class, 17
ARITHMETICS (distrARITH), 49

Beta (Beta-class), 18
Beta-class, 18
BetaParameter-class, 20
Binom (Binom-class), 21
Binom-class, 21
BinomParameter-class, 23

Cauchy (Cauchy-class), 24
Cauchy-class, 24
CauchyParameter-class, 26
Chisq (Chisq-class), 27
Chisq-class, 27
ChisqParameter-class, 29
coerce, AbscontDistribution, UnivarLebDecDistribution-method
(UnivarLebDecDistribution-class),
177
coerce, AffLinDiscreteDistribution, LatticeDistribution-method
(DiscreteDistribution-class),
45
coerce, AffLinLatticeDistribution, AffLinDiscreteDistribution-method
(LatticeDistribution-class), 88
coerce, AffLinUnivarLebDecDistribution, UnivarLebDecDistribution-method
(UnivarLebDecDistribution-class),
177
coerce, CompoundDistribution, UnivarLebDecDistribution-method
(CompoundDistribution-class),
31
coerce, DiscreteDistribution, LatticeDistribution-method
(DiscreteDistribution-class),
45
coerce, DiscreteDistribution, UnivarLebDecDistribution-method
(UnivarLebDecDistribution-class),
177
coerce, Distribution, DistrList-method
(DistrList-class), 53
coerce, LatticeDistribution, DiscreteDistribution-method
(LatticeDistribution-class), 88
coerce, UnivariateDistribution, UnivarDistrList-method
(UnivarDistrList-class), 173
CompoundDistribution, 30, 32
CompoundDistribution-class, 31
conv2NewVersion, 6, 14, 51, 183
conv2NewVersion (Version Management),
184
conv2NewVersion, ANY-method (Version
Management), 184
conv2NewVersion, LatticeDistribution-method
(Version Management), 184
conv2NewVersion-methods (Version
Management), 184
convpow, 9, 16, 47, 68, 180
convpow (convpow-methods), 33
convpow, AbscontDistribution-method
(convpow-methods), 33
convpow, AcDcLcDistribution-method
(convpow-methods), 33
convpow, Binom-method (convpow-methods),
33
convpow, Cauchy-method
(convpow-methods), 33
convpow, Dirac-method (convpow-methods),
33
convpow, DiscreteDistribution-method
(convpow-methods), 33
convpow, ExponentialGammaOrChisq-method
(convpow-methods), 33
convpow, LatticeDistribution-method
(convpow-methods), 33
convpow, Nbinom-method

- (convpow-methods), 33
- convpow, Norm-method (convpow-methods), 33
- convpow, Pois-method (convpow-methods), 33
- convpow-methods, 33
- d (d-methods), 35
- d, Distribution-method (d-methods), 35
- d-methods, 35
- d.ac (UnivarLebDecDistribution-class), 177
- d.ac, UnivarLebDecDistribution-method (UnivarLebDecDistribution-class), 177
- d.ac-methods (UnivarLebDecDistribution-class), 177
- d.discrete (UnivarLebDecDistribution-class), 177
- d.discrete, UnivarLebDecDistribution-method (UnivarLebDecDistribution-class), 177
- d.discrete-methods (UnivarLebDecDistribution-class), 177
- decomposePM, 121
- decomposePM (decomposePM-methods), 35
- decomposePM, AbscontDistribution-method (decomposePM-methods), 35
- decomposePM, DiscreteDistribution-method (decomposePM-methods), 35
- decomposePM, UnivarLebDecDistribution-method (decomposePM-methods), 35
- decomposePM-methods, 35
- DefaultNrFFTGridPointsExponent (distributions), 55
- DefaultNrGridPoints (distributions), 55
- Defunct, 49
- density, 69, 149, 150, 152
- devNew, 123
- DExp (DExp-class), 36
- DExp-class, 36
- df (df-methods), 38
- df, Chisq-method (df-methods), 38
- df, ChisqParameter-method (df-methods), 38
- df, Td-method (df-methods), 38
- df, TParameter-method (df-methods), 38
- df-methods, 38
- df1 (df1-methods), 38
- df1, Fd-method (df1-methods), 38
- df1, FParameter-method (df1-methods), 38
- df1-methods, 38
- df1<- (df1-methods), 38
- df1<- , Fd-method (df1-methods), 38
- df1<- , FParameter-method (df1-methods), 38
- df1<--methods (df1-methods), 38
- df2 (df2-methods), 39
- df2, Fd-method (df2-methods), 39
- df2, FParameter-method (df2-methods), 39
- df2-methods, 39
- df2<- (df2-methods), 39
- df2<- , Fd-method (df2-methods), 39
- df2<- , FParameter-method (df2-methods), 39
- df2<--methods (df2-methods), 39
- df<- (df-methods), 38
- df<- , Chisq-method (df-methods), 38
- df<- , ChisqParameter-method (df-methods), 38
- df<- , Td-method (df-methods), 38
- df<- , TParameter-method (df-methods), 38
- df<--methods (df-methods), 38
- digamma, AbscontDistribution-method (Math-methods), 102
- digamma, DiscreteDistribution-method (Math-methods), 102
- dim (dim-methods), 39
- dim, UnivariateDistribution-method (dim-methods), 39
- dim-methods, 39
- dimension (dimension-methods), 39
- dimension, EuclideanSpace-method (dimension-methods), 39
- dimension-methods, 39
- dimension<- (dimension-methods), 39
- dimension<- , EuclideanSpace-method (dimension-methods), 39
- dimension<--methods (dimension-methods), 39
- Dirac (Dirac-class), 40
- Dirac-class, 40
- DiracParameter-class, 41
- DiscreteDistribution, 43, 61, 69, 151

- DiscreteDistribution-class, 45
- discretePart
 - (UnivarLebDecDistribution-class), 177
- discretePart,UnivarLebDecDistribution-method
 - (UnivarLebDecDistribution-class), 177
- discretePart-methods
 - (UnivarLebDecDistribution-class), 177
- discretePart<-
 - (UnivarLebDecDistribution-class), 177
- discretePart<-,UnivarLebDecDistribution-method
 - (UnivarLebDecDistribution-class), 177
- discretePart<--methods
 - (UnivarLebDecDistribution-class), 177
- discreteWeight
 - (UnivarLebDecDistribution-class), 177
- discreteWeight,UnivarLebDecDistribution-method
 - (UnivarLebDecDistribution-class), 177
- discreteWeight-methods
 - (UnivarLebDecDistribution-class), 177
- discreteWeight<-
 - (UnivarLebDecDistribution-class), 177
- discreteWeight<-,UnivarLebDecDistribution-method
 - (UnivarLebDecDistribution-class), 177
- discreteWeight<--methods
 - (UnivarLebDecDistribution-class), 177
- distr (distr-package), 5
- distr-defunct, 48
- distr-package, 5
- distrARITH, 49
- DistrCollapse (distroptions), 55
- Distribution-class, 50
- DistributionAggregate.Unique.Warn
 - (distroptions), 55
- DistributionSymmetry-class, 51
- DistrList, 52, 53, 173
- DistrList-class, 53
- distrMASK, 54
- distroptions, 10, 55, 156, 159
- DistrResolution (distroptions), 55
- DistrSymmList, 57
- DistrSymmList-class, 58
- DoubleExponential (DExp-class), 36
- ecdf, 69, 149, 150, 152
- eigen, 159
- EllipticalSymmetry, 58, 60
- EllipticalSymmetry-class, 59
- EmpiricalDistribution, 60
- EuclideanSpace (EuclideanSpace-class), 61
- EuclideanSpace-class, 61
- Exp (Exp-class), 63
- exp,AbscontDistribution-method
 - (Math-methods), 102
- exp,DiscreteDistribution-method
 - (Math-methods), 102
- exp,UnivarLebDecDistribution-method
 - (UnivarLebDecDistribution-class), 177
- Exp-class, 63
- ExpParameter-class, 64
- Fd (Fd-class), 66
- Fd-class, 66
- flat.LCD, 68, 120–122, 181
- flat.mix, 33, 68, 69, 156, 183
- FParameter-class, 70
- gamma,AbscontDistribution-method
 - (Math-methods), 102
- gamma,DiscreteDistribution-method
 - (Math-methods), 102
- gamma-methods (Math-methods), 102
- Gammad (Gammad-class), 71
- Gammad-class, 71
- GammaParameter-class, 73
- gaps, 6, 14
- gaps (gaps-methods), 74
- gaps,AbscontDistribution-method
 - (gaps-methods), 74
- gaps,UnivarMixingDistribution-method
 - (UnivarMixingDistribution-class), 182
- gaps-methods, 74
- gaps<- (gaps-methods), 74

- gaps<- ,AbscontDistribution-method
(gaps-methods), 74
- gaps<--methods (gaps-methods), 74
- Geom (Geom-class), 75
- Geom-class, 75
- GeomParameter-class (distr-defunct), 48
- getdistrOption (distrOptions), 55
- getLabel, 77
- getLow (getLow, getUp), 78
- getLow, AbscontDistribution-method
(getLow, getUp), 78
- getLow, DiscreteDistribution-method
(getLow, getUp), 78
- getLow, getUp, 78
- getLow, LatticeDistribution-method
(getLow, getUp), 78
- getLow, UnivarLebDecDistribution-method
(getLow, getUp), 78
- getLow, UnivarMixingDistribution-method
(getLow, getUp), 78
- getLow-methods (getLow, getUp), 78
- getOption, 56, 123, 124
- getUp (getLow, getUp), 78
- getUp, AbscontDistribution-method
(getLow, getUp), 78
- getUp, DiscreteDistribution-method
(getLow, getUp), 78
- getUp, LatticeDistribution-method
(getLow, getUp), 78
- getUp, UnivarLebDecDistribution-method
(getLow, getUp), 78
- getUp, UnivarMixingDistribution-method
(getLow, getUp), 78
- getUp-methods (getLow, getUp), 78

- Huberize, 16, 47, 106, 156, 167, 180
- Huberize (Huberize-methods), 79
- Huberize, AcDcLcDistribution-method
(Huberize-methods), 79
- Huberize-methods, 79
- Hyper (Hyper-class), 80
- Hyper-class, 80
- HyperParameter-class, 81

- igamma, 83
- img (img-methods), 83
- img, Distribution-method (img-methods),
83
- img-methods, 83

- initialize, AbscontDistribution-method
(AbscontDistribution-class), 14
- initialize, AffLinAbscontDistribution-method
(AbscontDistribution-class), 14
- initialize, AffLinDiscreteDistribution-method
(DiscreteDistribution-class),
45
- initialize, AffLinLatticeDistribution-method
(LatticeDistribution-class), 88
- initialize, Arcsine-method
(Arcsine-class), 17
- initialize, Beta-method (Beta-class), 18
- initialize, BetaParameter-method
(BetaParameter-class), 20
- initialize, Binom-method (Binom-class),
21
- initialize, BinomParameter-method
(BinomParameter-class), 23
- initialize, Cauchy-method
(Cauchy-class), 24
- initialize, CauchyParameter-method
(CauchyParameter-class), 26
- initialize, Chisq-method (Chisq-class),
27
- initialize, ChisqParameter-method
(ChisqParameter-class), 29
- initialize, DExp-method (DExp-class), 36
- initialize, Dirac-method (Dirac-class),
40
- initialize, DiracParameter-method
(DiracParameter-class), 41
- initialize, DiscreteDistribution-method
(DiscreteDistribution-class),
45
- initialize, EuclideanSpace-method
(EuclideanSpace-class), 61
- initialize, Exp-method (Exp-class), 63
- initialize, ExpParameter-method
(ExpParameter-class), 64
- initialize, Fd-method (Fd-class), 66
- initialize, FParameter-method
(FParameter-class), 70
- initialize, Gammad-method
(Gammad-class), 71
- initialize, GammaParameter-method
(GammaParameter-class), 73
- initialize, Geom-method (Geom-class), 75
- initialize, GeomParameter-method

- (distr-defunct), 48
- initialize,Hyper-method (Hyper-class), 80
- initialize,HyperParameter-method (HyperParameter-class), 81
- initialize,LatticeDistribution-method (LatticeDistribution-class), 88
- initialize,Lnorm-method (Lnorm-class), 94
- initialize,LnormParameter-method (LnormParameter-class), 96
- initialize,Logis-method (Logis-class), 98
- initialize,LogisParameter-method (LogisParameter-class), 100
- initialize,Naturals-method (Naturals-class), 108
- initialize,Nbinom-method (Nbinom-class), 109
- initialize,NbinomParameter-method (NbinomParameter-class), 111
- initialize,Norm-method (Norm-class), 113
- initialize,NormParameter-method (NormParameter-class), 115
- initialize,Pois-method (Pois-class), 132
- initialize,PoisParameter-method (PoisParameter-class), 134
- initialize,Reals-method (Reals-class), 146
- initialize,Td-method (Td-class), 163
- initialize,TParameter-method (TParameter-class), 165
- initialize,Unif-method (Unif-class), 168
- initialize,UnifParameter-method (UnifParameter-class), 169
- initialize,UniNormParameter-method (UniNormParameter-class), 171
- initialize,UnivariateDistribution-method (UnivariateDistribution-class), 174
- initialize,Weibull-method (Weibull-class), 185
- initialize,WeibullParameter-method (WeibullParameter-class), 187
- isOldVersion, 6, 14
- isOldVersion (Version Management), 184
- isOldVersion,ANY-method (Version Management), 184
- isOldVersion-methods (Version Management), 184
- k (k-methods), 84
- k,Hyper-method (k-methods), 84
- k,HyperParameter-method (k-methods), 84
- k-methods, 84
- k<- (k-methods), 84
- k<-,Hyper-method (k-methods), 84
- k<-,HyperParameter-method (k-methods), 84
- k<--methods (k-methods), 84
- ks.test, 140, 141
- lambda (lambda-methods), 84
- lambda,Pois-method (lambda-methods), 84
- lambda,PoisParameter-method (lambda-methods), 84
- lambda-methods, 84
- lambda<- (lambda-methods), 84
- lambda<- ,Pois-method (lambda-methods), 84
- lambda<- ,PoisParameter-method (lambda-methods), 84
- lambda<--methods (lambda-methods), 84
- Laplace (DExp-class), 36
- Lattice (Lattice-class), 85
- lattice (LatticeDistribution-class), 88
- lattice,LatticeDistribution-method (LatticeDistribution-class), 88
- Lattice-class, 85
- lattice-method (LatticeDistribution-class), 88
- LatticeDistribution, 86, 88, 91
- LatticeDistribution-class, 88
- Length (Length-methods), 91
- Length,Lattice-method (Length-methods), 91
- Length,LatticeDistribution-method (Length-methods), 91
- Length-methods, 91
- Length<- (Length-methods), 91
- Length<- ,Lattice-method (Length-methods), 91
- Length<- ,LatticeDistribution-method (Length-methods), 91
- Length<--methods (Length-methods), 91
- lgamma,AbscontDistribution-method (Math-methods), 102

- lgamma, DiscreteDistribution-method
(Math-methods), 102
- lgamma-methods (Math-methods), 102
- liesIn (liesIn-methods), 92
- liesIn, EuclideanSpace, numeric-method
(liesIn-methods), 92
- liesIn, Naturals, numeric-method
(liesIn-methods), 92
- liesIn-methods, 92
- liesInSupport, 92
- liesInSupport, AbscontDistribution, numeric-method
(liesInSupport), 92
- liesInSupport, Beta, numeric-method
(liesInSupport), 92
- liesInSupport, Cauchy, numeric-method
(liesInSupport), 92
- liesInSupport, DExp, numeric-method
(liesInSupport), 92
- liesInSupport, DiscreteDistribution, numeric-method
(liesInSupport), 92
- liesInSupport, Distribution, matrix-method
(liesInSupport), 92
- liesInSupport, ExpOrGammaOrChisq, numeric-method
(liesInSupport), 92
- liesInSupport, Fd, numeric-method
(liesInSupport), 92
- liesInSupport, LatticeDistribution, numeric-method
(liesInSupport), 92
- liesInSupport, Lnorm, numeric-method
(liesInSupport), 92
- liesInSupport, Logis, numeric-method
(liesInSupport), 92
- liesInSupport, Norm, numeric-method
(liesInSupport), 92
- liesInSupport, Td, numeric-method
(liesInSupport), 92
- liesInSupport, Unif, numeric-method
(liesInSupport), 92
- liesInSupport, UnivarLebDecDistribution, numeric-method
(liesInSupport), 92
- liesInSupport, UnivarMixingDistribution, numeric-method
(liesInSupport), 92
- liesInSupport, Weibull, numeric-method
(liesInSupport), 92
- liesInSupport-methods (liesInSupport),
92
- Lnorm (Lnorm-class), 94
- Lnorm-class, 94
- LnormParameter-class, 96
- location (location-methods), 97
- location, Cauchy-method
(location-methods), 97
- location, CauchyParameter-method
(location-methods), 97
- location, Dirac-method
(location-methods), 97
- location, DiracParameter-method
(location-methods), 97
- location, Logis-method
(location-methods), 97
- location, LogisParameter-method
(location-methods), 97
- location-methods, 97
- location<- (location-methods), 97
- location<-, Cauchy-method
(location-methods), 97
- location<-, CauchyParameter-method
(location-methods), 97
- location<-, Dirac-method
(location-methods), 97
- location<-, DiracParameter-method
(location-methods), 97
- location<-, Logis-method
(location-methods), 97
- location<-, LogisParameter-method
(location-methods), 97
- location<-methods (location-methods),
97
- log, AbscontDistribution-method
(Math-methods), 102
- log, Dirac-method (Dirac-class), 40
- log, DiscreteDistribution-method
(Math-methods), 102
- log, UnivarLebDecDistribution-method
(UnivarLebDecDistribution-class),
177
- log-gamma-methods (Math-methods), 102
- log10, AbscontDistribution-method
(Math-methods), 102
- log10, DiscreteDistribution-method
(Math-methods), 102
- log10, UnivarLebDecDistribution-method
(UnivarLebDecDistribution-class),
177
- log10-methods (Math-methods), 102
- Logis (Logis-class), 98

- Logis-class, 98
- LogisParameter-class, 100
- m (m-methods), 101
- m, Hyper-method (m-methods), 101
- m, HyperParameter-method (m-methods), 101
- m-methods, 101
- m<- (m-methods), 101
- m<-, Hyper-method (m-methods), 101
- m<-, HyperParameter-method (m-methods), 101
- m<--methods (m-methods), 101
- makeAbscontDistribution, 101
- MASKING (distrMASK), 54
- Math, 9, 102, 103, 118
- Math, AbscontDistribution-method (Math-methods), 102
- Math, AcDcLcDistribution-method (Math-methods), 102
- Math, Dirac-method (Dirac-class), 40
- Math, DiscreteDistribution-method (Math-methods), 102
- Math, UnivarLebDecDistribution-method (UnivarLebDecDistribution-class), 177
- Math-methods, 102
- Max (Max-methods), 103
- Max, Unif-method (Max-methods), 103
- Max, UnifParameter-method (Max-methods), 103
- Max-methods, 103
- Max<- (Max-methods), 103
- Max<-, Unif-method (Max-methods), 103
- Max<-, UnifParameter-method (Max-methods), 103
- Max<--methods (Max-methods), 103
- Maximum (Minimum-methods), 105
- Maximum, AcDcLcDistribution, AcDcLcDistribution-method (Minimum-methods), 105
- Maximum, AcDcLcDistribution, numeric-method (Minimum-methods), 105
- Maximum-methods (Minimum-methods), 105
- mean, 164
- mean (mean-methods), 104
- mean, Norm-method (mean-methods), 104
- mean, NormParameter-method (mean-methods), 104
- mean-methods, 104
- mean<- (mean-methods), 104
- mean<-, Norm-method (mean-methods), 104
- mean<-, NormParameter-method (mean-methods), 104
- mean<--methods (mean-methods), 104
- meanlog (meanlog-methods), 104
- meanlog, Lnorm-method (meanlog-methods), 104
- meanlog, LnormParameter-method (meanlog-methods), 104
- meanlog-methods, 104
- meanlog<- (meanlog-methods), 104
- meanlog<-, Lnorm-method (meanlog-methods), 104
- meanlog<-, LnormParameter-method (meanlog-methods), 104
- meanlog<--methods (meanlog-methods), 104
- Min (Min-methods), 105
- Min, Unif-method (Min-methods), 105
- Min, UnifParameter-method (Min-methods), 105
- Min-methods, 105
- Min<- (Min-methods), 105
- Min<-, Unif-method (Min-methods), 105
- Min<-, UnifParameter-method (Min-methods), 105
- Min<--methods (Min-methods), 105
- Minimum, 16, 47, 68, 156, 167, 180
- Minimum (Minimum-methods), 105
- Minimum, AbscontDistribution, AbscontDistribution-method (Minimum-methods), 105
- Minimum, AbscontDistribution, Dirac-method (Minimum-methods), 105
- Minimum, AbscontDistribution, numeric-method (Minimum-methods), 105
- Minimum, AcDcLcDistribution, AcDcLcDistribution-method (Minimum-methods), 105
- Minimum, AcDcLcDistribution, numeric-method (Minimum-methods), 105
- Minimum, DiscreteDistribution, DiscreteDistribution-method (Minimum-methods), 105
- Minimum, DiscreteDistribution, numeric-method (Minimum-methods), 105
- Minimum-methods, 105
- mixCoeff (UnivarMixingDistribution-class), 182
- mixCoeff, UnivarMixingDistribution-method (UnivarMixingDistribution-class),

- 182
- mixCoeff-methods
 - (UnivarMixingDistribution-class), 182
- mixCoeff<-
 - (UnivarMixingDistribution-class), 182
- mixCoeff<- , UnivarMixingDistribution-method
 - (UnivarMixingDistribution-class), 182
- mixCoeff<--methods
 - (UnivarMixingDistribution-class), 182
- mixDistr
 - (UnivarMixingDistribution-class), 182
- mixDistr, UnivarMixingDistribution-method
 - (UnivarMixingDistribution-class), 182
- mixDistr-methods
 - (UnivarMixingDistribution-class), 182
- mixDistr<-
 - (UnivarMixingDistribution-class), 182
- mixDistr<- , UnivarMixingDistribution-method
 - (UnivarMixingDistribution-class), 182
- mixDistr<--methods
 - (UnivarMixingDistribution-class), 182

- n (n-methods), 107
- n, Hyper-method (n-methods), 107
- n, HyperParameter-method (n-methods), 107
- n-methods, 107
- n<- (n-methods), 107
- n<- , Hyper-method (n-methods), 107
- n<- , HyperParameter-method (n-methods), 107
- n<--methods (n-methods), 107
- NA, 144
- name (name-methods), 107
- name, Parameter-method (name-methods), 107
- name, rSpace-method (name-methods), 107
- name-methods, 107
- name<- (name-methods), 107
- name<- , Parameter-method (name-methods), 107
- name<- , rSpace-method (name-methods), 107
- name<--methods (name-methods), 107
- Naturals (Naturals-class), 108
- Naturals-class, 108
- Nbinom (Nbinom-class), 109
- Nbinom-class, 109
- NbinomParameter-class, 111
- ncp (ncp-methods), 112
- ncp, Beta-method (ncp-methods), 112
- ncp, BetaParameter-method (ncp-methods), 112
- ncp, Chisq-method (ncp-methods), 112
- ncp, ChisqParameter-method (ncp-methods), 112
- ncp, Fd-method (ncp-methods), 112
- ncp, FParameter-method (ncp-methods), 112
- ncp, Td-method (ncp-methods), 112
- ncp, TParameter-method (ncp-methods), 112
- ncp-methods, 112
- ncp<- (ncp-methods), 112
- ncp<- , Beta-method (ncp-methods), 112
- ncp<- , BetaParameter-method (ncp-methods), 112
- ncp<- , Chisq-method (ncp-methods), 112
- ncp<- , ChisqParameter-method (ncp-methods), 112
- ncp<- , Fd-method (ncp-methods), 112
- ncp<- , FParameter-method (ncp-methods), 112
- ncp<- , Td-method (ncp-methods), 112
- ncp<- , TParameter-method (ncp-methods), 112
- ncp<--methods (ncp-methods), 112
- newDevice (options), 123
- Norm (Norm-class), 113
- Norm-class, 113
- NormParameter-class, 115
- NoSymmetry, 116, 117
- NoSymmetry-class, 117
- NumbOfSummandsDistr
 - (CompoundDistribution-class), 31
- NumbOfSummandsDistr, CompoundDistribution-method (CompoundDistribution-class), 31
- NumbOfSummandsDistr-methods

- (CompoundDistribution-class), 31
- operators, 34
- operators (operators-methods), 117
- operators-methods, 9, 16, 25, 41, 47, 68, 114, 117, 180
- OptionalMatrix-class
 - (OptionalParameter-class), 122
- OptionalParameter-class, 122
- options, 56, 123, 123, 124

- p (p-methods), 124
- p, Distribution-method (p-methods), 124
- p-methods, 124
- p.ac (UnivarLebDecDistribution-class), 177
- p.ac, UnivarLebDecDistribution-method (UnivarLebDecDistribution-class), 177
- p.ac-methods (UnivarLebDecDistribution-class), 177
- p.discrete (UnivarLebDecDistribution-class), 177
- p.discrete, UnivarLebDecDistribution-method (UnivarLebDecDistribution-class), 177
- p.discrete-methods (UnivarLebDecDistribution-class), 177
- p.l (p.l-methods), 124
- p.l, AbscontDistribution-method (p.l-methods), 124
- p.l, DiscreteDistribution-method (p.l-methods), 124
- p.l, UnivarLebDecDistribution-method (p.l-methods), 124
- p.l, UnivarMixingDistribution-method (p.l-methods), 124
- p.l-methods, 124
- p.r (p-methods), 124
- p.r, Distribution-method (p-methods), 124
- p.r-methods (p-methods), 124
- par, 128, 130
- param (param-methods), 125
- param, Distribution-method (param-methods), 125
- param-methods, 125
- Parameter-class, 125
- pivot (pivot-methods), 126
- pivot, Lattice-method (pivot-methods), 126
- pivot, LatticeDistribution-method (pivot-methods), 126
- pivot-methods, 126
- pivot<- (pivot-methods), 126
- pivot<-, Lattice-method (pivot-methods), 126
- pivot<-, LatticeDistribution-method (pivot-methods), 126
- pivot<--methods (pivot-methods), 126
- plot, 129, 130
- plot (plot-methods), 126
- plot, AbscontDistribution, missing-method (plot-methods), 126
- plot, AffLinUnivarLebDecDistribution, missing-method (plot-methods), 126
- plot, CompoundDistribution, missing-method (plot-methods), 126
- plot, DiscreteDistribution, missing-method (plot-methods), 126
- plot, DistrList, missing-method (plot-methods), 126
- plot, UnivarLebDecDistribution, missing-method (plot-methods), 126
- plot-methods, 126
- plot.default, 128–130
- plot.new, 123
- plot.stepfun, 128–130
- pmatch, 178
- points, 128
- Pois (Pois-class), 132
- Pois-class, 132
- PoisParameter-class, 134
- PosDefSymmMatrix, 135, 136
- PosDefSymmMatrix-class, 136
- PosSemDefSymmMatrix (PosDefSymmMatrix), 135
- PosSemDefSymmMatrix-class (PosDefSymmMatrix-class), 136
- print, UnivariateDistribution-method (print-methods), 137
- print-methods, 137
- prob (prob-methods), 137
- prob, Binom-method (prob-methods), 137

- prob,BinomParameter-method
(prob-methods), 137
- prob,DiscreteDistribution-method
(prob-methods), 137
- prob,Geom-method (prob-methods), 137
- prob,GeomParameter-method
(prob-methods), 137
- prob,Nbinom-method (prob-methods), 137
- prob,NbinomParameter-method
(prob-methods), 137
- prob,UnivarLebDecDistribution-method
(prob-methods), 137
- prob-methods, 137
- prob<- (prob-methods), 137
- prob<- ,Binom-method (prob-methods), 137
- prob<- ,BinomParameter-method
(prob-methods), 137
- prob<- ,DiscreteDistribution-method
(prob-methods), 137
- prob<- ,Geom-method (prob-methods), 137
- prob<- ,GeomParameter-method
(prob-methods), 137
- prob<- ,Nbinom-method (prob-methods), 137
- prob<- ,NbinomParameter-method
(prob-methods), 137
- prob<--methods (prob-methods), 137

- q (q-methods), 138
- q,Distribution-method (q-methods), 138
- q-methods, 138
- q.ac (UnivarLebDecDistribution-class),
177
- q.ac,UnivarLebDecDistribution-method
(UnivarLebDecDistribution-class),
177
- q.ac-methods
(UnivarLebDecDistribution-class),
177
- q.discrete
(UnivarLebDecDistribution-class),
177
- q.discrete,UnivarLebDecDistribution-method
(UnivarLebDecDistribution-class),
177
- q.discrete-methods
(UnivarLebDecDistribution-class),
177
- q.l (q-methods), 138
- q.l,Distribution-method (q-methods), 138
- q.l-methods (q-methods), 138
- q.r (q.r-methods), 139
- q.r,AbscontDistribution-method
(q.r-methods), 139
- q.r,DiscreteDistribution-method
(q.r-methods), 139
- q.r,UnivarLebDecDistribution-method
(q.r-methods), 139
- q.r,UnivarMixingDistribution-method
(q.r-methods), 139
- q.r-methods, 139
- qqbounds, 139, 144
- qqplot, 141, 141, 142, 144
- qqplot,ANY,ANY-method (qqplot), 141
- qqplot,UnivariateDistribution,UnivariateDistribution-method
(qqplot), 141
- qqplot-methods (qqplot), 141

- r (r-methods), 145
- r,Distribution-method (r-methods), 145
- r-methods, 145
- r.ac (UnivarLebDecDistribution-class),
177
- r.ac,UnivarLebDecDistribution-method
(UnivarLebDecDistribution-class),
177
- r.ac-methods
(UnivarLebDecDistribution-class),
177
- r.discrete
(UnivarLebDecDistribution-class),
177
- r.discrete,UnivarLebDecDistribution-method
(UnivarLebDecDistribution-class),
177
- r.discrete-methods
(UnivarLebDecDistribution-class),
177
- rate (rate-methods), 145
- rate,DExp-method (rate-methods), 145
- rate,Exp-method (rate-methods), 145
- rate,ExpParameter-method
(rate-methods), 145
- rate-methods, 145
- rate<- (rate-methods), 145
- rate<- ,DExp-method (rate-methods), 145
- rate<- ,Exp-method (rate-methods), 145
- rate<- ,ExpParameter-method
(rate-methods), 145

- rate<--methods (rate-methods), 145
- rbeta, 19, 20
- rbinom, 21, 23
- rcauchy, 24, 26
- rchisq, 27, 29, 164
- Reals (Reals-class), 146
- Reals-class, 146
- rexp, 36, 37, 63, 64
- rf, 66, 67
- rgamma, 71, 72
- rgeom, 75, 76
- rhyper, 80, 81
- rlnorm, 94, 96
- rlogis, 98, 100
- rnbinom, 109, 110
- rnorm, 5, 113, 114
- rpois, 132, 133
- rSpace-class, 147
- rt, 163, 165
- RtoDPQ, 13, 17, 118, 148, 151, 175, 176
- RtoDPQ.d, 44, 48, 88, 91, 118, 149
- RtoDPQ.e (distributions), 55
- RtoDPQ.LC, 151, 176
- runif, 168, 169
- rweibull, 185, 186

- scale (scale-methods), 152
- scale, Cauchy-method (scale-methods), 152
- scale, CauchyParameter-method (scale-methods), 152
- scale, Chisq-method (scale-methods), 152
- scale, Gammad-method (scale-methods), 152
- scale, GammaParameter-method (scale-methods), 152
- scale, Logis-method (scale-methods), 152
- scale, LogisParameter-method (scale-methods), 152
- scale, Weibull-method (scale-methods), 152
- scale, WeibullParameter-method (scale-methods), 152
- scale-methods, 152
- scale<- (scale-methods), 152
- scale<-, Cauchy-method (scale-methods), 152
- scale<-, CauchyParameter-method (scale-methods), 152
- scale<-, Gammad-method (scale-methods), 152
- scale<-, GammaParameter-method (scale-methods), 152
- scale<-, Logis-method (scale-methods), 152
- scale<-, LogisParameter-method (scale-methods), 152
- scale<-, Weibull-method (scale-methods), 152
- scale<-, WeibullParameter-method (scale-methods), 152
- scale<--methods (scale-methods), 152
- sd, 153, 164
- sd (sd-methods), 153
- sd, Norm-method (sd-methods), 153
- sd, NormParameter-method (sd-methods), 153
- sd-methods, 153
- sd<- (sd-methods), 153
- sd<-, Norm-method (sd-methods), 153
- sd<-, NormParameter-method (sd-methods), 153
- sd<--methods (sd-methods), 153
- sdlog (sdlog-methods), 154
- sdlog, Lnorm-method (sdlog-methods), 154
- sdlog, LnormParameter-method (sdlog-methods), 154
- sdlog-methods, 154
- sdlog<- (sdlog-methods), 154
- sdlog<-, Lnorm-method (sdlog-methods), 154
- sdlog<-, LnormParameter-method (sdlog-methods), 154
- sdlog<--methods (sdlog-methods), 154
- setgaps, 14
- setgaps (gaps-methods), 74
- setgaps, AbscontDistribution-method (gaps-methods), 74
- setgaps, UnivarMixingDistribution-method (gaps-methods), 74
- setgaps-methods (gaps-methods), 74
- shape (shape-methods), 154
- shape, Chisq-method (shape-methods), 154
- shape, Exp-method (shape-methods), 154
- shape, Gammad-method (shape-methods), 154
- shape, GammaParameter-method (shape-methods), 154
- shape, Weibull-method (shape-methods), 154

- shape, WeibullParameter-method
(shape-methods), 154
- shape-methods, 154
- shape1 (shape1-methods), 155
- shape1, Beta-method (shape1-methods), 155
- shape1, BetaParameter-method
(shape1-methods), 155
- shape1-methods, 155
- shape1<- (shape1-methods), 155
- shape1<-, Beta-method (shape1-methods),
155
- shape1<-, BetaParameter-method
(shape1-methods), 155
- shape1<--methods (shape1-methods), 155
- shape2 (shape2-methods), 155
- shape2, Beta-method (shape2-methods), 155
- shape2, BetaParameter-method
(shape2-methods), 155
- shape2-methods, 155
- shape2<- (shape2-methods), 155
- shape2<-, Beta-method (shape2-methods),
155
- shape2<-, BetaParameter-method
(shape2-methods), 155
- shape2<--methods (shape2-methods), 155
- shape<- (shape-methods), 154
- shape<-, Gammad-method (shape-methods),
154
- shape<-, GammaParameter-method
(shape-methods), 154
- shape<-, Weibull-method (shape-methods),
154
- shape<-, WeibullParameter-method
(shape-methods), 154
- shape<--methods (shape-methods), 154
- show, DistrList-method
(DistrList-class), 53
- show, LatticeDistribution-method
(print-methods), 137
- show, Symmetry-method (Symmetry-class),
163
- show, UnivariateDistribution-method
(print-methods), 137
- show, UnivarLebDecDistribution-method
(print-methods), 137
- show, UnivarMixingDistribution-method
(print-methods), 137
- show-methods (print-methods), 137
- sign, AbscontDistribution-method
(Math-methods), 102
- sign, AcDcLcDistribution-method
(UnivarLebDecDistribution-class),
177
- sign, DiscreteDistribution-method
(Math-methods), 102
- sign, UnivarLebDecDistribution-method
(UnivarLebDecDistribution-class),
177
- sign-methods (Math-methods), 102
- simplifyD, 31, 33, 79, 106, 120–122, 167,
177, 179, 181–183
- simplifyD (simplifyD-methods), 156
- simplifyD, AbscontDistribution-method
(simplifyD-methods), 156
- simplifyD, DiscreteDistribution-method
(simplifyD-methods), 156
- simplifyD, UnivarLebDecDistribution-method
(simplifyD-methods), 156
- simplifyD, UnivarMixingDistribution-method
(simplifyD-methods), 156
- simplifyD-methods, 156
- simplifyr (simplifyr-methods), 157
- simplifyr, UnivariateDistribution-method
(simplifyr-methods), 157
- simplifyr-methods, 157
- size (size-methods), 158
- size, Binom-method (size-methods), 158
- size, BinomParameter-method
(size-methods), 158
- size, Geom-method (size-methods), 158
- size, Nbinom-method (size-methods), 158
- size, NbinomParameter-method
(size-methods), 158
- size-methods, 158
- size<- (size-methods), 158
- size<-, Binom-method (size-methods), 158
- size<-, BinomParameter-method
(size-methods), 158
- size<-, Geom-method (size-methods), 158
- size<-, Nbinom-method (size-methods), 158
- size<-, NbinomParameter-method
(size-methods), 158
- size<--methods (size-methods), 158
- solve, 56, 159, 161
- solve (solve-methods), 158
- solve, ANY, ANY-method (solve-methods),

- 158
- solve, ANY-method (solve-methods), 158
- solve, PosDefSymmMatrix, ANY-method (solve-methods), 158
- solve, PosDefSymmMatrix-method (solve-methods), 158
- solve, PosSemDefSymmMatrix, ANY-method (solve-methods), 158
- solve, PosSemDefSymmMatrix-method (solve-methods), 158
- solve-methods, 158
- SphericalSymmetry, 159, 161
- SphericalSymmetry-class, 160
- sqrt (sqrt-methods), 161
- sqrt, AbscontDistribution-method (AbscontDistribution-class), 14
- sqrt, AcDcLcDistribution-method (UnivarLebDecDistribution-class), 177
- sqrt, DiscreteDistribution-method (DiscreteDistribution-class), 45
- sqrt, LatticeDistribution-method (LatticeDistribution-class), 88
- sqrt, PosSemDefSymmMatrix-method (sqrt-methods), 161
- sqrt, UnivarLebDecDistribution-method (UnivarLebDecDistribution-class), 177
- sqrt-methods, 161
- standardMethods, 162
- SummandsDistr (CompoundDistribution-class), 31
- SummandsDistr, CompoundDistribution-method (CompoundDistribution-class), 31
- SummandsDistr-methods (CompoundDistribution-class), 31
- support, 6
- support (support-methods), 162
- support, DiscreteDistribution-method (support-methods), 162
- support, UnivarMixingDistribution-method (UnivarMixingDistribution-class), 182
- support-methods, 162
- svd, 159
- SymmCenter (Symmetry-class), 163
- SymmCenter, Symmetry-method (Symmetry-class), 163
- Symmetry (Distribution-class), 50
- Symmetry, Distribution-method (Distribution-class), 50
- Symmetry, UnivarMixingDistribution-method (UnivarMixingDistribution-class), 182
- Symmetry-class, 163
- Symmetry-methods (Distribution-class), 50
- Td (Td-class), 163
- Td-class, 163
- TParameter-class, 165
- Truncate, 16, 47, 79, 106, 156, 180
- Truncate (Truncate-methods), 166
- Truncate, AbscontDistribution-method (Truncate-methods), 166
- Truncate, DiscreteDistribution-method (Truncate-methods), 166
- Truncate, LatticeDistribution-method (Truncate-methods), 166
- Truncate, UnivarLebDecDistribution-method (Truncate-methods), 166
- Truncate-methods, 166
- TruncQuantile (distributions), 55
- type (Symmetry-class), 163
- type, Symmetry-method (Symmetry-class), 163
- Unif (Unif-class), 168
- Unif-class, 168
- UnifParameter-class, 169
- UniNormParameter-class, 171
- UnivarDistrList, 52, 172, 172, 173
- UnivarDistrList-class, 173
- UnivariateDistribution-class, 174
- UnivarLebDecDistribution, 176, 177
- UnivarLebDecDistribution-class, 177
- UnivarMixingDistribution, 156, 181, 182
- UnivarMixingDistribution-class, 182
- UnivDistrListOrDistribution-class (CompoundDistribution-class), 31
- use.generalized.inverse.by.default (distributions), 55

Version Management, [184](#)

warn.makeDNew (distroptions), [55](#)

WarningArith (distroptions), [55](#)

WarningSim (distroptions), [55](#)

Weibull (Weibull-class), [185](#)

Weibull-class, [185](#)

WeibullParameter-class, [187](#)

width (width-methods), [188](#)

width,Lattice-method (width-methods),
[188](#)

width,LatticeDistribution-method
(width-methods), [188](#)

width-methods, [188](#)

width<- (width-methods), [188](#)

width<- ,Lattice-method (width-methods),
[188](#)

width<- ,LatticeDistribution-method
(width-methods), [188](#)

width<--methods (width-methods), [188](#)

withgaps (distroptions), [55](#)

withSweave (distroptions), [55](#)