

Package ‘CNID’

February 24, 2025

Type Package

Title Get Basic Information from Chinese ID Number

Version 2.0.1

Maintainer Xinyuan Chu <chuxinyuan@outlook.com>

Date 2025-02-24 16:44:06 UTC

Description The Chinese ID number contains a lot of information, this package helps you get the date of birth, age, age based on year, gender, region, zodiac, constellation information from the Chinese ID number.

License MIT + file LICENSE

URL <https://gitlab.com/chuxinyuan/cnid>

BugReports <https://gitlab.com/chuxinyuan/cnid/-/issues>

Depends R (>= 3.0.0)

RoxygenNote 7.3.2

Suggests testthat (>= 2.1.0)

Encoding UTF-8

NeedsCompilation no

Author Xinyuan Chu [aut, cre]

Repository CRAN

Date/Publication 2025-02-24 17:00:10 UTC

Contents

age	2
age_by_year	2
birth_date	3
check_id	4
cnid_info	4
cstl	5
gender	6

leap_year	6
mday	7
region	7
ydays	8
zodiac	8

Index	10
--------------	-----------

age	<i>Get age information from ID number</i>
-----	---

Description

Get age information from ID number, to the day.

Usage

```
age(id)
```

Arguments

id	A vector of ID numbers.
----	-------------------------

Value

Age vector obtained from ID numbers.

Examples

```
id = c(
  "652801197305161555",
  "130206202202291545",
  "110101841125178"
)
age(id)
```

age_by_year	<i>Get age information from ID number</i>
-------------	---

Description

Get age information from ID number, only by year, not the specific date.

Usage

```
age_by_year(id)
```

Arguments

`id` A vector of ID numbers.

Value

Age vector obtained from ID numbers.

Examples

```
id = c(
  "652801197305161555",
  "130206202202291545",
  "110101841125178"
)
age_by_year(id)
```

`birth_date` *Get date of birth information from ID number*

Description

Get date of birth information from ID number.

Usage

```
birth_date(id)
```

Arguments

`id` A vector of ID numbers.

Value

Date of birth vector obtained from ID numbers.

Examples

```
id = c(
  "652801197305161555",
  "130206202202291545",
  "110101841125178"
)
birth_date(id)
```

check_id *Check whether the ID number is valid*

Description

Check whether the ID number is valid.

Usage

```
check_id(id)
```

Arguments

id A vector of ID numbers.

Value

A vector of TRUE or FALSE.

Examples

```
id = c(
  "652801197305161555",
  "130206202202291545",
  "110101841125178"
)
check_id(id)
```

cnid_info *Get full information from ID number*

Description

Get full information from ID number.

Usage

```
cnid_info(id)
```

Arguments

id A vector of ID numbers.

Value

A list about date of birth, age, gender, etc. obtained from ID number.

Examples

```
id = c(
  "652801197305161555",
  "130206202202291545",
  "110101841125178"
)
cnid_info(id)
```

cstl

Get constellation information from ID number

Description

Get constellation information from ID number.

Usage

```
cstl(id)
```

Arguments

id A vector of ID numbers.

Value

Constellation vector obtained from ID numbers.

Examples

```
id = c(
  "652801197305161555",
  "130206202202291545",
  "110101841125178"
)
cstl(id)
```

gender	<i>Get gender information from ID number</i>
--------	--

Description

Get gender information from ID number.

Usage

```
gender(id)
```

Arguments

id A vector of ID numbers.

Value

Gender vector obtained from ID numbers.

Examples

```
id = c(
  "652801197305161555",
  "130206202202291545",
  "110101841125178"
)
gender(id)
```

leap_year	<i>Calculate whether a given year is a leap year</i>
-----------	--

Description

Calculate whether a given year is a leap year.

Usage

```
leap_year(year)
```

Arguments

year A given year, vectorization parameter passing is supported.

Value

TRUE or FALSE. Return TRUE if it is a leap year, FALSE otherwise.

Examples

```
leap_year(2024)
```

mdays

Calculate the number of days in a given year and month

Description

Calculate the number of days in a given year and month.

Usage

```
mdays(year, month)
```

Arguments

year A given year.
month A given month, vectorization parameter passing is supported.

Value

Days in a given year and month.

Examples

```
mdays(2025, 1:12)
```

region

Get region information from ID number

Description

Get region information from ID number.

Usage

```
region(id)
```

Arguments

id A vector of ID numbers.

Value

Region vector obtained from ID numbers.

Examples

```
id = c(
  "652801197305161555",
  "130206202202291545",
  "110101841125178"
)
region(id)
```

ydays

Calculate the number of days in a given year

Description

Calculate the number of days in a given year.

Usage

```
ydays(year)
```

Arguments

year A given year, vectorization parameter passing is supported.

Value

Days in a given year.

Examples

```
ydays(2025)
```

zodiac

Get zodiac information from ID number

Description

Get zodiac information from ID number.

Usage

```
zodiac(id)
```

Arguments

id A vector of ID numbers.

Value

Zodiac vector obtained from ID numbers.

Examples

```
id = c(
  "652801197305161555",
  "130206202202291545",
  "110101841125178"
)
zodiac(id)
```

Index

age, [2](#)
age_by_year, [2](#)

birth_date, [3](#)

check_id, [4](#)
cnid_info, [4](#)
cst1, [5](#)

gender, [6](#)

leap_year, [6](#)

mdays, [7](#)

region, [7](#)

ydays, [8](#)

zodiac, [8](#)