

Package ‘EloRating’

January 20, 2025

Type Package

Title Animal Dominance Hierarchies by Elo Rating

Version 0.46.18

Date 2024-07-15

Maintainer Christof Neumann <christofneumann1@gmail.com>

Description Provides functions to quantify animal dominance hierarchies. The major focus is on Elo rating and its ability to deal with temporal dynamics in dominance interaction sequences. For static data, David's score and de Vries' I&SI are also implemented. In addition, the package provides functions to assess transitivity, linearity and stability of dominance networks. See Neumann et al (2011) <[doi:10.1016/j.anbehav.2011.07.016](https://doi.org/10.1016/j.anbehav.2011.07.016)> for an introduction.

License GPL (>= 2)

LazyData true

RoxygenNote 7.3.2

Depends zoo, sna, network, R (>= 3.2.0)

Suggests testthat (>= 2.1.0), knitr, aniDom, rmarkdown

LinkingTo Rcpp, RcppArmadillo

Imports Rcpp, Rdpack

NeedsCompilation yes

VignetteBuilder knitr

Encoding UTF-8

RdMacros Rdpack

URL <https://github.com/gobbios/EloRating>

BugReports <https://github.com/gobbios/EloRating/issues>

Author Christof Neumann [aut, cre] (<<https://orcid.org/0000-0002-0236-1219>>),
Lars Kulik [aut]

Repository CRAN

Date/Publication 2024-07-15 16:40:02 UTC

Contents

EloRating-package	3
.diffmat	4
.elo.seq_old	4
.incon	7
.sincon	8
adv	9
adv2	9
advpres	10
baboons1	10
bonobos	11
CBI	12
coresidence	14
correctly_predicted	15
creatematrix	17
createstartvalues	19
DCindex	20
devries98	21
dommats	22
DS	23
dyadic_dom	24
dyadic_reversals	24
e.single	25
elo.seq	26
eloplot	30
extract_elo	31
h.index	33
heatmapplot	34
incontable	35
individuals	36
ISI	37
ISIRanks	38
lastdaypresent	39
likelo	40
mat2seq	41
optimizek	42
optistart	44
presence_summary	45
print.elo	46
print.seqchecknopres	47
print.sequencecheck	47
prunk	48
randomelo	49
randomeloextract	50
randomsequence	51
scale_elo	52
seqcheck	53

simple_dom	55
stab_elo	56
steepness	58
summary.elo	59
traj_elo	59
transitivity	60
winprob	61

Index	64
--------------	-----------

EloRating-package *Animal Dominance Hierarchies by Elo Rating*

Description

Provides functions to quantify animal dominance hierarchies. The major focus is on Elo rating and its ability to deal with temporal dynamics in dominance interaction sequences. For static data, David's score and de Vries' I&SI are also implemented. In addition, the package provides functions to assess transitivity, linearity and stability of dominance networks. See Neumann et al (2011) <doi:10.1016/j.anbehav.2011.07.016> for an introduction.

Author(s)

NA

Maintainer: Christof Neumann <christofneumann1@gmail.com>

References

Elo, A. E. 1978. The Rating of Chess Players, Past and Present. New York: Arco.

Albers, P. C. H. & de Vries, H. 2001. Elo-rating as a tool in the sequential estimation of dominance strengths. *Animal Behaviour*, 61, 489-495 (doi:10.1006/anbe.2000.1571).

Neumann, C., Duboscq, J., Dubuc, C., Ginting, A., Irwan, A. M., Agil, M., Widdig, A. & Engelhardt, A. 2011. Assessing dominance hierarchies: validation and advantages of progressive evaluation with Elo-rating. *Animal Behaviour*, 82, 911-921 (doi:10.1016/j.anbehav.2011.07.016).

Examples

```
data(adv)
SEQ <- elo.seq(winner = adv$winner, loser = adv$loser, Date = adv$Date)
summary(SEQ)
```

`.diffmat` *difference matrix*

Description

difference matrix

Usage

```
.diffmat(mat)
```

Arguments

`mat` square interaction matrix with winner in rows and losers in columns, for example the output from [creatematrix](#)

Details

helper function for [ISI](#)

Value

a matrix with ranking differences assuming that the matrix reflects the order. This information is contained in the upper triangle of the returned matrix.

Author(s)

Christof Neumann

Examples

```
data(bonobos)
EloRating:::diffmat(bonobos)
```

`.elo.seq_old` *calculate Elo ratings*

Description

calculate Elo ratings from a sequence of dominance interactions

Usage

```
.elo.seq_old(  
  winner,  
  loser,  
  Date,  
  draw = NULL,  
  presence = NULL,  
  startvalue = 1000,  
  k = 100,  
  normprob = TRUE,  
  init = "average",  
  iterate = 0,  
  runcheck = TRUE,  
  progressbar = FALSE  
)
```

Arguments

winner	either a factor or character vector with winner IDs of dyadic dominance interactions
loser	either a factor or character vector with loser IDs of dyadic dominance interactions
Date	character vector of form "YYYY-MM-DD" with the date of the respective interaction
draw	logical, which interactions ended undecided (i.e. drawn or tied)? By default all FALSE, i.e. no undecided interactions occurred. Note that in this case, winner/loser values can be interchanged
presence	optional data.frame, to supply data about presence and absence of individuals for part of the time the data collection covered. see details
startvalue	the value of Elo ratings of the two individuals that are involved in the first interaction of the overall sequence prior to this interaction. By default set to 1000. See also <code>init</code>
k	factor k that determines the maximum change in ratings. By default $k=100$
normprob	logical (by default TRUE). Should a normal curve be assumed for calculating the winning/losing probabilities, or a logistic curve. See winprob for details
init	character, what Elo rating does an individual have prior to its first interaction. Three options are available: <code>average</code> : individuals always start with the value specified in <code>startvalue</code> . Given stable composition of the group, this also reflects the average Elo rating on each day in that group, <code>bottom</code> : subjects entering at the current lowest Elo value if the lowest value getting lower its getting lower for all subjects which had this lowest values before, it is reflecting that in some species new subjects entering a group at the bottom level "bottom entry" <code>bottom_low</code> : same as <code>bottom</code> but additionally the start values getting after the first interaction lower for all non-interacting subjects and, reflecting that we have at start no knowledge about the subjects this option offers for "bottom entry"

	species the possibility to consider that in a way that those subjects which are not interacting getting lower from start on
iterate	not yet implemented
runcheck	logical, should several checks regarding data integrity be performed, by default TRUE. See seqcheck
progressbar	logical, should progress bars be displayed, by default progressbar=TRUE

Details

the presence 'matrix' is actually an object of class `data.frame` containing information about whether an individual was present on a given day or not. The first column represents the dates, running at least from the date of the earliest interaction until at least the date of the last interaction with one line per day (regardless of whether there were actually interactions observed on each day). Further, each individual is represented as a column in which "1" indicates an individual was present on the row-date and a "0" indicates the individual's absence on this date. NAs are not allowed. See [advpres](#) for an example.

Value

An object of class `elo`, which is a list with 10 items that serves as a basis to extract relevant information:

<code>mat</code>	a date by ID-matrix with raw Elo ratings
<code>lmat</code>	a date by ID-matrix with raw Elo ratings
<code>cmat</code>	a date by ID-matrix with raw Elo ratings
<code>pmat</code>	a date by ID-matrix with presence data
<code>nmat</code>	a date by ID-matrix containing the number of interactions a given ID was involved in on a given day
<code>logtable</code>	details on each single interaction
<code>stability</code>	a <code>data.frame</code> containing information about stability (see stab_elo)
<code>truedates</code>	vector of class <code>Date</code> covering the ranges of dates in the dataset
<code>misc</code>	various
<code>allids</code>	a (sorted) character vector with all IDs that occur in the dataset

Author(s)

Christof Neumann and Lars Kulik

References

- Elo AE (1978). *The rating of chess players, past and present*. Arco, New York.
- Albers PCH, de Vries H (2001). "Elo-rating as a tool in the sequential estimation of dominance strengths." *Animal Behaviour*, **61**, 489-495. doi:10.1006/anbe.2000.1571.
- Neumann C, Dubocsq J, Dubuc C, Ginting A, Irwan AM, Agil M, Widdig A, Engelhardt A (2011). "Assessing dominance hierarchies: validation and advantages of progressive evaluation with elo-rating." *Animal Behaviour*, **82**, 911-921. doi:10.1016/j.anbehav.2011.07.016.

Examples

```
data(adv)
SEQ <- EloRating:::elo.seq_old(winner=adv$winner, loser=adv$loser, Date=adv$Date)
summary(SEQ)
```

.incon	<i>number of inconsistencies</i>
--------	----------------------------------

Description

calculate number of inconsistencies

Usage

```
.incon(mat)
```

Arguments

mat square interaction matrix with winner in rows and losers in columns, for example the output from [creatematrix](#)

Value

integer, the number of inconsistencies in the matrix

Author(s)

Christof Neumann

References

de Vries H (1998). "Finding a dominance order most consistent with a linear hierarchy: a new procedure and review." *Animal Behaviour*, **55**, 827-843. doi:[10.1006/anbe.1997.0708](https://doi.org/10.1006/anbe.1997.0708).

Examples

```
data(bonobos)
EloRating:::incon(bonobos)
```

.sincon *strength of inconsistencies*

Description

calculate strength of inconsistencies

Usage

```
.sincon(mat)
```

Arguments

mat square interaction matrix with winner in rows and losers in columns, for example the output from [creatematrix](#)

Details

helper function for [ISI](#)

Value

integer, the summed strength of inconsistencies in the matrix

Author(s)

Christof Neumann

References

de Vries H (1998). "Finding a dominance order most consistent with a linear hierarchy: a new procedure and review." *Animal Behaviour*, **55**, 827-843. [doi:10.1006/anbe.1997.0708](https://doi.org/10.1006/anbe.1997.0708).

Examples

```
data(bonobos)
EloRating:::sincon(bonobos)
```

adv *Dominance sequence from Albers and de Vries (2001)*

Description

Dominance sequence from Albers and de Vries (2001)

Usage

```
data(adv)
```

Format

Fictional example of an interaction sequence, with 33 interactions between 7 individuals.

References

Albers PCH, de Vries H (2001). "Elo-rating as a tool in the sequential estimation of dominance strengths." *Animal Behaviour*, **61**, 489-495. doi:[10.1006/anbe.2000.1571](https://doi.org/10.1006/anbe.2000.1571).

Examples

```
data(adv)
```

adv2 *Dominance sequence from Albers and de Vries (2001)*

Description

Dominance sequence from Albers and de Vries (2001) with added information about interaction type and whether interaction ended in a draw

Usage

```
data(adv2)
```

Format

Fictional example of an interaction sequence, with 33 interactions between 7 individuals.

References

Albers PCH, de Vries H (2001). "Elo-rating as a tool in the sequential estimation of dominance strengths." *Animal Behaviour*, **61**, 489-495. doi:[10.1006/anbe.2000.1571](https://doi.org/10.1006/anbe.2000.1571).

Examples

```
data(adv2)
```

advpres

Fictional presence data for Albers and de Vries (2001)

Description

Fictional presence data for Albers and de Vries (2001)

Usage

data(advpres)

Format

Fictional example of an interaction sequence, with 33 interactions between 7 individuals.

References

Albers PCH, de Vries H (2001). "Elo-rating as a tool in the sequential estimation of dominance strengths." *Animal Behaviour*, **61**, 489-495. doi:10.1006/anbe.2000.1571.

Examples

data(advpres)

baboons1

Baboon dominance sequences

Description

Baboon dominance sequences

Usage

baboons1

Format

Data sets of 5 groups of baboons, with date, winner and loser columns

Details

The exact dates of the interactions were not given in the actual online data sets, so I set them to roughly match the data collection period presented in the actual paper (1996 - 2011)

References

Franz M, McLean E, Tung J, Altmann J, Alberts SC (2015). “Self-organizing dominance hierarchies in a wild primate population.” *Proceedings of the Royal Society B: Biological Sciences*, **282**, 20151512. doi:10.1098/rspb.2015.1512.

Franz M, McLean E, Tung J, Altmann J, Alberts SC (2015). “Data from: Self-organizing dominance hierarchies in a wild primate population.” *Dryad*. doi:10.5061/dryad.d0g0d.

Examples

```
data(baboons1)
```

bonobos

Dominance matrix from de Vries et al. 2006

Description

Dominance matrix of seven bonobos

Usage

```
data(bonobos)
```

Format

Integer matrix, with column and row names. Winners in rows and losers in columns.

References

de Vries H, Stevens JMG, Vervaecke H (2006). “Measuring and testing the steepness of dominance hierarchies.” *Animal Behaviour*, **71**, 585-592. doi:10.1016/j.anbehav.2005.05.015.

Examples

```
data(bonobos)
```

CBI

*Clutton-Brock et al 1979 index (CBI)***Description**

Clutton-Brock et al 1979 index (CBI)

Usage

CBI(mat)

Arguments

mat matrix

Details

The results of this function diverge from published examples in some cases. While the function produces identical scores as the results in Gammell et al. (2003) and de Vries and Appleby (2000) there are some slight deviations for the example in Whitehead (2008). The final example from Bang et al. (2010) is fairly off, but that seems to be because these authors might have applied different definitions: Bang et al. (2010) talk about 'who dominates' while (Clutton-Brock et al. 1979) consider 'who won interactions', which are two very different conceptualizations, and which might explain the discrepancies.

Value

a named numeric vector with the indices for each individual

Author(s)

Christof Neumann

References

- Clutton-Brock TH, Albon SD, Gibson RM, Guinness FE (1979). "The logical stag: adaptive aspects of fighting in red deer (*Cervus elaphus* L.)." *Animal Behaviour*, **27**, 211-225. doi:10.1016/0003-3472(79)901416.
- Bang A, Deshpande SA, Sumana A, Gadagkar R (2010). "Choosing an appropriate index to construct dominance hierarchies in animal societies: a comparison of three indices." *Animal Behaviour*, **79**, 631-636. doi:10.1016/j.anbehav.2009.12.009.
- Gammell MP, de Vries H, Jennings DJ, Carlin CM, Hayden TJ (2003). "David's score: a more appropriate dominance ranking method than Clutton-Brock et al.'s index." *Animal Behaviour*, **66**, 601-605. doi:10.1006/anbe.2003.2226.
- de Vries H, Appleby MC (2000). "Finding an appropriate order for a hierarchy: a comparison of the I&SI and the BBS methods." *Animal Behaviour*, **59**, 239-245. doi:10.1006/anbe.1999.1299.
- Whitehead H (2008). *Analyzing animal societies: quantitative methods for vertebrate social analysis*. University of Chicago Press, Chicago.

Examples

```

# example from Gammell et al 2003 (table 1)
m <- matrix(0, nrow = 5, ncol = 5)
m[upper.tri(m)] <- 100
m[1, 5] <- 99
m[5, 1] <- 1
colnames(m) <- rownames(m) <- c("r", "s", "t", "u", "v")
m
CBI(m)

# example from Whitehead 2008 (table 5.8, 5.9)
m <- c(0, 2, 0, 5, 2, 2, 1, 0, 2, 0,
      0, 0, 2, 2, 1, 0, 3, 2, 1, 1,
      0, 1, 0, 1, 1, 3, 1, 1, 4, 0,
      0, 0, 0, 0, 1, 1, 1, 0, 1, 0,
      0, 0, 0, 0, 0, 7, 1, 4, 2, 3,
      0, 0, 0, 0, 0, 0, 2, 3, 6, 10,
      0, 1, 1, 0, 2, 0, 0, 0, 0, 2,
      0, 0, 0, 1, 0, 0, 0, 0, 1, 1,
      0, 0, 0, 1, 0, 0, 0, 0, 0, 1,
      0, 0, 0, 0, 0, 0, 0, 0, 0, 0)
mat <- matrix(m, nrow = 10, byrow = TRUE)
colnames(mat) <- rownames(mat) <- c("x907", "x915", "x912", "x910", "x917",
                                     "x898", "x897", "x911", "x904", "x902")

round(CBI(mat), 2)
# results in book:
# 33, 2.75, 3.08, 0.91, 0.86, 0.82, 0.92, 0.53, 0.23, 0.03

simple_dom(mat2seq(mat)$winner, mat2seq(mat)$loser)

# example from Bang et al 2010 (table 1)
m <- c(0, 1, 0, 2,
      1, 0, 4, 0,
      2, 2, 0, 3,
      3, 0, 1, 0)
m <- matrix(m, ncol = 4, byrow = TRUE)
m <- t(m)
colnames(m) <- rownames(m) <- letters[1:4]
CBI(m)
# results in paper:
# 1.43, 1, 0.7, 1

# and from de Vries and Appleby (2000, table 4)
m <- c(0, 1, 1, 4, 0, 3, 6,
      0, 0, 1, 4, 0, 0, 0,
      0, 0, 0, 1, 1, 3, 14,
      0, 0, 0, 0, 2, 2, 1,
      0, 0, 0, 0, 0, 17, 2,
      0, 0, 0, 0, 0, 0, 12,
      0, 0, 0, 0, 0, 0, 0)
m <- matrix(m, ncol = 7, byrow = TRUE)
colnames(m) <- rownames(m) <- letters[1:7]

```

```
CBI(m)
simple_dom(mat2seq(m)$winner, mat2seq(m)$loser)
```

coresidence	<i>coresidence summary</i>
-------------	----------------------------

Description

coresidence summary

Usage

```
coresidence(eloobject)
```

Arguments

eloobject result from [elo.seq](#)

Details

This function provides a summary of the presence of individuals (and dyads) during the data sequence. This will be only informative if there was actually presence information supplied to `elo.seq`.

Value

a list with three items:

```
$global (a numeric vector) n_int total number of interactions
  n_dyads total number of dyads
  prop_nocores proportion of dyads that were never co-resident
  mean_cores_prop mean proportion over individuals of proportions of all other IDs the focal
                  was co-resident with at some point

$dyads (a data.frame) id1, id2 the IDs
  n_int number of interactions for dyad
  cores_dur the duration of co-residence
  none_dur the duration for neither ID being present (both are absent)
  one_dur the duration of time when one ID was present but not the other

$individuals (a data.frame) id the ID
  n_int number of interactions
  presdays days of presence
  cores_n_ind co-resident with these individuals at some point
  cores_prop proportion of individuals with which ID was co-resident
  stints number of continuous bouts of presence
```

See Also[presence_summary](#)**Examples**

```
set.seed(123)
IA <- randomsequence(nID = 10, avgIA = 20, presence = c(0.7, 0.8))
SEQ <- elo.seq(winner = IA$seqdat$winner, loser = IA$seqdat$loser, Date = IA$seqdat$Date,
              presence = IA$pres, runcheck = FALSE, progressbar = FALSE)
coresidence(SEQ)
```

correctly_predicted *correctly predicted outcomes*

Description

correctly predicted outcomes

Usage

```
correctly_predicted(xdata, ...)

## Default S3 method:
correctly_predicted(xdata, ...)

## S3 method for class 'elo'
correctly_predicted(xdata, exclude_draws = TRUE, daterange = NULL, ...)

## S3 method for class 'fastelo'
correctly_predicted(xdata, ...)

## S3 method for class 'list'
correctly_predicted(xdata, ...)

## S3 method for class 'matrix'
correctly_predicted(xdata, ...)
```

Arguments

xdata	result from elo.seq , fastelo , a square interaction matrix or a list with two items where the first is a character vector with ID names (which represents the rank order to be checked) and the second is an interaction matrix (which needs to be square and which has column and row names)
...	additional arguments depending on the class of object you supplied
exclude_draws	logical, should draws be excluded from the calculation, by default TRUE. If they are included, such interactions will be scored as incorrectly predicted.
daterange	character or Date of length two, which allows to restrict the time range to be considered for elo objects

Details

If you provide results from `elo.seq` or `fastelo`, this function first extracts the number of interactions for which a winning expectation can be expressed, i.e. for all interactions for which the winning probability for either individual is different from 0.5. If the winning probability for both IDs is 0.5 then either outcome is equally likely and hence it cannot be verified whether the winning probability 'worked correctly'.

If you provide an interaction matrix, the order of columns in which it is supplied is taken as the order to be checked, i.e. this just calculates the proportion of interactions that are in upper triangle of the matrix.

If you provide a list with a rank order and an interaction matrix, the matrix will be 'reshuffled' according to the rank order and then all entries above the diagonal will be divided by the total number of interactions.

Note that there is one potential issue for the list-based method (rank order and interaction matrix supplied), which is that it can't accomodate tied ranks.

Value

a list with two items where the first item is the proportion of correctly predicted outcomes and the second item is the total number of interactions for which the winning probability is not 0.5 (in the case of `elo` or `fastelo`) or the total number of interactions (in case of `matrix` or `list`)

Methods (by class)

- `correctly_predicted(default)`: default method for logical vector
- `correctly_predicted(elo)`: for usage with results of `elo.seq`
- `correctly_predicted(fastelo)`: for usage with results of `fastelo`
- `correctly_predicted(list)`: for usage with a list of order and interaction matrix
- `correctly_predicted(matrix)`: for usage with an interaction matrix

Author(s)

Christof Neumann

Examples

```
data(adv)
res <- elo.seq(winner = adv$winner, loser = adv$loser, Date = adv$Date)
correctly_predicted(res)
correctly_predicted(res, daterange = c("2010-01-10", "2010-01-20"))
# only one interaction considered because for the first no expectation was
# expressed (same starting values for both contestants)
correctly_predicted(res, daterange = c("2010-01-01", "2010-01-02"))

data("devries98")
correctly_predicted(list(colnames(devries98), devries98))
# is the same as
correctly_predicted(devries98)
# reversed order
```



```

correctly_predicted(list(rev(colnames(devries98)), devries98))

mat <- matrix(ncol = 10, nrow = 10, 0)
colnames(mat) <- rownames(mat) <- letters[1:10]
mat[upper.tri(mat)] <- 101
mat[lower.tri(mat)] <- 100
# correct order
order1 <- colnames(mat)
correctly_predicted(list(order1, mat))
# not very good

# the worst possible order for that matrix:
order2 <- rev(order1)
correctly_predicted(list(order2, mat))
# not much worse than order 1...

mat <- matrix(ncol = 10, nrow = 10, 0)
colnames(mat) <- rownames(mat) <- letters[1:10]
mat[upper.tri(mat)] <- 1
mat[1, 2] <- 100
# correct ranking
order1 <- letters[1:10]
correctly_predicted(xdata = list(order1, mat))
# almost correct order
order2 <- c("b", "a", letters[3:10])
correctly_predicted(xdata = list(order2, mat))

```

creatematrix

create a dominance matrix

Description

create a dominance matrix from the underlying observed sequence

Usage

```

creatematrix(
  eloobject,
  daterange = NULL,
  drawmethod = "omit",
  onlyinteracting = FALSE,
  winners,
  losers,
  draw = NULL
)

```

Arguments

eloobject	output from elo.seq
daterange	character of length 2, date range to which the matrix should correspond (default from beginning to end of sequence)
drawmethod	character with the following options: "omit" = undecided interactions (draws/ties) are ignored (default) "0.5" = each undecided is counted half a win for each dyad member "1" = each undecided interaction is counted twice, i.e. as win for both individuals
onlyinteracting	logical, indicating whether all individuals that were present (default, TRUE) are shown in the matrix, or only those that were involved in an interaction in the specified date period. If no presence data was supplied to elo.seq , it is assumed that all individuals were present at all times
winners	vector of winners (see details)
losers	vector of losers (see details)
draw	logical vector (currently not doing anything)

Details

The function works with either the output of [elo.seq](#), or with two vectors of winners and losers. If you use winner and loser vectors, their arguments need to be named, and also the remaining arguments (`daterange=` and `onlyinteracting=`) are ignored. The function does not yet allow to include draws if you supply winner/loser vectors. If you go via the [elo.seq](#)-route, the function can handle draws (via the `drawmethod=` argument).

Value

square matrix with dominance interactions (winner in rows, loser in columns)

Author(s)

Christof Neumann

Examples

```
data(adv)
# from winner/loser sequence directly
creatematrix(winners=adv$winner, losers=adv$loser)
# via an eloobject
SEQ <- elo.seq(winner=adv$winner, loser=adv$loser, Date=adv$Date)
# create dyadic matrix over the entire period of data collection
creatematrix(SEQ)
# limit to a subset of interactions
creatematrix(SEQ, daterange=c("2010-01-25", "2010-02-01"))
# limit to a subset of interactions and show only those IDs that were
# involved in at least one interaction
creatematrix(SEQ, daterange=c("2010-01-25", "2010-02-01"),
```

```

        onlyinteracting=TRUE)

# interactions restricted to single date
creatematrix(SEQ, daterange = c("2010-01-25", "2010-01-25"))

## dealing with undecided interactions
data(adv2)
SEQ <- elo.seq(winner=adv2$winner, loser=adv2$loser, Date=adv2$Date,
              draw=adv2$tie)
# omit ties/draws
creatematrix(SEQ)
# omit ties/draws
creatematrix(SEQ, drawmethod="0.5")
# omit ties/draws
creatematrix(SEQ, drawmethod="1")

```

createstartvalues *calculate start values from prior knowledge*

Description

calculate start values from prior knowledge

Usage

```

createstartvalues(
  ranks = NULL,
  rankclasses = NULL,
  shape = 0.3,
  startvalue = 1000,
  k = 100
)

```

Arguments

ranks	named vector, contains the ordinal ranks of all individuals for which such prior knowledge exists, names of the vector refer to the individual codes as they occur in the interaction sequence supplied to elo.seq
rankclasses	list with four items, each representing a rank class in descending order, if a given rank class is empty supply it as NULL, see details and examples
shape	numeric, between 0 and 1, by default shape=0.3. This value determines the 'steepness' of the initial values. Steepest is at shape=0 and shallowest is at shape=1. See examples.
startvalue	numeric, the rating value with which an individual starts into the rating process. By default startvalue=1000
k	numeric, the k factor that determines the maximum change in ratings. By default k=100

Details

only one of ranks or rankclasses can be supplied.

if you wish to supply rank classes you need to supply four categories and it is assumed that the first list item is the highest class. If you have less than four rank classes, you still need to supply a list with four items and set those that you wish to ignore to NULL, see examples.

Value

list with three items:

res	a named numeric vector with the startvalues to be supplied to elo.seq
k	<i>k</i> factor used
startvalue	start value used

Author(s)

Christof Neumann

References

Newton-Fisher NE (2017). "Modeling social dominance: Elo-ratings, prior history, and the intensity of aggression." *International Journal of Primatology*, **38**, 427-447. doi:10.1007/s10764017-99522.

Examples

```
# assuming a group with 7 individuals
# with four rank classes
myrankclasses <- list(alpha = "a", high=c("b", "c"), mid=c("d", "e"), low=c("f", "g"))
createstartvalues(rankclasses = myrankclasses)
# with two rank classes
myrankclasses2 <- list(class1 = NULL, high=c("a", "b", "c"), class3=NULL, low=c("d", "e", "f", "g"))
createstartvalues(rankclasses = myrankclasses2)

# with ordinal ranks
myranks <- 1:7; names(myranks) <- letters[1:7]
createstartvalues(ranks = myranks)
```

DCindex

Directional Consistency Index

Description

calculate Directional Consistency Index

Usage

```
DCindex(interactionmatrix)
```

Arguments

```
interactionmatrix
```

square interaction matrix with winner in rows and losers in columns, for example the output from [creatematrix](#)

Value

numeric value, the DCI

Author(s)

Christof Neumann

References

van Hooff JARAM, Wensing JAB (1987). "Dominance and its behavioural measures in a captive wolf pack." In Frank H (ed.), *Man and Wolf*, 219-252. Junk, Dordrecht.

Examples

```
data(adv)
SEQ <- elo.seq(winner = adv$winner, loser = adv$loser, Date = adv$Date)
mat <- creatematrix(SEQ)
DCindex(mat)

# or directly from a matrix
data(bonobos)
DCindex(bonobos)
```

devries98

Dominance matrix from de Vries (1998)

Description

Fictional dominance matrix from de Vries (1998) from 10 individuals.

Usage

```
data(devries98)
```

Format

Named integer matrix.

References

de Vries H (1998). “Finding a dominance order most consistent with a linear hierarchy: a new procedure and review.” *Animal Behaviour*, **55**, 827-843. doi:10.1006/anbe.1997.0708.

Examples

```
data(devries98)
```

dommats

Example dominance matrices

Description

Example dominance matrices

Usage

```
dommats
```

Format

A named list with dominance matrices:

- badgers: 7 badgers (Hewitt et al 2009, Fig. A1 PO2004)
- squirrels: 8 squirrels (Farentinos 1972, Table 1C)
- elephants: 7 elephants (Archie et al 2006, Fig. 2, JA)

References

Farentinos RC (1972). “Social dominance and mating activity in the tassel-eared squirrel (*Sciurus aberti ferreus*).” *Animal Behaviour*, **20**, 316-326. doi:10.1016/S00033472(72)800538.

Archie EA, Morrison TA, Foley CAH, Moss CJ, Alberts SC (2006). “Dominance rank relationships among wild female African elephants, *Loxodonta africana*.” *Animal Behaviour*, **71**, 117-127. doi:10.1016/j.anbehav.2005.03.023.

Hewitt SE, Macdonald DW, Dugdale HL (2009). “Context-dependent linear dominance hierarchies in social groups of European badgers, *Meles meles*.” *Animal Behaviour*, **77**, 161-169. doi:10.1016/j.anbehav.2008.09.022.

Examples

```
data(dommats)
```

DS	<i>David's score</i>
----	----------------------

Description

calculate David's scores from an interaction matrix

Usage

```
DS(interactionmatrix, prop = c("Dij", "Pij"))
```

Arguments

`interactionmatrix`
square interaction matrix with winner in rows and losers in columns, for example the output from `creatematrix`

`prop`
the type of dyadic win proportion to be use. By default corrected for number of interactions in a dyad (`prop="Dij"`), otherwise the raw proportion (`prop="Pij"`)

Value

a data.frame with columns ID, DS (David's scores) and normDS (normalized David's scores)

Author(s)

Christof Neumann

References

- David HA (1987). "Ranking from unbalanced paired-comparison data." *Biometrika*, **74**, 432-436. doi:10.1093/biomet/74.2.432.
- Gammell MP, de Vries H, Jennings DJ, Carlin CM, Hayden TJ (2003). "David's score: a more appropriate dominance ranking method than Clutton-Brock et al.'s index." *Animal Behaviour*, **66**, 601-605. doi:10.1006/anbe.2003.2226.
- de Vries H, Stevens JMG, Vervaecke H (2006). "Measuring and testing the steepness of dominance hierarchies." *Animal Behaviour*, **71**, 585-592. doi:10.1016/j.anbehav.2005.05.015.

Examples

```
data(bonobos)
DS(bonobos)
DS(bonobos, prop = "Pij")
```

dyadic_dom	<i>dyadic dominance relations</i>
------------	-----------------------------------

Description

dyadic dominance relations

Usage

```
dyadic_dom(winner, loser, Date = NULL, daterange = NULL)
```

Arguments

winner	character or factor with winner
loser	character or factor with winner
Date	not yet implemented
daterange	not yet implemented

Value

a data.frame with one row per dyad

Examples

```
xdata <- randomsequence(nID = 5, avgIA = 10, reversals = 0.1)$seqdat
dyadic_dom(xdata$winner, xdata$loser)
```

dyadic_reversals	<i>changes in dyadic relationships</i>
------------------	--

Description

compare dyadic relationships before and after a certain date

Usage

```
dyadic_reversals(eloobject, cutpoint = NULL, daterange = NULL)
```

Arguments

eloobject	result from elo.seq
cutpoint	character or Date, the date at which to split into pre and post (default is NULL, where the data is split in halves). The actual date here will be included in the 'pre' period.
daterange	character or Date of length 2, the date range to be considered (default is NULL where the entire date range in the data is used)

Value

a data.frame with one line per dyad:

id1,id2 the dyad

pre_n,post_n the number of interactions for that dyad pre and post cutpoint date

pre,post which of the two was dominant (1 = id1, 2 = id2, 0 = tied relationship, NA = unknown relationship, i.e. 0 interactions)

Examples

```
data(adv)
eloobject <- elo.seq(winner = adv$winner, loser = adv$loser, Date = adv$Date)
# split at halfway point ("2010-01-17")
# one reversal: a-f
dyadic_reversals(eloobject)
# shift split date so that both interactions for a/f occur in the post period,
# which makes it a tie in post and unknown in pre
dyadic_reversals(eloobject, cutpoint = "2010-01-10")
```

e.single

Elo ratings for a single interaction

Description

calculate/update Elo ratings for a single dyadic interaction

Usage

```
e.single(EL01old, EL02old, outcome, k = 100, normprob = TRUE)
```

Arguments

EL01old, EL02old	numeric, Elo rating of the first and second individual
outcome	1 = first individual wins and second loses 2 = second individual wins and first loses 0 = interaction ends in a draw/tie (no winner and no loser)
k	numeric, k factor, by default $k = 100$
normprob	logical (by default TRUE). Should a normal curve be assumed for calculating the winning/losing probabilities, or a logistic curve. See winprob for details

Value

integer vector of length 2 with updated ratings of first and second individual after the interaction

Author(s)

Christof Neumann

References

Elo AE (1978). *The rating of chess players, past and present*. Arco, New York.

Albers PCH, de Vries H (2001). "Elo-rating as a tool in the sequential estimation of dominance strengths." *Animal Behaviour*, **61**, 489-495. doi:10.1006/anbe.2000.1571.

Examples

```
e.single(EL01old = 1200, EL02old = 1000, outcome = 1, k = 100)
# same as before
e.single(EL01old = 1000, EL02old = 1200, outcome = 2, k = 100)
# an undecided interaction
e.single(EL01old = 1200, EL02old = 1000, outcome = 0, k = 100)
# if rating differences are too big, no change occurs
# if higher-rated individual wins
e.single(EL01old = 2000, EL02old = 1000, outcome = 1, k = 100)
# same as before but lower-rated individual wins and
# therefore wins maximum number of points possible (i.e. k)
e.single(EL01old = 2000, EL02old = 1000, outcome = 2, k = 100)
```

elo.seq	<i>calculate Elo ratings</i>
---------	------------------------------

Description

calculate Elo ratings from a sequence of dominance interactions

Usage

```
elo.seq(winner, loser, Date, draw = NULL, presence = NULL, startvalue = 1000,
        k = 100, normprob = TRUE, init = "average", intensity = NULL,
        iterate = 0, runcheck = TRUE, progressbar = FALSE)
fastelo(WINNER, LOSER, ALLIDS, KVALS, STARTVALUES, NORMPROB = TRUE, ROUND = TRUE)
```

Arguments

winner	either a factor or character vector with winner IDs of dyadic dominance interactions
loser	either a factor or character vector with loser IDs of dyadic dominance interactions
Date	character vector of form "YYYY-MM-DD" with the date of the respective interaction
draw	logical, which interactions ended undecided (i.e. drawn or tied)? By default all FALSE, i.e. no undecided interactions occurred. Note that in this case, winner/loser values can be interchanged
presence	optional data.frame, to supply data about presence and absence of individuals for part of the time the data collection covered. see details

startvalue	the value of Elo ratings of the two individuals that are involved in the first interaction of the overall sequence prior to this interaction. By default set to 1000. See also <code>init</code>
k	factor k that determines the maximum change in ratings. By default $k=100$
normprob	logical (by default TRUE). Should a normal curve be assumed for calculating the winning/losing probabilities, or a logistic curve. See winprob for details
init	character, what Elo rating does an individual have prior to its first interaction. Three options are available: <code>average</code> : individuals always start with the value specified in <code>startvalue</code> . Given stable composition of the group, this also reflects the average Elo rating on each day in that group, <code>bottom</code> : subjects entering at the current lowest Elo value if the lowest value getting lower its getting lower for all subjects which had this lowest values before, it is reflecting that in some species new subjects entering a group at the bottom level "bottom entry" <code>bottom_low</code> : same as <code>bottom</code> but additionally the start values getting after the first interaction lower for all non-interacting subjects and, reflecting that we have at start no knowledge about the subjects this option offers for "bottom entry" species the possibility to consider that in a way that those subjects which are not interacting getting lower from start on
intensity	a character vector or factor describing intensity of interaction, to be matched with custom k values if specified
iterate	not yet implemented
runcheck	logical, should several checks regarding data integrity be performed, by default TRUE. See seqcheck
progressbar	logical, should progress bars be displayed, by default <code>progressbar=TRUE</code>
WINNER	same as <code>winner</code> for use in <code>fastelo()</code>
LOSER	same as <code>loser</code> for use in <code>fastelo()</code>
ALLIDS	character vector, contains all the individuals IDS
KVALS	numeric vector of the same length <code>WINNER</code> , i.e. one k value for each interaction
STARTVALUES	numeric vector of the same length as <code>ALLIDS</code> , i.e. one start value for each individual
NORMPROB	logical, by default TRUE: same as <code>normprob</code> for use in <code>fastelo()</code>
ROUND	logical, by default TRUE: should ratings be rounded to integers. For use in <code>fastelo()</code>

Details

The presence `'matrix'` is actually an object of class `data.frame` containing information about whether an individual was present on a given day or not. The first column represents the dates, running at least from the date of the earliest interaction until at least the date of the last interaction with one line per day (regardless of whether there were actually interactions observed on each day). Further, each individual is represented as a column in which "1" indicates an individual was present on the row-date and a "0" indicates the individual's absence on this date. NAs are not allowed. See [advpres](#) for an example.

The function `fastelo()` is a stripped-down version of `elo.seq()`, which performs only the most basic calculations while ignoring anything that is date and presence related. Neither does it perform data checks. In other words, it just calculates ratings based on the sequence. It's most useful in simulations, for example when estimating optimal k parameters. Its main advantage is its speed, which is substantially faster than `elo.seq()`. Note that currently there is no support for tied interactions. The main difference to note is that both, start values and k values have to be supplied as vectors with one value for each individual and interaction respectively.

Value

An object of class `elo`, which is list with 10 items that serves as basis to extract relevant information:

<code>mat</code>	a date by ID-matrix with raw Elo ratings
<code>lmat</code>	a date by ID-matrix with raw Elo ratings
<code>cmat</code>	a date by ID-matrix with raw Elo ratings
<code>pmat</code>	a date by ID-matrix with with presence data
<code>nmat</code>	a date by ID-matrix containing the number of interactions a given ID was involved in on a given day
<code>logtable</code>	details on each single interaction
<code>stability</code>	a data.frame containing information about stability (see stab_elo)
<code>truedates</code>	vector of class Date covering the ranges of dates in the dataset
<code>misc</code>	various
<code>allids</code>	a (sorted) character vector with all IDs that occur in the dataset

`fastelo()` returns a list with ten items:

<code>\$ratings</code>	numeric vector of the final ratings in the same order as ALLIDS
<code>\$winprobs</code>	numeric vector with winning probabilities in the same order as the interactions were supplied
<code>\$rtype</code>	character of length 1, as a marker that the result comes from <code>fastelo()</code>
<code>\$startvalues</code>	numeric vector with start values
<code>\$kvalues</code>	numeric vector with k values
<code>\$winner</code>	character vector with winners
<code>\$loser</code>	character vector with losers
<code>\$allids</code>	character vector with all IDs that occur in the sequence
<code>\$normprob</code>	logical, was normal probability used for winning expectations
<code>\$round</code>	logical, was rounding to integers used during the calculation of ratings

Author(s)

Christof Neumann and Lars Kulik

References

- Elo AE (1978). *The rating of chess players, past and present*. Arco, New York.
- Albers PCH, de Vries H (2001). “Elo-rating as a tool in the sequential estimation of dominance strengths.” *Animal Behaviour*, **61**, 489-495. doi:10.1006/anbe.2000.1571.
- Neumann C, Duboscq J, Dubuc C, Ginting A, Irwan AM, Agil M, Widdig A, Engelhardt A (2011). “Assessing dominance hierarchies: validation and advantages of progressive evaluation with elo-rating.” *Animal Behaviour*, **82**, 911-921. doi:10.1016/j.anbehav.2011.07.016.
- Newton-Fisher NE (2017). “Modeling social dominance: Elo-ratings, prior history, and the intensity of aggression.” *International Journal of Primatology*, **38**, 427-447. doi:10.1007/s10764017-99522.

Examples

```
data(adv)
res <- elo.seq(winner = adv$winner, loser = adv$loser, Date = adv$Date)
summary(res)

# with custom k
data(adv2)
table(adv2$intensity)

myks <- list(displace = 20, fight = 200)
res <- elo.seq(winner = adv2$winner, loser = adv2$loser, Date = adv2$Date,
              k = myks, intensity = adv2$intensity)
extract_elo(res)
summary(res)

# with custom start values
# if we know prior ranks:
myranks <- 1:7
names(myranks) <- letters[1:7]
mypriors <- createstartvalues(myranks, shape = 0.3)
res <- elo.seq(winner = adv2$winner, loser = adv2$loser, Date = adv2$Date,
              k = myks, intensity = adv2$intensity, startvalue = mypriors$res)
extract_elo(res)

# compare elo.seq and fastelo
xdata <- randomsequence(10, 500)
allids <- colnames(xdata$pres)[2:ncol(xdata$pres)]
winner <- xdata$seqdat$winner
loser <- xdata$seqdat$loser
Date <- xdata$seqdat$Date
k <- rep(100, length(winner))
svals <- rep(1000, length(allids))

res1 <- fastelo(WINNER = winner, LOSER = loser, ALLIDS = allids, KVALS = k,
               STARTVALUES = svals, NORMPROB = TRUE)$ratings
names(res1) <- allids
res1 <- sort(res1, decreasing = TRUE)
res2 <- extract_elo(elo.seq(winner = winner, loser = loser, Date = Date,
```

```

                                startvalue = 1000, k = 100, normprob = TRUE,
                                runcheck = FALSE))
res1
res2

```

eloplot

Elo rating plots

Description

plot Elo ratings for all or selected individuals over a specified time period

Usage

```

eloplot(
  eloobject,
  ids = "all",
  interpolate = "yes",
  from = "start",
  to = "end",
  color = TRUE
)

```

Arguments

eloobject	elo object, output of elo.seq function
ids	character, "all" will plot trajectories for all individuals within the dataset. "first.20" will plot the 20 first individuals. "random.20" will plot 20 randomly chosen individuals from the dataset. Alternatively, provide a list of individual IDs.
interpolate	character, by default ("yes") plot interpolated Elo values or plot Elo values without interpolation ("no")
from	character, either "start", i.e. the plotted date range will start at the first date of the dataset, or provide a custom date ("YYYY-MM-DD")
to	character, either "end", i.e. the plotted date range will end at the last date of the dataset, or provide a custom date ("YYYY-MM-DD")
color	logical, the plot is either colored (TRUE) or in black and white with symbols

Details

For a visual inspection of an Elo object it is useful to plot the calculated trajectories. We recommend not to plot trajectories for more than 20 individuals at once.

Note also, if plots for IDs are requested that had observations on only one day, these IDs are excluded from plotting and a corresponding warning message is produced.

Value

a plot

Author(s)

Lars Kulik and Christof Neumann

Examples

```
data(adv)
SEQ <- elo.seq(winner=adv$winner, loser=adv$loser, Date=adv$Date)
eloplots(SEQ, ids="all", interpolate="yes", from="start", to="end",
         color=TRUE)
```

 extract_elo

extract Elo ratings from elo object

Description

extract Elo ratings from elo object

Usage

```
extract_elo(
  eloobject,
  extractdate = eloobject$misc["maxDate"],
  standardize = FALSE,
  IDs = NULL,
  NA.interpolate = FALSE,
  daterange = 1
)
```

Arguments

eloobject	result from elo.seq
extractdate	character, date on which Elo ratings should be obtained, defaults to the last day in the data set
standardize	logical, should the returned ratings be scaled between 0 and 1. Default is FALSE. See scale_elo
IDs	character, specify IDs for which ratings are returned. By default, returns all that were present on the date or at least on one day of the date range
NA.interpolate	if FALSE (default), the last known rating is returned, which might not be from the specified date itself (but older). If TRUE, ratings on days without observations are linearly interpolated between days with known ratings (i.e. dates with observed interactions)
daterange	if averaged ratings are desired, supply here the number of days from extractdate - 1. By default (daterange = 1), the ratings of the single extractdate are returned. daterange = 2 produces average ratings from extractdate and the day after, and so on...

Details

extractdate can be also a vector of dates. In this case, the IDs argument has to be either a vector of length 1 (i.e. a single individual) or a vector of the same length as extractdate. In the first case, the ratings for the same individual are returned on the dates specified in extractdate. In the second case, dates and IDs are matched, i.e. the rating of the individual on that date is returned in the same order as the dates/IDs vectors.

Value

named (IDs) vector of (average) Elo ratings, or an unnamed vector of ratings (if length of extracte is larger than 1)

Author(s)

Christof Neumann

Examples

```
data(adv)
SEQ <- elo.seq(winner=adv$winner, loser=adv$loser, Date=adv$Date)
extract_elo(SEQ, "2010-01-30")
extract_elo(SEQ, "2010-01-30", standardize=TRUE)

# same ratings (regardless of NA.interpolate),
# since "g" was observed on both days
extract_elo(SEQ, "2010-01-29", IDs="g")
extract_elo(SEQ, "2010-01-29", IDs="g", NA.interpolate=TRUE)

extract_elo(SEQ, "2010-01-31", IDs="g")
extract_elo(SEQ, "2010-01-31", IDs="g", NA.interpolate=TRUE)

# different ratings (depending on NA.interpolate),
# since "g" was not observed that day
extract_elo(SEQ, "2010-01-30", IDs="g")
extract_elo(SEQ, "2010-01-30", IDs="g", NA.interpolate=TRUE)

extract_elo(SEQ, "2010-01-10", daterange=5)
extract_elo(SEQ, "2010-01-10", daterange=5, NA.interpolate=TRUE)

# and for multiple dates and a single IDs
dates <- sample(adv$Date, size = 10, replace = TRUE)
ids <- "b"
extract_elo(eloobject = SEQ, extractdate = dates, standardize = FALSE, IDs = ids)

# and for multiple dates and IDs
dates <- sample(adv$Date, size = 10, replace = TRUE)
ids <- sample(colnames(advpres)[2:8], size = 10, replace = TRUE)
extract_elo(eloobject = SEQ, extractdate = dates, standardize = FALSE, IDs = ids)
```

h.index	<i>linearity indices</i>
---------	--------------------------

Description

linearity indices

Usage

```
h.index(interactionmatrix, loops = 1000)
```

Arguments

interactionmatrix	square interaction matrix with winner in rows and losers in columns, for example the output from <code>creatematrix</code>
loops	numeric, the number of randomizations to perform (by default: 1000)

Details

Note that the expected value of h can also be calculated as $3/(N+1)$.

Value

a data.frame with with values for the number of individuals in the matrix (N), linearity indices (h, h' and expected h), p-value, number of randomizations, and number of unknown and tied relationships.

Author(s)

Christof Neumann

References

Appleby MC (1983). "The probability of linearity in hierarchies." *Animal Behaviour*, **31**, 600-608. doi:10.1016/S00033472(83)800840.

de Vries H (1995). "An improved test of linearity in dominance hierarchies containing unknown or tied relationships." *Animal Behaviour*, **50**, 1375-1389. doi:10.1016/00033472(95)800530.

Examples

```
data(bonobos)
h.index(bonobos)
```

heatmapplot	<i>heatmap</i>
-------------	----------------

Description

heatmap

Usage

```
heatmapplot(
  formula,
  data,
  xbreaks = NULL,
  ybreaks = NULL,
  addvals = FALSE,
  addN = FALSE,
  digits = 1,
  ...
)
```

Arguments

formula	formula for plot
data	data set for plot (typically a data frame)
xbreaks	numeric, the breakpoints for the horizontal axis
ybreaks	numeric, the breakpoints for the vertical axis
addvals	add the response values to the plot
addN	add the sample size to the plot
digits	numeric: if response variable is plotted, round to this many digits (default is 1)
...	other parameters passed on to plot() or text()

Value

a plot

Examples

```
xdata <- expand.grid(a = seq(0, 1, 0.1), b = seq(10, 20, 1))
xdata$resp <- rnorm(nrow(xdata))
heatmapplot(resp ~ a + b, data = xdata)

set.seed(123)
xdata <- expand.grid(k = seq(8, 200, length.out = 31), shape = seq(0, 1, length.out = 31))
idata <- randomsequence(10, 50, reversals = 0.3)
allids <- colnames(idata$pres)[2:ncol(idata$pres)]
winner <- as.character(idata$seqdat$winner)
```

```
loser <- as.character(idata$seqdat$loser)

myranks <- 1:length(allids)
names(myranks) <- allids

for(i in 1:nrow(xdata)) {
  kv <- rep(xdata$k[i], length(winner))
  sv <- createstartvalues(ranks = myranks, shape = xdata$shape[i])$res
  res <- fastelo(WINNER = winner, LOSER = loser, ALLIDS = allids, KVALS = kv, STARTVALUES = sv,
                ROUND = FALSE)
  xdata$l1[i] <- likelo(res)
}

heatmapplot(l1 ~ k + shape, data = xdata)
```

incontable	<i>number and strength of inconsistencies</i>
------------	---

Description

calculate number and strength of inconsistencies

Usage

```
incontable(mat)
```

Arguments

mat square interaction matrix with winner in rows and losers in columns, for example the output from [creatematrix](#)

Value

data frame with inconsistencies and their strength

Author(s)

Christof Neumann

References

de Vries H (1998). "Finding a dominance order most consistent with a linear hierarchy: a new procedure and review." *Animal Behaviour*, **55**, 827-843. doi:10.1006/anbe.1997.0708.

Examples

```
data(bonobos)
incontable(bonobos)
```

individuals	<i>individuals present in the group</i>
-------------	---

Description

returns IDs, number or IDs, or CV of number of present individuals

Usage

```
individuals(
  eloobject,
  from = eloobject$misc["maxDate"],
  to = NULL,
  outp = c("N", "IDs", "CV")
)
```

Arguments

eloobject	result from elo.seq
from	character, from which date onwards should the ID statistics be calculated. By default the first date in the sequence is used
to	character, until which date should the ID statistics be calculated. By default NULL, i.e. the returned information refers to only the date specified by from
outp	character, one of three options to determine which kind of information is returned: (1) "N": the (average) number of individuals present, (2) "IDs": the actual IDs, and (3): "CV": coefficient of number of individuals present

Details

if to=NULL, either the IDs (outp="IDs") or the number of individuals (outp="N") present on this day is returned. outp="CV" is not defined in such a case (returns NA).

if a to date is set (i.e. different from NULL), either the IDs of all individuals that were present on at least one day of the date range (outp="IDs") is returned or the average number of individuals present during this time (outp="N"). If outp="CV", the coefficient of variation of the number of individuals present is returned, which might be considered another measure of stability on the group level.

Value

numeric or character

Author(s)

Christof Neumann

Examples

```

data(adv)
SEQ <- elo.seq(winner = adv$winner, loser = adv$loser, Date = adv$Date)
individuals(SEQ, outp = "N")
individuals(SEQ, outp = "IDs")
individuals(SEQ, outp = "CV") # not defined

# consider additional presence information
data(advpres)
SEQ <- elo.seq(winner = adv$winner, loser = adv$loser, Date = adv$Date,
              presence = advpres)
individuals(SEQ, outp = "N")
individuals(SEQ, outp = "IDs")
individuals(SEQ, outp = "CV") # not defined

# across a date range
individuals(SEQ, from = "2010-01-01", to = "2010-01-31", outp = "N")
individuals(SEQ, from = "2010-01-01", to = "2010-01-31", outp = "IDs")
individuals(SEQ, from = "2010-01-01", to = "2010-01-31", outp = "CV")

```

 ISI

de Vries' I&SI ranking

Description

de Vries' I&SI ranking

Usage

```
ISI(mat, runs = 5000, printmessages = TRUE)
```

Arguments

mat	square interaction matrix with winner in rows and losers in columns, for example the output from creatematrix
runs	numeric, number of iterations, by default 5000
printmessages	logical, should the number of I and SI be printed (as well as a message if there is more than one solution). By default TRUE.

Details

The number of iterations is set substantially higher than what was suggested in the de Vries' 1998 paper, because my algorithm here is less efficient.

The I&SI algorithm (c.f. de Vries 1998) does not necessarily result in a unique order (see example below). If such a case occurs, all (equally good) solutions are returned as a list.

The function checks whether a table is supplied instead of a matrix and converts from table to matrix if possible (trying to keep the column and row names if supplied in the table).

If the matrix does not have column-names, unique column- and row-names are assigned.

Value

a list with the best possible matrix (or matrices if there is more than one best solution)

Author(s)

Christof Neumann

References

de Vries H (1998). “Finding a dominance order most consistent with a linear hierarchy: a new procedure and review.” *Animal Behaviour*, **55**, 827-843. doi:10.1006/anbe.1997.0708.

See Also

[ISIRanks](#)

Examples

```
data(devries98)
h.index(devries98)
ISI(devries98)

##
data(adv)
SEQ <- elo.seq(winner=adv$winner, loser=adv$loser, Date=adv$Date)
mat <- creatematrix(SEQ)
res <- ISI(mat)
# note that this matrix is not sufficiently linear to justify such ordering
h.index(mat)
```

ISIRanks

ISI ranks

Description

ISI ranks

Usage

```
ISIRanks(x, sortbyID = TRUE)
```

Arguments

x	a list of matrices, with the same column names, typically the output of ISI
sortbyID	logical, should the output be sorted by ID (default is TRUE). If FALSE, output is sorted by (average rank)

Details

if there is more than one solution resulting from [ISI](#), average (mean) ranks will be calculated. If there is only one solution, the average rank will be the same as the rank from the (one) ISI ranking

Value

a data.frame with at least three columns: IDs, their average rank and the rankings of all rankings that satisfy ISI's minimum criteria

Examples

```
# no unique solution
data(adv)
mat <- creatematrix(winners = adv$winner, losers = adv$loser)
set.seed(123)
res <- ISI(mat)
ISIRanks(res)
ISIRanks(res, sortbyID = FALSE)

# only one (and unique) solution
data(bonobos)
set.seed(123)
res <- ISI(bonobos)
ISIRanks(res)
ISIRanks(res, sortbyID = FALSE)
```

lastdaypresent	<i>last day an individual was present</i>
----------------	---

Description

last day an individual was present with respect to a reference date

Usage

```
lastdaypresent(x, ID = "all", refdate = NULL)
```

Arguments

x	output from elo.seq
ID	character, if "all", all individuals are returned, otherwise only for the desired ID
refdate	character or Date (YYYY-MM-DD), up to which date the presence data should be considered, by default the last date of the sequene

Details

the function can result in NA for two reasons. 1) the ID is not found in the presence data, which is accompanied by a warning and 2) the ID was not yet present if a referene date is specified

Value

Date or NA

Author(s)

Christof Neumann

Examples

```
data(adv)
data(advpres)
SEQ <- elo.seq(winner = adv$winner, loser = adv$loser, Date = adv$Date,
              presence = advpres)
lastdaypresent(SEQ, ID = "all", refdate = "2010-01-02")
lastdaypresent(SEQ, ID = "f", refdate = "2010-02-02")
```

likelo	<i>(log) likelihood of Elo-rating model</i>
--------	---

Description

(log) likelihood of Elo-rating model

Usage

```
likelo(eloobject, burnin = 0, ll = TRUE, daterange = NULL)
```

Arguments

eloobject	output from elo.seq (or from fastelo)
burnin	numeric, the number of interactions to be excluded from the calculation of the (log) likelihood. This parameter is ignored if a date range is supplied. By default burnin = 0, i.e. all interactions are considered.
ll	logical, should the log likelihood be returned rather than the likelihood, by default TRUE
daterange	character or Date of length 2, gives the date range for which likelihood should be calculated. By default, the entire date range of all interactions is considered.

Details

This function returns the (log) likelihood of a dominance interaction sequence. The likelihood is the product of all winning probabilities (for each interaction).

Value

numeric of length 1, the (log) likelihood

References

Franz M, McLean E, Tung J, Altmann J, Alberts SC (2015). "Self-organizing dominance hierarchies in a wild primate population." *Proceedings of the Royal Society B: Biological Sciences*, **282**, 20151512. doi:10.1098/rspb.2015.1512.

McMahan CA, Morris MD (1984). "Application of maximum likelihood paired comparison ranking to estimation of a linear dominance hierarchy in animal societies." *Animal Behaviour*, **32**, 374-378. doi:10.1016/S00033472(84)802717.

Examples

```
data(adv)
res <- elo.seq(winner = adv$winner, loser = adv$loser, Date = adv$Date, k = 200)
likelo(res)
res <- elo.seq(winner = adv$winner, loser = adv$loser, Date = adv$Date, k = 100)
likelo(res)
ks <- seq(100, 400, by = 20)
liks <- numeric(length(ks))
for(i in 1:length(liks)) {
  liks[i] <- likelo(elo.seq(winner = adv$winner, loser = adv$loser,
                          Date = adv$Date, k = ks[i]))
}
plot(ks, liks, type = "l")

# discard early interactions via 'burnin'
likelo(res)
# the same as above:
likelo(res, burnin = 0)
# discard the first 10 interactions:
likelo(res, burnin = 10)
# discard all but the last interaction:
likelo(res, burnin = 32)
# which is the same as the log of the last winning probability:
log(winprob(res$logtable$Apre[33], res$logtable$Bpre[33]))
```

 mat2seq

matrix to sequence conversion

Description

matrix to sequence conversion

Usage

```
mat2seq(mat)
```

Arguments

mat square interaction matrix with winner in rows and losers in columns (can have column/row names or not)

Value

a data.frame with a winner and a loser column

Examples

```
mat <- matrix(c(0,1,1,0,0,1,0,0,0), ncol=3, byrow = TRUE)
rownames(mat) <- colnames(mat) <- LETTERS[1:3]
mat2seq(mat)

mat <- matrix(c(0,1,1,0,0,1,3,0,0), ncol=3, byrow = TRUE)
rownames(mat) <- colnames(mat) <- LETTERS[1:3]
mat2seq(mat)

# without column names
mat <- matrix(c(0,1,1,0,0,1,0,0,0), ncol=3, byrow = TRUE)
mat2seq(mat)
```

optimizek

optimize the k parameter

Description

optimize the k parameter

Usage

```
optimizek(
  eloobject,
  krange = c(2, 400),
  optimode = "loop",
  resolution = 100,
  itype = NULL,
  daterange = NULL,
  burnin = 0,
  doplot = FALSE,
  progbar = FALSE,
  ...
)
```

Arguments

eloobject	output from elo.seq or from fastelo
krange	either a vector of length 2, giving the range of k values to be tested, or a named list with vectors of length 2, in which each list item is named according to different interaction types (see the <code>intensity=</code> argument in elo.seq)
optimode	character, either "loop" or "optimize". See details.

resolution	numeric, the number of steps between the range of k values to be tested. Currently only a single value can be supplied here and in case krange is a list this value will be applied to all items in this list
itype	character or factor containing the different interaction types, which is only relevant if krange is a list. The content of itype and the names of krange have to match!
daterange	character or Date of length 2, provides a date range for optimization. Only relevant in case eobject is the result of elo.seq()
burnin	numeric, the number of interactions to be excluded from the calculation of the (log) likelihood. This parameter is ignored if a date range is supplied. By default burnin = 0, i.e. all interactions are considered.
doplot	logical, should a plot be returned. Works only if optmode = "loop", and only if there are maximally two different interaction types
progbar	logical, should a progress bar be displayed, not yet implemented
...	additional arguments for the plot and text functions, e.g. for setting cex or lwd

Details

this function attempts to find the objectively best k parameter. This is done by a maximum likelihood approach in which the likelihood is represented by the individual winning probabilities. In a perfect situation, in each interaction the winner would have a winning probability of 1, whereas in the worst case, in each interaction the winner would have a winning probability of 0.

There are two major approaches to find the best k. One does it 'by hand', i.e. by means of a loop trying many different k values (specified by resolution), recalculating the ratings (and associated winning probabilities) and return the likelihood for each k value. The second approach uses the optimize function, but this is not yet implemented.

One thing to note is that you can use interaction-level k values, i.e. if you have interactions of different types (e.g. fights vs. displacements) you can try to find the optimal k for each interaction type. This is achieved in the ("loop" approach by trying different *combinations* of k values. Because of the combinatorial nature of this approach, the number of individual sequences to be fitted increases sharply with higher resolutions: if you have two different interaction types and use a resolution of 5, the function will need to run 25 (= 5 * 5) iterations. If you use a more reasonable resolution of 100 the number of iterations will be already 10000. Also note that in that case the actual plotting of the results might take a lot of time in such cases. Just try with low values first to see whether it works as expected and the potentially increase the resolution.

Value

a list with two items: (1) \$best, a data frame with one line, in which the maximal log likelihood is returned alongside the one or several corresponding k values, and (2) \$complete, a data frame with all the values tested and their log likelihoods

References

Franz M, McLean E, Tung J, Altmann J, Alberts SC (2015). "Self-organizing dominance hierarchies in a wild primate population." *Proceedings of the Royal Society B: Biological Sciences*, **282**, 20151512. doi:10.1098/rspb.2015.1512.

McMahan CA, Morris MD (1984). "Application of maximum likelihood paired comparison ranking to estimation of a linear dominance hierarchy in animal societies." *Animal Behaviour*, **32**, 374-378. doi:10.1016/S00033472(84)802717.

Examples

```
data(adv2)
res <- elo.seq(winner = adv2$winner, loser = adv2$loser, Date = adv2$Date)
optimizek(eloobject = res, krange = c(50, 400), resolution = 200, doplot = TRUE)$best

# with a burnin value set:
optimizek(eloobject = res, krange = c(50, 400), resolution = 200, burnin = 15, doplot = TRUE)$best

# using different interaction intensities
myks <- list(displace = 20, fight = 200)
res <- elo.seq(winner = adv2$winner, loser = adv2$loser, Date = adv2$Date,
              k = myks, intensity = adv2$intensity)
optimizek(eloobject = res, optimode = "loop",
          krange = list(fight = c(50, 600), displace = c(20, 200)),
          resolution = 100, itype = adv2$intensity, main = 'bla')$best
```

optistart

optimize start values

Description

experimental function to test different sets of randomly selected start values

Usage

```
optistart(
  eloobject,
  burnin = 0,
  spread = 200,
  runs = 2000,
  doplot = FALSE,
  initialcohort = TRUE
)
```

Arguments

eloobject	output from elo.seq
burnin	numeric, the number of interactions to be excluded from the calculation of the (log) likelihood. This parameter is ignored if a date range is supplied. By default burnin = 0, i.e. all interactions are considered.
spread	numeric, the standard deviation of the ratings to be tested (by default 200)
runs	numeric, number of initial ratings to be tested (by default 2000)
doplot	logical, should the distribution of log likelihoods be plotted
initialcohort	logical, not yet implemented

Details

if the plot is produced, the red line indicates the log-likelihood when all individuals are assigned the same starting value

the item \$best reflects the optimal start values found

Value

a list with multiple items:

Author(s)

Christof Neumann

Examples

```
set.seed(123)
xdata <- randomsequence(8, 100)$seqdat
res1 <- elo.seq(xdata$winner, xdata$loser, xdata$Date)
ores <- optistart(res1)
res2 <- elo.seq(xdata$winner, xdata$loser, xdata$Date, startvalue = ores$best)
eloplot(res1)
eloplot(res2)
```

presence_summary	<i>Summarize presence data</i>
------------------	--------------------------------

Description

Summarize presence data

Usage

```
presence_summary(presence, from = NULL, to = NULL)
```

Arguments

presence	a data.frame with one date column (needs to be named "Date") and columns for each individual with 0/1 indicating absence/presence of that individual on that date
from	character indicating the beginning of the period to be considered (by default the first date in the Date column)
to	character indicating the end of the period to be considered (by default the last date in the Date column)

Details

If an individual left and/or joined multiple times, this will be indicated by the `stint` column.

The `init` column marks those individuals that were present on the beginning of the period considered.

Value

a `data.frame` with entries for each individual indicating the first and last dates of their stays.

Examples

```
data(advpres)
presence_summary(advpres)

presence_summary(advpres, from = "2010-01-27", to = "2010-02-02")
```

```
print.elo          prints its argument
```

Description

prints its argument

Usage

```
## S3 method for class 'elo'
print(x, ...)
```

Arguments

```
x          result from elo.seq
...        further arguments passed to or from other methods
```

Author(s)

Christof Neumann

Examples

```
data(adv)
SEQ <- elo.seq(winner=adv$winner, loser=adv$loser, Date=adv$Date)
print(SEQ)
```

```
print.seqchecknopres  prints its argument
```

Description

prints its argument

Usage

```
## S3 method for class 'seqchecknopres'  
print(x, ...)
```

Arguments

x result from [seqcheck](#)
... further arguments passed to or from other methods

Author(s)

Christof Neumann

Examples

```
data(adv)  
print(seqcheck(winner = adv$winner, loser = adv$loser, Date = adv$Date))
```

```
print.sequencecheck  prints its argument
```

Description

prints its argument

Usage

```
## S3 method for class 'sequencecheck'  
print(x, ...)
```

Arguments

x result from [seqcheck](#)
... further arguments passed to or from other methods (ignored here)

Author(s)

Christof Neumann

Examples

```
data(adv)
data(advpres)
print(seqcheck(winner = adv$winner, loser = adv$loser, Date = adv$Date,
               presence = advpres))
```

prunk

unknown relationships

Description

unknown relationships

Usage

```
prunk(eloobject, daterange = NULL)
```

Arguments

eloobject	output from elo.seq or a matrix, e.g. from creatematrix
daterange	date range to be considered (character or Date of length 2), by default considers the entire date range of the sequence. In case the function works on a matrix this is ignored.

Value

numeric, proportion of unknown relationships (and total N) when considering all possible dyads, and the same after accounting for co-residency. For matrices, considering co-residency is ignored.

Author(s)

Christof Neumann

Examples

```
data(adv); data(advpres)
x <- elo.seq(winner = adv$winner, loser = adv$loser, Date = adv$Date, presence = advpres)
prunk(x, c("2010-01-01", "2010-01-15"))
mat <- creatematrix(x, c("2010-01-01", "2010-01-15"))
prunk(mat)
```

randomelo *calculate Elo ratings from an interaction matrix*

Description

calculate Elo ratings from an interaction matrix based on randomly generated sequences

Usage

```
randomelo(  
  interactionmatrix,  
  runs = 2000,  
  normprob = TRUE,  
  k = 100,  
  progressbar = FALSE  
)
```

Arguments

interactionmatrix	square interaction matrix with winner in rows and losers in columns, for example the output from creatematrix
runs	number of randomly generated sequences based on the interactions in the <code>interactionmatrix</code>
normprob	logical (by default TRUE). Should a normal curve be assumed for calculating the winning/losing probabilities, or a logistic curve. See winprob for details
k	numeric, factor k that determines the maximum change in ratings. By default $k=100$
progressbar	logical, should progress bars be displayed, by default <code>progressbar=TRUE</code>

Value

list of length 2. The first element contains a matrix with the final rating of each individual from each random sequence. IDs are in the columns, each run is represented as one row. The second element of the list contains the original interaction matrix.

Author(s)

Christof Neumann

Examples

```
data(adv)  
elores <- elo.seq(winner = adv$winner, loser = adv$loser, Date = adv$Date)  
mat <- creatematrix(elores)  
res <- randomelo(mat, 10)  
data.frame(ID = colnames(res[[1]]), avg = round(colMeans(res[[1]]), 1))
```

randomeloextract	<i>extract ratings from random sequences based on an interaction matrix</i>
------------------	---

Description

extract ratings from random sequences based on an interaction matrix

Usage

```
randomeloextract(x, ID, mode = c("obj", "samp", "avg"))
```

Arguments

x	output from randomelo
ID	character, ID
mode	character, one of three: 1) "obj": a random value from all the sequences; 2) "samp": a random value sampled from a normal distribution with mean and sd of all randomized values; 3) "avg": the average value from all the runs

Value

numeric

Author(s)

Christof Neumann

Examples

```
data(adv)
elores <- elo.seq(winner = adv$winner, loser = adv$loser, Date = adv$Date)
mat <- creatematrix(elores)
res <- randomelo(mat, runs = 10)
randomeloextract(res, "a", "samp")
randomeloextract(res, "a", "obj")
randomeloextract(res, "a", "avg")
```

randomsequence	<i>random dominance interaction sequence</i>
----------------	--

Description

create a random dominance sequence for testing or simulations

Usage

```
randomsequence(
  nID = 10,
  avgIA = 20,
  startdate = as.Date("2000-01-01"),
  alphabet = TRUE,
  reversals = 0.1,
  ties = NULL,
  presence = NULL
)
```

Arguments

nID	integer, number of IDs, must be less than 2601
avgIA	numeric, average number of interactions an individual is involved in
startdate	character, a start date, by default "2000-01-01"
alphabet	logical, should the individual within an interaction that comes first in alphabetical order be the winner? By default TRUE, which gives some orderliness in the hierarchy
reversals	numeric, proportion of interactions that ends in reversed outcomes, i.e. the initial winner (if alphabet=TRUE) the first according to alphanumeric order) is changed into the loser. By default 0.1
ties	numeric, proportion of interactions that ends undecided
presence	numeric vector of length 2. The first value indicates what proportion of individuals are absent for some time. The second value indicates the proportion of time (days) these individuals are absent

Value

an object of class randomsequence, which is a list with the following items:

seqdat	an interaction sequence
pres	a presence matrix, actually a data.frame

Author(s)

Christof Neumann

Examples

```
IA <- randomsequence()
SEQ <- elo.seq(winner = IA$seqdat$winner, loser = IA$seqdat$loser, Date = IA$seqdat$Date,
              runcheck = FALSE, progressbar = FALSE)
stab_elo(SEQ)
#
IA <- randomsequence(presence = c(0.5, 0.5))
SEQ <- elo.seq(winner = IA$seqdat$winner, loser = IA$seqdat$loser, Date = IA$seqdat$Date,
              presence = IA$pres, runcheck = FALSE, progressbar = FALSE)
stab_elo(SEQ)
```

scale_elo

standardize Elo ratings

Description

standardize Elo ratings between 0 and 1

Usage

```
scale_elo(x)
```

Arguments

x numeric, a vector of Elo ratings

Value

a numeric vector of Elo ratings, which are scaled between 0 and 1, with the highest rating that is supplied becoming 1, the lowest becoming 0, and all others being proportionally scaled in between

Author(s)

Christof Neumann

Examples

```
data(adv)
SEQ <- elo.seq(winner=adv$winner, loser=adv$loser, Date=adv$Date)
extract_elo(SEQ, "2010-01-30")
extract_elo(SEQ, "2010-01-30", standardize=TRUE)

# same as
scale_elo(extract_elo(SEQ, "2010-01-30"))
```

seqcheck	<i>runs raw data diagnostics for Elo rating</i>
----------	---

Description

runs some diagnostics on the data supplied to [elo.seq](#), to check whether [elo.seq](#) will run without errors

Usage

```
seqcheck(winner, loser, Date, draw = NULL, presence = NULL)
```

Arguments

winner	either a factor or character vector with winner IDs of dyadic dominance interactions
loser	either a factor or character vector with loser IDs of dyadic dominance interactions
Date	character vector of form "YYYY-MM-DD" with the date of the respective interaction
draw	logical, which interactions ended undecided (i.e. drawn or tied)? By default all FALSE, i.e. no undecided interactions occurred. Note that in this case, winner/loser values can be interchanged
presence	optional data.frame, to supply data about presence and absence of individuals for part of the time the data collection covered. see details

Details

calendar dates (for the sequence as well as in the first column of presence, if supplied) need to be in "YYYY-MM-DD" format!

seqcheck will return two types of messages: warnings and errors. Errors will result in the data NOT working when supplied to [elo.seq](#), and need to be fixed. Warning message do not necessarily lead to failure of executing [elo.seq](#). Note that by default seqcheck is part of [elo.seq](#). If any error or warning is produced by seqcheck, these data will not work in [elo.seq](#). Some warning (but not error) messages can be ignored (see below) and if the runcheck argument in [elo.seq](#) is set to FALSE Elo-ratings will be calculated properly in such cases.

The actual checks (and corresponding messages) that are performed are described in more detail here:

Most likely (i.e. in our experience), problems are caused by mismatches between the interaction data and the corresponding presence data.

Errors:

Presence starts AFTER data: indicates that during interactions at the beginning of the sequence, no corresponding information was found in the presence data. Solution: augment presence data, or remove interactions until the date on which presence data starts

Presence stops BEFORE data: refers to the corresponding problem towards the end of interaction and presence data

During the following interactions, IDs were absent . . . : indicates that according to the presence data, IDs were absent (i.e. "0"), but interactions with them occurred on the very date(s) according to the interaction data

The following IDs occur in the data sequence but NOT . . . : there is/are no columns corresponding to the listed IDs in the presence data

There appear to be gaps in your presence (days missing?) . . . : check whether your presence data includes a line for *each date* starting from the date of the first interaction through to the date of the last interaction

Warnings:

Presence continues beyond data: indicates that presence and interaction data do not end on the same date.

Presence starts earlier than data: indicates that presence and interaction data do not start on the same date.

The following IDs occur in the presence data but NOT . . . : there are more ID columns in the presence data than IDs occurring in the interaction data

Date column is not ordered: The dates are not supplied in ascending order. `elo.seq` will still work but the results won't be reliable because the interactions were not in the correct sequence.

Other warnings/errors can result from inconsistencies in either the presence or sequence data, or be of a more general nature:

Errors:

No 'Date' column found: in the presence data, no column exists with the name/header "Date". Please rename (or add) the necessary column named "Date" to your presence data.

At least one presence entry is not 1 or 0: presence data must come in binary form, i.e. an ID was either present ("1") or absent ("0") on a given date. No NAs or other values are allowed.

Your data vectors do not match in length: at least one of the three mandatory arguments (winner, loser, Date) differs from one other in length. Consider handling your data in a `data.frame`, which avoids this error.

Warnings:

IDs occur in the data with inconsistent capitalization: because R is case-sensitive, "A" and "a" are considered different individuals. If such labelling of IDs is on purpose, ignore the warning and set `runcheck=FALSE` when calling `elo.seq()`

There is (are) X case(s) in which loser ID equals winner ID: winner and loser represent the same ID

The following individuals were observed only on one day: while not per se a problem for the calculation of Elo ratings, individuals that were observed only on one day (irrespective of the number of interactions on that day) cannot be plotted. `eloplots` will give a warning in such cases, too.

Value

returns textual information about possible issues with the supplied data set, or states that data are fine for running with `elo.seq`

Author(s)

Christof Neumann

Examples

```
data(adv)
seqcheck(winner = adv$winner, loser = adv$loser, Date = adv$Date)
data(advpres)
seqcheck(winner = adv$winner, loser = adv$loser, Date = adv$Date,
         presence = advpres)

# create faulty presence data
# remove one line from presence data
faultypres <- advpres[-1, ]
# make all individuals absent on one day
faultypres[5, 2:8] <- 0
# run check
seqcheck(winner = adv$winner, loser = adv$loser, Date = adv$Date,
         presence = faultypres)

# fix first error
faultypres <- rbind(faultypres[1, ], faultypres)
faultypres$Date[1] <- "2010-01-01"

# run check again
seqcheck(winner = adv$winner, loser = adv$loser, Date = adv$Date,
         presence = faultypres)

# fix presence on date for interaction number 6
faultypres[6, 2:8] <- 1

# run check again
seqcheck(winner = adv$winner, loser = adv$loser, Date = adv$Date,
         presence = faultypres)
# all good now
```

simple_dom

simple dominance indices

Description

simple dominance indices

Usage

```
simple_dom(winner, loser, Date = NULL, daterange = NULL)
```

Arguments

winner	character or factor with winner
loser	character or factor with winner
Date	not yet implemented
daterange	not yet implemented

Details

The indices that are calculated are the following

winprop the proportion of all interactions won

domover the proportion of individuals dominated (regardless of whether any interactions may have occurred, i.e. the number of individuals dominated is divided by $N - 1$ for all individuals)

domover_rel the proportion of individuals dominated with which the focal interacted

Value

a data.frame with one row per individual and several 'simple' dominance indices

Examples

```
xdata <- randomsequence(nID = 10, avgIA = 20, reversals = 0.2)$seqdat
simple_dom(xdata$winner, xdata$loser)
```

stab_elo	<i>stability index S</i>
----------	--------------------------

Description

calculates the *S* index as metric for the overall stability of a hierarchy during a specified time period

Usage

```
stab_elo(
  eloobject,
  from = min(eloobject$stability$date),
  to = max(eloobject$stability$date),
  weight = TRUE
)
```


Arguments

eloobject	an object of class "elo", usually the result of a call to <code>elo.seq</code>
from	character, from which date onwards should S be calculated. By default the first date in the sequence is used
to	character, until which date should S be calculated. By default the last date in the sequence is used
weight	logical, should single rank changes be weighted by the Elo rating of the highest-rated individual involved in a rank change? Default is TRUE

Details

S ranges between 0 and 1, where 0 indicates an unstable hierarchy, in which the ordering reverses every other day, and 1, in which the ordering is stable and no rank changes occur.

In contrast to the originally proposed S , this version is now standardized between 0 and 1, and additionally, the interpretation is reversed, i.e. 1 refers to stable situations, whereas values closer to 0 indicate more instable hierarchies

Value

returns the S index

Author(s)

Christof Neumann

References

Neumann C, Duboscq J, Dubuc C, Ginting A, Irwan AM, Agil M, Widdig A, Engelhardt A (2011). "Assessing dominance hierarchies: validation and advantages of progressive evaluation with elo-rating." *Animal Behaviour*, **82**, 911-921. doi:10.1016/j.anbehav.2011.07.016.

McDonald DB, Shizuka D (2013). "Comparative transitive and temporal orderliness in dominance networks." *Behavioral Ecology*, **24**, 511-520. doi:10.1093/beheco/ars192.

Examples

```
data(adv)
SEQ <- elo.seq(winner=adv$winner, loser=adv$loser, Date=adv$Date)
stab_elo(SEQ)
stab_elo(SEQ, weight=FALSE)
stab_elo(SEQ, from="2010-01-20", to="2010-01-30")
stab_elo(SEQ, from="2010-01-20", to="2010-01-30", weight=FALSE)
```

steepness *hierarchy steepness based on David's scores*

Description

hierarchy steepness based on David's scores

Usage

```
steepness(mat, nrand = 0, Dij = TRUE, returnfig = FALSE)
```

Arguments

mat	square dominance matrix
nrand	numeric, the number of runs for the randomization test
Dij	logical, by default TRUE i.e. corrected for number of interactions in a dyad, otherwise simple proportion of wins/losses
returnfig	logical, should a figure be produced that shows the distribution of expected steepness

Value

a named vector, with the observed steepness, the expected steepness, p-value and the number of randomizations used

Author(s)

Christof Neumann

References

de Vries H, Stevens JMG, Vervaecke H (2006). "Measuring and testing the steepness of dominance hierarchies." *Animal Behaviour*, **71**, 585-592. doi:10.1016/j.anbehav.2005.05.015.

Examples

```
data(bonobos)
steepness(bonobos) # no randomization test

# with randomization test
steepness(bonobos, nrand = 100)
```

summary.elo	<i>summarize elo object</i>
-------------	-----------------------------

Description

summarize elo object

Usage

```
## S3 method for class 'elo'  
summary(object, ...)
```

Arguments

object	an object of class "elo", usually the result of a call to elo.seq
...	further arguments passed to or from other methods (ignored)

Author(s)

Christof Neumann

Examples

```
IA <- randomsequence()  
SEQ <- elo.seq(winner=IA$seqdat$winner, loser=IA$seqdat$loser,  
              Date=IA$seqdat$Date, draw=IA$seqdat$Draw,  
              presence=IA$pres)  
summary(SEQ)
```

traj_elo	<i>calculate dominance trajectory</i>
----------	---------------------------------------

Description

calculate individual Elo rating trajectory over time

Usage

```
traj_elo(  
  eloobject,  
  ID,  
  from = min(eloobject$stability$date),  
  to = max(eloobject$stability$date)  
)
```

Arguments

<code>eloobject</code>	result from elo.seq
<code>ID</code>	character, the ID(s) of the individual(s)
<code>from</code>	character, from which date onwards should the trajectory be calculated. By default the first date in the sequence is used
<code>to</code>	character, until which date should the trajectory be calculated. By default the last date in the sequence is used

Value

A data.frame with as many lines as specified in ID, columns for ID, date range, the actual slope (trajectory), and the number of observed interactions within the date range

Author(s)

Christof Neumann

Examples

```
data(adv)
SEQ <- elo.seq(winner = adv$winner, loser = adv$loser, Date = adv$Date)
traj_elo(SEQ, "a")

traj_elo(SEQ, "a", from = "2010-01-20", to = "2010-01-30")

# no slope available if ID was not observed interacting
# inside the date range
traj_elo(SEQ, "a", from = "2010-01-17", to = "2010-01-18")

# no slope available if ID was only observed interacting
# once within the date range
traj_elo(SEQ, "a", from = "2010-01-17", to = "2010-01-19")

# for several individuals
traj_elo(SEQ, c("a", "b", "c"))
```

transitivity

triangle transitivity

Description

triangle transitivity

Usage

```
transitivity(m, runs = 2000, returnfig = FALSE)
```

Arguments

m	square dominance matrix
runs	numeric, the number of runs for the randomization test
returnfig	logical, should a figure be produced that shows the distribution of expectation

Value

a named vector of length four

References

Shizuka D, McDonald DB (2012). “A social network perspective on measurements of dominance hierarchies.” *Animal Behaviour*, **83**, 925-934. doi:10.1016/j.anbehav.2012.01.011.

<https://shizukalab.com/r/triangle-transitivity-in-dominance-hierarchies-directed-graphs/>

Examples

```
data(bonobos)
transitivity(bonobos)
```

winprob	<i>expected winning probability</i>
---------	-------------------------------------

Description

calculate expected probability of winning given known strengths of two opponents

Usage

```
winprob(elo1, elo2, normprob = TRUE, fac = NULL)
```

Arguments

elo1	Elo rating from individual for which the winning probability should be calculated
elo2	Elo rating of the opponent
normprob	logical (by default TRUE). Should a normal curve be assumed for calculating the winning/losing probabilities, or not (see details).
fac	numeric (by default NULL). A scaling factor (see details)

Details

Elo (1978) proposed three ways of calculating winning probabilities (section 8.73), one of which (the ‘linear’ approach) is ignored here because it “lacks the sophistication and flexibility to express the limitation on D [rating difference] and the deflation controls required for integrity of the ratings”. Between the two remaining approaches (normal and logistic), Elo favored initially the normal over the logistic function, though he writes that the logistic function “better reflects large deviations in an extended series”. Because of Elo’s initial preference, the default approach taken by the package’s functions is the normal one, though it can be changed to the logistic one if desired.

In the meantime, several studies have used an additional approach to calculate winning probabilities, which is based on an exponential distribution. This can be invoked by setting `normprob = FALSE` and `fac` to some number. The value I have seen used is 0.01 (Franz et al. 2015). Sánchez-Tójar et al. (2018) refer to it as `sigmoid.param` in their `aniDom` package. Goffe et al. (2018) also use this approach but their scaling factor is 1 (referred to as `diff_f`) because their ratings are on a completely different scale.

Finally, this function is for demonstration only, i.e. it is not used anywhere in the package (other than in vignettes). As such, the functions in the package (most importantly [e.single](#)) only allow the two primary options for the calculation of winning probabilities (for now).

Value

numeric, expected chance of first individual to win an interaction with the second individual

Author(s)

Christof Neumann

References

- Elo AE (1978). *The rating of chess players, past and present*. Arco, New York.
- Franz M, McLean E, Tung J, Altmann J, Alberts SC (2015). “Self-organizing dominance hierarchies in a wild primate population.” *Proceedings of the Royal Society B: Biological Sciences*, **282**, 20151512. doi:10.1098/rspb.2015.1512.
- Sánchez-Tójar A, Schroeder J, Farine DR (2018). “A practical guide for inferring reliable dominance hierarchies and estimating their uncertainty.” *Journal of Animal Ecology*, **87**, 594-608. doi:10.1111/13652656.12776.
- Goffe AS, Fischer J, Sennhenn-Reulen H (2018). “Bayesian inference and simulation approaches improve the assessment of Elo-ratings in the analysis of social behaviour.” *Methods in Ecology and Evolution*, **9**, 2131-2144. doi:10.1111/2041210X.13072.

Examples

```
winprob(1200,1000)
winprob(1000,1200)
winprob(1000,1000)
winprob(1200,1000, normprob = FALSE)
winprob(1000,1200, normprob = FALSE)
winprob(1000,1000, normprob = FALSE)
winprob(1200,1000, normprob = FALSE, fac = 0.01)
```

```
winprob(1000,1200, normprob = FALSE, fac = 0.01)
winprob(1000,1000, normprob = FALSE, fac = 0.01)

# compare different algorithms visually
w <- rep(0, 1001) # winner rating: constant
l <- w - 0:1000 # loser rating: varying

elonorm <- numeric(length(w))
eloexpo <- numeric(length(w))
eloopti <- numeric(length(w))
eloopti2 <- numeric(length(w))

for(i in 1:length(w)) {
  elonorm[i] <- winprob(w[i], l[i], normprob = TRUE)
  eloexpo[i] <- winprob(w[i], l[i], normprob = FALSE)
  eloopti[i] <- winprob(w[i], l[i], normprob = FALSE, fac = 0.01)
  eloopti2[i] <- winprob(w[i], l[i], normprob = FALSE, fac = 0.005)
}

plot(0, 0, type = "n", las = 1, yaxs = "i",
     xlim = c(0, 1000), ylim = c(0.5, 1),
     xlab = "rating difference",
     ylab = "winning probability")
points(abs(l), elonorm, "l", col = "#4B0055", lwd = 3)
points(abs(l), eloexpo, "l", col = "#007094", lwd = 3)
points(abs(l), eloopti, "l", col = "#00BE7D", lwd = 2)
points(abs(l), eloopti2, "l", col = "#FDE333", lwd = 2)

legend("bottomright",
      legend = c("normal", "logistic", "exponential (fac = 0.01)", "exponential (fac = 0.005)"),
      col = c("#4B0055", "#007094", "#00BE7D", "#FDE333"),
      lwd = 2,
      cex = 0.9)
```

Index

- * **datasets**
 - adv, 9
 - adv2, 9
 - advpres, 10
 - baboons1, 10
 - bonobos, 11
 - devries98, 21
 - dommats, 22
- * **package**
 - EloRating-package, 3
 - .diffmat, 4
 - .elo.seq_old, 4
 - .incon, 7
 - .sincon, 8
- adv, 9
- adv2, 9
- advpres, 6, 10, 27

- baboons (baboons1), 10
- baboons1, 10
- baboons2 (baboons1), 10
- baboons3 (baboons1), 10
- baboons4 (baboons1), 10
- baboons5 (baboons1), 10
- bonobos, 11

- CBI, 12
- coresidence, 14
- correctly_predicted, 15
- creatematrix, 4, 7, 8, 17, 21, 23, 33, 35, 37, 48, 49
- createstartvalues, 19

- DCindex, 20
- devries98, 21
- dommats, 22
- DS, 23
- dyadic_dom, 24
- dyadic_reversals, 24

- e.single, 25, 62
- elo.seq, 14–16, 18–20, 24, 26, 30, 31, 36, 39, 40, 42, 44, 46, 48, 53, 54, 57, 59, 60
- eloplots, 30, 54
- EloRating (EloRating-package), 3
- EloRating-package, 3
- extract_elo, 31

- fastelo, 15, 16, 40, 42
- fastelo (elo.seq), 26

- h.index, 33
- heatmapplot, 34

- incontable, 35
- individuals, 36
- ISI, 4, 8, 37, 38, 39
- ISIRanks, 38, 38

- lastdaypresent, 39
- likelo, 40

- mat2seq, 41
- mat2seqint (mat2seq), 41

- optimizek, 42
- optistart, 44

- presence_summary, 15, 45
- print.elo, 46
- print.seqchecknopres, 47
- print.sequencecheck, 47
- prunk, 48

- randomelo, 49, 50
- randomeloextract, 50
- randomsequence, 51

- scale.elo (scale_elo), 52
- scale_elo, 31, 52
- seqcheck, 6, 27, 47, 53

simple_dom, [55](#)
stab.elo (stab_elo), [56](#)
stab_elo, [6](#), [28](#), [56](#)
steepint (steepness), [58](#)
steepness, [58](#)
summary.elo, [59](#)

traj_elo, [59](#)
transitivity, [60](#)

winprob, [5](#), [25](#), [27](#), [49](#), [61](#)