

# Package ‘EventWinRatios’

January 20, 2025

**Type** Package

**Title** Event-Specific Win Ratios for Terminal and Non-Terminal Events

**Version** 1.0.0

**Maintainer** Daewoo Pak <dpak@yonsei.ac.kr>

**Description** Provides several confidence interval and testing procedures using event-specific win ratios for semi-competing risks data with non-terminal and terminal events, as developed in Yang et al. (2021<[doi:10.1002/sim.9266](https://doi.org/10.1002/sim.9266)>). Compared with conventional methods for survival data, these procedures are designed to utilize more data for improved inference procedures with semi-competing risks data. The event-specific win ratios were introduced in Yang and Troendle (2021<[doi:10.1177/1740774520972408](https://doi.org/10.1177/1740774520972408)>). In this package, the event-specific win ratios and confidence intervals are obtained for each event type, and several testing procedures are developed for the global null of no treatment effect on either terminal or non-terminal events. Furthermore, a test of proportional hazard assumptions, under which the event-specific win ratios converge to the hazard ratios, and a test of equal hazard ratios are provided. For summarizing the treatment effect on all events, confidence intervals for linear combinations of the event-specific win ratios are available using pre-determined or data-driven weights. Asymptotic properties of these inference procedures are discussed in Yang et al (2021<[doi:10.1002/sim.9266](https://doi.org/10.1002/sim.9266)>). Also, transformations are used to yield better control of the type one error rates for moderately sized data sets.

**License** GPL (>= 3)

**Encoding** UTF-8

**LazyData** true

**NeedsCompilation** no

**Author** Daewoo Pak [aut, cre],  
Song Yang [aut]

**Repository** CRAN

**Date/Publication** 2022-04-04 08:30:06 UTC

## Contents

EventWinRatios-package . . . . .	2
EventWinRatios-internal . . . . .	3
SimuData . . . . .	3
wr.test . . . . .	4

<b>Index</b>	<b>8</b>
--------------	----------

---

EventWinRatios-package

*Event-Specific Win Ratios for Terminal and Non-Terminal Events*

---

### Description

This package provides several confidence interval and testing procedures using event-specific win ratios for semi-competing risks data with non-terminal and terminal events, as developed in Yang et al. (2021). It allows users to utilize more data for improved inference procedures with semi-competing risks data. The event-specific win ratios were introduced in Yang and Troendle (2021), and the detailed definitions and asymptotic results for event-specific win ratios are available in Yang et al. (2021).

### Details

Package: EventWinRatios  
 Type: Package  
 Version: 1.0.0  
 Date: 2021-07-09  
 License: GPL (>= 3)

### Author(s)

Daewoo Pak and Song Yang

Maintainer: Daewoo Pak <heavyrain.pak@gmail.com>

### References

Yang, S., Troendle, J., Pak, D., & Leifer, E. (2022). Event-specific win ratios for inference with terminal and non-terminal events. *Statistics in medicine*, 41(7), 1225-1241.

Yang, S., & Troendle, J. (2021). Event-specific win ratios and testing with terminal and non-terminal events. *Clinical Trials*, 18(2), 180-187.

### See Also

[wr.test](#)

**Examples**

```
library(EventWinRatios)
data(SimuData)

# non-terminal events
yh <- SimuData$yh
hcn <- SimuData$hcn

# terminal events
yd <- SimuData$yd
dcn <- SimuData$dcn

# group indicator
z <- SimuData$z

# Win Ratio tests
result <- wr.test(yh, hcn, yd, dcn, z)
print(result)
```

---

EventWinRatios-internal

*Internal functions for the EventWinRatios package*

---

**Description**

Internal functions for the EventWinRatios package.

**Value**

No return value, called for side effects

---

SimuData	<i>A simulated semi-competing risks data set with non-terminal events and terminal events</i>
----------	---

---

**Description**

SimuData is a simulated data set that is used to show the utility of this package. Under the semi-competing risks data setup, each subject has a non-terminal and a terminal event that may be right censored. Furthermore, the terminal event may censor the non-terminal event.

**Usage**

```
data("SimuData")
```

**Format**

A data frame with 3500 observations on the following 5 variables.

yh Time to the non-terminal event of interest or censoring (by an independent censoring variable or a terminal event)

hcen Censoring indicator for the non-terminal event (event = 1, censored = 0)

yd Time to the terminal event of interest

dcen Censoring indicator for the terminal event (event = 1, censored = 0)

z Group indicator (treatment = 1, control = 0)

**See Also**

[wr.test](#)

**Examples**

```
data(SimuData)

# non-terminal events
yh <- SimuData$yh
hcen <- SimuData$hcen

# terminal events
yd <- SimuData$yd
dcen <- SimuData$dcen

# group indicator
z <- SimuData$z

# Win Ratio tests
result <- wr.test(yh, hcen, yd, dcen, z)
print(result)
```

---

wr.test

*The main function of the package provides various confidence intervals and testing procedures with event-specific win ratios*

---

**Description**

The function `wr.test` provides several confidence interval and testing procedures with the event-specific win ratios that are obtained on the terminal and non-terminal events. The following procedures are provided:

- Tests of the global null - testing the null hypothesis of no treatment effect on either the terminal event or the non-terminal event. A set of three tests are provided: the maximum test, the linear combination test, and the chi-squared test.

- Test of proportional hazards - testing the null hypothesis of the proportionality assumptions for the terminal event and the non-terminal event.
- Test of equal hazard ratios - testing the null hypothesis of equal hazard ratios for the terminal event and the non-terminal event when they both have proportional hazards.
- Confidence intervals of the non-terminal and terminal events respectively
- Confidence intervals of linear combinations of the non-terminal and terminal events, with either pre-determined or data-driven weights

The full details for these procedures are available in Yang et al. (2021).

### Usage

```
## Default S3 method:
wr.test(yh, hcen, yd, dcen, z, lin = c(0.5, 0.5), alpha = 0.05, repnum = 1E6, ...)
```

### Arguments

...	for S4 method only.
yh	A numeric vector for time to the non-terminal event or censoring
hcen	Censoring indicator for the non-terminal event (event = 1, censored = 0)
yd	A numeric vector for time to the terminal event or censoring
dcen	Censoring indicator for the terminal event (event = 1, censored = 0)
z	A numeric vector for the group indicator (treatment = 1, control = 0)
lin	A numeric vector of length 2 for the linear combination of the event-specific win ratios. The components must be non-negative values and added up to one. The first component is for the non-terminal event and the second is for the terminal event. The default is (0.5, 0.5).
alpha	The Significance level being used for confidence intervals. The default value is 0.05.
repnum	The number of replications for simulating bivariate normal distributions to obtain critical values corresponding to the alpha. The default value is 1E6.

### Value

A S3 `wr.test` class object, which is a `list` with the following components:

wr1	The event specific win ratio for the non-terminal event
wr2	The event specific win ratio for the terminal event
ci1t	The confidence interval for the event specific win ratio for the non-terminal event
ci2t	The confidence interval for the event specific win ratio for the terminal event
mxot	The test statistic for the maximum test
pvalmxt	The p-value for the maximum test
chi	The test statistic for the chi-square test
pvachi	The p-value for the chi-square test

lin	The inputted vector for the linear combination of the event-specific win ratios
zvalin0	The test statistic for the linear combination test
plin0	The p-value for the linear combination test
wrlin0	The weighted average win ratio with the inputted vector lin
cilin0	The confidence interval for the weighted average win ratio with the inputted vector lin
lin_ar	The data-driven linear combination
zvalint	The test statistic for the data-driven Linear combination test
plintr	The p-value for the data-driven Linear combination test
wrlinl	The weighted average win ratio with the data-driven combination
cilint	The confidence interval for the weighted average win ratio with the data-driven combination
mxph	The test statistic for the test of proportional hazards
pvalph	The p-value for the test of proportional hazards
zvaeph1	The test statistic for the test of equal hazard ratios
pvaeph1	The p-value for the test of equal hazard ratios

### Note

Linear combination tests can be used to detect an overall effect, which is measured by using a weighted average of the win ratios of the terminal and non-terminal events, as considered in Yang and Troendle (2021). The weights can be either a data-driven weights or pre-determined weights. The pre-determined weights can be supplied with the `lin` argument.

### References

Yang, S., Troendle, J., Pak, D., & Leifer, E. (2022). Event-specific win ratios for inference with terminal and non-terminal events. *Statistics in medicine*, 41(7), 1225-1241.

Yang, S., & Troendle, J. (2021). Event-specific win ratios and testing with terminal and non-terminal events. *Clinical Trials*, 18(2), 180-187.

### Examples

```
library(EventWinRatios)
data(SimuData)

# non-terminal events
yh <- SimuData$yh
hcen <- SimuData$hcen

# terminal events
yd <- SimuData$yd
dcen <- SimuData$dcen

# group indicator
z <- SimuData$z
```

*wr.test*

7

```
# Win Ratio tests  
result <- wr.test(yh, hcen, yd, dcen, z)  
print(result)
```

# Index

\* **datasets**

SimuData, 3

\* **package**

EventWinRatios-package, 2

EventWinRatios-internal, 3

EventWinRatios-package, 2

fn\_ds (EventWinRatios-internal), 3

fn\_gephsim (EventWinRatios-internal), 3

fn\_glinsim (EventWinRatios-internal), 3

fn\_gmhat (EventWinRatios-internal), 3

fn\_wr (EventWinRatios-internal), 3

fun\_gen (EventWinRatios-internal), 3

print.wr.test (wr.test), 4

SimuData, 3

wr.test, 2, 4, 4