

Package ‘NHSRdatasets’

January 20, 2025

Type Package

Title NHS and Healthcare-Related Data for Education and Training

Date 2021-03-09

Version 0.3.0

Maintainer Chris Mainey <c.mainey@nhs.net>

Description Free United Kingdom National Health Service (NHS) and other healthcare, or population health-related data for education and training purposes. This package contains synthetic data based on real healthcare datasets, or cuts of open-licenced official data. This package exists to support skills development in the NHS-R community: <<https://nhsrcommunity.com/>>.

License CC0

Language en-GB

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

Depends R (>= 3.5.0)

BugReports <https://github.com/nhs-r-community/NHSRdatasets/issues>

Imports tibble

Suggests dplyr, caret, e1071, readr, lattice, magrittr, varhandle, rsample, ggplot2, lme4, MASS, ModelMetrics, lmttest, rmarkdown, scales, ggrepel, lubridate, tidyr, forcats, knitr, janitor, stringi, synthpop

VignetteBuilder knitr

URL <https://github.com/nhs-r-community/NHSRdatasets>,
<https://nhs-r-community.github.io/NHSRdatasets/>

NeedsCompilation no

Author Gary Hutson [aut],
Tom Jemmett [aut] (<<https://orcid.org/0000-0002-6943-2990>>),
Chris Mainey [aut, cre] (<<https://orcid.org/0000-0002-3018-6171>>),
Zoë Turner [aut],
NHS-R community [cph]

Repository CRAN

Date/Publication 2021-03-14 00:00:06 UTC

Contents

ae_attendances	2
LOS_model	3
ons_mortality	4
stranded_data	5
synthetic_news_data	6

Index **8**

ae_attendances	<i>NHS England Accident & Emergency Attendances and Admissions</i>
----------------	--

Description

Reported attendances, 4 hour breaches and admissions for all A&E departments in England for the years 2016/17 through 2018/19 (Apr-Mar). The data has been tidied to be easily usable within the tidyverse of packages.

Usage

```
data(ae_attendances)
```

Format

Tibble with six columns

period The month that this data relates to

org_code The **ODS** code for this provider

type The **department type**. either 1, 2 or other

attendances the number of patients who attended this department in this month

breaches the number of patients who breaches the 4 hour target in this month

admissions the number of patients admitted from A&E to the hospital in this month

Details

Data sourced from **NHS England Statistical Work Areas** which is available under the **Open Government Licence v3.0**

Source

NHS England Statistical Work Areas

Examples

```

data(ae_attendances)
library(dplyr)
library(ggplot2)
library(scales)

# Create a plot of the performance for England over time
ae_attendances %>%
  group_by(period) %>%
  summarise_at(vars(attendances, breaches), sum) %>%
  mutate(performance = 1 - breaches / attendances) %>%
  ggplot(aes(period, performance)) +
  geom_hline(yintercept = 0.95, linetype = "dashed") +
  geom_line() +
  geom_point() +
  scale_y_continuous(labels = percent) +
  labs(title = "4 Hour performance over time")

# Now produce a plot showing the performance of each trust
ae_attendances %>%
  group_by(org_code) %>%
  # select organisations that have a type 1 department
  filter(any(type == "1")) %>%
  summarise_at(vars(attendances, breaches), sum) %>%
  arrange(desc(attendances)) %>%
  mutate(performance = 1 - breaches / attendances,
         overall_performance = 1 - sum(breaches) / sum(attendances),
         rank = rank(-performance, ties.method = "first") / n()) %>%
  ggplot(aes(rank, performance)) +
  geom_vline(xintercept = c(0.25, 0.5, 0.75), linetype = "dotted") +
  geom_hline(yintercept = 0.95, colour = "red") +
  geom_hline(aes(yintercept = overall_performance), linetype = "dotted") +
  geom_point() +
  scale_y_continuous(labels = percent) +
  theme_minimal() +
  theme(panel.grid = element_blank(),
        axis.text.x = element_blank()) +
  labs(title = "4 Hour performance by trust",
       subtitle = "Apr-16 through Mar-19",
       x = "", y = "")

```

Description

Artificially generated hospital data. Fictional patients at 10 fictional hospitals, with LOS, Age and Date status data Data were generate to learn Generalized Linear Models (GLM) concepts, modelling either Death or LOS.

Usage

```
data(LOS_model)
```

Format

Data frame with five columns

ID A fictional patient ID number

Organisation A factor representing one of ten fictional hospital trusts, e.g. Trust1

Age Age in years of each fictional patient

LOS In-hospital length of stay in days. The difference between admission and discharge date in dates

Death Binary for death status: 0 = survived, 1= died in hospital

Source

Generated by Chris Mainey <chris.mainey@uhb.nhs.uk>, Feb-2019

Examples

```
data(LOS_model)

model1 <- glm(Death ~ Age + LOS, data=LOS_model, family="binomial")
summary(model1)

# Now with an Age, LOS, and Age*LOS interaction.
model2<- glm(Death ~ Age * LOS, data=LOS_model, family="binomial")
summary(model2)
```

ons_mortality

Deaths registered weekly in England and Wales, provisional

Description

Provisional counts of the number of deaths registered in England and Wales, by age, sex and region, in the latest weeks for which data are available.

Usage

```
data(ons_mortality)
```

Format

Data frame with five columns

category_1 character, containing the names of the groups for counts, e.g. "Total deaths", "all ages".

category_2 character, subcategory of names of groups where necessary, e.g. details of region: "East", details of age bands "15-44".

counts numeric, numbers of deaths in whole numbers and average numbers with decimal points. To retain the integrity of the format this column data is left as character.

date date, format is yyyy-mm-dd; all dates are a Friday.

week_no integer, each week in a year is numbered sequentially.

Details

Source and licence acknowledgement This data has been made available through Office of National Statistics under the Open Government Licence <http://www.nationalarchives.gov.uk/doc/open-government-licence/version/3/>

Source

Collected by Zoë Turner <zoe.turner2@nottshc.nhs.uk>, Apr-2020 from <https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/datasets/weeklyprovisionalfigures>

Examples

```
data(ons_mortality)

library(dplyr)
library(tidyr)

wideForm <- ons_mortality %>%
  select(-week_no) %>%
  pivot_wider(names_from = date,
              values_from = counts
  )
```

stranded_data	<i>Stranded Patient (Patients flagged as having a greater than 7 day LOS) Model</i>
---------------	---

Description

This model is to be used as a machine learning classification model, for supervised learning. The binary outcome is stranded vs not stranded patients.

Usage

```
data(stranded_data)
```

Format

Tibble with nine columns (1 x outcome and 8 predictors)

stranded.label Outcome variable - whether the patient is stranded or not

age Patient age on admission

care.home.referral Whether than have been referred from a care home

medicallysafe Medically safe for discharge - means the patient is assessed as safe, but has not been discharged yet

hcop Indicates whether they have been triaged from a Health Care for Older People specialty

mental_health_care Flag to indicate whether they need mental health support and care

periods_of_previous_care Count of the number of previous spells of care

admit_date Date they were admitted to hospital

frailty_index An initial index assessment to say if the patient is frail or not. This is needed for alignment of service provision.

Source

Synthetically generated by Gary Hutson <g.hutson@nhs.net>, Mar-2021.

Examples

```
library(magrittr)
library(dplyr)
data("stranded_data")
stranded_data %>%
  glimpse()
```

synthetic_news_data *Synthetic National Early Warning Scores Data*

Description

Synthetic NEWS data to show as the results of the NHR_synpop package. These datasets have been synthetically generated by this package to be utilised in the NHRSDatasets package.

Usage

```
data(synthetic_news_data)
```

Format

Tibble with twelve columns

male character string containing gender code

age age of patient

NEWS National Early Warning Score (NEWS)

syst Systolic BP - Systolic BP result

dias Diastolic Blood Pressure - result on NEWS scale

temp Temperature of patient

pulse Pulse of the patient

resp Level of response from the patient

sat SATS(Oxygen Saturation Levels) of the patient

sup Suppressed Oxygen score

alert Level of alertness of patient

died Indicator to monitor patient death

Source

Generated by Dr. Muhammed Faisal and created by Gary Hutson <g.hutson@nhs.net>, Mar-2021

Examples

```
library(magrittr)
library(dplyr)
data("synthetic_news_data")
synthetic_news_data %>%
  glimpse()
```

Index

- * **England**
 - ons_mortality, 4
 - * **Provisional**
 - ons_mortality, 4
 - * **Wales**
 - ons_mortality, 4
 - * **a&e**
 - ae_attendances, 2
 - * **datasets**
 - ae_attendances, 2
 - LOS_model, 3
 - ons_mortality, 4
 - stranded_data, 5
 - synthetic_news_data, 6
 - * **deaths**
 - ons_mortality, 4
 - * **hospital**
 - ae_attendances, 2
 - LOS_model, 3
 - * **mortality**
 - ons_mortality, 4
 - * **regression**
 - LOS_model, 3
 - * **stranded_model**
 - stranded_data, 5
 - * **synthetic_news_data**
 - synthetic_news_data, 6
- ae_attendances, 2
- LOS_model, 3
- ons_mortality, 4
- stranded_data, 5
- synthetic_news_data, 6