

Package ‘KSEAapp’

January 20, 2025

Version 0.99.0

Date 2017-04-25

Title Kinase-Substrate Enrichment Analysis

Description Infers relative kinase activity from phosphoproteomics data using the method described by Casado et al. (2013) <[doi:10.1126/scisignal.2003573](https://doi.org/10.1126/scisignal.2003573)>.

Author Danica D. Wiredja

Maintainer Danica D. Wiredja <dwiredja@gmail.com>

License MIT + file LICENSE

Depends R (>= 2.10)

Imports gplots, graphics, stats, grDevices, utils

Suggests knitr, rmarkdown

VignetteBuilder knitr

LazyData true

RoxygenNote 6.0.1

NeedsCompilation no

Repository CRAN

Date/Publication 2017-05-02 16:11:49 UTC

Contents

KSData	2
KSEA.Barplot	2
KSEA.Complete	3
KSEA.Heatmap	5
KSEA.KS_table	6
KSEA.Scores	7
KSEA.Scores.1	8
KSEA.Scores.2	8
KSEA.Scores.3	9
PX	10
Index	11

 KSData

Kinase-Substrate (K-S) Relationship Dataset

Description

K-S annotations from PhosphoSitePlus and NetworKIN predictions; This is an abbreviated version of the full dataset used purely for demonstration; please go to the GitHub page for access to the complete file: github.com/casecpb/KSEA/

Usage

```
data(KSData)
```

Format

abbreviated dataframe containing the kinase-substrate annotations and source

References

Hornbeck et al. (2015) Nucleic Acids Res. 43:D512-20

Horn et al. (2014) Nature Methods 11(6):603-4

 KSEA.Barplot

The KSEA App Analysis (KSEA Bar Plot Only)

Description

Takes a formatted phosphoproteomics data input and returns just the summary bar plot of kinase scores

Usage

```
KSEA.Barplot(KSData, PX, NetworKIN, NetworKIN.cutoff, m.cutoff, p.cutoff,
  export)
```

Arguments

KSData	the Kinase-Substrate dataset uploaded from the file prefaced with "PSP&NetworKIN_" available from github.com/casecpb/KSEA/
PX	the experimental data file formatted as described in the KSEA.Complete() documentation
NetworKIN	a binary input of TRUE or FALSE, indicating whether or not to include NetworKIN predictions; NetworKIN = TRUE means inclusion of NetworKIN predictions

NetworkKIN.cutoff	a numeric value between 1 and infinity setting the minimum NetworkKIN score (can be left out if NetworkKIN = FALSE)
m.cutoff	a numeric value between 0 and infinity indicating the min. # of substrates a kinase must have to be included in the bar plot output
p.cutoff	a numeric value between 0 and 1 indicating the p-value cutoff for indicating significant kinases in the bar plot
export	a binary input of TRUE or FALSE, indicating whether or not to export the bar plot as a .tiff image into the working directory

Value

creates the bar plot output highlighting key kinase results

References

- Casado et al. (2013) *Sci Signal*. 6(268):rs6
 Hornbeck et al. (2015) *Nucleic Acids Res*. 43:D512-20
 Horn et al. (2014) *Nature Methods* 11(6):603-4

Examples

```
KSEA.Barplot(KSData, PX, NetworkKIN=TRUE, NetworkKIN.cutoff=5,
             m.cutoff=5, p.cutoff=0.01, export=FALSE)
KSEA.Barplot(KSData, PX, NetworkKIN=TRUE, NetworkKIN.cutoff=5,
             m.cutoff=8, p.cutoff=0.05, export=TRUE)
KSEA.Barplot(KSData, PX, NetworkKIN=FALSE, m.cutoff=2, p.cutoff=0.05, export=TRUE)
```

Description

Takes a formatted phosphoproteomics data input and performs KSEA calculations to infer relative kinase activities

Usage

```
KSEA.Complete(KSData, PX, NetworkKIN, NetworkKIN.cutoff, m.cutoff, p.cutoff)
```

Arguments

KSData	the Kinase-Substrate dataset uploaded from the file prefaced with "PSP&NetworKIN_" available from github.com/casecpb/KSEA/
PX	the experimental data file formatted exactly as described below; must have 6 columns in the exact order: Protein, Gene, Peptide, Residue.Both, p, FC; cannot have NA values, or else the entire peptide row is deleted; Description of each column in PX: <ul style="list-style-type: none"> • "Protein" the Uniprot ID for the parent protein • "Gene" the HUGO gene name for the parent protein • "Peptide" the peptide sequence • "Residue.Both" all phosphosites from that peptide, separated by semicolons if applicable; must be formatted as the single amino acid abbrev. with the residue position (e.g. S102) • "p" the p-value of that peptide (if none calculated, please write "NULL", cannot be NA) • "FC" the fold change (not log-transformed); usually the control sample is the denominator
NetworkKIN	a binary input of TRUE or FALSE, indicating whether or not to include NetworkKIN predictions; NetworkKIN = TRUE means inclusion of NetworkKIN predictions
NetworkKIN.cutoff	a numeric value between 1 and infinity setting the minimum NetworkKIN score (can be left out if NetworkKIN = FALSE)
m.cutoff	a numeric value between 0 and infinity indicating the min. # of substrates a kinase must have to be included in the bar plot output
p.cutoff	a numeric value between 0 and 1 indicating the p-value cutoff for indicating significant kinases in the bar plot

Value

creates the following outputs that are deposited into your working directory: a bar plot highlighting key kinase results, a .csv file of all KSEA kinase scores, and a .csv file listing all kinase-substrate relationships used for the calculations

References

- Casado et al. (2013) *Sci Signal*. 6(268):rs6
Hornbeck et al. (2015) *Nucleic Acids Res*. 43:D512-20
Horn et al. (2014) *Nature Methods* 11(6):603-4

Examples

```
KSEA.Complete(KSData, PX, NetworkKIN=TRUE, NetworkKIN.cutoff=5, m.cutoff=5, p.cutoff=0.01)
KSEA.Complete(KSData, PX, NetworkKIN=FALSE, m.cutoff=2, p.cutoff=0.05)
```

`KSEA.Heatmap`*The KSEA App Analysis (KSEA Heatmap Only)*

Description

Takes a list of the KSEA kinase score outputs from `KSEA.Scores()` and creates a merged heatmap (only applicable for multi-treatment studies)

Usage

```
KSEA.Heatmap(score.list, sample.labels, stats, m.cutoff, p.cutoff,  
             sample.cluster)
```

Arguments

<code>score.list</code>	the data frame outputs from the <code>KSEA.Scores()</code> function, compiled in a list format
<code>sample.labels</code>	a character vector of all the sample names for heatmap annotation; the names must be in the same order as the data in <code>score.list</code> ; please avoid long names, as they may get cropped in the final image
<code>stats</code>	character string of either "p.value" or "FDR" indicating the data column to use for marking statistically significant scores
<code>m.cutoff</code>	a numeric value between 0 and infinity indicating the min. # of substrates a kinase must have to be included in the heatmap
<code>p.cutoff</code>	a numeric value between 0 and 1 indicating the p-value/FDR cutoff for indicating significant kinases in the heatmap
<code>sample.cluster</code>	a binary input of TRUE or FALSE, indicating whether or not to perform hierarchical clustering of the sample columns

Value

exports a .png heatmap image highlighting the merged datasets; heatmap was generated using the `heatmap.2()` function (gplots package); asterisks mark scores that met the statistical cutoff, as defined by `p.cutoff`; blue color indicates negative kinase score, and red indicates positive kinase score

References

Casado et al. (2013) *Sci Signal*. 6(268):rs6
Hornbeck et al. (2015) *Nucleic Acids Res*. 43:D512-20
Horn et al. (2014) *Nature Methods* 11(6):603-4

Examples

```
#The score.list input must be a list of the data frame outputs from KSEA.Scores() function
#KSEA.Scores.1, KSEA.Scores.2, and KSEA.Scores.3 are all
#sample datasets provided within this package

KSEA.Heatmap(score.list=list(KSEA.Scores.1, KSEA.Scores.2, KSEA.Scores.3),
             sample.labels=c("Tumor.A", "Tumor.B", "Tumor.C"),
             stats="p.value", m.cutoff=3, p.cutoff=0.05, sample.cluster=TRUE)
```

KSEA.KS_table *The KSEA App Analysis (K-S Dataset Only)*

Description

Takes a formatted phosphoproteomics data input and returns just the kinase-substrate (K-S) annotations used for KSEA calculations

Usage

```
KSEA.KS_table(KSData, PX, NetworkKIN, NetworkKIN.cutoff)
```

Arguments

KSData	the Kinase-Substrate dataset uploaded from the file prefaced with "PSP&NetworkKIN_" available from github.com/casecpb/KSEA/
PX	the experimental data file formatted as described in the KSEA.Complete() documentation
NetworkKIN	a binary input of TRUE or FALSE, indicating whether or not to include NetworkKIN predictions; NetworkKIN = TRUE means inclusion of NetworkKIN predictions
NetworkKIN.cutoff	a numeric value between 1 and infinity setting the minimum NetworkKIN score (can be left out if NetworkKIN = FALSE)

Value

creates a new data frame in R with all kinase-substrate relationships used for the KSEA calculations

References

Casado et al. (2013) *Sci Signal*. 6(268):rs6
 Hornbeck et al. (2015) *Nucleic Acids Res*. 43:D512-20
 Horn et al. (2014) *Nature Methods* 11(6):603-4

Examples

```
KSData.dataset = KSEA.KS_table(KSData, PX, NetworkKIN=TRUE, NetworkKIN.cutoff=3)
KSData.dataset = KSEA.KS_table(KSData, PX, NetworkKIN=FALSE)
```

KSEA.Scores

*The KSEA App Analysis (KSEA Kinase Scores Only)***Description**

Takes a formatted phosphoproteomics data input and returns just the KSEA kinase scores and statistics

Usage

```
KSEA.Scores(KSData, PX, NetworkKIN, NetworkKIN.cutoff)
```

Arguments

KSData	the Kinase-Substrate dataset uploaded from the file prefaced with "PSP&NetworkKIN_" available from github.com/casecpb/KSEA/
PX	the experimental data file formatted as described in the <code>KSEA.Complete()</code> documentation
NetworkKIN	a binary input of TRUE or FALSE, indicating whether or not to include NetworkKIN predictions; NetworkKIN = TRUE means inclusion of NetworkKIN predictions
NetworkKIN.cutoff	a numeric value between 1 and infinity setting the minimum NetworkKIN score (can be left out if NetworkKIN = FALSE)

Value

creates a new data frame in R with all the KSEA kinase scores, along with each one's statistical assessment

References

Casado et al. (2013) *Sci Signal*. 6(268):rs6
 Hornbeck et al. (2015) *Nucleic Acids Res*. 43:D512-20
 Horn et al. (2014) *Nature Methods* 11(6):603-4

Examples

```
scores = KSEA.Scores(KSData, PX, NetworkKIN=TRUE, NetworkKIN.cutoff=3)
scores = KSEA.Scores(KSData, PX, NetworkKIN=FALSE)
```

`KSEA.Scores.1`*One of the 3 datasets for heatmap plotting*

Description

A sample KSEA.Scores output generated from the KSEA.Scores() function (or alternatively, the "KSEA Kinase Scores.csv" output from the KSEA.Complete() function, loaded into R)

Usage

```
data(KSEA.Scores.1)
```

Format

dataframe containing 7 columns in the exact order as listed below.

- "KinaseGene" the HUGO gene name of the kinase
- "mS" the mean log2FC of all the kinase's identified substrates
- "Enrichment" the enrichment score (refer to Casado et al. (2013) Sci. Signal., 6, rs6-rs6)
- "m" the number of experimentally-identified substrates annotating to that kinase
- "z.score" the normalized kinase score
- "p.value" the statistical assessment of the kinase score
- "FDR" the p-value adjusted for multiple hypothesis testing by the Benjamin-Hochberg method

References

unpublished data

`KSEA.Scores.2`*One of the 3 datasets for heatmap plotting*

Description

A sample KSEA.Scores output generated from the KSEA.Scores() function (or alternatively, the "KSEA Kinase Scores.csv" output from the KSEA.Complete() function, loaded into R)

Usage

```
data(KSEA.Scores.2)
```


Format

dataframe containing 7 columns in the exact order as listed below.

- "KinaseGene" the HUGO gene name of the kinase
- "mS" the mean log2FC of all the kinase's identified substrates
- "Enrichment" the enrichment score (refer to Casado et al. (2013) Sci. Signal., 6, rs6-rs6)
- "m" the number of experimentally-identified substrates annotating to that kinase
- "z.score" the normalized kinase score
- "p.value" the statistical assessment of the kinase score
- "FDR" the p-value adjusted for multiple hypothesis testing by the Benjamin-Hochberg method

References

unpublished data

KSEA.Scores.3

One of the 3 datasets for heatmap plotting

Description

A sample KSEA.Scores output generated from the KSEA.Scores() function (or alternatively, the "KSEA Kinase Scores.csv" output from the KSEA.Complete() function, loaded into R)

Usage

```
data(KSEA.Scores.3)
```

Format

dataframe containing 7 columns in the exact order as listed below.

- "KinaseGene" the HUGO gene name of the kinase
- "mS" the mean log2FC of all the kinase's identified substrates
- "Enrichment" the enrichment score (refer to Casado et al. (2013) Sci. Signal., 6, rs6-rs6)
- "m" the number of experimentally-identified substrates annotating to that kinase
- "z.score" the normalized kinase score
- "p.value" the statistical assessment of the kinase score
- "FDR" the p-value adjusted for multiple hypothesis testing by the Benjamin-Hochberg method

References

unpublished data

PX

PX dataset for KSEA calculations

Description

A sample PX dataset of the experimental phosphoproteomics input

Usage

data(PX)

Format

the experimental data file must be formatted exactly as described below; must have 6 columns in the exact order: Protein, Gene, Peptide, Residue.Both, p, FC; cannot have NA values, or else the entire peptide row is deleted; Description of each column in PX:

- "Protein" the Uniprot ID for the parent protein
- "Gene" the HUGO gene name for the parent protein
- "Peptide" the peptide sequence
- "Residue.Both" all phosphosites from that peptide, separated by semicolons if applicable; must be formatted as the single amino acid abbrev. with the residue position (e.g. S102)
- "p" the p-value of that peptide (if none calculated, please write "NULL", cannot be NA)
- "FC" the fold change (not log-transformed); usually the control sample is the denominator

References

unpublished data

Index

* datasets

KSData, [2](#)

KSEA.Scores.1, [8](#)

KSEA.Scores.2, [8](#)

KSEA.Scores.3, [9](#)

PX, [10](#)

KSData, [2](#)

KSEA.Barplot, [2](#)

KSEA.Complete, [3](#)

KSEA.Heatmap, [5](#)

KSEA.KS_table, [6](#)

KSEA.Scores, [7](#)

KSEA.Scores.1, [8](#)

KSEA.Scores.2, [8](#)

KSEA.Scores.3, [9](#)

PX, [10](#)