

Package ‘MAKL’

January 20, 2025

Title Multiple Approximate Kernel Learning (MAKL)

Version 1.0.1

Description R package associated with the Multiple Approximate Kernel Learning (MAKL) algorithm proposed in <[doi:10.1093/bioinformatics/btac241](https://doi.org/10.1093/bioinformatics/btac241)>. The algorithm fits multiple approximate kernel learning (MAKL) models that are fast, scalable and interpretable.

License GPL (>= 3)

Encoding UTF-8

RoxygenNote 7.1.2

Imports AUC, grplasso

Suggests rmarkdown, knitr

VignetteBuilder knitr

NeedsCompilation no

Author Ayyüce Begüm Bektaş [aut, cre]
(<<https://orcid.org/0000-0002-1432-9056>>),
Mehmet Gönen [aut] (<<https://orcid.org/0000-0002-2483-075X>>)

Maintainer Ayyüce Begüm Bektaş <ayyucebektas17@ku.edu.tr>

Repository CRAN

Date/Publication 2022-07-06 14:10:02 UTC

Contents

makl_test	2
makl_train	2

Index	4
--------------	----------

makl_test	<i>Test the Multiple Approximate Kernel Learning (MAKL) Model</i>
-----------	---

Description

Binary classification of the test data, using the MAKL model resulted from makl_train().

Usage

```
makl_test(X, y, makl_model)
```

Arguments

X	test dataset, matrix of size T x d.
y	response vector of length T, containing only -1 and 1.
makl_model	a list containing the MAKL model returning from makl_train().

Value

a list containing the predictions for test instances and the area under the ROC curve (AUROC) values with corresponding number of used kernels for prediction.

makl_train	<i>Train a Multiple Approximate Kernel Learning (MAKL) Model</i>
------------	--

Description

Train a MAKL model to be used as an input to makl_test().

Usage

```
makl_train(
  X,
  y,
  D = 100,
  sigma_N = 1000,
  CV = 1,
  lambda_set = c(0.9, 0.8, 0.7, 0.6),
  membership
)
```

Arguments

<i>X</i>	training dataset, matrix of size $N \times d$.
<i>y</i>	response vector of length N , containing only -1 and 1.
<i>D</i>	numeric value related to the number of random features to be used for approximation.
<i>sigma_N</i>	numeric value preferably smaller than N , used to calculate sigma to create random features.
<i>CV</i>	integer value between 0 and N . If <i>CV</i> is equal to 0 or 1, no cross validation is performed. If <i>CV</i> is greater than or equal to 2, <i>CV</i> is assigned as fold count in the cross validation.
<i>lambda_set</i>	a continuous number between 0 and 1, used for regularization.
<i>membership</i>	a list of length of number of groups, containing feature memberships to each group.

Value

a list containing the MAKL model and related parameters to be used in `makl_test()`.

Index

makl_test, 2
makl_train, 2