

Package ‘rapidoc’

November 17, 2023

Type Package

Title Generates 'RapiDoc' Documentation from an 'OpenAPI' Specification

Version 9.3.4

Maintainer Bruno Tremblay <openr@neoxone.com>

Description A collection of 'HTML', 'JavaScript', 'CSS' and fonts assets that generate 'RapiDoc' documentation from an 'OpenAPI' Specification: <<https://mrin9.github.io/RapiDoc/>>.

License MIT + file LICENSE

Suggests plumber (>= 1.0), testthat (>= 3.0.0)

Encoding UTF-8

URL <https://github.com/meztez/rapidoc>

BugReports <https://github.com/meztez/rapidoc/issues>

RoxygenNote 7.2.3

Config/testthat/edition 3

NeedsCompilation no

Author Bruno Tremblay [aut, cre],
Barret Schloerke [ctb] (<<https://orcid.org/0000-0001-9986-114X>>),
Mrinmoy Majumdar [cph]

Repository CRAN

Date/Publication 2023-11-17 20:20:02 UTC

R topics documented:

rapidoc-package	2
rapidoc_index	2
rapidoc_path	3
rapidoc_spec	3

Index	5
--------------	----------

rapidoc-package	<i>rapidoc: Generates RapiDoc documentation from an OpenAPI Specification</i>
-----------------	---

Description

RapiDoc is a collection of HTML, JavaScript, CSS and fonts assets that generate RapiDoc documentation from an OpenAPI Specification.

Details

The main purpose of this package is to enable package authors to create APIs that are compatible with <https://mrin9.github.io/RapiDoc/> and <https://www.openapis.org/>.

To learn more about RapiDoc visit: <https://mrin9.github.io/RapiDoc/>

Author(s)

Maintainer: Bruno Tremblay <openr@neoxone.com>

Other contributors:

- Barret Schloerke <barret@rstudio.com> ([ORCID](#)) [contributor]
- Mrinmoy Majumdar <mrin9@yahoo.com> [copyright holder]

See Also

Useful links:

- <https://github.com/meztez/rapidoc>
- Report bugs at <https://github.com/meztez/rapidoc/issues>

rapidoc_index	<i>Path to Rapidoc Index</i>
---------------	------------------------------

Description

Retrieves the path to the rapidoc index file.

Usage

```
rapidoc_index()
```

Examples

```
## Not run:
if (interactive()) {
  browseURL(rapidoc_index())
} else {
  print(paste("You can use rapidoc under: ", rapidoc_index()))
}

## End(Not run)
```

rapidoc_path	<i>Path to RapiDoc Resources</i>
--------------	----------------------------------

Description

Retrieves the path to rapidoc resources.

Usage

```
rapidoc_path()
```

Examples

```
## Not run:
if (interactive()) {
  browseURL(rapidoc_path())
} else {
  print(paste("You can explore rapidoc resources under: ", rapidoc_path()))
}

## End(Not run)
```

rapidoc_spec	<i>RapiDoc Index File with OpenAPI Path</i>
--------------	---

Description

Produces the content for a index.html file that will attempt to access a provided OpenAPI Specification URL.

Usage

```
rapidoc_spec(
  spec_url = "https://petstore.swagger.io/v2/swagger.json",
  fonts_css = "./fonts.css",
  slots = character(),
  ...
)
```

Arguments

<code>spec_url</code>	Url to an OpenAPI specification
<code>fonts_css</code>	Path to the fonts css file if you want to use fonts other than the default one.
<code>slots</code>	HTML content to include between <code><rapidoc></code> and <code></rapidoc></code>
<code>...</code>	Other options recognized by RapiDoc inside the <code>'rapidoc'</code> tag. You can replace <code>'-'</code> by underscore in names. See https://mrin9.github.io/RapiDoc/api.html for a list of available options.

Value

large string containing the contents of `rapidoc_index()` with the appropriate specification path changed to the `spec_url` value.

Examples

```
## Not run:
if (interactive()) {
  slot1 <- '
'
  rapidoc_spec("https://petstore.swagger.io/v2/swagger.json",
               fonts_css = "../fonts.css",
               slots = c(slot1),
               heading_text = "Google",
               allow_server_selection = FALSE)
}

## End(Not run)
```

Index

[rapidoc \(rapidoc-package\)](#), [2](#)
[rapidoc-package](#), [2](#)
[rapidoc_index](#), [2](#), [4](#)
[rapidoc_path](#), [3](#)
[rapidoc_spec](#), [3](#)