

Package ‘cocoon’

January 29, 2025

Title Extract, Format, and Print Statistical Output

Version 0.2.0

Maintainer Jeffrey R. Stevens <jeffrey.r.stevens@protonmail.com>

Description Provides functions that format statistical output in a way that can be inserted into R Markdown documents. This is analogous to the `apa_print()` functions in the 'papaja' package but prints Markdown or LaTeX syntax.

License GPL (>= 3)

Encoding UTF-8

RoxygenNote 7.3.2

Suggests BayesFactor, correlation, knitr, lme4, lmerTest, rmarkdown, testthat (>= 3.0.0)

Config/testthat/edition 3

Imports cli, dplyr, lifecycle, rlang (>= 1.1.0)

URL <https://github.com/JeffreyRStevens/cocoon>,
<https://jeffreystevens.github.io/cocoon/>

BugReports <https://github.com/JeffreyRStevens/cocoon/issues>

VignetteBuilder knitr

NeedsCompilation no

Author Jeffrey R. Stevens [aut, cre, cph]
(<<https://orcid.org/0000-0003-2375-1360>>)

Repository CRAN

Date/Publication 2025-01-29 19:20:02 UTC

Contents

<code>format_bf</code>	2
<code>format_chr</code>	4
<code>format_corr</code>	4

format_num	5
format_p	6
format_scientific	7
format_stats	8
format_stats.aov	9
format_stats.BFBayesFactor	11
format_stats.easycorrelation	12
format_stats.htest	14
format_stats.lm	15
format_stats.lmerModLmerTest	17
format_stats.merMod	19
format_sub	20
format_summary	21
format_ttest	24

Index	26
--------------	-----------

format_bf	<i>Format Bayes factors</i>
-----------	-----------------------------

Description

format_bf() can input either a **BayesFactor** object or a vector of Bayes factor values. By default, this function rounds Bayes factors greater than 1 to one decimal place and Bayes factors less than 1 to two decimal places. Values greater than 1000 or less than 1/1000 are formatted using scientific notation. Cutoffs can be set that format the values as greater than or less than the cutoffs (e.g., BF > 1000 or BF < 0.001). Numbers of digits, cutoffs, italics, and label subscripts are all customizable.

Usage

```
format_bf(
  x,
  digits1 = 1,
  digits2 = 2,
  cutoff = NULL,
  label = "BF",
  italics = TRUE,
  subscript = "10",
  type = "md"
)
```

Arguments

x	BayesFactor object or vector of numeric Bayes factor values.
digits1	Number of digits after the decimal for Bayes factors > 1.
digits2	Number of digits after the decimal for Bayes factors < 1.

cutoff	Cutoff for using $_{BF} \sim 10^{\sim} > < \text{cutoff} >$ or $_{BF} \sim 10^{\sim} < 1 / < \text{cutoff} >$ (value must be > 1).
label	Character string for label before Bayes factor. Default is BF. Set label = "" to return just the formatted Bayes factor value with no label or operator (=, <, >).
italics	Logical value (default = TRUE) for whether label should be italicized (<i>BF</i> or BF).
subscript	Subscript to include with <i>BF</i> label ("10", "01", or "" for no subscript).
type	Type of formatting ("md" = markdown, "latex" = LaTeX).

Value

A character string that includes label (by default *BF*~10~) and then the Bayes factor formatted in Markdown or LaTeX. If Bayes factor is above or below cutoff, $_{BF} \sim 10^{\sim} > < \text{cutoff} >$ or $_{BF} \sim 10^{\sim} < 1 / < \text{cutoff} >$ is used.

See Also

Other functions for printing statistical objects: [format_corr\(\)](#), [format_stats\(\)](#), [format_stats.BFBayesFactor\(\)](#), [format_stats.aov\(\)](#), [format_stats.easycorrelation\(\)](#), [format_stats.htest\(\)](#), [format_stats.lm\(\)](#), [format_stats.lmerModLmerTest\(\)](#), [format_stats.merMod\(\)](#), [format_ttest\(\)](#)

Examples

```
# Format BFBayesfactor objects from {BayesFactor} package
format_bf(BayesFactor::lmBF(mpg ~ am, data = mtcars))

# Format Bayes factors > 1
format_bf(12.4444)

# Bayes factors > 1000 will use scientific notation
format_bf(1244.44)

# Control digits for Bayes factors > 1 with digits1
format_bf(1244.44, digits1 = 3)

# Control cutoff for output
format_bf(1244.44, cutoff = 10000)

# Format Bayes factors < 1
format_bf(0.111)

# Bayes factors < 0.001 will use scientific notation
format_bf(0.0001)

# Control digits for Bayes factors < 1 with digits2
format_bf(0.111, digits2 = 3)

# Control cutoff for output
format_bf(0.001, cutoff = 100)
```

```
# Return only Bayes factor value (no label)
format_bf(12.4444, label = "")

# Format for LaTeX
format_bf(12.4444, type = "latex")
```

format_chr *Format character strings with italics and type*

Description

Format character strings with italics and type

Usage

```
format_chr(x, italics = TRUE, type = "md")
```

Arguments

x	Character string.
italics	Logical value (default = TRUE) for whether text should be italicized.
type	Type of formatting ("md" = markdown, "latex" = LaTeX).

Value

A character string that has either Markdown or LaTeX formatting for italics or not.

Examples

```
format_chr("Hello world!")
# Format in LaTeX syntax
format_chr("Hello world!", type = "latex")
# Remove italics
format_chr("Hello world!", italics = FALSE)
```

format_corr *Format correlation statistics*

Description

[Superseded]

With `format_corr()` you can format correlation statistics generated from `cor.test()` output. This is now an internal function superseded by `format_stats()`, which we recommend using instead.

Usage

```
format_corr(x, digits, pdigits, pzero, full, italics, type, ...)
```

Arguments

x	An htest object from <code>cor.test()</code> , <code>t.test()</code> , or <code>wilcox.test()</code> .
digits	Number of digits after the decimal for means, confidence intervals, and test statistics.
pdigits	Number of digits after the decimal for p-values, ranging between 1-5 (also controls cutoff for small p-values).
pzero	Logical value (default = FALSE) for whether to include leading zero for p-values.
full	Logical value (default = TRUE) for whether to include means and confidence intervals or just test statistic and p-value.
italics	Logical value (default = TRUE) for whether <i>p</i> label should be italicized.
type	Type of formatting ("md" = markdown, "latex" = LaTeX).
...	Additional arguments passed to methods.

Value

A character string of statistical information formatted in Markdown or LaTeX.

See Also

Other functions for printing statistical objects: `format_bf()`, `format_stats()`, `format_stats.BFBayesFactor()`, `format_stats.aov()`, `format_stats.easycorrelation()`, `format_stats.htest()`, `format_stats.lm()`, `format_stats.lmerModLmerTest()`, `format_stats.merMod()`, `format_ttest()`

Examples

```
# format_stats(cor.test(mtcars$mpg, mtcars$cyl))
```

format_num	<i>Format numbers</i>
------------	-----------------------

Description

Format numbers

Usage

```
format_num(x, digits = 1, pzero = TRUE)
```

Arguments

x	Number.
digits	Number of digits after the decimal.
pzero	Logical value (default = TRUE) for whether to include leading zero numbers less than 1.

Value

A character string formatting the number with specified number of digits after the decimal.

Examples

```
format_num(pi, digits = 2)
format_num(pi, digits = 4)
```

format_p

Format p-values

Description

format_p() inputs numeric vectors of p-values. Cutoffs can be set that format the values as less than the cutoffs (e.g., $p < 0.001$). The default output is APA formatted, but numbers of digits, cutoffs, leading zeros, and italics are all customizable.

Usage

```
format_p(
  x,
  digits = 3,
  pzero = FALSE,
  label = "p",
  italics = TRUE,
  type = "md"
)
```

Arguments

x	Number representing p-value.
digits	Number of digits after the decimal for p-values, ranging between 1-5 (also controls cutoff for small p-values).
pzero	Logical value (default = FALSE) for whether to include leading zero for p-values.
label	Character string for label before p value. Default is p. Set label = "" to return just the formatted p value with no label or operator (=, <, >).
italics	Logical value (default = TRUE) for whether label should be italicized (<i>p</i>).
type	Type of formatting ("md" = markdown, "latex" = LaTeX).

Value

A character string that includes *p* and then the p-value formatted in Markdown or LaTeX. If p-value is below digits cutoff, $p < \text{cutoff}$ is used.

Examples

```
# Format p-value
format_p(0.001)

# Format p-value vector
format_p(c(0.001, 0.01))

# Round digits for p-values greater than cutoff
format_p(0.111, digits = 2)

# Default cutoff is p < 0.001
format_p(0.0001)

# Set cutoff with digits
format_p(0.0001, digits = 2)

# Include leading zero
format_p(0.001, pzero = TRUE)

# Return only Bayes factor value (no label)
format_p(0.001, label = "")

# Format for LaTeX
format_p(0.001, type = "latex")
```

format_scientific	<i>Format numbers in scientific notation</i>
-------------------	--

Description

Format numbers in scientific notation

Usage

```
format_scientific(x, digits = 1, type = "md")
```

Arguments

x	Number.
digits	Number of digits after the decimal.
type	Type of formatting ("md" = markdown, "latex" = LaTeX).

Value

A character string of a number in scientific notation formatted in Markdown or LaTeX.

Examples

```
format_scientific(1111)
# Control number of digits after decimal with digits
format_scientific(1111, digits = 3)
```

format_stats	<i>Format statistical results</i>
--------------	-----------------------------------

Description

A generic function that takes objects from various statistical methods to create formatted character strings to insert into R Markdown or Quarto documents. Currently, the generic function works with the following objects:

1. htest objects of correlations, t-tests, and Wilcoxon tests
2. correlations from the `{correlation}` package.
3. aov objects for ANOVAs
4. Bayes factors from the `{BayesFactor}` package. The function invokes specific methods that depend on the class of the first argument.

Usage

```
format_stats(x, ...)
```

Arguments

x	Statistical object.
...	Additional arguments passed to methods. For method-specific arguments, see format_stats.htest() for htest correlations, t-tests, and Wilcoxon tests, format_stats.easycorrelation() for easycorrelation correlations, format_stats.lm() for linear models, format_stats.merMod() and format_stats.lmerModLmerTest() for linear mixed models, and format_stats.BFBayesFactor() for Bayes factors from the <code>{BayesFactor}</code> package.

Value

A character string of statistical information formatted in Markdown or LaTeX.

See Also

Other functions for printing statistical objects: [format_bf\(\)](#), [format_corr\(\)](#), [format_stats.BFBayesFactor\(\)](#), [format_stats.aov\(\)](#), [format_stats.easycorrelation\(\)](#), [format_stats.htest\(\)](#), [format_stats.lm\(\)](#), [format_stats.lmerModLmerTest\(\)](#), [format_stats.merMod\(\)](#), [format_tttest\(\)](#)

Examples

```

# Format cor.test() object
format_stats(cor.test(mtcars$mpg, mtcars$cyl))

# Format correlation::correlation() object
format_stats(correlation::correlation(data = mtcars, select = "mpg", select2 = "cyl"))

# Format t.test() object
format_stats(t.test(mtcars$vs, mtcars$am))

# Format aov() object
format_stats(aov(mpg ~ cyl * hp, data = mtcars), term = "cyl")

# Format lm() or glm() object
format_stats(lm(mpg ~ cyl * hp, data = mtcars), term = "cyl")
format_stats(glm(am ~ cyl * hp, data = mtcars, family = binomial), term = "cyl")

# Format lme4::lmer() or lme4::glmer() object
format_stats(lme4::lmer(mpg ~ hp + (1 | cyl), data = mtcars), term = "hp")
format_stats(lme4::glmer(am ~ hp + (1 | cyl), data = mtcars, family = binomial), term = "hp")

# Format lmerTest::lmer() object
format_stats(lmerTest::lmer(mpg ~ hp + (1 | cyl), data = mtcars), term = "hp")

# Format BFBayesFactor object from {BayesFactor} package
format_stats(BayesFactor::ttestBF(mtcars$vs, mtcars$am))

```

format_stats.aov

Format ANOVA statistics

Description

This method formats analysis of variance (ANOVA) statistics from the class `aov`. The default output is APA formatted, but this function allows control over numbers of digits, leading zeros, italics, degrees of freedom, and output format of Markdown or LaTeX.

Usage

```

## S3 method for class 'aov'
format_stats(
  x,
  term,
  digits = 1,
  pdigits = 3,
  pzero = FALSE,
  italics = TRUE,
  dfs = "par",
  type = "md",
  ...
)

```

Arguments

<code>x</code>	An aov object from <code>stats::aov()</code> .
<code>term</code>	Character string for row name of term to extract statistics for. This must be the exact string returned in the <code>summary()</code> output from the aov object.
<code>digits</code>	Number of digits after the decimal for means, confidence intervals, and test statistics.
<code>pdigits</code>	Number of digits after the decimal for p-values, ranging between 1-5 (also controls cutoff for small p-values).
<code>pzero</code>	Logical value (default = FALSE) for whether to include leading zero for p-values.
<code>italics</code>	Logical value (default = TRUE) for whether <i>p</i> label should be italicized.
<code>dfs</code>	Formatting for degrees of freedom ("par" = parenthetical, "sub" = subscript, "none" = do not print degrees of freedom).
<code>type</code>	Type of formatting ("md" = markdown, "latex" = LaTeX).
<code>...</code>	Additional arguments passed to methods.

Value

A character string of statistical information formatted in Markdown or LaTeX.

See Also

Other functions for printing statistical objects: `format_bf()`, `format_corr()`, `format_stats()`, `format_stats.BFBayesFactor()`, `format_stats.easycorrelation()`, `format_stats.htest()`, `format_stats.lm()`, `format_stats.lmerModLmerTest()`, `format_stats.merMod()`, `format_ttest()`

Examples

```
test_aov <- aov(mpg ~ cyl * hp, data = mtcars)

# Format ANOVA
format_stats(test_aov, term = "cyl")

# Remove italics and make degrees of freedom subscripts
format_stats(test_aov, term = "cyl", italics = FALSE, dfs = "sub")

# Change digits and add leading zero to p-value
format_stats(test_aov, term = "hp", digits = 3, pdigits = 4, pzero = TRUE)

# Format for LaTeX
format_stats(test_aov, term = "hp", type = "latex")
```

format_stats.BFBayesFactor

Format Bayes factors

Description

This method formats Bayes factors from the `{BayesFactor}` package. By default, this function rounds Bayes factors greater than 1 to one decimal place and Bayes factors less than 1 to two decimal places. Values greater than 1000 or less than 1/1000 are formatted using scientific notation. Cutoffs can be set that format the values as greater than or less than the cutoffs (e.g., $BF > 1000$ or $BF < 0.001$). Numbers of digits, cutoffs, italics, and label subscripts are all customizable.

Usage

```
## S3 method for class 'BFBayesFactor'
format_stats(
  x,
  digits1 = 1,
  digits2 = 2,
  cutoff = NULL,
  label = "BF",
  italics = TRUE,
  subscript = "10",
  type = "md",
  ...
)
```

Arguments

<code>x</code>	BayesFactor object or vector of numeric Bayes factor values.
<code>digits1</code>	Number of digits after the decimal for Bayes factors > 1 .
<code>digits2</code>	Number of digits after the decimal for Bayes factors < 1 .
<code>cutoff</code>	Cutoff for using $_{BF} \sim 10^{\sim} > < \text{cutoff} >$ or $_{BF} \sim 10^{\sim} < 1 / < \text{cutoff} >$ (value must be > 1).
<code>label</code>	Character string for label before Bayes factor. Default is BF. Set <code>label = ""</code> to return just the formatted Bayes factor value with no label or operator ($=$, $<$, $>$).
<code>italics</code>	Logical value (default = TRUE) for whether label should be italicized (<i>BF</i> or BF).
<code>subscript</code>	Subscript to include with <i>BF</i> label (" <i>10</i> ", " <i>01</i> ", or "" for no subscript).
<code>type</code>	Type of formatting (" <code>md</code> " = markdown, " <code>latex</code> " = LaTeX).
<code>...</code>	Additional arguments passed to methods.

Value

A character string of statistical information formatted in Markdown or LaTeX.

See Also

Other functions for printing statistical objects: `format_bf()`, `format_corr()`, `format_stats()`, `format_stats.aov()`, `format_stats.easycorrelation()`, `format_stats.htest()`, `format_stats.lm()`, `format_stats.lmerModLmerTest()`, `format_stats.merMod()`, `format_ttest()`

Examples

```
# Prepare statistical object
test_bf <- BayesFactor::ttestBF(mtcars$vs, mtcars$am)

# Format Bayes factor
format_stats(test_bf)

# Control cutoff for output
format_stats(test_bf, cutoff = 3)

# Change digits, remove italics and subscript
format_stats(test_bf, digits2 = 1, italics = FALSE, subscript = "")

# Return only Bayes factor value (no label)
format_stats(test_bf, label = "")

# Format for LaTeX
format_stats(test_bf, type = "latex")
```

```
format_stats.easycorrelation
```

Format correlation statistics

Description

This functions formats correlation statistics generated from the `{correlation}` package. This detects whether the object is from a Pearson, Spearman, or Kendall correlation and reports the appropriate correlation label (r , τ , ρ). The default output is APA formatted, but numbers of digits, leading zeros, the presence of confidence intervals, and italics are all customizable.

Usage

```
## S3 method for class 'easycorrelation'
format_stats(
  x,
  digits = 2,
  pdigits = 3,
  pzero = FALSE,
  full = TRUE,
  italics = TRUE,
  type = "md",
  ...
)
```

Arguments

<code>x</code>	An <code>htest</code> object from <code>cor.test()</code> , <code>t.test()</code> , or <code>wilcox.test()</code> .
<code>digits</code>	Number of digits after the decimal for means, confidence intervals, and test statistics.
<code>pdigits</code>	Number of digits after the decimal for p-values, ranging between 1-5 (also controls cutoff for small p-values).
<code>pzero</code>	Logical value (default = FALSE) for whether to include leading zero for p-values.
<code>full</code>	Logical value (default = TRUE) for whether to include means and confidence intervals or just test statistic and p-value.
<code>italics</code>	Logical value (default = TRUE) for whether <i>p</i> label should be italicized.
<code>type</code>	Type of formatting ("md" = markdown, "latex" = LaTeX).
<code>...</code>	Additional arguments passed to methods.

Value

A character string of statistical information formatted in Markdown or LaTeX.

See Also

Other functions for printing statistical objects: `format_bf()`, `format_corr()`, `format_stats()`, `format_stats.BFBayesFactor()`, `format_stats.aov()`, `format_stats.htest()`, `format_stats.lm()`, `format_stats.lmerModLmerTest()`, `format_stats.merMod()`, `format_ttest()`

Examples

```
# Prepare statistical objects
test_corr <- correlation::correlation(mtcars, select = "mpg", select2 = "disp")
test_corr2 <- correlation::correlation(mtcars, select = "mpg", select2 = "disp", method = "kendall")

# Format correlation
format_stats(test_corr)

# Remove confidence intervals and italics
format_stats(test_corr, full = FALSE, italics = FALSE)

# Change digits and add leading zero to p-value
format_stats(test_corr, digits = 3, pdigits = 4, pzero = TRUE)

# Format Kendall's tau for LaTeX
format_stats(test_corr2, type = "latex")
```

format_stats.htest *Format hypothesis test statistics*

Description

This method formats hypothesis test statistics from the class `htest`. Currently, this includes correlations from `cor.test()` and t-tests and Wilcoxon tests from `t.test()` and `wilcox.test()`. For correlations, the function detects whether the object is from a Pearson, Spearman, or Kendall correlation and reports the appropriate correlation label (r , τ , ρ). The default output is APA formatted, but this function allows control over numbers of digits, leading zeros, the presence of means and confidence intervals, italics, degrees of freedom, and mean labels, and output format of Markdown or LaTeX.

Usage

```
## S3 method for class 'htest'
format_stats(
  x,
  digits = NULL,
  pdigits = 3,
  pzero = FALSE,
  full = TRUE,
  italics = TRUE,
  dfs = "par",
  mean = "abbr",
  type = "md",
  ...
)
```

Arguments

<code>x</code>	An <code>htest</code> object from <code>cor.test()</code> , <code>t.test()</code> , or <code>wilcox.test()</code> .
<code>digits</code>	Number of digits after the decimal for means, confidence intervals, and test statistics.
<code>pdigits</code>	Number of digits after the decimal for p-values, ranging between 1-5 (also controls cutoff for small p-values).
<code>pzero</code>	Logical value (default = FALSE) for whether to include leading zero for p-values.
<code>full</code>	Logical value (default = TRUE) for whether to include means and confidence intervals or just test statistic and p-value.
<code>italics</code>	Logical value (default = TRUE) for whether p label should be italicized.
<code>dfs</code>	Formatting for degrees of freedom ("par" = parenthetical, "sub" = subscript, "none" = do not print degrees of freedom).
<code>mean</code>	Formatting for mean label ("abbr" = M, "word" = Mean).
<code>type</code>	Type of formatting ("md" = markdown, "latex" = LaTeX).
<code>...</code>	Additional arguments passed to methods.

Value

A character string of statistical information formatted in Markdown or LaTeX.

See Also

Other functions for printing statistical objects: [format_bf\(\)](#), [format_corr\(\)](#), [format_stats\(\)](#), [format_stats.BFBayesFactor\(\)](#), [format_stats.aov\(\)](#), [format_stats.easycorrelation\(\)](#), [format_stats.lm\(\)](#), [format_stats.lmerModLmerTest\(\)](#), [format_stats.merMod\(\)](#), [format_ttest\(\)](#)

Examples

```
# Prepare statistical objects
test_corr <- cor.test(mtcars$mpg, mtcars$cyl)
test_corr2 <- cor.test(mtcars$mpg, mtcars$cyl, method = "kendall")
test_ttest <- t.test(mtcars$vs, mtcars$am)
test_ttest2 <- wilcox.test(mtcars$vs, mtcars$am)

# Format correlation
format_stats(test_corr)

# Remove confidence intervals and italics
format_stats(test_corr, full = FALSE, italics = FALSE)

# Change digits and add leading zero to p-value
format_stats(test_corr, digits = 3, pdigits = 4, pzero = TRUE)

# Format Kendall's tau
format_stats(test_corr2)

# Format t-test
format_stats(test_ttest)

# Remove mean and confidence interval
format_stats(test_ttest, full = FALSE)

# Remove degrees of freedom and spell out "Mean"
format_stats(test_ttest, dfs = "none", mean = "word")

# Format for LaTeX
format_stats(test_ttest2, type = "latex")
```

format_stats.lm

Format linear model statistics

Description

This method formats (generalized) linear model statistics from the class `lm` or `glm`. If no term is specified, overall model statistics are returned. For linear models (`lm` objects), this includes the R-squared, F statistic, and p-value. For generalized linear models (`glm` objects), this includes deviance

and AIC. The default output is APA formatted, but this function allows control over numbers of digits, leading zeros, italics, degrees of freedom, and output format of Markdown or LaTeX.

Usage

```
## S3 method for class 'lm'
format_stats(
  x,
  term = NULL,
  digits = 3,
  pdigits = 3,
  pzero = FALSE,
  full = TRUE,
  italics = TRUE,
  dfs = "par",
  type = "md",
  ...
)
```

Arguments

x	An lm or glm object from <code>stats::lm()</code> or <code>stats::glm()</code> .
term	Character string for row name of term to extract statistics for. This must be the exact string returned in the <code>summary()</code> output from the lm or glm object.
digits	Number of digits after the decimal for test statistics.
pdigits	Number of digits after the decimal for p-values, ranging between 1-5 (also controls cutoff for small p-values).
pzero	Logical value (default = FALSE) for whether to include leading zero for p-values.
full	Logical value (default = TRUE) for whether to include extra info (e.g., standard errors and t-values or z-values for terms) or just test statistic and p-value.
italics	Logical value (default = TRUE) for whether statistics labels should be italicized.
dfs	Formatting for degrees of freedom ("par" = parenthetical, "sub" = subscript, "none" = do not print degrees of freedom).
type	Type of formatting ("md" = markdown, "latex" = LaTeX).
...	Additional arguments passed to methods.

Value

A character string of statistical information formatted in Markdown or LaTeX.

See Also

Other functions for printing statistical objects: `format_bf()`, `format_corr()`, `format_stats()`, `format_stats.BFBayesFactor()`, `format_stats.aov()`, `format_stats.easycorrelation()`, `format_stats.htest()`, `format_stats.lmerModLmerTest()`, `format_stats.merMod()`, `format_ttest()`

Examples

```

test_lm <- lm(mpg ~ cyl * hp, data = mtcars)
test_glm <- glm(am ~ cyl * hp, data = mtcars, family = binomial)

# Format linear model overall statistics
format_stats(test_lm)

# Format linear model term statistics
format_stats(test_lm, term = "cyl")

# Format generalized linear model overall statistics
format_stats(test_glm)

# Format generalized linear model term statistics
format_stats(test_glm, term = "cyl")

# Remove italics and make degrees of freedom subscripts
format_stats(test_lm, term = "cyl", italics = FALSE, dfs = "sub")

# Change digits and add leading zero to p-value
format_stats(test_lm, term = "hp", digits = 3, pdigits = 4, pzero = TRUE)

# Format for LaTeX
format_stats(test_lm, term = "hp", type = "latex")

```

```
format_stats.lmerModLmerTest
```

Format linear mixed model statistics

Description

This method formats linear mixed model statistics from the class `lmerModLmerTest` from the `{lmerTest}` package. Only fixed effects can be extracted. The default output is APA formatted, but this function allows control over numbers of digits, leading zeros, italics, and output format of Markdown or LaTeX.

Usage

```

## S3 method for class 'lmerModLmerTest'
format_stats(
  x,
  term = NULL,
  digits = 3,
  pdigits = 3,
  pzero = FALSE,
  full = TRUE,
  italics = TRUE,
  type = "md",
  ...
)

```

Arguments

x	An lmerModLmerTest object from <code>lmerTest::lmer()</code> .
term	Character string for row name of term to extract statistics for. This must be the exact string returned in the <code>summary()</code> output from the <code>lmerModLmerTest</code> object and can only be fixed effects.
digits	Number of digits after the decimal for test statistics.
pdigits	Number of digits after the decimal for p-values, ranging between 1-5 (also controls cutoff for small p-values).
pzero	Logical value (default = FALSE) for whether to include leading zero for p-values.
full	Logical value (default = TRUE) for whether to include extra info (e.g., standard errors and t-values or z-values for terms) or just test statistic and p-value.
italics	Logical value (default = TRUE) for whether statistics labels should be italicized.
type	Type of formatting ("md" = markdown, "latex" = LaTeX).
...	Additional arguments passed to methods.

Value

A character string of statistical information formatted in Markdown or LaTeX.

See Also

Other functions for printing statistical objects: `format_bf()`, `format_corr()`, `format_stats()`, `format_stats.BFBayesFactor()`, `format_stats.aov()`, `format_stats.easycorrelation()`, `format_stats.htest()`, `format_stats.lm()`, `format_stats.merMod()`, `format_ttest()`

Examples

```
test_lmer <- lmerTest::lmer(mpg ~ hp + (1 | cyl), data = mtcars)

# Format linear mixed model term statistics
format_stats(test_lmer, term = "hp")

# Remove italics
format_stats(test_lmer, term = "hp", italics = FALSE)

# Change digits and add leading zero to p-value
format_stats(test_lmer, term = "hp", digits = 3, pdigits = 4, pzero = TRUE)

# Format for LaTeX
format_stats(test_lmer, term = "hp", type = "latex")
```

format_stats.merMod *Format linear mixed model statistics*

Description

This method formats (generalized) linear mixed model statistics from the class `lmerMod` or `glmerMod` from the `{lme4}` package. Only fixed effects can be extracted. The default output is APA formatted, but this function allows control over numbers of digits, leading zeros, italics, and output format of Markdown or LaTeX.

Usage

```
## S3 method for class 'merMod'
format_stats(
  x,
  term = NULL,
  digits = 3,
  pdigits = 3,
  pzero = FALSE,
  full = TRUE,
  italics = TRUE,
  type = "md",
  ...
)
```

Arguments

<code>x</code>	An <code>lmerMod</code> or <code>glmerMod</code> object from <code>lme4::lmer()</code> or <code>lme4::glmer()</code> .
<code>term</code>	Character string for row name of term to extract statistics for. This must be the exact string returned in the <code>summary()</code> output from the <code>lmerMod</code> or <code>glmerMod</code> object and can only be fixed effects.
<code>digits</code>	Number of digits after the decimal for test statistics.
<code>pdigits</code>	Number of digits after the decimal for p-values, ranging between 1-5 (also controls cutoff for small p-values).
<code>pzero</code>	Logical value (default = FALSE) for whether to include leading zero for p-values.
<code>full</code>	Logical value (default = TRUE) for whether to include extra info (e.g., standard errors and t-values or z-values for terms) or just test statistic and p-value.
<code>italics</code>	Logical value (default = TRUE) for whether statistics labels should be italicized.
<code>type</code>	Type of formatting ("md" = markdown, "latex" = LaTeX).
<code>...</code>	Additional arguments passed to methods.

Value

A character string of statistical information formatted in Markdown or LaTeX.

See Also

Other functions for printing statistical objects: [format_bf\(\)](#), [format_corr\(\)](#), [format_stats\(\)](#), [format_stats.BFBayesFactor\(\)](#), [format_stats.aov\(\)](#), [format_stats.easycorrelation\(\)](#), [format_stats.htest\(\)](#), [format_stats.lm\(\)](#), [format_stats.lmerModLmerTest\(\)](#), [format_ttest\(\)](#)

Examples

```
test_lmer <- lme4::lmer(mpg ~ hp + (1 | cyl), data = mtcars)
test_glmer <- lme4::glmer(am ~ hp + (1 | cyl), data = mtcars, family = binomial)

# Format linear mixed model term statistics
format_stats(test_lmer, term = "hp")

# Format generalized linear mixed model term statistics
format_stats(test_glmer, term = "hp")

# Remove italics
format_stats(test_lmer, term = "hp", italics = FALSE)

# Change digits and add leading zero to p-value
format_stats(test_lmer, term = "hp", digits = 3, pdigits = 4, pzero = TRUE)

# Format for LaTeX
format_stats(test_lmer, term = "hp", type = "latex")
```

format_sub

Format subscript text

Description

Format subscript text

Usage

```
format_sub(subscript = NULL, type = "md")
```

Arguments

subscript	Character string or NULL.
type	Type of formatting ("md" = markdown, "latex" = LaTeX).

Value

A character string that is formatted as subscript for either Markdown or LaTeX.

Examples

```
format_sub("Hello world!")
# Format in LaTeX syntax
format_sub("Hello world!", type = "latex")
```

Description

`format_summary()` is a general function that allows you to either automatically calculate mean/median and a measure of error from a data vector or specify already calculated a mean/median and either an error interval or error limits. Error measures include confidence intervals, standard deviation, and standard error of the mean. Each of those has a specific function that formats means and those error measures using APA (7th edition) style. So `format_meanci()`, `format_meansd()`, `format_meanse()`, and `format_medianiqr()` are wrappers around `format_summary()` for specific error measures with a default style. To just format the mean or median with no error, use `format_mean()` or `format_median()`. All measures ignore NAs.

Usage

```
format_summary(  
  x = NULL,  
  tendency = "mean",  
  error = "ci",  
  values = NULL,  
  digits = 1,  
  tendlabel = "abbr",  
  italics = TRUE,  
  subscript = NULL,  
  units = NULL,  
  display = "limits",  
  cilevel = 0.95,  
  errorlabel = TRUE,  
  type = "md"  
)
```

```
format_mean(  
  x = NULL,  
  tendency = "mean",  
  values = NULL,  
  digits = 1,  
  tendlabel = "abbr",  
  italics = TRUE,  
  subscript = NULL,  
  units = NULL,  
  display = "none",  
  type = "md"  
)
```

```
format_meanci(  
  x = NULL,
```

```
tendency = "mean",
error = "ci",
values = NULL,
digits = 1,
tendlabel = "abbr",
italics = TRUE,
subscript = NULL,
units = NULL,
display = "limits",
cilevel = 0.95,
errorlabel = TRUE,
type = "md"
)

format_meanse(
  x = NULL,
  tendency = "mean",
  error = "se",
  values = NULL,
  digits = 1,
  tendlabel = "abbr",
  italics = TRUE,
  subscript = NULL,
  units = NULL,
  display = "par",
  errorlabel = TRUE,
  type = "md"
)

format_meansd(
  x = NULL,
  tendency = "mean",
  error = "sd",
  values = NULL,
  digits = 1,
  tendlabel = "abbr",
  italics = TRUE,
  subscript = NULL,
  units = NULL,
  display = "par",
  errorlabel = TRUE,
  type = "md"
)

format_median(
  x = NULL,
  tendency = "median",
  values = NULL,
```

```

    digits = 1,
    tendlabel = "abbr",
    italics = TRUE,
    subscript = NULL,
    units = NULL,
    display = "none",
    type = "md"
)

format_medianiqr(
  x = NULL,
  tendency = "median",
  error = "iqr",
  values = NULL,
  digits = 1,
  tendlabel = "abbr",
  italics = TRUE,
  subscript = NULL,
  units = NULL,
  display = "par",
  errorlabel = TRUE,
  type = "md"
)

```

Arguments

x	Numeric vector of data to calculate mean and error.
tendency	Character vector specifying measure of central tendency ("mean" = mean, "median" = median).
error	Character vector specifying error type ("ci" = confidence interval, "se" = standard error of the mean, "sd" = standard deviation, "iqr" = interquartile range).
values	Numeric vector of mean and interval or mean and lower and upper limits.
digits	Number of digits after the decimal for means and error.
tendlabel	Formatting for tendency label ("abbr" = M, "word" = Mean, "none" = no label).
italics	Logical value (default = TRUE) for whether mean label should be italicized.
subscript	Character string to include as subscript with mean label.
units	Character string that gives units to include after mean value.
display	Character vector specifying how to display error ("limits" = [lower limit, upper limit], "pm" = \pm interval, "par" = (interval), "none" = do not display error).
cilevel	Numeric scalar from 0-1 defining confidence level (defaults to 0.95).
errorlabel	Logical value (default = TRUE) for whether error label (e.g., 95% CI) should be included.
type	Type of formatting ("md" = markdown, "latex" = LaTeX).

Value

A character string of mean and error formatted in Markdown or LaTeX. To return only the mean (no error), set `display = "none"`.

Examples

```
# Print mean and 95% confidence limits for fuel efficiency
format_meanci(mtcars$mpg)

# Print mean and standard deviation
format_meansd(mtcars$mpg)

# Print mean and standard error of the mean
format_meanse(mtcars$mpg)

# Print mean
format_mean(mtcars$mpg)

# Print mean and 95% confidence limits with no label for "95% CI"
format_meanci(mtcars$mpg, errorlabel = FALSE)

# Print mean and standard error of the mean as plus/minus interval
format_meanse(mtcars$mpg, error = "se", display = "pm")

# Print mean and 90% confidence limits with units
format_meanci(mtcars$mpg, units = "cm", cilevel = 0.9)

# Print three-digit mean with subscript in LaTeX
format_summary(mtcars$mpg, digits = 3, subscript = "control", display = "none", type = "latex")
```

format_ttest

Format t-test statistics

Description**[Superseded]**

With `format_ttest()` you can format t-tests generated from `t.test()` and `wilcox.test()` output. This is now an internal function superseded by `format_stats()`, which we recommend using instead.

Usage

```
format_ttest(x, digits, pdigits, pzero, full, italics, dfs, mean, type)
```

Arguments

`x` An htest object from `cor.test()`, `t.test()`, or `wilcox.test()`.

`digits` Number of digits after the decimal for means, confidence intervals, and test statistics.

pdigits	Number of digits after the decimal for p-values, ranging between 1-5 (also controls cutoff for small p-values).
pzero	Logical value (default = FALSE) for whether to include leading zero for p-values.
full	Logical value (default = TRUE) for whether to include means and confidence intervals or just test statistic and p-value.
italics	Logical value (default = TRUE) for whether <i>p</i> label should be italicized.
dfs	Formatting for degrees of freedom ("par" = parenthetical, "sub" = subscript, "none" = do not print degrees of freedom).
mean	Formatting for mean label ("abbr" = M, "word" = Mean).
type	Type of formatting ("md" = markdown, "latex" = LaTeX).

Value

A character string of statistical information formatted in Markdown or LaTeX.

See Also

Other functions for printing statistical objects: [format_bf\(\)](#), [format_corr\(\)](#), [format_stats\(\)](#), [format_stats.BFBayesFactor\(\)](#), [format_stats.aov\(\)](#), [format_stats.easycorrelation\(\)](#), [format_stats.htest\(\)](#), [format_stats.lm\(\)](#), [format_stats.lmerModLmerTest\(\)](#), [format_stats.merMod\(\)](#)

Examples

```
format_stats(t.test(formula = mtcars$mpg ~ mtcars$vs))
```

Index

* functions for printing statistical objects

- format_bf, 2
 - format_corr, 4
 - format_stats, 8
 - format_stats.aov, 9
 - format_stats.BFBayesFactor, 11
 - format_stats.easycorrelation, 12
 - format_stats.htest, 14
 - format_stats.lm, 15
 - format_stats.lmerModLmerTest, 17
 - format_stats.merMod, 19
 - format_ttest, 24
- cor.test(), 4, 5, 13, 14, 24
- format_bf, 2, 5, 8, 10, 12, 13, 15, 16, 18, 20, 25
- format_chr, 4
- format_corr, 3, 4, 8, 10, 12, 13, 15, 16, 18, 20, 25
- format_mean (format_summary), 21
- format_mean(), 21
- format_meanci (format_summary), 21
- format_meanci(), 21
- format_meansd (format_summary), 21
- format_meansd(), 21
- format_meanse (format_summary), 21
- format_meanse(), 21
- format_median (format_summary), 21
- format_median(), 21
- format_medianiqr (format_summary), 21
- format_medianiqr(), 21
- format_num, 5
- format_p, 6
- format_scientific, 7
- format_stats, 3, 5, 8, 10, 12, 13, 15, 16, 18, 20, 25
- format_stats(), 4, 24
- format_stats.aov, 3, 5, 8, 9, 12, 13, 15, 16, 18, 20, 25
- format_stats.BFBayesFactor, 3, 5, 8, 10, 11, 13, 15, 16, 18, 20, 25
- format_stats.BFBayesFactor(), 8
- format_stats.easycorrelation, 3, 5, 8, 10, 12, 12, 15, 16, 18, 20, 25
- format_stats.easycorrelation(), 8
- format_stats.htest, 3, 5, 8, 10, 12, 13, 14, 16, 18, 20, 25
- format_stats.htest(), 8
- format_stats.lm, 3, 5, 8, 10, 12, 13, 15, 15, 18, 20, 25
- format_stats.lm(), 8
- format_stats.lmerModLmerTest, 3, 5, 8, 10, 12, 13, 15, 16, 17, 20, 25
- format_stats.lmerModLmerTest(), 8
- format_stats.merMod, 3, 5, 8, 10, 12, 13, 15, 16, 18, 19, 25
- format_stats.merMod(), 8
- format_sub, 20
- format_summary, 21
- format_summary(), 21
- format_ttest, 3, 5, 8, 10, 12, 13, 15, 16, 18, 20, 24
- lme4::glmer(), 19
- lme4::lmer(), 19
- lmerTest::lmer(), 18
- stats::aov(), 10
- stats::glm(), 16
- stats::lm(), 16
- t.test(), 5, 13, 14, 24
- wilcox.test(), 5, 13, 14, 24