

Package ‘topsis’

October 14, 2022

Type Package

Title TOPSIS method for multiple-criteria decision making (MCDM)

Version 1.0

Date 2013-09-24

Author Mahmoud Mosalman Yazdi

Maintainer Mahmoud Mosalman Yazdi <m.mosalman@gmail.com>

Description Evaluation of alternatives based on multiple criteria using TOPSIS method.

License GPL-2

NeedsCompilation no

Repository CRAN

Date/Publication 2013-09-30 20:15:19

R topics documented:

topsis	1
Index	3

topsis	<i>TOPSIS method for multiple-criteria decision making (MCDM)</i>
--------	---

Description

The Technique for Order of Preference by Similarity to Ideal Solution (TOPSIS) is a multiple-criteria decision making (MCDM) method.

Usage

```
topsis(decision = NULL, weights = NULL, impacts = NULL)
```

Arguments

decision	A numeric matrix with m rows for m alternatives and n columns for n criterions.
weights	A numeric vector with length equal to number of columns in decision matrix for weights of criterions.
impacts	A character vector of "+" and "-" signs for the way that each criterion influences on the alternatives.

Value

A data frame including elements	
alt.row	Row number of alternatives in decision matrix.
score	TOPSIS score of alternatives.
rank	Rank of alternatives based on TOPSIS scores.

Author(s)

Mahmoud Mosalman Yazdi <m.mosalman@gmail.com>

References

Yoon, K.P.; Hwang, C. (1995). *_Multiple Attribute Decision Making: An Introduction_*. California: SAGE publications.

Examples

```
d <- matrix(rpois(12, 5), nrow = 4)
w <- c(1, 1, 2)
i <- c("+", "-", "+")
topsis(d, w, i)
```

Index

* **topsis**
topsis, 1

topsis, 1